

DAFTAR PUSTAKA

- Abdul, J. K., & Gosh, S. M. 2020. Biology and Damage of Banana Skipper *Erionota Torus* (Evans) from Malabar Region of Kerala. *Indian J Entomol.* 82(3): 429-434. DOI: 10.5958/0974-8172.2020.00112.1.
- Baker, R., Caffier, D., Choisuel, J. W., Clereq, P. D., Simon, E. D., Gerowitt, B., et al., 2008. Pest risk assessment made by France on *Erionota thrax* L. considered by France as harmful in French overseas departments of French Guiana, Guadeloupe, Martinique and Réunion. *the European Food Safety Authority (EFSA) Journal.* 672: 1-23.
- BMKG (Badan Meteorologi, Klimatologi, dan Geofisika), 2023. Buletin Informasi Iklim. Available at: <http://www.bmkg.go.id/> [Accessed 13 Okt. 2023].
- BPS Sulawesi Selatan. 2022. Produksi Pisang Provinsi Sulawesi Selatan Menurut Kabupaten/Kota (Kuintal), 2018-2020. Sulawesi Selatan. <https://sulsele.bps.go.id/indicator/55/1118/1/produksi-pisang-provinsi-sulawesi-selatan-menurut-kabupaten-kota.html>
- Cahyono. 2002. *Pisang Budidaya dan Analisis Usaha Tani.* Yogyakarta: Kanisius. 78 hal.
- Chatter, S., Patil, R. S., Basappa, H., & Agasimani, A. 2020. The Comparative Seasonal Biology Studies of Banana Leaf Roller, *Erionota torus* evans under Laboratory Conditions. *Journal of Entomology and Zoology Studies.* 8(3): 1175-1179.
- Cock, M. J. W. 2015. a Critical Review of the Literature on the Pest *Erionota* spp. (Lepidoptera, Hesperiidae): Taxonomy, Distribution, Food Plants, Early Stages, Natural Enemies and Biological Control. CAB Reviews, 10(007): 1-30. <http://www.cabi.org/cabreviews/review/20153183142>
- Cock, M. J. W. 2022. *Erionota thrax* (Banana Skipper). CABI Compendium. CABI. doi: 10.1079/cabicompendium.21833.
- De Jong, R. & Treadaway, C. G. 1993. The Hesperiidae (Lepidoptera) of the Philippines. *Zoologische Verhandelingen Leiden.* 288: 1-115.



Almah, S., & Hasyim, A. 1997. Tabel Hidup dan Faktor yang Mengaruh Populasi Hama Penggulung Daun Pisang *Erionota* (Lepidoptera: Hesperiidae). *Kongres Biologi Nasional Biologi* 6 Juli. Bandar Lampung: Universitas Lampung.

- Erniwati, & Ubaidillah, R. 2011. Hymenopteran Parasitoids Associated with the Banana-skipper *Erionota thrax* L. (Insecta: Lepidoptera, Hesperiidae) in Java, Indonesia. *BIODIVERSITAS*. 12(2): 76-85.
- Evans, W. H. 1949. *A Catalogue of the Hesperiidae from Europe, Asia and Australia in the British Museum (Natural History)*. London: Trustees of the British Museum.
- Guru, P. N., Patil, R., Patil, R. K., & Chatter, S. 2018. Bioefficacy of Insecticides and Biopesticides on Banana Leaf Roller (*Erionota torus* Evans). *Journal of Entomology and Zoology Studies*. 6(1): 1343-1346.
- Hasyim, A. 1998. Dinamika Populasi Hama Penggulung Daun Pisang *Erionota thrax* (L.) di Sitiung, Sumatera Barat. *J. Stigma*. 6(2):45-50.
- Hasyim, A., Hasan, N., Syafril, Herlion, & Nakamura, K. 1994. Parasitoids of the Banana Skipper; *Erionota thrax* (L.) in Sumatera Barat, Indonesia, With Notes on their Life History, Distribution, and Abundance. *Tropics*. 3(2): 131-142.
- Hasyim, A., Kamisar, & Nakamura, K. 2003. Mortalitas Stadia Pradewasa Hama Penggulung Daun Pisang, *Erionota thrax* (L.) yang disebabkan oleh Parasitoid. *J. Hort*. 13(1): 1-5.
- Hendrival, Z., & Munauwar, M. M. 2021. Keanekaragaman dan Dominansi Serangga Parasitoid yang Berasosiasi dengan Hama Penggulung Daun (*Erionota thrax* L.) di Agroekosistem Pisang. *Jurnal Biosains*. 7(3): 142–147.
- Irulandi, S., Manivannan, M. I., & Kumar, A. R. 2018. Bioecology and Management of The Banana Skipper, *Erionota thrax* L. *Journal of Entomology and Zoology Studies*. 6(2): 262-265.
- Jaleel, K. A., Jayakrishnan, T. V., & Ghosh, S. M. 2021. Shelter-Building Behavior of *Erionota Torus* Evans (Lepidoptera: Hesperiidae) Caterpillars Feeding on Banana Leaves. *Uttar Pradesh Journal of Zoology*. 42 (24): 1-9.

Jaleel, K. A., Jayakrishnan, T. V., & Ghosh, S. M. 2021. Shelter-Building Behaviour of *Erionota torus* Evans (Lepidoptera: Hesperiidae) Caterpillars Feeding on Banana Leaves. *Uttar Pradesh Journal of Zoology*. 42(24):



Kalshoven, L. G. E. 1981. *The Pests of Crops in Indonesia*. Revised and translated by van der Laan PA dan Rothschild GHL. Jakarta: P.T. Ichtiar Baroe Van Hoeve. 701 pp.

Kalshoven, L. G. E., Sody, & Bemmel. 1951. *De plagen van de cluturrgewassen in Indonesië*. 2: 654, 897.

Kasrina, & Zulaikha, Q. A. 2013. Pisang Buah (Musa Spp): Keragaman dan Etnobotaninya pada Masyarakat di Desa Sri Kuncoro Kecamatan Pondok Kelapa Kabupaten Bengkulu Tengah. *Prosiding Semirata FMIPA Universitas Lampung*. 33-40. Available at: <http://www.bkdbenteng.com/index.php/pet>

Kemisetti, D., Das, R., Bhattacharya, B. 2022. a Comprehensive Review on *Musa Paradisiaca* Taxonomical, Morphological Classification and Its Pharmacological Activities. *Journal of Pharmaceutical Negative Results*. 13 (10): 737-749.

Khoo, K. C., Ooi, P. A. C., & Ho, C. T. 1991. *Crop Pests and Their Management in Malaysia*. Tropical Press Sdn. Bhd., Malaysia. 233 pp.

Komaryati & Adi, S. 2012. Analisis Faktor-Faktor yang Mempengaruhi Tingkat Adopsi Teknologi Budidaya Pisang Kepok (*Musa paradisiaca*) di Desa Sungai Kunyit Laut Kecamatan Sungai Kunyit Kabupaten Pontianak. *J. Iprekas*. 53-61.

Lubis, M. H., Siregar, A. Z., & Pinem, M. I. 2022. Inventarisasi Parasitoid Larva Hama Penggulung Daun Pisang (*E. Thrax* L.) di Desa Sampali Kecamatan Percut Sei Tuan Kabupaten Deli Serdang. *Jurnal Agrotek Indonesia*. 2 (7): 60-67.

Maramis, T. D. R. 2005. Contribution of Several Generalist Parasitoids from Host Insect *Erionota thrax* (Lepidoptera: Hesperiidae) on its Habitat. *PhD Thesis*. Available at: www.digilib.bi.itb.ac.id/go.php

Mararuai, A. 2010. Market Acces of Papua New Guinea Bananas (*Musa sp.*) with Particular Respect to the Banana fly (*Bractrocera musae* (Tryon) (Diptera: Tephritidae). PhD Thesis. Australia: School of Natural Sciences, Queensland University of Technology. 187 pp.



K., Kumashiro, B., & Teramoto, K. 1980. Biological Control of Banana Skipper, *Pelopidas thrax* (Linnaeus), (Lepidoptera: Pyralidae) in Hawaii. *Proceedings, Hawaiian Entomological Society*. 31-238.

- Nakasone, H. Y. & Paull, R. E. 1998. *Tropical Fruits*. London: Centre for Agriculture and Bioscience (CAB) International, Wallingford, UK, 432 pp.
- Novianti, F. 2008. Hama Penggulung Daun Pisang *Erionota Thrax* Linnaeus (Lepidoptera: Hesperiidae) dan Musuh Alaminya di Tempat-Tempat dengan Ketinggian Berbeda. Skripsi. Institut Pertanian Bogor. Bogor. 43 hal.
- Okolle, J. N., Ahmad, A. H., & Mansor, M. 2010. Bioecology and Management of the Banana Skipper (*Erionota thrax*). *Tree and Forestry Science and Biotechnology*. 4 (1): 22-31.
- Okolle, J. N., Ahmad, A. H., & Mashhor, M. Evaluation of Selected Insecticides for Managing Larvae of *Erionota thrax* and Effects on its Parasitoid (*Brachymeria albottibialis*). *Pest Technology*. 5(1): 39-43.
- Okolle, J. N., Ahmad, A. H., & Masshor, M. 2009. Infestation and Parasitism of Banana Skipper (*Erionota thrax*) (Lepidoptera: Hesperiidae) in Relation to Banana Leaf Age, and Surface and Distance from Field Edge. *The Asian and Australasian Journal of Plant Science and Biotechnology*. 3(1): 61-65.
- Okolle, J. N., Mashhor, M., & Ahmad, A. H. 2006. Spatial Distribution of Banana Skipper (*Erionota Thrax* L.) (Lepidoptera: Hesperiidae) and its Parasitoids in a Cavendish Banana Plantation, Penang, Malaysia. *Insect Science*. 13: 381–389. Available at: <https://doi.org/10.1111/j.1744-7917.2006.00107.x>
- Okolle, J. N., Masshor, M., & Ahmad, A. H. 2004. Preliminary Survey of the Banana Leaf Roller, *Erionota thrax*. In Harnessing Research to Improve Livelihoods Proceedings of the First International Congress on Musa, 6–9 July, Penang, Malaysia. *International Network for the Improvement of Bananas and plantains*, France. 177 pp.
- Onkara, S. N., Jayashankar, M., & Sridhar, V. 2016. Incidence of Invasive Banana Skipper, *Erionota torus* Evans (Lepidoptera: Hesperiidae) in Karnataka. *Jurnal an International Quarterly of Life Sciences*. 11(4): 2117- 2120.



.., Toana, M. H., Edy, N., Anshary, A., Saleh, S. 2021. Incidence of banana leaf roller and diversity of its parasitoids in Central Sulawesi, Indonesia. *Biodiversitas*. 22(11): 5023-5029.

Sabhan, B., Deshmukh, S., Thanigairaj, R., & Ragesh, G. 2020. a review of the Pest Status and Natural Enemy Complex of Banana

Skipper *Erionota Torus* Evans In South India and Its Management. *Indian J Entomol.* 82(3): 479-492. DOI: 10.5958/0974-8172.2020.00123.6.

Prahardini, P. E. R., Yuniarti, & Krismawati, A. 2009. the Genetic Potency of Plantain Agung Semeru Variety from Lumajang East Java Indonesia. *El-Hayah*. 1 (1): 25-29.

Pramesti, A. D. 2016. Efek Fito Protektif Ekstrak Batang Pisang Ambon (*Musa Paradisiaca* Var. *Sapientum*) terhadap Gambaran Histopatologi Duodenum Tikus Putih (*Rattus Norvegicus*) Yang Diinduksi Indometasin. *Skripsi*. Surabaya: Fakultas Kedokteran Hewan, Universitas Airlangga. 71 hal.

Prasad, B. & Singh, O. L. 1987. Insect Pests of Banana and their Incidence in Manipur. *Indian Journal of Hill Farming*. 1(1): 71-73.

Rahmawati, Pasaru, F., & Yunus, M. 2018. Observasi Jenis Parasitoid Larva Penggulung Daun Pisang *Erionata thrax* Linnaeus (Lepidoptera: Hesperiidae) pada Ketinggian Tempat yang Berbeda di Kabupaten Sigi. *J. Agrotekbis*. 6(2): 239–246.

Rao, U. S. M., Mohd, K. S., Muhammad, A., Ahmad, B. A., Mohammad, M., & Ali, R. M., 2014. Taxonomical, Phytochemical and Pharmacological Reviews of *Musa sapientum* var. *Paradisiaca*. *Research J. Pharm and Tech*. 7 (11): 1356-1361.

Reddy, D. S., & Hemadri, T. First Occurrence of Banana Skipper (*Erionota torus*) in Kodur Region of Andhra Pradesh, India. *International Journal of Current Microbiology and Applied Sciences*. 7(2): 1081-1084.

Rukmana, R. 1999. *Usaha Tani Pisang*. Yogyakarta: Kanisius.

Ryan, I. 2022. Morfologi Keragaman Tanaman Pisang (*Musa sp.*), di Distrik Nabire Barat, Kabupaten Nabire. *Jurnal Pertanian dan Peternakan*. 7(2): 28-33.

Sands, D. P. A. & Bakker, P. 1993. *Cotesia erionotae* (Wilkinson) (Hymenoptera: Ichneumonidae), for Biological Control of Banana Skipper, *Erionota thrax* (Lepidoptera: Hesperiidae) in Papua New Guinea. *Micronesia*. 4:



- Sands, D. P. A., & Sands, M. C. 1991. Banana Skipper, *Erionota thrax* (L.) (Lepidoptera:Hesperiidae) in Papua New Guinea: a New Pest in the South Pacific Region. *Micronesia Suppl.* 3: 93-98.
- Satuhu, S., & Supriyadi, A. 2007. *Pisang: Budidaya, Pengolahan, dan Prospek Pasar*. Penebar Swadaya. Jakarta.
- Satuhu, S., & Supriyadi, H. 1999. *PISANG: Budidaya, Pengolahan, dan Prospek Pasar*. Jakarta: Penebar Swadaya.
- Setiawan, Maimunah, & Suswati. 2020. Keragaman Parasitoid *Erionota thrax* L. pada Dua Jenis Tanaman Pisang Bermikoriza di Kabupaten Deli Serdang. *Jurnal Ilmiah Pertanian (JIPERTA)*. 1 (1). Available at: <http://jurnalmahasiswa.uma.ac.id/index.php/jiperta>
- Setiawan, Maimunah, & Suswati. 2020. Keragaman Parasitoid *Erionota thrax* L. pada Dua Jenis Tanaman Pisang Bermikoriza di Kabupaten Deli Serdang. *Jurnal Ilmiah Pertanian (JIPERTA)*. 1(1): 106-111.
- Setiawan. 2019. Keragaman Parasitoid *Erionota Thrax* L. pada Dua Jenis Tanaman Pisang Bermikoriza di Lahan Kelompok Tani Masyarakat Bersatu Desa Sampali Kecamatan Percut Sei Tuan Kabupaten Deli Serdang. *Skripsi*. Universitas Medan Area. Medan. 41 hal.
- Sholihah, F. V., Kinseng, R. A., & Sunito, S. 2017. Dinamika Sosial pada Distribusi Komoditas Pisang Skala Rakyat di Jawa Barat. *Jurnal Sosiologi Pedesaan*. 52-60.
- Sivakumar, T., Jiji, T., & Anitha, N. 2014. Field Observations on Banana Skipper *Erionota thrax* L. (Hesperiidae: Lepidoptera) and its Avian Predators from Southern Peninsular India. *J. Current Biotica*. 8(3): 220-227.
- Soedirdjoatmodjo. 1985. Serangan *E. thrax* Linneaus (Lepidoptera: Hesperiidae) dan *Anisoderma* sp. (Coleoptera: Hispidae) pada tanaman pisang (*Musa* sp.) jenis Angleng dan Apu di Desa Sukalaksana dan Sukarambe, Kecamatan Sukanagara Kabupaten Cianjur Jawa Barat. *Laporan Praktek Lapang*. Bogor: Jurusan Hama Penyakit Tumbuhan, Fakultas Pertanian, Institut Pertanian Bogor.



adi, A. A., & Mukminin, K. 1989. Observasi Hama Penggulung Pisang dan Musuh Alaminya di Beberapa Daerah Penghasil di Sumatera Barat. *Hortikultura*. 25: 8-12.

- Soumya, K. C., Sajeev T. V., Maneetha, T. K., Vijayan, K., & Mathew, G. 2013. Incidence of *Erionota thrax* (Hübner) (Lepidoptera: Hesperiidae) as a Pest of Banana in Kerala ENTOMON. 38(1): 53-58.
- Subari, W., Goo, N., Siahaya, V. G. 2022. Kerusakan Tanaman Pisang Oleh Hama Ulat Penggulung Daun (*Erionota thrax* L.) Di Pulau Ambon. AGROLOGIA. 11(2): 107-114.
- Subartento, 2006. *Kimia Makanan*. Institut Teknologi Bandung, Bandung.
- Suyantis & Supriyadi, A. 2008. *Pisang, Budidaya, Pengolahan & Prospek Pasar*. Edisi Revisi. Penebar Swadaya. Jakarta.
- Tjahjadi. 1991. *Taksonomi Tumbuhan Spermatophyta*. Yogyakarta: Gajah Mada University Press.
- Veenakumari, K. & Mohanraj, P. 1991. *Erionota thrax thrax* L. (Lepidoptera: Hesperiidae), a New Record to Andaman Islands. Journal of the Andaman Science Association. 7(2): 91-92.
- Waterhouse D. F., Birribi D. and David V. 1998. *Economic Benefits to Papua New Guinea and Australia from Biological Control of Banana Skipper (*Erionota thrax*)*. CSIRO Division of Entomology, Australia, 36 p.
- Waterhouse, D. F., & Norris, K. R. 1989. *Biological control. Pacific prospects, supplement 1*. Australian Centre for International Agricultural Research (ACIAR). Canberra. Australia, 123 pp.
- Wibowo, L., Indriyati, & Purnomo. 2015. Kemelimpahan dan Keragaman Jenis Parasitoid Hama Penggulung Daun Pisang *Erionota Thrax* L. di Kabupaten Lampung Selatan. *Jurnal HPT Tropika*. 15(1): 26 – 32.
- Wijayanto, N. 2006. Budidaya Pisang (*Musa paradisiaca*). ITTO Training Proceedings Muara Bulian 4th-6th May. pp. 26-29.
- Yulian, Y. D., Wibowo, L., & Indriyati. 2016. Inventarisasi Parasitoid Hama Penggulung Daun Pisang (*Erionota thrax* L.) di Kota Metro dan Sekitarnya Provinsi Lampung. *Jurnal Agrotek Tropika*. 4(1): 11-15.



Optimization Software:
www.balesio.com

LAMPIRAN

Tabel Lampiran 1. Rata-rata jumlah individu *E. thrax* pada pengamatan ke 1-10

Sampel	Jumlah Individu <i>Erionota Thrax</i>									
	M1	M2	M3	M4	M5	M6	M7	M8	M9	M10
1	1	0	0	0	0	3	3	1	5	11
2	0	0	0	0	0	0	0	2	6	4
3	2	0	0	0	0	0	2	1	0	4
4	0	0	0	0	1	4	9	1	0	8
5	0	0	0	0	1	0	0	0	0	1
6	0	0	0	0	0	0	1	5	6	0
7	1	1	1	1	0	0	1	0	6	9
8	0	0	0	0	0	0	0	0	3	4
9	5	5	5	4	4	4	0	0	2	3
10	0	0	0	0	0	0	1	17	4	2
11	0	0	0	0	0	0	0	0	0	5
12	1	1	1	1	1	0	0	2	2	7
13	1	1	1	1	0	2	2	0	8	0
14	6	6	5	5	5	5	5	4	1	1
15	0	0	0	0	0	4	4	1	0	0
Total	17	14	13	12	12	22	28	34	43	59
Rerata	1.13	0.93	0.87	0.80	0.80	1.47	1.87	2.27	2.87	3.93

Sumber: Data Primer Setelah Diolah

Tabel Lampiran 2. Rata-rata jumlah daun terserang pada pengamatan ke 1-10

Sampel	Total daun	Jumlah daun terserang									
		M1	M2	M3	M4	M5	M6	M7	M8	M9	M10
1	7	1	0	0	0	0	2	2	1	3	3
2	10	0	0	0	0	0	0	0	1	3	3
3	9	2	0	0	0	0	0	1	3	1	2
		0	0	0	0	1	1	1	1	1	2
		0	0	0	0	0	0	0	0	0	1
		0	0	0	0	1	1	3	2	0	0
		1	1	1	0	0	1	1	1	1	2
		0	0	0	0	0	1	1	1	1	1

9	8	1	1	1	1	1	1	0	1	1	2
10	5	0	0	0	0	0	0	1	1	2	1
11	8	0	0	0	0	0	0	0	0	0	2
12	7	1	1	1	1	1	0	0	1	1	3
13	10	1	1	1	0	0	1	1	0	3	0
14	11	2	2	2	2	2	2	1	1	1	0
15	10	0	0	0	0	0	1	1	1	0	0
Total	128	9	6	6	5	4	9	12	16	20	22
Rerata	8.53	0.60	0.40	0.40	0.33	0.27	0.60	0.80	1.07	1.33	1.47

Sumber: Data Primer Setelah Diolah

Tabel Lampiran 3. Rata-rata Jumlah Larva *E. thrax* Pada Tanaman Pisang Pengamatan ke 1-10

Sampel	Jumlah Larva Erionota Thrax Pada Minggu 1 - Minggu 10									
	M1	M2	M3	M4	M5	M6	M7	M8	M9	M10
1	0	0	0	0	0	3	3	1	4	11
2	0	0	0	0	0	0	0	2	6	2
3	0	0	0	0	0	0	2	1	0	3
4	0	0	0	0	0	9	9	1	0	5
5	0	0	0	0	0	0	0	0	0	1
6	0	0	0	0	0	0	0	5	3	0
7	0	1	0	0	0	0	0	0	6	9
8	0	0	0	0	0	0	0	0	3	3
9	5	5	5	0	0	0	0	0	2	2
10	0	0	0	0	0	0	0	17	3	2
11	0	0	0	0	0	0	0	0	0	5
12	1	1	0	0	0	0	0	2	2	6
13	1	1	0	0	0	2	2	0	8	0
14	6	6	5	0	0	0	0	4	1	0
15	0	0	0	0	0	4	4	1	0	0
Total	12	44	10	0	0	18	20	34	38	49



Setelah Diolah

Tabel Lampiran 4. Rata-rata Jumlah Pupa *E. thrax* Pada Pengamatan ke 1-10

Sampel	Jumlah Pupa Erionota Thrax Pada Minggu 1 - Minggu 10									
	M1	M2	M3	M4	M5	M6	M7	M8	M9	M10
1	3	0	0	0	0	0	0	0	1	0
2	0	0	0	0	0	0	0	0	0	2
3	2	0	0	0	0	0	0	0	0	1
4	0	0	0	0	0	0	0	0	0	3
5	0	0	0	0	0	0	0	0	0	0
6	0	0	0	0	0	0	0	0	3	0
7	1	0	1	1	0	0	0	0	0	0
8	0	0	0	0	0	0	0	0	0	1
9	0	0	0	4	4	4	0	0	0	1
10	0	0	0	0	0	0	0	0	1	0
11	0	0	0	0	0	0	0	0	0	0
12	0	0	1	1	1	0	0	0	0	1
13	0	0	1	1	0	0	0	0	0	0
14	0	0	0	5	5	5	5	0	0	0
15	0	0	0	0	0	0	0	0	0	0
Total	6	0	3	12	10	9	5	0	5	9
Rerata	0.40	0.00	0.20	0.80	0.67	0.60	0.33	0.00	0.33	0.60

Sumber: Data Primer Setelah Diolah

Tabel Lampiran 5. Jumlah Rata-rata Larva-Pupa *E. thrax* pada pengamatan ke 1-10

Stadia <i>E. thrax</i>	M1	M2	M3	M4	M5	M6	M7	M8	M9	M10
Larva	0.87	0.93	0.67	0.00	0.00	1.20	1.33	2.27	2.53	3.27
Pupa	0.40	0.00	0.20	0.80	0.67	0.60	0.33	0.00	0.33	0.60
Jumlah	1.27	0.93	0.87	0.80	0.67	1.80	1.67	2.27	2.87	3.87

Sumber: Data Primer Setelah Diolah



Optimization Software:
www.balesio.com

Tabel Lampiran 6. Rata-rata Jumlah Gulungan Daun pada Pengamatan ke 1-10

Sampel	M1	M2	M3	M4	M5	M6	M7	M8	M9	M10
1	5	0	0	0	0	5	5	5	5	11
2	0	0	0	0	0	0	0	2	6	7
3	2	0	0	0	0	0	5	1	1	4
4	0	0	0	0	0	12	12	4	3	8
5	0	0	0	0	0	0	0	0	0	2
6	0	0	0	0	0	2	1	6	6	0
7	3	3	1	2	0	0	3	0	6	9
8	0	0	0	0	0	0	1	0	3	4
9	7	7	9	4	7	7	0	0	19	3
10	0	0	0	0	0	0	5	19	4	5
11	0	0	0	0	0	0	0	0	0	5
12	1	1	2	1	2	0	3	2	2	8
13	1	1	1	1	0	4	2	0	8	0
14	8	8	6	5	5	5	5	4	2	1
15	0	0	0	0	0	4	4	1	0	0
Total	27	20	19	13	14	39	46	44	65	67
Rerata	1.80	1.33	1.27	0.87	0.93	2.60	3.07	2.93	4.33	4.47

Sumber: Data Primer Setelah Diolah

Tabel Lampiran 7. Rata-rata Intensitas Serangan *E. Thrax* Pada Pengamatan ke 1-10

Sampel	M1	M2	M3	M4	M5	M6	M7	M8	M9	M10
1	14.29	0.00	0.00	0.00	0.00	28.57	28.57	14.29	14.29	42.86
2	0.00	0.00	0.00	0.00	0.00	0.00	0.00	10.00	30.00	30.00
3	22.22	0.00	0.00	0.00	0.00	0.00	11.11	11.11	0.00	22.22
4	0.00	0.00	0.00	0.00	0.00	12.50	12.50	12.50	0.00	25.00
5	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	10.00
6	0.00	0.00	0.00	0.00	0.00	0.00	0.00	14.29	28.57	0.00
Optimization Software: www.balesio.com	29	14.29	14.29	0.00	0.00	0.00	0.00	0.00	14.29	28.57
	0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	9.09	9.09
	60	12.50	12.50	12.50	12.50	0.00	0.00	12.50	25.00	
	0	0.00	0.00	0.00	0.00	0.00	0.00	20.00	40.00	20.00
	0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	25.00
	29	14.29	14.29	14.29	0.00	0.00	14.29	14.29	42.86	

13	10.00	10.00	10.00	10.00	0.00	10.00	10.00	0.00	30.00	0.00
14	18.18	18.18	18.18	18.18	18.18	18.18	18.18	9.09	9.09	0.00
15	0.00	0.00	0.00	0.00	0.00	10.00	10.00	10.00	0.00	0.00
Total	105.76	69.25	69.25	69.25	44.97	91.75	90.36	115.56	202.11	280.60
Rerata	7.05	4.62	4.62	4.62	3.00	6.12	6.02	7.70	13.47	18.71

Sumber: Data Primer Setelah Diolah

Tabel Lampiran 8. Rata-rata Morfometrik stadia Larva dan Pupa *E.thrax*

Sampel	Panjang Larva	Panjang Pupa
1	L1 : 5 L2 : 3 L3 : 4.2 L4 : 5	P1 : 4.9 P2 : 4.6
2	L1 : 2.8 L2 : 3.2 L3 : 3.7 L4 : 2.9 L5 : 2.7 L6 : 2.5	P1 : 4.6 P2 : 4
3	0	P1 : 4
4	0	P1 : 3.8 P2 : 3.7 P3 : 4
5	0	0
6	L1 : 3.4 L2 : 3.7 L3 : 3.6	P1 : 4.2 P2 : 4.5 P3 : 4.1
7	L1 : 1.4 L2 : 1.4 L3 : 0.8 L4 : 0.9 L5 : 1.7 L6 : 0.9 L1 : 5.7 L2 : 4.3 L3 : 5.4 L1 : 6	0 P1 : 5 P2 : 3.8 P3 : 4.9 P1 : 5



	L2 : 5.7	P2 : 5
10	L1 : 4	P1 : 4.6
	L2 : 5	
	L3 : 4.2	
11	0	0
12	L1 : 2.9	P1 : 3.8
	L2 : 2.8	P2 : 4
13	L1 : 1.7	0
	L2 : 1.6	
	L3 : 1.7	
	L4 : 1.7	
	L5 : 1	
	L6 : 0.7	
	L7 : 1.5	
	L8 : 0.9	
14	L1 : 6	P1 : 5.1
15	0	0
Rerata	11.56	8.76

Sumber: Data Primer Setelah Diolah

Tabel Lampiran 9. Rata-rata Ukuran Morfometrik Stadia Larva dan Pupa *E. thrax* di Lapangan

Sampel	Ukuran Panjang Tubuh (cm)	
	Larva	Pupa
1	4.30 (n=4)	4.75 (n=2)
2	2.97 (n=6)	4.30 (n=2)
3	0 (n=0)	4.00 (n=1)
4	0 (n=0)	3.83 (n=3)
5	0 (n=0)	0 (n=0)
6	3.57 (n=3)	4.27 (n=3)
7	1.18 (n=6)	0 (n=0)
8	5.13 (n=3)	4.57 (n=3)
9	5.85 (n=2)	5.00 (n=2)
10	4.40 (n=3) 0 (n=0) 2.85 (n=2) 1.35 (n=8) 6 (n=1) 0 (n=0)	4.60 (n=1) 0 (n=0) 3.90 (n=2) 0 (n=0) 5.10 (n=1) 0 (n=0)





Gambar Lampiran 1.Pengamatan Populasi dan Intensitas Serangan Larva *Erionota thrax* L.



Gambar Lampiran 2. Pengukuran Larva *Erionota thrax* L.



Lampiran 3. Pengukuran Pupa *Erionota thrax* L.



Gambar Lampiran 4. Imago *Erionota thrax* L.



Optimization Software:
www.balesio.com