

DAFTAR PUSTAKA

- [1] R. Szeliski, *Computer Vision: Algorithms and Applications*, 2nd ed. Springer Nature Switzerland AG, 2022.
- [2] V. Wiley and T. Lucas, “Computer Vision and Image Processing: A Paper Review,” *Int. J. Art. Intell. Research*, vol. 2, no. 1, p. 22, Jun. 2018, doi: 10.29099/ijair.v2i1.42.
- [3] A. Voulodimos, N. Doulamis, A. Doulamis, and E. Protopapadakis, “Deep Learning for Computer Vision: A Brief Review,” *Computational Intelligence and Neuroscience*, vol. 2018, pp. 1–13, 2018, doi: 10.1155/2018/7068349.
- [4] W. S. McCulloch and W. Pitts, “A logical calculus of the ideas immanent in nervous activity,” *Bulletin of Mathematical Biophysics*, vol. 5, no. 4, pp. 115–133, Dec. 1943, doi: 10.1007/BF02478259.
- [5] M. Nielsen, “Neural Networks and Deep Learning,” 2015.
- [6] J. Jiang, M. Chen, and J. A. Fan, “Deep neural networks for the evaluation and design of photonic devices,” *Nat Rev Mater*, vol. 6, no. 8, pp. 679–700, Dec. 2020, doi: 10.1038/s41578-020-00260-1.
- [7] J. Redmon, S. Divvala, R. Girshick, and A. Farhadi, “You Only Look Once: Unified, Real-Time Object Detection,” in *2016 IEEE Conference on Computer Vision and Pattern Recognition (CVPR)*, Las Vegas, NV, USA: IEEE, Jun. 2016, pp. 779–788. doi: 10.1109/CVPR.2016.91.
- [8] J. Terven and D. Cordova-Esparza, “A Comprehensive Review of YOLO: From YOLOv1 to YOLOv8 and Beyond,” Apr. 02, 2023, *arXiv*: arXiv:2304.00501. Accessed: Apr. 29, 2023. [Online]. Available: <http://arxiv.org/abs/2304.00501>
- [9] Y. Shen, F. Zhang, D. Liu, W. Pu, and Q. Zhang, “Manhattan-distance IOU loss for fast and accurate bounding box regression and object detection,” *Neurocomputing*, vol. 500, pp. 99–114, Aug. 2022, doi: 10.1016/j.neucom.2022.05.052.

- [10] J. He, S. Erfani, X. Ma, J. Bailey, Y. Chi, and X.-S. Hua, “Alpha-IoU: A Family of Power Intersection over Union Losses for Bounding Box Regression”.
- [11] X. Wang and J. Song, “ICIoU: Improved Loss Based on Complete Intersection Over Union for Bounding Box Regression,” *IEEE Access*, vol. 9, pp. 105686–105695, 2021, doi: 10.1109/ACCESS.2021.3100414.
- [12] H. Rezatofighi, N. Tsoi, J. Gwak, A. Sadeghian, I. Reid, and S. Savarese, “Generalized Intersection Over Union: A Metric and a Loss for Bounding Box Regression,” in *2019 IEEE/CVF Conference on Computer Vision and Pattern Recognition (CVPR)*, Long Beach, CA, USA: IEEE, Jun. 2019, pp. 658–666. doi: 10.1109/CVPR.2019.00075.
- [13] Z. Zheng, P. Wang, W. Liu, J. Li, R. Ye, and D. Ren, “Distance-IoU Loss: Faster and Better Learning for Bounding Box Regression,” Nov. 19, 2019, *arXiv*: arXiv:1911.08287. Accessed: Apr. 30, 2023. [Online]. Available: <http://arxiv.org/abs/1911.08287>
- [14] Z. Kuang, X. Fang, R. Zhang, X. Shao, and H. Wang, “A Plug and Play Fast Intersection Over Union Loss for Boundary Box Regression,” in *ICASSP 2021 - 2021 IEEE International Conference on Acoustics, Speech and Signal Processing (ICASSP)*, Toronto, ON, Canada: IEEE, Jun. 2021, pp. 1705–1709. doi: 10.1109/ICASSP39728.2021.9413641.
- [15] L. Wang, T.-K. Kim, and K.-J. Yoon, “EventSR: From Asynchronous Events to Image Reconstruction, Restoration, and Super-Resolution via End-to-End Adversarial Learning,” in *2020 IEEE/CVF Conference on Computer Vision and Pattern Recognition (CVPR)*, Seattle, WA, USA: IEEE, Jun. 2020, pp. 8312–8322. doi: 10.1109/CVPR42600.2020.00834.
- [16] K. Fukushima, “Neocognitron: A self-organizing neural network model for a mechanism of pattern recognition unaffected by shift in position,” *Biol. Cybernetics*, vol. 36, no. 4, pp. 193–202, Apr. 1980, doi: 10.1007/BF00344251.
- [17] Y. LeCun *et al.*, “Handwritten Digit Recognition with a Back-Propagation Network,” in *Advances in Neural Information Processing Systems*, Morgan-

- Kaufmann, 1989. Accessed: May 05, 2023. [Online]. Available: <https://proceedings.neurips.cc/paper/1989/hash/53c3bce66e43be4f209556518c2fcb54-Abstract.html>
- [18] A. Krizhevsky, I. Sutskever, and G. E. Hinton, "ImageNet Classification with Deep Convolutional Neural Networks," in *Advances in Neural Information Processing Systems*, Curran Associates, Inc., 2012. Accessed: May 05, 2023. [Online]. Available: https://proceedings.neurips.cc/paper_files/paper/2012/hash/c399862d3b9d6b76c8436e924a68c45b-Abstract.html
- [19] M. Saputra and M. P. Kurniawan, "IDENTIFIKASI MUTU BIJI KOPI ARABIKA BERDASARKAN CACAT DENGAN TEKNIK CONVOLUTIONAL NEURAL NETWORK," vol. 10, 2020.
- [20] E. C. Putro, R. M. Awangga, and R. Andarsyah, *Tutorial Object Detection People With Faster region-Based Convolutional Neural Network(Faster R-CNN)*. Kreatif, 2020.
- [21] A. Kumar, C. P. Gandhi, Y. Zhou, R. Kumar, and J. Xiang, "Improved deep convolution neural network (CNN) for the identification of defects in the centrifugal pump using acoustic images," *Applied Acoustics*, vol. 167, p. 107399, Oct. 2020, doi: 10.1016/j.apacoust.2020.107399.
- [22] S. Mezgec and B. Koroušić Seljak, "NutriNet: A Deep Learning Food and Drink Image Recognition System for Dietary Assessment," *Nutrients*, vol. 9, no. 7, p. 657, Jun. 2017, doi: 10.3390/nu9070657.
- [23] I. Ahmad, "ARSITEKTUR CONVOLUTIONAL NEURAL NETWORK (CNN) UNTUK KLASIFIKASI JENIS DAN KESEGARAN BUAH PADA NERACA BUAH," 2020.
- [24] S. Sena, "Pengenalan Deep Learning Part 7: Convolutional Neural Network (CNN)," Medium. Accessed: May 07, 2023. [Online]. Available: <https://medium.com/@samuelsena/pengenalan-deep-learning-part-7-convolutional-neural-network-cnn-b003b477dc94>

- [25] L. Zaniolo and O. Marques, "On the use of variable stride in convolutional neural networks," *Multimed Tools Appl*, vol. 79, no. 19–20, pp. 13581–13598, May 2020, doi: 10.1007/s11042-019-08385-4.
- [26] Swapna., "Convolutional Neural Network | Deep Learning," Developers Breach. Accessed: May 07, 2023. [Online]. Available: <https://developersbreach.com/convolution-neural-network-deep-learning/>
- [27] M. A. Islam, M. Kowal, S. Jia, K. G. Derpanis, and N. D. B. Bruce, "Position, Padding and Predictions: A Deeper Look at Position Information in CNNs," Jan. 28, 2021, *arXiv*: arXiv:2101.12322. Accessed: May 07, 2023. [Online]. Available: <http://arxiv.org/abs/2101.12322>
- [28] J. Perez, J. Marinkovic, and P. Barcelo, "ON THE TURING COMPLETENESS OF MODERN NEURAL NETWORK ARCHITECTURES," 2019.
- [29] H. Abhirawa, M. Si, and A. Arifianto, "Pengenalan Wajah Menggunakan Convolutional Neural Network".
- [30] R. A. Asmara, A. R. Syulistyo, and N. K. Qudsi, "Identifikasi Citra Tulisan Tangan Digital Menggunakan Convolutional Neural Network (CNN)," *Seminar Informatika Aplikatif Polinema*, pp. 48–53, 2019.
- [31] Z.-Q. Zhao, P. Zheng, S. Xu, and X. Wu, "Object Detection with Deep Learning: A Review," Apr. 16, 2019, *arXiv*: arXiv:1807.05511. Accessed: May 07, 2023. [Online]. Available: <http://arxiv.org/abs/1807.05511>
- [32] S. Ren, K. He, R. Girshick, and J. Sun, "Faster R-CNN: Towards Real-Time Object Detection with Region Proposal Networks," Jan. 06, 2016, *arXiv*: arXiv:1506.01497. Accessed: May 07, 2023. [Online]. Available: <http://arxiv.org/abs/1506.01497>
- [33] J. Redmon and A. Farhadi, "YOLO9000: Better, Faster, Stronger," Dec. 25, 2016, *arXiv*: arXiv:1612.08242. Accessed: May 08, 2023. [Online]. Available: <http://arxiv.org/abs/1612.08242>

- [34] J. Redmon and A. Farhadi, “YOLOv3: An Incremental Improvement,” Apr. 08, 2018, *arXiv*: arXiv:1804.02767. Accessed: May 08, 2023. [Online]. Available: <http://arxiv.org/abs/1804.02767>
- [35] D. Tian, Y. Han, S. Wang, X. Chen, and T. Guan, “Absolute size IoU loss for the bounding box regression of the object detection,” *Neurocomputing*, vol. 500, pp. 1029–1040, Aug. 2022, doi: 10.1016/j.neucom.2022.06.018.
- [36] A. Bochkovskiy, C.-Y. Wang, and H.-Y. M. Liao, “YOLOv4: Optimal Speed and Accuracy of Object Detection,” Apr. 22, 2020, *arXiv*: arXiv:2004.10934. Accessed: May 08, 2023. [Online]. Available: <http://arxiv.org/abs/2004.10934>
- [37] Y. Li, H. Wang, and L. M. Dang, “A Deep Learning-Based Hybrid Framework for Object Detection and Recognition in Autonomous Driving,” 2020.
- [38] Alexey, *Yolo v4, v3 and v2 for Windows and Linux*. (May 08, 2023). C. Accessed: May 09, 2023. [Online]. Available: <https://github.com/AlexeyAB/darknet>
- [39] A. N. Sugandi and B. Hartono, “Implementasi Pengolahan Citra pada Quadcopter untuk Deteksi Manusia Menggunakan Algoritma YOLO,” 2022.
- [40] J. Yu, Y. Jiang, Z. Wang, Z. Cao, and T. Huang, “UnitBox: An Advanced Object Detection Network,” in *Proceedings of the 24th ACM international conference on Multimedia*, Oct. 2016, pp. 516–520. doi: 10.1145/2964284.2967274.
- [41] Z. Zheng *et al.*, “Enhancing Geometric Factors in Model Learning and Inference for Object Detection and Instance Segmentation,” Jul. 05, 2021, *arXiv*: arXiv:2005.03572. Accessed: May 09, 2023. [Online]. Available: <http://arxiv.org/abs/2005.03572>
- [42] K. Lv, S. Jiang, and J. Li, “Learning Gradient Descent: Better Generalization and Longer Horizons”.
- [43] “The PASCAL Visual Object Classes Homepage.” Accessed: Oct. 06, 2023. [Online]. Available: <http://host.robots.ox.ac.uk/pascal/VOC/>
- [44] M. Everingham, L. Van Gool, C. Williams, J. Winn, and A. Zisserman, “The Pascal Visual Object Classes (VOC) challenge,” *International Journal of*

Computer Vision, vol. 88, pp. 303–338, Jun. 2010, doi: 10.1007/s11263-009-0275-4.

- [45] G. Ghiasi and Y. Cui, “Simple Copy-Paste is a Strong Data Augmentation Method for Instance Segmentation,” 2021.
- [46] Z. Tong, Y. Chen, Z. Xu, and R. Yu, “Wise-IoU: Bounding Box Regression Loss with Dynamic Focusing Mechanism,” Apr. 08, 2023, *arXiv*: arXiv:2301.10051. Accessed: Sep. 05, 2023. [Online]. Available: <http://arxiv.org/abs/2301.10051>