

DAFTAR PUSTAKA

- [1] Widyastuti, S. (2010). *Physical and Chemical Properties of Carrageenan Extracted From Seaweed Eucheuma cottonii and E. Spinosum at Different Harvesting Ages*. Journal of Agroteksos. Vol 20 No 1. 41-50.
- [2] Riyanto, B. and M. Wilakstanti. (2006). *Biscuits with high fiber content substitute seaweed pulp flour from paper agar processing*. JPHPI., 9(1): 49-60.
- [3] Cao L., Wang X., Meziani M. J., Lu F., Wang H., Luo P. G., Lin Y., Harruff B. A.,et.al. (2007). *Carbon Dots for Multiphoton Bioimaging*, J. Am. Chem. Soc., 129 (37), 11318-11319.
- [4] Gfroerer, Timothy H. (2018). *Photoluminescence in Analysis of Surface and Interfaces, Encyclopedia of Analytical Chemistry*. Encyclopedia of Analytical Chemistry: Applications, Theory and Instrumentation. 9209-9231.
- [5] Fan X. M., Lian J. S., Guo Z. X., and Lu H. J. (2017). *Microstructure and Photoluminescence Properties of ZnO Thin Flims Grown by PLD on Si Substrates*, Appl. Surf. Scie., 239, 176-181.
- [6] Qi W., Xing L., Lichun Z., and Yi L. (2019). *Microwave-Assisted Synthesis of Carbon Nanodots through an Eggshell Membrane and Their Fluorescence Application*, Anal., 137, 5392-5397.
- [7] M. Shariati-Rad, T. Mohseninasab, F. Parno. (2018). *Application of response surface methodology and green carbon dots as reducing agents in speciation of iron*, RSC Adv. 8 2173–2180.
- [8] Pu, Z.-F., Wen, Q.-L., Yang, Y.-J., Cui, X.-M., Ling, J., Liu, P., & Cao, Q.-E. (2019). *Fluorescent carbon quantum dots synthesized using phenylalanine and citric acid for selective detection of Fe³⁺ ions*. Spectrochimica Acta Part A: Molecular and Biomolecular Spectroscopy.117944.
- [9] Basuki, F. P. (2009). *Antibacterial Activity of Gelidium sp. Extract. with Variation of Maceration Time and Number of Soxhletation Cycle Against Eschericia coli IFO 33010 and Salmonella thypimurium IFO 12529*. Faculty of Technobiology Atma Jaya Yogyakarta.

- [10] Meinita, M. D. N., Marhaeni, B., Winanto, T., Jeong, G. T., Khan, M. N. A., Hong, Y. K. (2013). *Comparison of Agarophytes (Gelidium, Gracilaria, and Gracilariopsis), as Potential Resources for Bioethanol Production.* J. Appl. Phycol. 25: 1957-1961.
- [11] Doss, A. Rukshana, M.S. (2016). *Distribution Pattern of Marine Seaweeds in the Manapad Coastal Region.* Saudi Journal of Pathology and Microbiology. Vol. 1 No. 1: 10-13.
- [12] Sari, R.N., Sugiyono, & L. Assadad. (2013). *Hydrolysis Process Time Optimization and Fermentation in Bioethanol Production from Agar Processing Waste (Gracilaria sp) Industry.* JPB Fisheries. 8(2), 33-142.
- [13] Osvaldo, Z.A, et al. (2012). *The Effect of Acid Concentration and Time on the Hydrolysis and Fermentation Process for Making Bioethanol from Reeds.* Chemical Engineering 18, no. 2, 52-61.
- [14] Kim G. S. Myung, K. S., Kim Y. J. Oh K. K, Kim J. S, Ryu H. J, dan Kim K. H. (2007). *Methode of Producing Biofuel Using Sea Algae,* Seoul, World Intelectual Property Organization
- [15] X. Xu, R. Ray, Y. Gu, H. J. Plohn, L. Gearheart, K. Raker and W. A. Scrivens, J. Am. (2016). *Carbon dots : Chemistry, properties and applications.* Soc., 126, 12736.
- [16] Eskalen, H., Urus, S., Comertpay, S., Kurt, A.H., Ozgan, S. (2020). *MicrowaveAssisted Ultra-fast Synthesis of Carbon Quantum Dots from Linter: Fluorescence Cancer Imaging and Human Cell Growth Inhibition Properties.* Industrial Crops & Products. 147: 1-9.
- [17] Sendao, R., Yuso, M. del V.M. de, Algarra, M., Silva, J.C.G.E., Silva, L.P. (2020). *Comparative Life Cycle Assessment of Bottom-up Synthesis Routes for Carbon Dots derived from Citric Acid and Urea.* Journal of Cleaner Production. 254: 1-10.
- [18] Boakye-Yiadom, K.O., Kesse, S., Opoku-Damoah, Y., Filli, M.S., Aquib, M., Joelle, M.M.B., dkk. (2019). *Carbon Dots: Applications in Bioimaging and Theranostics.* International Journal of Pharmaceutics. 564: 308-317

- [19] Haitao L., Zhenhui K., Yang L., and Shuit T. L. (2012). *Carbon Nanodots: Synthesis, Properties and Applications*, J. Mater. Chem., 22, 24230-24253,
- [20] Xia, C., Zhu, S., Feng, T., Yang, M., & Yang, B. (2019). *Evolution and Synthesis of Carbon Dots: From Carbon Dots to Carbonized Polymer Dots*. Advanced Science, 1901316. doi:10.1002/advs.201901316
- [21] Sheila N. B., and Gary A. B. (2010). *Luminescent Carbon Nanodots: Emergent Nanolights*, Angew. Chem. Int. Ed, 49, 6726 – 6744.,
- [22] Swagatika S., Birendra B., Tapas K. M., and Sasmita M. (2012). *Simple One-Step Synthesis of Highly Luminescent Carbon Dots Juice: Application as Excellent Bio-Imaging Agents*, Chem. Commun., 48, 8835-8837.
- [23] Baker, S. N., & Baker, G. A. (2010). *Luminescent Carbon Nanodots: Emergent Nanolights*. Angewandte Chemie International Edition, 49(38), 6726–6744.
- [24] Fengyi D., Miaomiao Z., Xiaofeng L., Jianan L., Xinyi J., Zhang L., Ye H., Genbao S., Jie J., Qixing S., Ming Z., and Aihua G. (2014). *Economical and Green Synthesis of Bagasse Derived Fluorescent Carbon Dots for Biomedical Applications*. Nanotech. 25, 315702,
- [25] Gregory M. K., Astrid M. M., Nathan S. L., and Harry A. A. (2009). *Photoluminescencebased measurements of the energy gap and diffusion length of Zn₃P₂*, App. Phy. Let. 95, 112103.
- [26] Hui D., Shang B. Y., Wei J. S., and Huan M. X. (2016). *Full-Color Light-Emitting Carbon Dots with a Surface-State-Controlled Luminescence Mechanism*, ACS Nano., 10, 484-491.
- [27] Xiaoyun Q., Wenbo L., Abdullah M. A., Abdulrahman O. A., and Xuping S. (2013). *Microwave-Assisted Rapid Green Synthesis of Photoluminescent Carbon Nanodots from Flour and Their Applications for Sensitive and Selective Detection of Mercury (II) Ions*, Sens. and Act. B Chem., 184, 156-162.
- [28] Changjun L., Peng Z., Feng T., Wenchen L., Fan L., and Wenguang L. (2011). *One-Step Synthesis of Surface Passivated Carbon Nanodots by Microwave*

- Assisted Pyrolysis for Enhanced Multicolor Photoluminescence and Bioimaging, J. Mater. Chem., 21, 13163-13167.*
- [29] Hayes, B. L. (2003). *Microwave Synthesis: Chemistry at the Speed of Light, C. E. M.* publishing; 11- 27.
- [30] Sekhon BS. (2010). *Microwave-Assisted Pharmaceutical Synthesis: An Overview*, Int J PharmTech Res; 2(1): 827-833
- [31] Rajak H, Mishra P. (2004). *Microwave assisted combinatorial chemistry: The potential approach for acceleration of drug discovery*, J SciInd Res; 63(8): 641-654
- [32] Hutton, G. A. M., Martindale, B. C. M., & Reisner, E. (2017). *Carbon dots as photosensitisers for solar-driven catalysis*. Chemical Society Reviews, 46(20), 6111–6123.
- [33] Georgakilas, V., Perman, J. A., Tucek, J., & Zboril, R. (2015). *Microwave assisted synthesis*. Chemical Reviews, 115(11), 4744–4822.
- [34] J. Chen, J. Pan, S. Chen. (2017). *A naked-eye colorimetric sensor for Hg^{2+} monitoring with cascade signal amplification based on target-induced conjunction of split DNAzyme fragments*, Chem. Commun. 53 10224–10227.
- [35] K. Sheng, H. Lu, A. Sun, Y. Wang, Y. Liu, F. Chen, W. Bian, Y. Li, R. Kuang, D. Sun, A. (2019). *naked-eye colorimetric sensor for chloroform*, Chin. Chem. Lett. 30, 895–898.
- [36] D. Zhong, H. Miao, K. Yang, X. Yang. (2016). *Carbon dots originated from carnation for fluorescent and colorimetric pH sensing*, Mater. Lett. 166, 89–92.
- [37] J. Xiao, Y. Liu, L. Su, D. Zhao, L. Zhao, X. Zhang. (2019). *Microfluidic Chip-Based Wearable Colorimetric Sensor for Simple and Facile Detection of Sweat Glucose*, Anal. Chem. 91. 14803–14807.
- [38] Faisal K, „Ramavtar M. (2021). *Seaweed-derived polymer-based blue-emitting C-dots: synthesis, characterization and evaluation for iron sensing*.
- Polymer international. 70:9, 1309-1315

- [39] Ramanan, V., Thiagarajan, S. K., Raji, K., Suresh, R., Sekar, R., & Ramamurthy, P. (2016). *Outright Green Synthesis of Fluorescent Carbon Dots from Eutrophic Algal Blooms for In Vitro Imaging*. ACS Sustainable Chemistry & Engineering, 4(9), 4724–4731.
- [40] HuaT T, Guangxu J, Mengting L, et al. (2021). *Fluorescent “on-off-on” sensor based on N,S co-doped carbon dots from seaweed (Sargassum carpophyllum) for specific detection of Cr(VI) and ascorbic acid*. RSC Adv., 11, 35946-35953.
- [41] Weitao L, Ningjia J, Bin W. et al. (2021). *Chlorine Modulation Fluorescent Performance of Seaweed-Derived Graphene Quantum Dots for Long-Wavelength Excitation Cell-Imaging Application*. Molecules, 26(16): 4994.
- [42] Zhu SJ, Song YB, Zhao XH, Shao JR, Zhang JH, Yang B. (2015). *The photoluminescence mechanism in carbon dots (graphene quantum dots, carbon nanodots, and polymer dots): Current state and future perspective*. Nano Res. 8: 355-381.
- [43] Liu ML, Chen BB, Li CM, Huang CZ. (2019). *Carbon dots: Synthesis, formation mechanism, fluorescence origin and sensing applications*. Green Chem. 21: 449-471.
- [44] Lim SY, Shen W, Gao ZQ. (2015). *Carbon quantum dots and their applications*. Chem Soc. Rev. 44: 362-381
- [45] Yuan FL, Wang YK, Sharma G, Dong YT, Zheng XP, Li PC, et al. (2020). *Bright high-colour-purity deepblue carbon dot light-emitting diodes via efficient edge amination*. Nat Photonics. 14: 171-176
- [46] Zhu PP, Tan KJ, Chen Q, Xiong J, Gao LX. (2019). *Origins of efficient multiemission luminescence in carbon dots*. Chem Mater. 31: 4732-4742.
- [47] Wang L., Li W., Yin L., Liu Y., Guo H., Lai J., Han Y., Li G., Li M., Zhang J., et al. (2020). *Full-color fluorescent carbon quantum dots*. Sci. Adv. 6.
- [48] Miao X., Qu D., Yang D., Nie B., Zhao Y., Fan H., Sun Z. (2018). *Synthesis of Carbon Dots with Multiple Color Emission by Controlled Graphitization and Surface Functionalization*. Adv. Mater. 30:1704740

- [49] Hu, Y.; Yang, J.; Tian, J.; Jia, L.; Yu, J.S. (2014). *Waste frying oil as a precursor for one-step synthesis of sulfur-doped carbon dots with pH-sensitive photoluminescence*. Carbon. 77, 775–782
- [50] Zhao, Y.Y.; Qu, S.N.; Feng, X.Y.; Xu, J.C.; Yang, Y.; Su, S.C.; Wang, S.P.; Ng, K.W. (2019). *Tailoring the Photoluminescence Excitation Dependence of the Carbon Dots via an Alkali Treatment*. J. Phys. Chem. Lett, 10, 4596–4602
- [51] Li, W.; Jiang, N.; Wu, B.; Liu, Y.; Zhang, L.; He, J. (2021) *Chlorine Modulation Fluorescent Performance of Seaweed-Derived Graphene Quantum Dots for Long-Wavelength Excitation Cell-Imaging Application*. Molecules. 26, 4994.
- [50] Zhu SJ, Song YB, Zhao XH, Shao JR, Zhang JH, Yang B. (2015). *The photoluminescence mechanism in carbon dots (graphene quantum dots, carbon nanodots, and polymer dots Current state and future perspective*. Nano Res. 8: 355-381.
- [52] Zhao, C.; Li, X.; Cheng, C.; Yang, Y. (2019). *Green and Microwave-Assisted Synthesis of Carbon Dots and Application for Visual Detection of Cobalt(II) Ions and PH Sensing*. Microchem. J., 147, 183–190.
- [53] Li, D.; Chen, C.; Guo, X.; Liu, C.; Yang, W. (2021). *A Simple Electrochemiluminescence Aptasensor Using a GCE/NCQDs/Aptamers for Detection of Pb*. Environ. Technol, 43, 2270–2277
- [54] Kumar, A.; Chowdhuri, A.R.; Laha, D.; Mahto, T.K.; Karmakar, P.; Sahu, S.K. (2017). *Green Synthesis of Carbon Dots from Ocimum sanctum for Effective Fluorescent Sensing of Pb²⁺ Ions and Live Cell Imaging*. Sens. Actuators B Chem, 242, 679–686.
- [55] Xu, Y.; Wu, M.; Feng, X.Z.; Yin, X.B.; He, X.W.; Zhang, Y.K. (2013) *Reduced Carbon Dots versus Oxidized Carbon Dots: Photo- and Electrochemiluminescence Investigations for Selected Applications*. Chem.-A Eur. J. 19, 6282–6288