

DAFTAR PUSTAKA

1. Siddiqui F, Vaqar S, Siddiqui AH. Lung Cancer. [Updated 2023 May 8]. In: StatPearls [Internet]. Treasure Island (FL): StatPearls Publishing; 2024 Jan-. Available from: <https://www.ncbi.nlm.nih.gov/books/NBK482357/>
2. Andarini, Sita et al. Indonesian Society of Respiriology (ISR) Consensus Statement on Lung Cancer Screening and Early Detection in Indonesia. *Jurnal Respirologi Indonesia*, [S.l.], v. 43, n. 2, p. 144-150, apr. 2023. ISSN 2620-3162. Available at: <<https://jurnalrespirologi.org/index.php/jri/article/view/455>>. Date accessed: 08 feb. 2024. doi:<https://doi.org/10.36497/jri.v43i2.455>
3. Froudarakis, Marios E. (2012). Pleural Effusion in Lung Cancer: More Questions than Answers. *Respiration*, 83(5), 367–376. doi:10.1159/000338169
4. Medenica M, Medenica M, Cosovic D. Pleural Effusions in Lung Cancer: Detection and Treatment [Internet]. *Lung Cancer - Strategies for Diagnosis and Treatment*. InTech; 2018. Available from: <http://dx.doi.org/10.5772/intechopen.78307>
5. AbrÃ£o, Fernando Conrado; de Abreu, Igor Renato Louro B.; de Oliveira, Mariana Campello; Viana, Geisa Garcia; Pompa Filho, JosÃ© Franklin Soares; Younes, Riad Naim; Negri, Elnara Marcia (2020). Prognostic factors of recurrence of malignant pleural effusion: what is the role of neoplasia progression?. *Journal of Thoracic Disease*, 12(3), 813–822. doi:10.21037/jtd.2020.01.13
6. Zhai K, Lu Y, Shi HZ. Tuberculous pleural effusion. *J Thorac Dis*. 2016 Jul;8(7):E486-94. doi: 10.21037/jtd.2016.05.87. PMID: 27499981; PMCID: PMC4958858.
7. Çakar B, Çiledağ A. Evaluation of coexistence of cancer and active tuberculosis; 16 series. *Respir Med Case Rep*. 2017 Nov 20;23:33-37. doi: [/j.rmcr.2017.11.004](https://doi.org/10.1016/j.rmcr.2017.11.004). PMID: 29204340; PMCID: PMC5709315



8. Cicenias S, Vencevičius V. Lung cancer in patients with tuberculosis. *World J Surg Oncol* 2007;5(1991):1–5
9. Watanabe A, Tokue Y, Takahashi H, Sato K, Nukiwa T, Honda Y, Fujimura S. [Management of mycobacteriosis in general hospital without isolation ward for tuberculosis patients. Clinical study on pulmonary tuberculosis associated with lung cancer patients]. *Kekkaku*. 1999 Feb;74(2):157-62. Japanese. PMID: 10191612
10. Nastiti NP, Wulandari L, Sulistiawati S, et al. Prevalence of Lung Cancer with a History of Tuberculosis. *J Respi* 2023; 9: 87-92
11. Y. Suzuki, S. Imokawa, J. Sato, T. Uto, and T. Suda, “Cumulative incidence of tuberculosis in lung cancer patients in Japan: a 6-year observational study,” *Respiratory Investigation*, vol. 54, no. 3, pp. 179–183, 2016
12. C. Y. Wu, H. Y. Hu, C. Y. Pu et al., “Pulmonary tuberculosis increases the risk of lung cancer,” *Cancer*, vol. 117, no. 3, pp. 618–624, 2011
13. C. M. Oh, Y. H. Roh, D. Lim et al., “Pulmonary tuberculosis is associated with elevated risk of lung cancer in Korea: the nationwide cohort study,” *Journal of Cancer*, vol. 11, no. 7, pp. 1899–1906, 2020
14. Y. H. Yu, C. C. Liao, W. H. Hsu et al., “Increased lung cancer risk among patients with pulmonary tuberculosis: a population cohort study,” *Journal of Thoracic Oncology*, vol. 6, no. 1, pp. 32–37, 2011
15. Vorster MJ, Allwood BW, Diacon AH, Koegelenberg CF. Tuberculous pleural effusions: advances and controversies. *J Thorac Dis*. 2015 Jun;7(6):981-91. doi: 10.3978/j.issn.2072-1439.2015.02.18. PMID: 26150911; PMCID: PMC4466424
16. Conde MB, Loivos AC, Rezende VM, Soares SL, Mello FC, Reingold AL, Daley CL, Kritski AL. Yield of sputum induction in the diagnosis of pleural tuberculosis. *Am J Respir Crit Care Med*. 2003 Mar 1;167(5):723-5. doi: 10.1164/rccm.2111019.

12598215



17. Reechaipichitkul W, Suleesathira T, Chaimanee P. Comparison Of GeneXpert MTB/RIF Assay With Conventional AFB Smear For Diagnosis Of Pulmonary Tuberculosis In Northeastern Thailand. *Southeast Asian J Trop Med Public Health*. 2017 Mar;48(2):313-21. PMID: 29641882
18. Reechaipichitkul W, Phetsuriyawong A, Chaimanee P, Ananta P. Diagnostic Test Of Sputum Genexpert MTB/RIF For Smear Negative Pulmonary Tuberculosis. *Southeast Asian J Trop Med Public Health*. 2016 May;47(3):457-66. PMID: 27405129
19. Karuniawati A, Burhan E, Koendhori EB, Sari D, Haryanto B, Nuryastuti T, Gayatri AAAY, Bahrin U, Kusumawati RL, Sugiyono RI, Susanto NH, Diana A, Kosasih H, Naysilla AM, Lokida D, Neal A, Siddiqui S, Lau C-Y and Karyana M (2023) Performance of Xpert MTB/RIF and sputum microscopy compared to sputum culture for diagnosis of tuberculosis in seven hospitals in Indonesia. *Front. Med*. 9:909198. doi: 10.3389/fmed.2022.909198
20. Kim HW, Kim KH, Shin AY, Choi JY, Ahn JH, Kim JS, Ban WH, Oh J, Ha JH. Investigating the appropriate adenosine deaminase cutoff value for the diagnosis of tuberculous pleural effusion in a country with decreasing TB burden. *Sci Rep*. 2022 May 9;12(1):7586. doi: 10.1038/s41598-022-11460-w. PMID: 35534515; PMCID: PMC9085779
21. Barua, R; Hossain, MA (2014). Adenosine Deaminase in Diagnosis of Tuberculosis: A Review. *Anwer Khan Modern Medical College Journal*, 5(2), -. doi:10.3329/akmmcj.v5i2.21132
22. Palma RM, Bielsa S, Esquerda A, Martínez-Alonso M, Porcel JM. Diagnostic Accuracy of Pleural Fluid Adenosine Deaminase for Diagnosing Tuberculosis. Meta-analysis of Spanish Studies. *Arch Bronconeumol (Engl Ed)*. 2019 1):23-30. English, Spanish. doi: 10.1016/j.arbres.2018.05.007. Epub 2018 PMID: 30612601



23. Gopi, Arun; Madhavan, Sethu M.; Sharma, Surendra K.; Sahn, Steven A. (2007). Diagnosis and Treatment of Tuberculous Pleural Effusion in 2006. *Chest*, 131(3), 880–889. doi:10.1378/chest.06-2063
24. Michot, Jean-Marie; Madec, Yoann; Bulifon, Sophie; Thorette-Tcherniak, Cécile; Fortineau, Nicolas; Noël, Nicolas; Lambotte, Olivier; El Jahiri, Younes; Delacour, Hervé; Delfraissy, Jean-François; Blanc, Francois-Xavier (2015). Adenosine deaminase is a useful biomarker to diagnose pleural tuberculosis in low to medium prevalence settings. *Diagnostic Microbiology and Infectious Disease*, (), S073288931500406X-. doi:10.1016/j.diagmicrobio.2015.11.007
25. Kim HW, Kim KH, Shin AY, Choi JY, Ahn JH, Kim JS, Ban WH, Oh J, Ha JH. Investigating the appropriate adenosine deaminase cutoff value for the diagnosis of tuberculous pleural effusion in a country with decreasing TB burden. *Sci Rep*. 2022 May 9;12(1):7586. doi: 10.1038/s41598-022-11460-w. PMID: 35534515; PMCID: PMC9085779
26. Amalia, Rizki & Pradjoko, Isnu. (2019). Nilai Diagnostik Adenosine Deaminase (ADA) Cairan Pleura pada Penderita Efusi Pleura Tuberkulosis. *Jurnal Respirasi*. 2. 35. 10.20473/jr.v2-I.2.2016.35-40
27. Rosfadilla Puspa, Widirahardjo, Fajrinur Syarani, Erna Mutiara. (2017). Akurasi Diagnostik Pemeriksaan Kadar Adenosine Deaminase Cairan Pleura pada Efusi Pleura Tuberkulosis. *Jurnal Respirasi Indo*. 2017; 37(4): 278-82
28. Jovanovic, D. (2020). Etiopathogenesis of malignant pleural effusion. *AME Medical Journal*, 6. doi:10.21037/amj-2019-mpe-05
29. Arora RD, Boster J. Malignant Pleural Effusion. In: StatPearls [Internet]. Treasure Island (FL): StatPearls Publishing; 2023 [cited 2023 Apr 6]. Available from: <http://www.ncbi.nlm.nih.gov/books/NBK574541/>



30. Jacobs B, Sheikh G, Youness HA, Keddissi JI, Abdo T. Diagnosis and Management of Malignant Pleural Effusion: A Decade in Review. *Diagnostics*. 2022 Apr 18;12(4):1016
31. Jany B, Welte T: Pleural effusion in adults—etiology, diagnosis, and treatment. *Dtsch Arztebl Int* 2019; 116: 377–86. DOI: 10.3238/arztebl.2019.0377
32. Skok K, Hladnik G, Grm A, Crnjac A. Malignant Pleural Effusion and Its Current Management: A Review. *Medicina (Mex)*. 2019 Aug 15;55(8):490
33. Koegelenberg CF, Shaw JA, Irusen EM, Lee YG. Contemporary best practice in the management of malignant pleural effusion. *Ther Adv Respir Dis*. 2018; 12:1753466618785098
34. Lat T, Paul M. Malignant Effusion. In: *StatPearls* [Internet]. Treasure Island (FL): StatPearls Publishing; 2023 [cited 2023 Apr 5]. Available from: <http://www.ncbi.nlm.nih.gov/books/NBK519522/>
35. Asciak R, Rahman NM. Malignant Pleural Effusion: From Diagnostics to Therapeutics. *Clin Chest Med*. 2018 Mar;39(1):181-193. doi: 10.1016/j.ccm.2017.11.004. Epub 2017 Dec 13. PMID: 29433714
36. Feller-Kopman D, Light R. Pleural Disease. Ingelfinger JR, editor. *N Engl J Med*. 2018 Feb 22;378(8):740–51
37. Ingelfinger, Julie R.; Feller-Kopman, David; Light, Richard (2018). Pleural Disease. *New England Journal of Medicine*, 378(8), 740–751. doi:10.1056/NEJMra1403503
38. Asciak R, Rahman NM. Malignant Pleural Effusion: From Diagnostics to Therapeutics. *Clin Chest Med*. 2018 Mar;39(1):181-193
39. Thomas R, Roy B, Maldonado F, Lee YCG. Management of Malignant Pleural Effusions—What Is New. *Semin Respir Crit Care Med*. 2019 Jun;40(03):323–39
40. Qin Y, Chen Y, Chen J, Xu K, Xu F, Shi J. The relationship between previous
ary tuberculosis and risk of lung cancer in the future. *Infect Agent Cancer*.



2022 May 7;17(1):20. doi: 10.1186/s13027-022-00434-2. PMID: 35525982;
PMCID: PMC9078090

41. Everatt R, Kuzmickiene I, Davidaviciene E, Cicenas S. Incidence of lung cancer among patients with tuberculosis: a nationwide cohort study in Lithuania. *Int J Tuberc Lung Dis.* 2016;20(6):757–63
42. Wu CY, Hu HY, Pu CY, Huang N, Shen HC, Li CP, Chou YJ. Pulmonary tuberculosis increases the risk of lung cancer: a population-based cohort study. *Cancer.* 2011;117(3):618–24
43. Luo YH, Wu CH, Wu WS, Huang CY, Su WJ, Tsai CM, Lee YC, Perng RP, Chen YM. Association between tumor epidermal growth factor receptor mutation and pulmonary tuberculosis in patients with adenocarcinoma of the lungs. *J Thorac Oncol.* 2012;7(2):299–305
44. Zeng T, Ling B, Hu X, Wang S, Qiao W, Gao L, et al. The Value of Adenosine Deaminase 2 in the Detection of Tuberculous Pleural Effusion: A Meta-Analysis and Systematic Review. Zhu Y, editor. *Can Respir J.* 2022 Sep 10;2022:1–10
45. Chen, Yao; Mathy, Nicholas; Lu, Hongda (2018). The role of VEGF in the diagnosis and treatment of malignant pleural effusion in patients with non-small cell lung cancer (Review). *Molecular Medicine Reports*, (), -. doi:10.3892/mmr.2018.8922
46. Epelbaum, O., & Rahman, N. M. (2019). Contemporary approach to the patient with malignant pleural effusion complicating lung cancer. *Annals of Translational Medicine*, 7(15), 352–352. doi:10.21037/atm.2019.03.61
47. Aggarwal AN, Agarwal R, Sehgal IS, Dhooria S. Adenosine deaminase for diagnosis of tuberculous pleural effusion: A systematic review and meta-analysis. *PLoS One.* 2019 Mar 26;14(3):e0213728. doi: 10.1371/journal.pone.0213728. 30913213; PMCID: PMC6435228



48. Molina-Romero C, Arrieta O, Hernández-Pando R. Tuberculosis and lung cancer. *Salud Pública de México*. 2019;61:286
49. Nalbandian A, Yan BS, Pichugin A, Bronson RT, Kramnik I. Lung carcinogenesis induced by chronic tuberculosis infection: the experimental model and genetic control. *Oncogene*. 2009;28(17):1928–38
50. Ho JC man, Leung CC. Management of co-existent tuberculosis and lung cancer. *Lung Cancer* [Internet] 2018;122:83–87. Available from: <https://doi.org/10.1016/j.lungcan.2018.05.030>
51. Lee HY, Kim JW, Yeo CD. A case of tuberculosis reactivation suspected of cancer progression during oral tyrosine kinase inhibitor treatment in a patient diagnosed as non-small cell lung cancer. *J Thorac Dis* 2017;9(8): E709–E713
52. José M. Porcel (2009). Tuberculous Pleural Effusion., 187(5), 263–270. doi:10.1007/s00408-009-9165-3
53. Horton KC, MacPherson P, Houben RM, White RG, Corbett EL. Sex Differences in Tuberculosis Burden and Notifications in Low- and Middle-Income Countries: A Systematic Review and Meta-analysis. *PLoS Med*. 2016 Sep 6;13(9):e1002119. doi: 10.1371/journal.pmed.1002119. PMID: 27598345; PMCID: PMC5012571
54. Marçôa R, Ribeiro AI, Zão I, Duarte R. Tuberculosis and gender - Factors influencing the risk of tuberculosis among men and women by age group. *Pulmonology*. 2018 May-Jun;24(3):199-202.doi:10.1016/j.pulmoe.2018.03.004. Erratum in: *Pulmonology*. 2018 Oct 29;:PMID: 29754721
55. Huan N-C, Khor IS, Ramarmuty HY, et al. Optimising the utility of pleural fluid adenosine deaminase for the diagnosis of tuberculous pleural effusion. *Proceedings of Singapore Healthcare*. 2021;30(4):271-278. doi:10.1177/2010105820978998
56. Agarwal, Lakshmi & Garg, Archana & Gupta, Mamta & Mathur, Rishab. (2020). A
- tive Study for comparison of diagnostic utility of Gene XPERT MTB/RIF adenosine deaminase and cytology in Tuberculous Pleural Effusion. IP



Archives of Cytology and Histopathology Research. 5. 194-198.
10.18231/j.achr.2020.043

57. Cukic V. The Association Between Lung Carcinoma and Tuberculosis. *Med Arch.* 2017 Jun;71(3):212-214. doi: 10.5455/medarh.2017.71.212-214. PMID: 28974836; PMCID: PMC5585804
58. Piras MA, Gakis C, Budroni M, Andreoni G. Adenosine deaminase activity in pleural effusions: an aid to differential diagnosis. *Br Med J.* 1978 Dec 23-30;2(6154):1751-2. doi: 10.1136/bmj.2.6154.1751-a. PMID: 737480; PMCID: PMC1610017
59. Villena V, Navarro-González JA, García-Benayas C, Manzanos JA, Echave J, López-Encuentra A, Arenas Barbero J. Rapid automated determination of adenosine deaminase and lysozyme for differentiating tuberculous and nontuberculous pleural effusions. *Clin Chem.* 1996 Feb;42(2):218-21. PMID: 8595713
60. Huan N-C, Khor IS, Ramarmuty HY, et al. Optimising the utility of pleural fluid adenosine deaminase for the diagnosis of tuberculous pleural effusion. *Proceedings of Singapore Healthcare.* 2021;30(4):271-278. doi:10.1177/2010105820978998

