

## DAFTAR PUSTAKA

1. Singer M, Deutschman CS, Seymour C, et al. The third international consensus definitions for sepsis and septic shock (sepsis-3). *JAMA - J Am Med Assoc.* 2016;315:801-810.
2. Rudd KE, Johnson SC, Agesa KM, et al. Global, regional, and national sepsis incidence and mortality, 1990–2017: analysis for the Global Burden of Disease Study. *Lancet.* 2020;395:200-211.
3. Hotchkiss RS, Moldawer LL, Opal SM, Reinhart K, Turnbull IR, Vincent JL. Sepsis and septic shock. *Nat Rev Dis Prim.* 2016;2.
4. Rhodes A, Evans LE, Alhazzani W, et al. *Surviving Sepsis Campaign: International Guidelines for Management of Sepsis and Septic Shock: 2016.* Vol 45.; 2017.
5. Kaushik R, Gupta M, Sharma M, et al. Diagnostic and prognostic role of neutrophil-to-lymphocyte ratio in early and late phase of sepsis. *Indian J Crit Care Med.* 2018;22:660-663.
6. Holder AL, Gupta N, Lulaj E, et al. Predictors of early progression to severe sepsis or shock among emergency department patients with nonsevere sepsis. *Int J Emerg Med.* 2016;9:1-11.
7. Daix T, Guerin E, Tavernier E, et al. Multicentric Standardized Flow Cytometry Routine Assessment of Patients With Sepsis to Predict Clinical Worsening. *Chest.* 2018;154:617-627.
8. Omiya K, Sato H, Sato T, et al. Albumin and fibrinogen kinetics in sepsis: a prospective observational study. *Crit Care.* 2021;25:1-6.
9. Franchini S, Scarallo L, Carlucci M, Cabrini L, Tresoldi M. SIRS or qSOFA? Is that the question? Clinical and methodological observations from a meta-analysis and critical review on the prognostication of patients with suspected sepsis outside the ICU. *Intern Emerg Med.* 2019;14:593-602.
10. Kendall H, Abreu E, Cheng AL. Serum Albumin Trend Is a Predictor of Mortality in ICU Patients With Sepsis. *Biol Res Nurs.* 2019;21:237-244.
11. Gong Y, Li D, Cheng B, Ying B, Wang B. Increased neutrophil percentage-to-albumin ratio is associated with all-cause mortality in patients with severe sepsis or septic shock. *Epidemiol Infect.* Published online 2020.
12. Bone RC, Sibbald WJ, Sprung CL. The ACCP-SCCM consensus conference on sepsis and organ failure. *Chest.* 1992;101:1481-1483.
13. Martin GS, Mannino DM, Eaton S, Moss M. The Epidemiology of Sepsis in the United States from 1979 through 2000. *N Engl J Med.* 2003;348:1546-1554.
14. Umemura Y, Ogura H, Takuma K, et al. Current spectrum of causative pathogens in sepsis: A prospective nationwide cohort study in Japan. *Int J Infect Dis.* 2021;103:343-351.
15. Mayr FB, Yende S, Angus DC. Epidemiology of severe sepsis. *Virulence.* 2014;5:4- 11.
16. National Institute for Health and Care Excellence. Sepsis: recognition, diagnosis and early management. *NICE Guidel.* 2018;121:497-514.
17. Rhee C, Jones TM, Hamad Y, et al. Prevalence, Underlying Causes, and Preventability of Sepsis-Associated Mortality in US Acute Care Hospitals. *JAMA Netw Open.*

4.  
lth Organization. *Global Report on the Epidemiology and Burden of Sepsis: Evidence, Identifying Gaps and Future Directions.*; 2020. [who.int/bookorders.%0Ahttps://apps.who.int/iris/bitstream/handle/10665/3](https://apps.who.int/iris/bitstream/handle/10665/3)



- 34216/9789240010789-eng.pdf
19. Dolin HH, Papadimos TJ, Chen X, Pan ZK. Characterization of Pathogenic Sepsis Etiologies and Patient Profiles: A Novel Approach to Triage and Treatment. *Microbiol Insights*. 2019;12:117863611882508.
  20. Norrby-Teglund A, Treutiger CJ. Sepsis. In: Finch RG, Greenwood D, Norrby SR, Whitley RJ, eds. *Antibiotic and Chemotherapy*. 9th ed. Elsevier; 2010:473-482.
  21. Gyawali B, Ramakrishna K, Dhamoon AS. Sepsis: The evolution in definition, pathophysiology, and management. *SAGE Open Med*. 2019;7.
  22. Jarczak D, Kluge S, Nierhaus A. Sepsis—Pathophysiology and Therapeutic Concepts. *Front Med*. 2021;8:1-22.
  23. Koch RM, Kox M, De Jonge MI, Van Der Hoeven JG, Ferwerda G, Pickkers P. Patterns in bacterial-and viral-induced immunosuppression and secondary infections in the ICU. *Shock*. 2017;47:5-12.
  24. Ruiqiang Z, Yifen Z, Ziqi R, Wei H, Xiaoyun F. *Surviving Sepsis Campaign: International Guidelines for Management of Sepsis and Septic Shock 2021, Interpretation and Expectation*. Vol 33.; 2021.
  25. Cheng MP, Stenstrom R, Paquette K, et al. Blood Culture Results Before and After Antimicrobial Administration in Patients With Severe Manifestations of Sepsis: A Diagnostic Study. *Ann Intern Med*. 2019;171:547-554.
  26. Toker AK, Kose S, Turken M. Comparison of sofa score, sirs, qsofa, and qsofa + 1 criteria in the diagnosis and prognosis of sepsis. *Eurasian J Med*. 2021;53:40-47.
  27. Ferreira FL. Serial Evaluation of the SOFA Score. *October*. 2001;286:1754-1758.
  28. Williams J, Greenslade J, McKenzie J, Chu K, Brown A, Lipman J. SIRS, qSOFA and organ dysfunction: insights from a prospective database of emergency department patients with infection. *Chest*. 2016;151.
  29. Manz MG, Boettcher S. Emergency granulopoiesis. *Nat Rev Immunol*. 2014;14:302-314.
  30. Shen XF, Cao K, Jiang JP, Guan WX, Du JF. Neutrophil dysregulation during sepsis: an overview and update. *J Cell Mol Med*. 2017;21:1687-1697.
  31. Leliefeld PHC, Wessels CM, Leenen LPH, Koenderman L, Pillay J. The role of neutrophils in immune dysfunction during severe inflammation. *Crit Care*. 2016;20:1-9.
  32. Demaret J, Venet F, Friggeri A, et al. Marked alterations of neutrophil functions during sepsis-induced immunosuppression. *J Leukoc Biol*. 2015;98:1081-1090.
  33. Zhang CY, Dong X, Gao J, Lin W, Liu Z, Wang Z. Nanoparticle-induced neutrophil apoptosis increases survival in sepsis and alleviates neurological damage in stroke. *Sci Adv*. 2019;5:eaax7964.
  34. Evrard M, Kwok IWH, Chong SZ, et al. Developmental Analysis of Bone Marrow Neutrophils Reveals Populations Specialized in Expansion, Trafficking, and Effector Functions. *Immunity*. 2018;48:364-379.e8.
  35. Arnau-Barrés I, Güerri-Fernández R, Luque S, Sorli L, Vázquez O, Miralles R. Serum albumin is a strong predictor of sepsis outcome in elderly patients. *Eur J Clin Microbiol Infect Dis*. 2019;38:743-746.
  36. Hu J, Lv C, Hu X, Liu J. Effect of hypoproteinemia on the mortality of sepsis patients in the ICU: a retrospective cohort study. *Sci Rep*. 2021;11:1-8.
  - Y, Guo C, He L, Ding N. Albumin Level is Associated with Short-Term Term Outcomes in Sepsis Patients Admitted in the ICU: A Large Public retrospective Research. *Clin Epidemiol*. 2023;15:263-273.
  - Celik FD, Sunu C, et al. The role of neutrophil albumin ratio in predicting f non-small cell lung cancer. *Eur Rev Med Pharmacol Sci*. 2022;26:2900-



- 2905.
- 39. Peng Y, Xue Y, Wang J, et al. Association between neutrophil-to-albumin ratio and mortality in patients with cardiogenic shock: A retrospective cohort study. *BMJ Open*. 2020;10:1-9.
  - 40. He X, Dai F, Zhang X, Pan J. The neutrophil percentage-to-albumin ratio is related to the occurrence of diabetic retinopathy. *J Clin Lab Anal*. 2022;36.
  - 41. Hu Z, Wang J, Xue Y, et al. The Neutrophil-to-Albumin Ratio as a New Predictor of All-Cause Mortality in Patients with Heart Failure. *J Inflamm Res*. 2022;15:701-713.
  - 42. Zhang H, Wu T, Tian X, Lyu P, Wang J, Cao Y. High Neutrophil Percentage-To-Albumin Ratio Can Predict Occurrence of Stroke-Associated Infection. *Front Neurol*. 2021;12:1-6.
  - 43. Hu C, He Y, Li J. Association between neutrophil percentage- to-albumin ratio and 28-day mortality in Chinese patients with sepsis. Published online 2023.
  - 44. Gharebaghi N, Hasanloei MAV, Fromandi M, Pashaei MR. Neutrophil-to-Albumin Ratio as A Novel Predictor of Mortality in Patients with Sepsis. *Avicenna J Clin Med*. 2022;29:12-17.
  - 45. Hwang YJ, Chung SP, Park YS, Chung HS, Lee HS, Park JW, et al. Newly designed delta neutrophil index-to-serum albumin ratio prognosis of early mortality in severe sepsis. *Am J Emerg Med* [Internet]. 2015;33(11):1577–82. Available from: <http://dx.doi.org/10.1016/j.ajem.2015.06.012>
  - 46. Martin GS, Mannino DM, Moss M. The effect of age on the development and outcome of adult sepsis. *Crit Care Med*. 2006;34(1):15–21.
  - 47. Innocenti F, Tozzi C, Donnini C, De Villa E, Conti A, Zanobetti M, et al. SOFA score in septic patients: incremental prognostic value over age, comorbidities, and parameters of sepsis severity. *Intern Emerg Med*. 2018;13(3):405–12.
  - 48. Do SN, Dao CX, Nguyen TA, Nguyen MH, Pham DT, Nguyen NT, et al. Sequential Organ Failure Assessment (SOFA) Score for predicting mortality in patients with sepsis in Vietnamese intensive care units: a multicentre, cross-sectional study. *BMJ Open*. 2023;13(3).
  - 49. Wang B, Li D, Cheng B, Ying B, Gong Y. The Neutrophil Percentage-to-Albumin Ratio Is Associated with All-Cause Mortality in Critically Ill Patients with Acute Kidney Injury. *Biomed Res Int*. 2020 Feb 18;2020:5687672. doi: 10.1155/2020/5687672. PMID: 32219136; PMCID: PMC7049452.

