

DAFTAR PUSTAKA

- Aini, H. R., Suryanto, A., & Hendrarto, B. 2016. Hubungan Tekstur Sedimen dengan Mangrove di Desa Mojo Kecamatan Ulujami Kabupaten Pemalang. *Management of Aquatic Resources Journal (MAQUARES)*, 5(4), 209 - 215.
- Akbar, C., Arsepta, Y., Dewiyanti, I., & Bahri, S. 2019. Dugaan serapan karbon pada vegetasi mangrove, di kawasan mangrove Desa Beureunut, Kecamatan Seulimum, Kabupaten Aceh Besar. *Jurnal La'ot Ilmu Kelautan*, 2 (2), 67-78.
- ALIMUDDIN L, A. I. S. Y. A. H. 2012. Pendugaan Sedimentasi Pada Das Mamasa Di Kab. Mamasa Propinsi Sulawesi Barat (Doctoral dissertation, Universitas Hassanuddin).
- Aliviyanti, D., & Isdianto, A. 2020. Komposisi dan Kerapatan Mangrove Kawasan Konservasi Taman Wisata Perairan Gugusan Pulau-Pulau Momparang. *Indonesian Journal of Conservation*, 9 (2), 63 - 67.
- Ambeng, A. 2020. *Karakteristik Sedimen dan Biodiversitas Ekosistem Mangrove Pangkajene, Kabupaten Pangkajene dan Kepulauan* (Doctoral dissertation, Universitas Hasanuddin).
- Anasiru, T. 2006. Angkutan Sedimen Pada Muara Sungai Palu. *Jurnal SMARTek*. Vol. 4 (1): 25 - 33.
- Andiani, A.A.E., Karang, I.W.G.A., Putra, I.N.G., & Dharmawan, I.W.E. 2021. Hubungan antar parameter struktur tegakan mangrove dalam estimasi simpanan karbon aboveground pada skala komunitas. *Jurnal Ilmu dan Teknologi Kelautan Tropis*, 13 (3) : 483 - 496.
- Bengen, D.G. 2000. Pedoman Teknis Pengenalan dan Pengelolaan Ekosistem Mangrove, Pusat Kajian Sumberdaya Pesisir dan Lautan. IPB. Bogor.
- Dharmawan, I. W. E., & Pramudji. 2017. Panduan pemantauan komunitas mangrove. *Critic Coremap Cti Lipi*, 2, 1–54.
- Encik, N. F. 2014. Jenis dan Karakteristik Sedimen di Daerah Mangrove Perairan Teluk Antang Kecamatan Siantan Kabupaten Kepulauan Anambas. Skripsi. Universitas Maritim Raja Ali Haji. Tanjungpinang.
- Gemilang, W. A., Wisna, U. J., & Rahmawan, G. A. 2017. Distribusi sedimen dasar sebagai identifikasi erosi pantai di Kecamatan Brebes menggunakan analisis granulometri. *Jurnal Kelautan: Indonesian Journal of Marine Science and Technology*, 10(1), 54-66.
- Hambali, R., & Apriyanti, Y. 2016. Studi Karakteristik Sedimen dan Laju Sedimentasi Sungai Daeng–Kabupaten Bangka Barat. In *FROPIL (Forum Profesional Teknik Sipil)* (Vol. 4, No. 2, pp. 165-174).
- R. E., Ramdhani, F., Yuliardi, A. Y., Magwa, R. J., Hermala, L., & . 2024. Studi Karakteristik Oseanografi Sebagai Rekomendasi inaman Mangrove (Studi Kasus: Pulau Dompok). *Jurnal lonesian Journal of Marine Science and Technology*, 17(1), 9-
- ikiasi Variasi Morfologi dan Kepadatan Kerang Bulu (Anadara Kabupaten Barru. *Biology and Education Journal*, 3(2).



- Korto, J., Jasin, M. I., & Mamoto, J. D. 2015. Analisis pasang surut di pantai nuangan (desa iyok) boltim dengan metode admiralty. *Jurnal Sipil Statik*, 3(6).
- Kridalaksana, A., & Suryanto, A. 2014. Pengelolaan Tambak Dan Mangrove Di Area Pertambakan Di Desa Mororejo, Kecamatan Kaliwungu, Kabupaten Kendal. *Management of Aquatic Resources Journal (MAQUARES)*, 3(2), 148-156.
- Kurniawan, D. R., Zakaria, A., & Dewi, C. 2023. Monitoring kondisi pertumbuhan mangrove kecamatan labuhan maringgai kabupaten lampung timur. *Datum: Journal of Geodesy and Geomatics*, 3(1), 27-34.
- Lestaru, A., Saru, A., & Lanuru, M. 2018. Konsentrasi Bahan Organik dalam Sedimen Dasar Perairan Kaitannya dengan Kerapatan dan Penutupan Jenis Mangrove di Pulau Pannikiang Kecamatan Balusu Kabupaten Barru. *Prosiding Simposium Nasional Kelautan dan Perikanan*, 5.
- Majid, I., Al Muhdar, M. H. I., Rohman, F., & Syamsuri, I. 2016. Konservasi hutan mangrove di pesisir pantai Kota Ternate terintegrasi dengan kurikulum sekolah. *Jurnal bioedukasi*, 4(2).
- Maula, Z., Purnawan, S., & Sarong, M. A. 2016. *Keanekaragaman Gastropoda dan Bivalvia Berdasarkan Karakteristik Sedimen daerah intertidal Kawasan Pantai Ujong Pancu Kecamatan Peukan Bada Kabupaten Aceh Besar* (Doctoral dissertation, Syiah Kuala University).
- Muarif, M., & Samun, M. 2021. KARAKTERISTIK EKOLOGI MANGROVE DI KAWASAN SILVOAKUAKULTUR. *JURNAL MINA SAINS*, 7(2).
- Mughofar, A., Masykuri, M. dan Setyono, P. 2018. Zonasi Dan Komposisi Vegetasi Hutan Mangrove Pantai Cengkong Desa Karanggandu Kabupaten Trenggalek Provinsi Jawa Timur. *Jurnal Pengelolaan Sumberdaya Alam dan Lingkungan (Journal of Natural Resources and Environmental Management)*, 8(1), pp.77–85. doi: 10.29244/jpsl.8.1.77-85.
- Muhsin dan Indrawati. 2008. Keanekaragaman Tumbuhan Air pada Perairan Sungai dan Rawa di Kabupaten Kolaka Provinsi Sulawesi Tenggara. *WARKA-WIFTEK*, 16, pp. 5–9.
- Nasrizal, N., Agathan, T. H., Purani, S., Abdi, M. F., Ramadhan, R., Wahyuni, M., ... & Novita, N. 2023. Penanaman Mangrove Sebagai Bentuk Kegiatan Penanggulangan Dan Pelestarian Ekosistem Di Desa Buruk Bakul. *SAFARI: Jurnal Pengabdian Masyarakat Indonesia*, 3(4), 236-243.
- Noor, Y. R., M. Khazali dan I N. N. Suryadiputra. 2012. Panduan Pengenalan Mangrove di Indonesia. Cetakan ulang ketiga. Bogor: Ditjend PHKA: Wetlands International, Indonesian Programme.
- Patty, S. I., Rizki, M. P., Rifai, H., & Akbar, N. 2019. Kajian kualitas air dan indeks pencemaran perairan laut di teluk manado ditinjau dari parameter fisika-kimia. *Jurnal Ilmu Kelautan Kepulauan*, 2(2).
- Purwa, S. & Riyantini, I. 2012. Pengaruh Kerapatan Mangrove terhadap Konsentrasi Sedimen Transpor Di Pantai Karangsong Kabupaten Karangasem. *Jurnal Perikanan Dan Kelautan*. 3(3):329-337.



- Piranto D., Riyanti I., Kurnia A. M. U., & Prihadi D.J. 2019. Karakteristik Sedimen dan Pengaruhnya Terhadap Kelimpahan Gastropoda Pada Ekosistem Mangrove di Pulau Pramuka. *Jurnal Perikanan dan Kelautan* X(1): 20-28
- Poedjirahajoe, E., Marsono, D., & Wardhani, F. K. 2017. Penggunaan principal component analysis dalam distribusi spasial vegetasi mangrove di Pantai Utara Pematang. *Jurnal Ilmu Kehutanan*, 11(1), 29-42.
- Puna, S. H., Marwan, M., Lestariningsih, W. A., & Rahman, I. 2023. Analisis Kerapatan dan Tutupan Kanopi Mangrove di Gili Petagan, Lombok Timur. *Journal of Marine Research*, 12(4), 682-691.
- Purnama, M., Pribadi, R., & Soenardjo, N. 2020. Analisa tutupan kanopi mangrove dengan metode hemispherical photography di Desa Betahwalang, Kabupaten Demak. *Journal of Marine Research*, 9(3), 317-325.
- Puryono, S., Anggoro, S., Suryanti, S., & Anwar, I. S. 2019. Pengelolaan pesisir dan laut berbasis ekosistem.
- Putra, M. G. A., Zamani, N., Natih, N. M. N., & Yuliardi, A. Y. 2022. Potensi sumber dan sebaran sampah laut di ekosistem terumbu karang perairan pulau kelapa, pulau kelapa dua, dan pulau harapan, DKI Jakarta. *Journal of Marine and Aquatic Sciences*, 8(2), 244-253.
- Rahayu, D. S., & SRI, D. 2019. Penanggulangan Sedimen Akibat Longsor Tebing Pada Sungai Walanae Desa Pacongkang Kabupaten Soppeng (Doctoral dissertation, UNIVERSITAS BOSOWA).
- Rusmendo, H. 2008. Watak dan Sifat Tanah Areal Rehabilitasi Mangrove Tabjung Pasir, Tangerang. 1(1) : 1 – 5).
- Samsi, A. N., Omar, S. B. A., & Niartiningih, A. 2018. Analisis kerapatan ekosistem mangrove di Pulau Panikiang dan Desa Tongke-Tongke Sulawesi Selatan. *Jurnal Biota*, 4(1), 19-23.
- Saru, A. 2013. Mengungkap potensi emas hijau di wilayah pesisir. *Masagena Pres. Makassar*.
- Simamora, H. P., Khairijon, K., & Isda, M. N. 2014. *Analisis Vegetasi Mangrove di Ekosistem Mangrove Desa Tapian Nauli I Kecamatan Tapian Nauli Kabupaten Tapanuli Tengah Provinsi Sumatera Utara* (Doctoral dissertation, Riau University).
- Sugiyono, P. D. 2010. Metode Penelitian. *Kuantitatif, Kualitatif, Dan R&D*.
- Sunarni, Maturbongs, M. R., Arifin, T. dan Rahmania, R. 2019. Zonasi Dan Struktur Komunitas Mangrove Zonation and Community Structure of Mangrove. doi: <http://dx.doi.org/10.15578/jkn.v14i3.7961>.
- Sutikno, M. A. F., Julpa, I. S., Rahmadani, A. N. L., Pamungkas, U. R., Fariz, T. R., & Amalia, A. V. 2023. ESTIMASI TUTUPAN KANOPI MANGROVE DENGAN HEMISPHERICAL PHOTOGRAPHY DI DESA TAMBAKREJO, PANGKAJENE LAMPUNG. In *Proceeding Seminar Nasional IPA*.
- mbuhan Tanaman Bakau (*Rhizophora mucronata*) pada Lahan mangrove di Hutan Lindung Angke Kapuk Provinsi DKI Jakarta. Pertanian Bogor. Bogor.



- Syah, C., Irawan, A., & Priyono, A. 2012. Pertumbuhan *Rhizopora mucronata* pada Lahan Restorasi Mangrove di Hutan Lindung Angke Kapuk, Jakarta. *Jurnal Bonorowo Wetlands*, 2(1), 1–10.
- Tefarani, R., Martuti, N. K. T., & Ngabekti, S. 2019. Keanekaragaman Spesies Mangrove dan Zonasi di Wilayah Kelurahan Mungunharjo Kecamatan Tugu Kota Semarang. *Life Science*, 8(1), 41-53.
- Usman, L., & Hamzah, S. N. 2013. Analisis vegetasi mangrove di pulau Dudepo kecamatan Angrek kabupaten Gorontalo Utara. *The NIKe Journal*, 1(1).
- Warpur, M. 2016. Struktur vegetasi hutan mangrove dan pemanfaatannya di kampung Ababaidi Distrik Supiori Selatan Kabupaten Supiori. *Jurnal Biodjati*, 1(1), 19-26.
- Wibowo, K. P., Pribadi, R., & Susanto, A. B. 2024. Komposisi dan Tutupan Kanopi Mangrove Di Desa Wolowa Kabupaten Buton. *Journal of Marine Research*, 13(2), 219-230.
- Yulia, W., & Leilani, I. 2019. Populasi *Rhizophora Apiculata* Bi Di Hutan Mangrove Teluk Buo Padang Sumatera Barat.



LAMPIRAN

Lampiran 1. Kerapatan Jenis dan Kerapatan Relatif Mangrove (%)

Stasiun	Jenis	ni	Di	Rdi
1	Rhizophora mucronata	7,8000	0,0780	40,63
	Rhizophora apiculata	5,8000	0,0580	30,21
	Rhizophora stylosa	3,4000	0,0340	17,71
	Avicennia marina	2,2000	0,0220	11,46
	Total	19,2000	0,1920	100
2	Rhizophora mucronata	6,8000	0,0680	50,00
	Rhizophora apiculata	4,4000	0,0440	32,35
	Avicennia marina	2,4000	0,0240	17,65
	Total	13,6000	0,1360	100
3	Rhizophora mucronata	3,2000	0,0320	45,71
	Rhizophora apiculata	3,8000	0,0380	54,29
	Total	7,0000	0,0700	100

Lampiran 2. Tutupan Kanopi Mangrove

No	Stasiun	Pixel Kanopi (255)	Total Pixel	% Tutupan Kanopi	Kode	Rata - rata Kanopi %
1		1603462	1920000	83,51	ST1P1	
2		1608674	1920000	83,79	ST1P1	
3		1703916	1920000	88,75	ST1P1	85,48
4		1571157	1920000	81,83	ST1P1	
5		1718577	1920000	89,51	ST1P1	
6		1138740	1228800	92,67	ST1P2	
7		1620777	1920000	84,42	ST1P2	
8		1597879	1920000	83,22	ST1P2	85,14
9	1	1597752	1920000	83,22	ST1P2	
10		1577878	1920000	82,18	ST1P2	
11		1542468	1920000	80,34	ST1P3	
		614714	1920000	84,10	ST1P3	
		594224	1920000	83,03	ST1P3	84,16
		689823	1920000	88,01	ST1P3	
		638370	1920000	85,33	ST1P3	
		352433	1920000	70,44	ST1P4	76,02
		222290	1920000	63,66	ST1P4	



18		1610803	1920000	83,90	ST1P4	
19		1511091	1920000	78,70	ST1P4	
20		1601458	1920000	83,41	ST1P4	
21		1569544	1920000	81,75	ST1P5	
22		1534918	1920000	79,94	ST1P5	
23		1582257	1920000	82,41	ST1P5	81,71
24		1579715	1920000	82,28	ST1P5	
25		1577580	1920000	82,17	ST1P5	
26		860107	1227520	70,07	ST2P1	
27		836336	1227520	68,13	ST2P1	
28		872522	1227520	71,08	ST2P1	70,60
29		870748	1227520	70,94	ST2P1	
30		893156	1227520	72,76	ST2P1	
31		860264	1227520	70,08	ST2P2	
32		891928	1227520	72,66	ST2P2	
33		898323	1227520	73,18	ST2P2	71,68
34		887135	1227520	72,27	ST2P2	
35		862057	1227520	70,23	ST2P2	
36		856099	1227520	69,74	ST2P3	
37		934699	1227520	76,15	ST2P3	
38	2	914882	1227520	74,53	ST2P3	72,64
39		877642	1227520	71,50	ST2P3	
40		874934	1227520	71,28	ST2P3	
41		862400	1227520	70,26	ST2P4	
42		866667	1227520	70,60	ST2P4	
43		894175	1227520	72,84	ST2P4	71,22
44		856882	1227520	69,81	ST2P4	
45		891096	1227520	72,59	ST2P4	
46		856732	1227520	69,79	ST2P5	
47		906132	1227520	73,82	ST2P5	
48		868033	1227520	70,71	ST2P5	72,34
49		892721	1227520	72,73	ST2P5	
50		916094	1227520	74,63	ST2P5	
51		634486	873720	72,62	ST3P1	
		620268	873720	70,99	ST3P1	
		613435	873720	70,21	ST3P1	70,14
		607695	873720	69,55	ST3P1	
		588369	873720	67,34	ST3P1	
		619731	873720	70,93	ST3P2	
		650544	873720	74,46	ST3P2	73,11



58	646991	873720	74,05	ST3P2	
59	577046	873720	66,04	ST3P2	
60	700295	874800	80,05	ST3P2	
61	602753	873720	68,99	ST3P3	
62	621455	873720	71,13	ST3P3	
63	482006	873720	55,17	ST3P3	64,98
64	582274	873720	66,64	ST3P3	
65	550239	873720	62,98	ST3P3	
66	625401	873720	71,58	ST3P4	
67	607631	873720	69,55	ST3P4	
68	602370	873720	68,94	ST3P4	68,77
69	619728	873720	70,93	ST3P4	
70	549077	873720	62,84	ST3P4	
71	677090	874800	77,40	ST3P5	
72	605411	873720	69,29	ST3P5	
73	708557	874800	81,00	ST3P5	73,43
74	579290	873720	66,30	ST3P5	
75	639129	873720	73,15	ST3P5	

Lampiran 3. Uji Anova Kerapatan Mangrove

ANOVA

Kerapatan_Mangrove

	Sum of Squares	df	Mean Square	F	Sig.
Between Groups	3729333,333	2	1864666,667	9,562	0,003
Within Groups	2340000,000	12	195000,000		
Total	6069333,333	14			

Kerapatan_Mangrove

Stasiun	N	Subset for alpha = 0.05		
		1	2	
Tukey HSD ^a	Stasiun 3	5	700,00	
	Stasiun 2	5	1360,00	1360,00
	Stasiun 1	5		1920,00
	Sig.		0,085	0,153



homogeneous subsets are displayed.

lean Sample Size = 5.000.

Lampiran 4. Ukuran butir sedimen

Stasi un	Berat awal (gr)	Berat Hasil Ayakan (gr)							Berat Akhir (gr)
		2 mm	1 mm	0,5 mm	0,25 mm	0,125 mm	0,063 mm	<0,063 mm	
ST1U 1	100,06 4 gr	0,000	0,99 6	15,02 0	23,3 55	32,26 2	26,618	1,754	100,0 05
ST1U 2	100,05 5 gr	11,51 1	22,1 73	48,21 0	10,2 84	5,400	1,915	0,531	100,0 24
ST1U 3	100,08 7gr	9,728	17,5 58	46,45 8	14,6 33	8,649	2,592	0,398	100,0 16
ST1U 4	100,04 1 gr	10,09 4	15,7 28	25,13 4	24,1 84	16,05 4	6,967	1,857	100,0 18
ST1U 5	100,03 1 gr	11,81 3	18,9 47	27,37 1	29,1 68	8,860	3,240	0,620	100,0 19
ST2U 1	100,05 8 gr	1,142	15,8 96	24,20 0	15,8 74	22,67 6	11,930	8,296	100,0 14
ST2U 2	100,08 5 gr	0,967	5,42 0	17,88 5	19,8 28	22,16 8	23,505	10,25 0	100,0 23
ST2U 3	100,08 9 gr	0,916	7,35 0	20,10 0	17,3 13	20,82 6	19,148	14,39 9	100,0 52
ST2U 4	100,05 5 gr	0,807	8,81 2	20,69 4	16,2 57	18,42 7	24,278	10,75 4	100,0 29
ST2U 5	100,04 4 gr	0,676	2,98 2	19,37 4	21,4 32	25,77 4	24,916	4,847	100,0 01
ST3U 1	100,02 8 gr	0,370	2,27 1	22,15 5	17,4 88	32,20 1	19,132	6,383	100,0 00
ST3U 2	100,06 0 gr	1,087	12,1 86	20,69 4	16,3 88	21,00 3	18,316	10,35 7	100,0 31
ST3U 3	100,05 4 gr	0,461	7,15 5	25,99 4	18,1 54	26,19 8	19,777	2,269	100,0 08
ST3U 4	100,06 9 gr	0,487	5,93 2	21,14 9	15,1 17	29,58 6	22,365	5,369	100,0 05
ST3U 5	100,04 8 gr	1,225	5,44 3	20,18 6	19,7 12	19,65 2	28,202	5,594	100,0 14



Lampiran 5. Nilai Mean Butir Sedimen Gradistat

SAMPLE STATISTICS

SAMPLE IDENTITY: ST1U1			ANALYST & DATE: ,			
SAMPLE TYPE: Polymodal, Poorly Sorted			TEXTURAL GROUP: Sand			
SEDIMENT NAME: Poorly Sorted Fine Sand						
	μm	ϕ	GRAIN SIZE DISTRIBUTION			
MODE 1:	152,5	2,737	GRAVEL: 0,0%	COARSE SAND: 15,0%		
MODE 2:	76,50	3,731	SAND: 98,2%	MEDIUM SAND: 23,4%		
MODE 3:	302,5	1,747	MUD: 1,8%	FINE SAND: 32,3%		
D_{10} :	70,36	0,797		V FINE SAND: 26,6%		
MEDIAN or D_{50} :	159,6	2,647	V COARSE GRAVEL: 0,0%	V COARSE SILT: 0,3%		
D_{90} :	575,4	3,829	COARSE GRAVEL: 0,0%	COARSE SILT: 0,3%		
(D_{90} / D_{10}) :	8,178	4,802	MEDIUM GRAVEL: 0,0%	MEDIUM SILT: 0,3%		
$(D_{90} - D_{10})$:	505,0	3,032	FINE GRAVEL: 0,0%	FINE SILT: 0,3%		
(D_{75} / D_{25}) :	3,606	2,096	V FINE GRAVEL: 0,0%	V FINE SILT: 0,3%		
$(D_{75} - D_{25})$:	224,2	1,850	V COARSE SAND: 1,0%	CLAY: 0,3%		
METHOD OF MOMENTS			FOLK & WARD METHOD			
	Arithmetic	Geometric	Logarithmic	Geometric	Logarithmic	Description
	μm	μm	ϕ	μm	ϕ	
MEAN (\bar{x}):	243,6	174,8	2,517	182,6	2,453	Fine Sand
SORTING (σ):	201,1	2,300	1,202	2,262	1,178	Poorly Sorted
SKEWNESS (S_k):	1,747	-0,523	0,523	0,219	-0,219	Coarse Skewed
KURTOSIS (K):	6,829	4,679	4,679	0,730	0,730	Platykurtic

SAMPLE STATISTICS

SAMPLE IDENTITY: ST1U2			ANALYST & DATE: ,			
SAMPLE TYPE: Polymodal, Poorly Sorted			TEXTURAL GROUP: Gravelly Sand			
SEDIMENT NAME: Very Fine Gravelly Coarse Sand						
	μm	ϕ	GRAIN SIZE DISTRIBUTION			
MODE 1:	605,0	0,747	GRAVEL: 11,5%	COARSE SAND: 48,2%		
MODE 2:	1200,0	-0,243	SAND: 88,0%	MEDIUM SAND: 10,3%		
MODE 3:	2400,0	-1,243	MUD: 0,5%	FINE SAND: 5,4%		
D_{10} :	269,1	-1,064		V FINE SAND: 1,9%		
MEDIAN or D_{50} :	630,5	0,665	V COARSE GRAVEL: 0,0%	V COARSE SILT: 0,1%		
D_{90} :	2090,2	1,894	COARSE GRAVEL: 0,0%	COARSE SILT: 0,1%		
(D_{90} / D_{10}) :	7,768	-1,781	MEDIUM GRAVEL: 0,0%	MEDIUM SILT: 0,1%		
$(D_{90} - D_{10})$:	1821,1	2,958	FINE GRAVEL: 0,0%	FINE SILT: 0,1%		
(D_{75} / D_{25}) :	2,170	-4,884	V FINE GRAVEL: 11,5%	V FINE SILT: 0,1%		
$(D_{75} - D_{25})$:	615,1	1,118	V COARSE SAND: 22,2%	CLAY: 0,1%		
METHOD OF MOMENTS			FOLK & WARD METHOD			
	Arithmetic	Geometric	Logarithmic	Geometric	Logarithmic	Description
	μm	μm	ϕ	μm	ϕ	
MEAN (\bar{x}):	874,8	660,1	0,599	648,1	0,626	Coarse Sand
SORTING (σ):	635,6	2,234	1,160	2,153	1,106	Poorly Sorted
SKEWNESS (S_k):	1,378	-1,160	1,160	0,012	-0,012	Symmetrical
KURTOSIS (K):	4,067	7,440	7,440	1,476	1,476	Leptokurtic

SAMPLE STATISTICS

SAMPLE IDENTITY: ST1U3			ANALYST & DATE: ,			
SAMPLE TYPE: Polymodal, Poorly Sorted			TEXTURAL GROUP: Gravelly Sand			
SEDIMENT NAME: Very Fine Gravelly Coarse Sand						
	μm	ϕ	GRAIN SIZE DISTRIBUTION			
MODE 1:	605,0	0,747	GRAVEL: 9,7%	COARSE SAND: 46,5%		
MODE 2:	1200,0	-0,243	SAND: 89,9%	MEDIUM SAND: 14,6%		
MODE 3:	302,5	1,747	MUD: 0,4%	FINE SAND: 8,6%		
D_{10} :	168,0	-0,478		V FINE SAND: 2,6%		
MEDIAN or D_{50} :	598,1	0,742	V COARSE GRAVEL: 0,0%	V COARSE SILT: 0,1%		
D_{90} :	392,7	2,574	COARSE GRAVEL: 0,0%	COARSE SILT: 0,1%		
(D_{90} / D_{10}) :	8,290	-5,385	MEDIUM GRAVEL: 0,0%	MEDIUM SILT: 0,1%		
$(D_{90} - D_{10})$:	224,7	3,051	FINE GRAVEL: 0,0%	FINE SILT: 0,1%		
(D_{75} / D_{25}) :	3,034	-24,377	V FINE GRAVEL: 9,7%	V FINE SILT: 0,1%		
$(D_{75} - D_{25})$:	700,3	1,601	V COARSE SAND: 17,6%	CLAY: 0,1%		
METHOD OF MOMENTS			FOLK & WARD METHOD			
	Arithmetic	Geometric	Logarithmic	Geometric	Logarithmic	Description
	μm	μm	ϕ	μm	ϕ	
t:	784,7	574,2	0,800	590,7	0,760	Coarse Sand
σ :	618,8	2,290	1,195	2,240	1,164	Poorly Sorted
S_k :	1,565	-0,774	0,774	-0,032	0,032	Symmetrical
K :	4,757	5,389	5,389	1,053	1,053	Mesokurtic



SAMPLE STATISTICS

SAMPLE IDENTITY: ST1U4		ANALYST & DATE: .	
SAMPLE TYPE: Polymodal, Poorly Sorted		TEXTURAL GROUP: Gravelly Sand	
SEDIMENT NAME: Very Fine Gravelly Coarse Sand			
		GRAIN SIZE DISTRIBUTION	
MODE 1:	605,0 0,747	GRAVEL: 10,1%	COARSE SAND: 25,1%
MODE 2:	302,5 1,747	SAND: 88,1%	MEDIUM SAND: 24,2%
MODE 3:	1200,0 -0,243	MUD: 1,9%	FINE SAND: 16,1%
D ₁₀ :	128,4 -1,004		V FINE SAND: 7,0%
MEDIAN or D ₅₀ :	506,6 0,981	V COARSE GRAVEL: 0,0%	V COARSE SILT: 0,3%
D ₉₀ :	2006,2 2,961	COARSE GRAVEL: 0,0%	COARSE SILT: 0,3%
(D ₉₀ / D ₁₀):	15,63 -2,948	MEDIUM GRAVEL: 0,0%	MEDIUM SILT: 0,3%
(D ₉₀ - D ₁₀):	1877,8 3,966	FINE GRAVEL: 0,0%	FINE SILT: 0,3%
(D ₇₅ / D ₂₅):	4,063 -79,162	V FINE GRAVEL: 10,1%	V FINE SILT: 0,3%
(D ₇₅ - D ₂₅):	767,2 2,023	V COARSE SAND: 15,7%	CLAY: 0,3%
METHOD OF MOMENTS		FOLK & WARD METHOD	
	Arithmetic	Geometric	Logarithmic
	μm	μm	φ
MEAN (\bar{x}):	686,5	413,0	1,276
SORTING (σ):	674,3	2,990	1,580
SKEWNESS (S_k):	1,532	-0,718	0,718
KURTOSIS (K):	4,412	4,500	4,500
		Geometric	Logarithmic
		μm	φ
		451,4	1,148
		1,148	Medium Sand
		1,525	Poorly Sorted
		0,136	Fine Skewed
		1,013	Mesokurtic

SAMPLE STATISTICS

SAMPLE IDENTITY: ST1U5		ANALYST & DATE: .	
SAMPLE TYPE: Polymodal, Poorly Sorted		TEXTURAL GROUP: Gravelly Sand	
SEDIMENT NAME: Very Fine Gravelly Medium Sand			
		GRAIN SIZE DISTRIBUTION	
MODE 1:	302,5 1,747	GRAVEL: 11,8%	COARSE SAND: 27,4%
MODE 2:	605,0 0,747	SAND: 87,6%	MEDIUM SAND: 29,2%
MODE 3:	1200,0 -0,243	MUD: 0,6%	FINE SAND: 8,9%
D ₁₀ :	160,9 -1,074		V FINE SAND: 3,2%
MEDIAN or D ₅₀ :	554,8 0,850	V COARSE GRAVEL: 0,0%	V COARSE SILT: 0,1%
D ₉₀ :	2105,9 2,635	COARSE GRAVEL: 0,0%	COARSE SILT: 0,1%
(D ₉₀ / D ₁₀):	13,08 -2,453	MEDIUM GRAVEL: 0,0%	MEDIUM SILT: 0,1%
(D ₉₀ - D ₁₀):	1944,9 3,710	FINE GRAVEL: 0,0%	FINE SILT: 0,1%
(D ₇₅ / D ₂₅):	3,822 -12,119	V FINE GRAVEL: 11,8%	V FINE SILT: 0,1%
(D ₇₅ - D ₂₅):	817,8 1,934	V COARSE SAND: 18,9%	CLAY: 0,1%
METHOD OF MOMENTS		FOLK & WARD METHOD	
	Arithmetic	Geometric	Logarithmic
	μm	μm	φ
MEAN (\bar{x}):	780,7	525,6	0,928
SORTING (σ):	687,5	2,530	1,339
SKEWNESS (S_k):	1,373	-0,529	0,529
KURTOSIS (K):	3,837	4,494	4,494
		Geometric	Logarithmic
		μm	φ
		572,4	0,805
		0,805	Coarse Sand
		1,218	Poorly Sorted
		-0,035	Symmetrical
		0,892	Platykurtic

SAMPLE STATISTICS

SAMPLE IDENTITY: ST2U1		ANALYST & DATE: .	
SAMPLE TYPE: Polymodal, Poorly Sorted		TEXTURAL GROUP: Slightly Gravelly Sand	
SEDIMENT NAME: Slightly Very Fine Gravelly Coarse Sand			
		GRAIN SIZE DISTRIBUTION	
MODE 1:	605,0 0,747	GRAVEL: 1,1%	COARSE SAND: 24,2%
MODE 2:	152,5 2,737	SAND: 90,6%	MEDIUM SAND: 15,9%
MODE 3:	1200,0 -0,243	MUD: 8,3%	FINE SAND: 22,7%
D ₁₀ :	66,30 -0,215		V FINE SAND: 11,9%
MEDIAN or D ₅₀ :	292,5 1,774	V COARSE GRAVEL: 0,0%	V COARSE SILT: 1,4%
D ₉₀ :	1160,6 3,915	COARSE GRAVEL: 0,0%	COARSE SILT: 1,4%
(D ₉₀ / D ₁₀):	17,51 -18,219	MEDIUM GRAVEL: 0,0%	MEDIUM SILT: 1,4%
(D ₉₀ - D ₁₀):	1094,3 4,130	FINE GRAVEL: 0,0%	FINE SILT: 1,4%
(D ₇₅ / D ₂₅):	4,687 -4,373	V FINE GRAVEL: 1,1%	V FINE SILT: 1,4%
(D ₇₅ - D ₂₅):	497,6 2,229	V COARSE SAND: 15,9%	CLAY: 1,4%
METHOD OF MOMENTS		FOLK & WARD METHOD	
	Arithmetic	Geometric	Logarithmic
	μm	μm	φ
t	458,9	241,3	2,051
	439,6	3,901	1,964
	1,516	-1,029	1,029
	5,828	3,831	3,831
		Geometric	Logarithmic
		μm	φ
		287,3	1,799
		1,799	Medium Sand
		1,823	Poorly Sorted
		0,151	Fine Skewed
		1,094	Mesokurtic



SAMPLE STATISTICS

SAMPLE IDENTITY: **ST2U2** ANALYST & DATE: .
 SAMPLE TYPE: Polymodal, Poorly Sorted TEXTURAL GROUP: Slightly Gravelly Muddy Sand
 SEDIMENT NAME: Slightly Very Fine Gravelly Very Coarse Silty Very Fine Sand

μm		ϕ	GRAIN SIZE DISTRIBUTION			
MODE 1:	76,50	3,731	GRAVEL:	1,0%	COARSE SAND:	17,9%
MODE 2:	152,5	2,737	SAND:	88,8%	MEDIUM SAND:	19,8%
MODE 3:	302,5	1,747	MUD:	10,2%	FINE SAND:	22,2%
D_{10} :	58,91	0,596			V FINE SAND:	23,5%
MEDIAN or D_{50} :	163,3	2,614	V COARSE GRAVEL:	0,0%	V COARSE SILT:	1,7%
D_{90} :	661,4	4,085	COARSE GRAVEL:	0,0%	COARSE SILT:	1,7%
(D_{90} / D_{10}) :	11,23	6,851	MEDIUM GRAVEL:	0,0%	MEDIUM SILT:	1,7%
$(D_{90} - D_{10})$:	602,5	3,489	FINE GRAVEL:	0,0%	FINE SILT:	1,7%
(D_{75} / D_{25}) :	4,446	2,423	V FINE GRAVEL:	1,0%	V FINE SILT:	1,7%
$(D_{75} - D_{25})$:	271,6	2,153	V COARSE SAND:	5,4%	CLAY:	1,7%

METHOD OF MOMENTS

FOLK & WARD METHOD

	Arithmetic		Geometric	Logarithmic		Description
	μm	μm	ϕ	μm	ϕ	
MEAN (\bar{x}):	311,4	158,8	2,655	187,6	2,414	Fine Sand
SORTING (σ):	356,3	3,739	1,902	3,268	1,708	Poorly Sorted
SKEWNESS (S_k):	2,751	-0,782	0,782	0,041	-0,041	Symmetrical
KURTOSIS (K):	13,68	3,451	3,451	1,174	1,174	Leptokurtic

SAMPLE STATISTICS

SAMPLE IDENTITY: **ST2U3** ANALYST & DATE: .
 SAMPLE TYPE: Polymodal, Poorly Sorted TEXTURAL GROUP: Slightly Gravelly Muddy Sand
 SEDIMENT NAME: Slightly Very Fine Gravelly Medium Silty Fine Sand

μm		ϕ	GRAIN SIZE DISTRIBUTION			
MODE 1:	605,0	0,747	GRAVEL:	0,9%	COARSE SAND:	20,1%
MODE 2:	152,5	2,737	SAND:	84,7%	MEDIUM SAND:	17,3%
MODE 3:	76,50	3,731	MUD:	14,4%	FINE SAND:	20,8%
D_{10} :	26,97	0,538			V FINE SAND:	19,2%
MEDIAN or D_{50} :	166,8	2,584	V COARSE GRAVEL:	0,0%	V COARSE SILT:	2,4%
D_{90} :	688,8	5,213	COARSE GRAVEL:	0,0%	COARSE SILT:	2,4%
(D_{90} / D_{10}) :	25,54	9,691	MEDIUM GRAVEL:	0,0%	MEDIUM SILT:	2,4%
$(D_{90} - D_{10})$:	661,8	4,675	FINE GRAVEL:	0,0%	FINE SILT:	2,4%
(D_{75} / D_{25}) :	6,905	4,045	V FINE GRAVEL:	0,9%	V FINE SILT:	2,4%
$(D_{75} - D_{25})$:	453,3	2,788	V COARSE SAND:	7,3%	CLAY:	2,4%

METHOD OF MOMENTS

FOLK & WARD METHOD

	Arithmetic		Geometric	Logarithmic		Description
	μm	μm	ϕ	μm	ϕ	
MEAN (\bar{x}):	335,0	152,5	2,714	188,7	2,406	Fine Sand
SORTING (σ):	376,5	4,393	2,135	3,599	1,848	Poorly Sorted
SKEWNESS (S_k):	2,314	-0,754	0,754	-0,008	0,008	Symmetrical
KURTOSIS (K):	10,50	2,864	2,864	1,003	1,003	Mesokurtic

SAMPLE STATISTICS

SAMPLE IDENTITY: **ST2U4** ANALYST & DATE: .
 SAMPLE TYPE: Polymodal, Poorly Sorted TEXTURAL GROUP: Slightly Gravelly Muddy Sand
 SEDIMENT NAME: Slightly Very Fine Gravelly Very Coarse Silty Very Fine Sand

μm		ϕ	GRAIN SIZE DISTRIBUTION			
MODE 1:	76,50	3,731	GRAVEL:	0,8%	COARSE SAND:	20,7%
MODE 2:	605,0	0,747	SAND:	88,5%	MEDIUM SAND:	16,3%
MODE 3:	152,5	2,737	MUD:	10,7%	FINE SAND:	18,4%
D_{10} :	51,88	0,503			V FINE SAND:	24,3%
MEDIAN or D_{50} :	168,1	2,572	V COARSE GRAVEL:	0,0%	V COARSE SILT:	1,8%
D_{90} :	705,4	4,269	COARSE GRAVEL:	0,0%	COARSE SILT:	1,8%
(D_{90} / D_{10}) :	13,60	8,478	MEDIUM GRAVEL:	0,0%	MEDIUM SILT:	1,8%
$(D_{90} - D_{10})$:	653,5	3,765	FINE GRAVEL:	0,0%	FINE SILT:	1,8%
(D_{75} / D_{25}) :	7,043	4,236	V FINE GRAVEL:	0,8%	V FINE SILT:	1,8%
$(D_{75} - D_{25})$:	469,4	2,816	V COARSE SAND:	8,8%	CLAY:	1,8%

METHOD OF MOMENTS

FOLK & WARD METHOD

	Arithmetic		Geometric	Logarithmic		Description
	μm	μm	ϕ	μm	ϕ	
t	349,5	168,5	2,569	193,9	2,367	Fine Sand
:	384,2	4,034	2,012	3,422	1,775	Poorly Sorted
:	2,071	-0,731	0,731	0,038	-0,038	Symmetrical
:	8,829	3,126	3,126	0,930	0,930	Mesokurtic



SAMPLE STATISTICSSAMPLE IDENTITY: **ST2U5**

ANALYST & DATE: ,

SAMPLE TYPE: Polymodal, Poorly Sorted

TEXTURAL GROUP: Slightly Gravelly Sand

SEDIMENT NAME: Slightly Very Fine Gravelly Fine Sand

	μm	ϕ	GRAIN SIZE DISTRIBUTION			
MODE 1:	152,5	2,737	GRAVEL:	0,7%	COARSE SAND:	19,4%
MODE 2:	76,50	3,731	SAND:	94,5%	MEDIUM SAND:	21,4%
MODE 3:	302,5	1,747	MUD:	4,8%	FINE SAND:	25,8%
D_{10} :	67,82	0,660			V FINE SAND:	24,9%
MEDIAN or D_{50} :	166,4	2,587	V COARSE GRAVEL:	0,0%	V COARSE SILT:	0,8%
D_{90} :	633,0	3,882	COARSE GRAVEL:	0,0%	COARSE SILT:	0,8%
(D_{90} / D_{10}) :	9,333	5,884	MEDIUM GRAVEL:	0,0%	MEDIUM SILT:	0,8%
$(D_{90} - D_{10})$:	565,2	3,222	FINE GRAVEL:	0,0%	FINE SILT:	0,8%
(D_{75} / D_{25}) :	4,089	2,319	V FINE GRAVEL:	0,7%	V FINE SILT:	0,8%
$(D_{75} - D_{25})$:	259,7	2,032	V COARSE SAND:	3,0%	CLAY:	0,8%

	METHOD OF MOMENTS			FOLK & WARD METHOD		
	Arithmetic μm	Geometric μm	Logarithmic ϕ	Geometric μm	Logarithmic ϕ	Description
MEAN (\bar{x}):	294,0	179,5	2,478	191,2	2,387	Fine Sand
SORTING (σ):	305,8	2,931	1,551	2,393	1,259	Poorly Sorted
SKEWNESS (S_k):	3,043	-0,784	0,784	0,197	-0,197	Coarse Skewed
KURTOSIS (K):	17,82	4,406	4,406	0,697	0,697	Platykurtic

SAMPLE STATISTICSSAMPLE IDENTITY: **ST3U1**

ANALYST & DATE: ,

SAMPLE TYPE: Polymodal, Poorly Sorted

TEXTURAL GROUP: Slightly Gravelly Sand

SEDIMENT NAME: Slightly Very Fine Gravelly Fine Sand

	μm	ϕ	GRAIN SIZE DISTRIBUTION			
MODE 1:	152,5	2,737	GRAVEL:	0,4%	COARSE SAND:	22,2%
MODE 2:	605,0	0,747	SAND:	93,3%	MEDIUM SAND:	17,5%
MODE 3:	76,50	3,731	MUD:	6,4%	FINE SAND:	32,2%
D_{10} :	67,39	0,662			V FINE SAND:	19,1%
MEDIAN or D_{50} :	164,9	2,600	V COARSE GRAVEL:	0,0%	V COARSE SILT:	1,1%
D_{90} :	631,9	3,891	COARSE GRAVEL:	0,0%	COARSE SILT:	1,1%
(D_{90} / D_{10}) :	9,377	5,877	MEDIUM GRAVEL:	0,0%	MEDIUM SILT:	1,1%
$(D_{90} - D_{10})$:	564,5	3,229	FINE GRAVEL:	0,0%	FINE SILT:	1,1%
(D_{75} / D_{25}) :	3,966	2,325	V FINE GRAVEL:	0,4%	V FINE SILT:	1,1%
$(D_{75} - D_{25})$:	264,4	1,988	V COARSE SAND:	2,3%	CLAY:	1,1%

	METHOD OF MOMENTS			FOLK & WARD METHOD		
	Arithmetic μm	Geometric μm	Logarithmic ϕ	Geometric μm	Logarithmic ϕ	Description
MEAN (\bar{x}):	288,9	176,5	2,503	192,6	2,376	Fine Sand
SORTING (σ):	276,3	3,058	1,612	2,613	1,386	Poorly Sorted
SKEWNESS (S_k):	2,620	-1,003	1,003	0,091	-0,091	Symmetrical
KURTOSIS (K):	15,81	4,526	4,526	0,889	0,889	Platykurtic

SAMPLE STATISTICSSAMPLE IDENTITY: **ST3U2**

ANALYST & DATE: ,

SAMPLE TYPE: Polymodal, Poorly Sorted

TEXTURAL GROUP: Slightly Gravelly Muddy Sand

SEDIMENT NAME: Slightly Very Fine Gravelly Very Coarse Silty Fine Sand

	μm	ϕ	GRAIN SIZE DISTRIBUTION			
MODE 1:	605,0	0,747	GRAVEL:	1,1%	COARSE SAND:	20,7%
MODE 2:	152,5	2,737	SAND:	88,6%	MEDIUM SAND:	16,4%
MODE 3:	76,50	3,731	MUD:	10,3%	FINE SAND:	21,0%
D_{10} :	57,29	-0,130			V FINE SAND:	18,3%
MEDIAN or D_{50} :	251,8	1,990	V COARSE GRAVEL:	0,0%	V COARSE SILT:	1,7%
D_{90} :	1094,5	4,126	COARSE GRAVEL:	0,0%	COARSE SILT:	1,7%
(D_{90} / D_{10}) :	19,10	-31,673	MEDIUM GRAVEL:	0,0%	MEDIUM SILT:	1,7%
$(D_{90} - D_{10})$:	1037,2	4,256	FINE GRAVEL:	0,0%	FINE SILT:	1,7%
(D_{75} / D_{25}) :	6,945	4,580	V FINE GRAVEL:	1,1%	V FINE SILT:	1,7%
$(D_{75} - D_{25})$:	498,2	2,796	V COARSE SAND:	12,2%	CLAY:	1,7%

	METHOD OF MOMENTS			FOLK & WARD METHOD		
	Arithmetic μm	Geometric μm	Logarithmic ϕ	Geometric μm	Logarithmic ϕ	Description
t	396,3	192,1	2,380	229,0	2,127	Fine Sand
:	421,6	4,114	2,040	3,448	1,786	Poorly Sorted
:	1,847	-0,822	0,822	-0,200	0,200	Fine Skewed
:	7,309	3,271	3,271	0,937	0,937	Mesokurtic



SAMPLE STATISTICS

SAMPLE IDENTITY: **ST3U3** ANALYST & DATE: ,

SAMPLE TYPE: Polymodal, Poorly Sorted TEXTURAL GROUP: Slightly Gravelly Sand

SEDIMENT NAME: Slightly Very Fine Gravelly Fine Sand

μm		ϕ	GRAIN SIZE DISTRIBUTION			
MODE 1:	605,0	0,747	GRAVEL:	0,5%	COARSE SAND:	26,0%
MODE 2:	152,5	2,737	SAND:	97,3%	MEDIUM SAND:	18,2%
MODE 3:	76,50	3,731	MUD:	2,3%	FINE SAND:	26,2%
D_{10} :	72,43	0,541			V FINE SAND:	19,8%
MEDIAN or D_{50} :	258,6	1,951	V COARSE GRAVEL:	0,0%	V COARSE SILT:	0,4%
D_{90} :	687,5	3,787	COARSE GRAVEL:	0,0%	COARSE SILT:	0,4%
(D_{90} / D_{10}) :	9,493	7,007	MEDIUM GRAVEL:	0,0%	MEDIUM SILT:	0,4%
$(D_{90} - D_{10})$:	615,1	3,247	FINE GRAVEL:	0,0%	FINE SILT:	0,4%
(D_{75} / D_{25}) :	4,311	3,532	V FINE GRAVEL:	0,5%	V FINE SILT:	0,4%
$(D_{75} - D_{25})$:	431,3	2,108	V COARSE SAND:	7,2%	CLAY:	0,4%

METHOD OF MOMENTS			FOLK & WARD METHOD		
Arithmetic	Geometric	Logarithmic	Geometric	Logarithmic	Description
μm	μm	ϕ	μm	ϕ	
MEAN (\bar{x}):	364,9	233,0	2,102	2,080	Fine Sand
SORTING (σ):	339,8	2,743	1,456	1,364	Poorly Sorted
SKEWNESS (S_k):	1,937	-0,594	0,594	0,045	Symmetrical
KURTOSIS (K):	8,771	4,022	4,022	0,796	Platykurtic

SAMPLE STATISTICS

SAMPLE IDENTITY: **ST3U4** ANALYST & DATE: ,

SAMPLE TYPE: Polymodal, Poorly Sorted TEXTURAL GROUP: Slightly Gravelly Sand

SEDIMENT NAME: Slightly Very Fine Gravelly Fine Sand

μm		ϕ	GRAIN SIZE DISTRIBUTION			
MODE 1:	152,5	2,737	GRAVEL:	0,5%	COARSE SAND:	21,1%
MODE 2:	76,50	3,731	SAND:	94,2%	MEDIUM SAND:	15,1%
MODE 3:	605,0	0,747	MUD:	5,4%	FINE SAND:	29,6%
D_{10} :	67,83	0,580			V FINE SAND:	22,4%
MEDIAN or D_{50} :	164,5	2,604	V COARSE GRAVEL:	0,0%	V COARSE SILT:	0,9%
D_{90} :	669,1	3,882	COARSE GRAVEL:	0,0%	COARSE SILT:	0,9%
(D_{90} / D_{10}) :	9,864	6,696	MEDIUM GRAVEL:	0,0%	MEDIUM SILT:	0,9%
$(D_{90} - D_{10})$:	601,2	3,302	FINE GRAVEL:	0,0%	FINE SILT:	0,9%
(D_{75} / D_{25}) :	6,055	3,768	V FINE GRAVEL:	0,5%	V FINE SILT:	0,9%
$(D_{75} - D_{25})$:	435,6	2,598	V COARSE SAND:	5,9%	CLAY:	0,9%

METHOD OF MOMENTS			FOLK & WARD METHOD		
Arithmetic	Geometric	Logarithmic	Geometric	Logarithmic	Description
μm	μm	ϕ	μm	ϕ	
MEAN (\bar{x}):	320,5	186,7	2,421	2,357	Fine Sand
SORTING (σ):	332,0	3,113	1,638	1,419	Poorly Sorted
SKEWNESS (S_k):	2,270	-0,738	0,738	0,244	Coarse Skewed
KURTOSIS (K):	10,64	4,123	4,123	0,691	Platykurtic

SAMPLE STATISTICS

SAMPLE IDENTITY: **ST3U5** ANALYST & DATE: ,

SAMPLE TYPE: Polymodal, Poorly Sorted TEXTURAL GROUP: Slightly Gravelly Sand

SEDIMENT NAME: Slightly Very Fine Gravelly Very Fine Sand

μm		ϕ	GRAIN SIZE DISTRIBUTION			
MODE 1:	76,50	3,731	GRAVEL:	1,2%	COARSE SAND:	20,2%
MODE 2:	605,0	0,747	SAND:	93,2%	MEDIUM SAND:	19,7%
MODE 3:	302,5	1,747	MUD:	5,6%	FINE SAND:	19,6%
D_{10} :	66,61	0,578			V FINE SAND:	28,2%
MEDIAN or D_{50} :	168,9	2,566	V COARSE GRAVEL:	0,0%	V COARSE SILT:	0,9%
D_{90} :	670,1	3,908	COARSE GRAVEL:	0,0%	COARSE SILT:	0,9%
(D_{90} / D_{10}) :	10,06	6,766	MEDIUM GRAVEL:	0,0%	MEDIUM SILT:	0,9%
$(D_{90} - D_{10})$:	603,4	3,330	FINE GRAVEL:	0,0%	FINE SILT:	0,9%
(D_{75} / D_{25}) :	6,412	3,811	V FINE GRAVEL:	1,2%	V FINE SILT:	0,9%
$(D_{75} - D_{25})$:	435,8	2,681	V COARSE SAND:	5,4%	CLAY:	0,9%

METHOD OF MOMENTS			FOLK & WARD METHOD		
Arithmetic	Geometric	Logarithmic	Geometric	Logarithmic	Description
μm	μm	ϕ	μm	ϕ	
t	329,8	183,3	2,448	2,364	Fine Sand
:	372,0	3,241	1,697	1,459	Poorly Sorted
:	2,751	-0,639	0,639	0,194	Coarse Skewed
:	13,54	3,805	3,805	0,698	Platykurtic



Lampiran 6. Uji Regresi sederhana Kerapatan mangrove dengan Mean Butir Sedimen

Model Summary^b

Model	R	R Square	Adjusted R Square	Std. Error of the Estimate
1	.421 ^a	0,177	0,114	619,757

a. Predictors: (Constant), Mean butir sedimen

b. Dependent Variable: Kerapatan mangrove

Coefficients^a

Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.
		B	Std. Error			
1	(Constant)	834,702	334,662		2,494	0,027
	Mean butir sedimen	0,162	0,097	0,421	1,674	0,118

a. Dependent Variable: Kerapatan mangrove

Lampiran 7. Dokumentasi Pengambilan Sampel di Lapangan



Gambar 1. Pengukuran lingkaran batang Mangrove



Gambar 2. Pengambilan Data mangrove





Gambar 3. Pengambilan Sampel Sedimen Pada Mangrove



Gambar 4. Pengambilan Data Pada Pasang surut


Lampiran 8. Dokumentasi Analisis Sedimen di Laboratorium



Gambar 5. Penghalusan Sampel



Gambar 6. Penimbangan Sampel



etelah di Oven



Gambar 8. Pemilahan Ukuran Butir

