

## DAFTAR PUSTAKA

- Agency Medical Directors' Group. (2018). *Supplemental Guidance on Prescribing Opioids for Postoperative Pain At Time of Discharge Clinical Recommendations*. DR. ROBERT BREE COLLABORATIVE.
- Anekar, A. A., Hendrix, J. M., & Cascella, M. (2024). WHO Analgesic Ladder. Journal of the Royal College of Physicians of Edinburgh, 38(3), 284. [https://doi.org/10.1007/978-3-642-28753-4\\_102537](https://doi.org/10.1007/978-3-642-28753-4_102537).
- Angkejaya, O. W. (2018). OPIOID. *Molucca Medica*, 11(1), 79–95.
- Bahrudin, M. (2018). PATOFISIOLOGI NYERI (PAIN). *Saintika Medika*, 13(1), 7. <https://doi.org/10.22219/sm.v13i1.5449>
- Barus J. (2020). Revisi Definisi Nyeri International Association For The Study of Pain (IASP) dan Kaitannya dengan Nyeri pada Lansia dengan Demensia. *BUKU PROSIDING PIN PERDOSSI, Volume 1*, 40–44.
- Belbachir, A., Fuzier, R., & Biau, D. (2020). Unexplained pain after scheduled limb surgery. *Orthopaedics & Traumatology: Surgery & Research*, 106(1), S13–S18. <https://doi.org/10.1016/j.otsr.2019.05.027>
- Bemel, B., Stalter, N., Mathiason, MA, Banik, R., & Pruinelli, L. (2022). Model prediktif untuk mengembangkan penggunaan opioid jangka panjang setelah bedah saraf dan bedah ortopedi. *Jurnal AANA*, 90(2), 114–120.
- Bührer, C., Endesfelder, S., Scheuer, T., & Schmitz, T. (2021). Paracetamol (Acetaminophen) and the Developing Brain. *International Journal of Molecular Sciences*, 22(20). <https://doi.org/10.3390/ijms222011156>
- Côté, C., Bérubé, M., Moore, L., Lauzier, F., Tremblay, L., Belzile, E., Martel, M.-O., Pagé, G., Beaulieu, Y., Pinard, A. M., Perreault, K., Sirois, C., Grzelak, S., & Turgeon, A. F. (2022). Strategies aimed at preventing long-term opioid use in trauma and orthopaedic surgery: a scoping review. *BMC Musculoskeletal Disorders*, 23(1), 238. <https://doi.org/10.1186/s12891-022-05044-y>
- Cozowicz, C., Olson, A., Poeran, J., Mörwald, E. E., Zubizarreta, N., Girardi, F. P., ... & Memtsoudis, S. G. (2017). Opioid prescription levels and postoperative outcomes in orthopedic surgery. *Pain*, 158(12), 2422–2430.
- Dada, O., Gonzalez Zacarias, A., Ongaigui, C., Echeverria-Villalobos, M., Kushelev, M., Bergese, S. D., & Moran, K. (2019). Does Rebound Pain after Peripheral Nerve Block for Orthopedic Surgery Impact Postoperative Analgesia and Opioid Consumption? A Narrative Review. *International Journal of Environmental Research and Public Health*, 16(18), 3257. <https://doi.org/10.3390/ijerph16183257>
- Davis, M. P., Davies, A., McPherson, M. L., Reddy, A., Paice, J. A., Roeland, E., Walsh, D., Mercadante, S., Case, A., Arnold, R., Satomi, E., Crawford, G., Bruera, E., & Ripamonti, C. (2024). Opioid analgesic dose and route conversion ratio studies: a scoping review to inform an eDelphi guideline. *Supportive care in cancer: official journal of the Multinational Association of Supportive Care in Cancer*, 32(8), 542. <https://doi.org/10.1007/s00520-024-08710-0>
- Hah, J. M., Bateman, B. T., Ratliff, J., Curtin, C., & Sun, E. (2017). Chronic Opioid Use After Surgery: Implications for Perioperative Management in the Face of the Opioid Epidemic. *Anesthesia and Analgesia*, 125(5), 1733–1740. <https://doi.org/10.1213/ANE.0000000000002458>
- Hooten, W. M. (2020). Opioid Management: Initiating, Monitoring, and Tapering. *Physical Medicine and Rehabilitation Clinics of North America*, 31(2), 265–277. <https://doi.org/10.1016/j.pmr.2020.01.006>

- Hosalli V, Adarsh ES, Hulkund SY, Joshi C. (2014). Comparative Efficacy of Different Doses of Fentanyl on Cardiovascular Responses to Laryngoscopy and Tracheal Intubation. *J Clin Diagn Res*, 8 (9): GC01-03.
- IASP Revises Its Definition of Pain for the First Time Since 1979*. (n.d.).
- Iswari, M. F. (2016). Gambaran tingkat nyeri dan kecemasan pasien post operasi orthopedi di rumah sakit muhammadiyah Palembang. *Masker Medika*, 4(2), 211-219.
- Kementerian Kesehatan RI. (2019). Laporan Nasional Riskesdas 2018. Lembaga Penerbit Badan Penelitian dan Pengembangan Kesehatan.
- Labrum, J. T., & Ilyas, A. M. (2019). Perioperative Pain Control in Upper Extremity Surgery: Prescribing Patterns, Recent Developments, and Opioid-Sparing Treatment Strategies. *Hand (New York, N.Y.)*, 14(4), 439–444. <https://doi.org/10.1177/1558944718787262>
- Ladha, K. S., Neuman, M. D., Broms, G., Bethell, J., Bateman, B. T., Wijeysundera, D. N., Bell, M., Hallqvist, L., Svensson, T., Newcomb, C. W., Brensing, C. M., Gaskins, L. J., & Wunsch, H. (2019). Opioid Prescribing after Surgery in the United States, Canada, and Sweden. *JAMA Network Open*, 2(9). <https://doi.org/10.1001/jamanetworkopen.2019.10734>
- Lin, H., Zhu, Y., Ren, C., Ma, T., Li, M., Li, Z., Xu, Y., Wang, Q., Hu, J., & Zhang, K. (2023). Comparing the Effect of Spinal and General Anesthesia for Hip Fracture Surgery in Older Patients: A Meta-analysis of Randomized Clinical Trials. *Orthopaedic surgery*, 15(12), 3254–3262. <https://doi.org/10.1111/os.13895>
- Mahmud, Sudadi, & Rezkiawan, D. (2019). Manajemen Nyeri pada Pasien dengan Toleransi Opioid. *Jurnal Komplikasi Anestesi*, 6(3), 77–83.
- Malm, H., & Borisch, C. (2015). Analgesics, non-steroidal anti-inflammatory drugs (NSAIDs), muscle relaxants, and antogout medications. In *Drugs During Pregnancy and Lactation* (pp. 27–58). Elsevier. <https://doi.org/10.1016/B978-0-12-408078-2.00002-0>
- Nimmo, S. M., Foo, I. T. H., & Paterson, H. M. (2017). Enhanced recovery after surgery: Pain management. In *Journal of Surgical Oncology* (Vol. 116, Issue 5, pp. 583–591). John Wiley and Sons Inc. <https://doi.org/10.1002/jso.24814>
- Okoli, M. U., Rondon, A. J., Townsend, C. B., Sherman, M. B., Ilyas, A. M., & Opioid Use in Orthopaedic Surgery Study Group (Philip Seger, BS; Olivia Julian, BS; Kelvin Fenelon, BS; Terence Thomas, BS) (2022). Comprehensive Analysis of Opioid Use After Common Elective Outpatient Orthopaedic Surgeries. *Journal of the American Academy of Orthopaedic Surgeons. Global research & reviews*, 6(4), e21.00226. <https://doi.org/10.5435/JAAOSGlobal-D-21-00226>
- Patel, T. K., Gainer, J., Lamba, C., Adil, S. A., Singh, V., & Emmer, T. (2021). Meta-Analysis: Functional Outcome of ORIF Versus Primary Subtalar Arthrodesis of Sanders Type II and Type III Calcaneal Fractures. *The Journal of foot and ankle surgery : official publication of the American College of Foot and Ankle Surgeons*, 60(5), 1038–1043. <https://doi.org/10.1053/j.jfas.2021.04.009>
- Permata, V. A., Nurcahyo, W. I., & Supatmo, Y. (2014). *Penggunaan Analgesik Pasca Operasi Orthopedi Di Rsup Dr. Kariadi Semarang* (Doctoral dissertation, Faculty of Medicine Diponegoro University).
- Pinzon, R. T. (2016). *PENGKAJIAN NYERI*. Beta Grafika.
- Queremel Milani, D. A., & Davis, D. D. (2024). *Pain Management Medications*.

- Rini, P. N., Ihsan, Mhd., & Lubis, A. (2016). Perbandingan Efektivitas Kombinasi Fentanyl Patch 12,5 µg/jam dan 25 µg/jam dengan Ketorolak 30 mg Intravena pada Pascabedah Ortopedi Ekstremitas Bawah. *Jurnal Anestesi Perioperatif*, 4(2), 95–102. <https://doi.org/10.15851/jap.v4n2.823>
- Sabatino, M. J., Kunkel, S. T., Ramkumar, D. B., Keeney, B. J., & Jevsevar, D. S. (2018). Excess Opioid Medication and Variation in Prescribing Patterns Following Common Orthopaedic Procedures. *The Journal of Bone and Joint Surgery. American Volume*, 100(3), 180–188. <https://doi.org/10.2106/JBJS.17.00672>
- Stanley, T. H. (2014). The fentanyl story. *Journal of Pain*, 15(12), 1215–1226. <https://doi.org/10.1016/j.jpain.2014.08.010>
- Suharyono, Dewi, Y. S., & Ika, N. P. (2021). Pengaruh Rehabilitasi Berbasis Virtual Reality dalam Menurunkan Intensitas Nyeri pada Pasien Pasca Bedah Ortopedi: Systematic Review. *Jurnal Penelitian Kesehatan Suara Forikes*, 12(4), 391–397.
- Supplemental Guidance on Prescribing Opioids for Postoperative Pain At Time of Discharge Clinical Recommendations.* (2018).
- Suwondo, B. S., Meliala, L., & Sudadi. (2017). *BUKU AJAR NYERI 2017*. Indonesian Pain Society.
- The International Association for the Study of Pain. (2020). *Revised Definitions of Pain*.
- The United Nations Office on Drugs and Crime. (2020). *WORLD DRUG REPORT 2020: 2 DRUG USE AND HEALTH CONSEQUENCES*. United Nations.
- Tighe, P., Modave, F., Horodyski, M., Marsik, M., Lipori, G., Fillingim, R., Hu, H., & Hagen, J. (2020). Geospatial Analyses of Pain Intensity and Opioid Unit Doses Prescribed on the Day of Discharge Following Orthopedic Surgery. *Pain Medicine*, 21(8), 1644–1662. <https://doi.org/10.1093/pmt/pnz311>
- Warner, N. S., Habermann, E. B., Hooten, W. M., Hanson, A. C., Schroeder, D. R., St Sauver, J. L., Huddleston, P. M., Bydon, M., Cunningham, J. L., Gazelka, H. M., & Warner, D. O. (2020). Association Between Spine Surgery and Availability of Opioid Medication. *JAMA network open*, 3(6), e208974. <https://doi.org/10.1001/jamanetworkopen.2020.8974>
- Washington Agency Medical Directors' Group. (2018). *Supplemental Guidance on Prescribing Opioids for Postoperative Pain At Time of Discharge Clinical Recommendations*.
- Yam, M. F., Loh, Y. C., Tan, C. S., Khadijah Adam, S., Abdul Manan, N., & Basir, R. (2018). General Pathways of Pain Sensation and the Major Neurotransmitters Involved in Pain Regulation. *International Journal of Molecular Sciences*, 19(8). <https://doi.org/10.3390/ijms19082164>
- Yudiyanta, Khoirunnisa, N., & Novitasari, R. W. (2015). Assessment Nyeri. *Cermin Dunia Kedokteran*, 42(3), 214–234.
- Zin, C. S., Nazar, N. I., Rahman, N. S. A., Ahmad, W. R., Rani, N. S., & Ng, K. S. (2019). Patterns of initial opioid prescription and its association with short-term and long-term use among opioid-naïve patients in Malaysia: a retrospective cohort study. *BMJ open*, 9(7), e027203. <https://doi.org/10.1136/bmjopen-2018-027203>

**LAMPIRAN****Lampiran 1. Biodata Peneliti**

Nama Lengkap	A. Aulia Ulandira
Tempat, Tanggal Lahir	Maccini, 4 Januari 2003
Jenis Kelamin	Perempuan
Agama	Islam
Alamat	Jalan Sahabat III No. 16
Fakultas	Kedokteran
Program Studi	Pendidikan Dokter
NIM	C011211107
Nomor Telepon	081242846812
E-mail	aulia.ulandira7@gmail.com
Riwayat Pendidikan	<ol style="list-style-type: none"><li>SDN 71 Maccini (2009 – 2015)</li><li>MTs. DDI Pattojo (2015 – 2018)</li><li>SMAN 1 Soppeng (2018 – 2021)</li><li>Fakultas Kedokteran Universitas Hasanuddin (2021 – sekarang)</li></ol>

## Lampiran 2. Rekomendasi Persetujuan Etik



KEMENTERIAN PENDIDIKAN, KEBUDAYAAN, RISET DAN TEKNOLOGI  
 UNIVERSITAS HASANUDDIN FAKULTAS KEDOKTERAN  
 KOMITE ETIK PENELITIAN UNIVERSITAS HASANUDDIN  
 RSPTN UNIVERSITAS HASANUDDIN  
 RSUP Dr. WAHIDIN SUDIROHUSODO MAKASSAR  
 Sekretariat : Lantai 2 Gedung Laboratorium Terpadu  
 JL.PERINTIS KEMERDEKAAN KAMPUS TAMALANREA KM.10 MAKASSAR 90245.



Contact Person: dr. Agussalim Bukhari, MMed, PhD, SpGK Telp. 081241850858, 0411 5780103, Fax: 0411-581431

### **REKOMENDASI PERSETUJUAN ETIK**

Nomor : 361/UN4.6.4.5.31/ PP36/ 2024

Tanggal: 20 Mei 2024

Dengan ini Menyatakan bahwa Protokol dan Dokumen yang Berhubungan Dengan Protokol berikut ini telah mendapatkan Persetujuan Etik :

No Protokol	UH24050341	No Sponsor	
Peneliti Utama	<b>A. Aulia Ulandira</b>	Sponsor	
Judul Peneliti	KARAKTERISTIK PENGGUNAAN ANALGESIK OPIOID PADA PASIEN PASCA BEDAH ORTOPEDI DI RSUP DR. WAHIDIN SUDIROHUSODO PERIODE OKTOBER HINGGA DESEMBER 2023		
No Versi Protokol	<b>1</b>	Tanggal Versi	<b>20 Mei 2024</b>
No Versi PSP		Tanggal Versi	
Tempat Penelitian	RSUP. Dr. Wahidin Sudirohusodo Makassar		
Jenis Review	<input checked="" type="checkbox"/> Exempted <input type="checkbox"/> Expedited <input type="checkbox"/> Fullboard Tanggal	Masa Berlaku <b>17 Mei 2024</b> sampai <b>17 Mei 2025</b>	Frekuensi review lanjutan
Ketua KEP Universitas Hasanuddin	<b>Prof. dr. Muh Nasrum Massi, PhD, SpMK, Subsp. Bakt(K)</b>	Tanda tangan	
Sekretaris KEP Universitas Hasanuddin	<b>dr. Firdaus Hamid, PhD, SpMK(K)</b>	Tanda tangan	

Kewajiban Peneliti Utama:

- Menyerahkan Amandemen Protokol untuk persetujuan sebelum di implementasikan
- Menyerahkan Laporan SAE ke Komisi Etik dalam 24 Jam dan dilengkapi dalam 7 hari dan Lapor SUSAR dalam 72 Jam setelah Peneliti Utama menerima laporan
- Menyerahkan Laporan Kemajuan (progress report) setiap 6 bulan untuk penelitian resiko tinggi dan setiap setahun untuk penelitian resiko rendah
- Menyerahkan laporan akhir setelah Penelitian berakhir
- Melaporkan penyimpangan dari prokol yang disetujui (protocol deviation / violation)
- Mematuhi semua peraturan yang ditentukan

### Lampiran 3. Permohonan Izin Penelitian



**KEMENTERIAN PENDIDIKAN KEBUDAYAAN,  
RISET DAN TEKNOLOGI  
UNIVERSITAS HASANUDDIN  
FAKULTAS KEDOKTERAN**  
 JL. PERINTIS KEMERDEKAAN KM. 10, MAKASSAR 90245  
 TELEPON (0411) 586200, (6 SALURAN), 584200, FAX (0411) 585188  
 Laman: [www.unhas.ac.id](http://www.unhas.ac.id)

---

Nomor : 06340/UN4.6.8/PT.01.04/2024  
 Hal : Permohonan Izin Penelitian

17 April 2024

Yth. Direktur RSUP Dr. Wahidin Sudirohusodo

Dengan hormat, disampaikan bahwa mahasiswa Program Studi Pendidikan Dokter Fakultas Kedokteran Universitas Hasanuddin di bawah ini :

N a m a : A. Aulia Ulandira  
 N i m : C011211107

bermaksud melakukan penelitian di RSUP Dr. Wahidin Sudirohusodo dengan judul penelitian **“Karakteristik Penggunaan Analgesik Opioid Pada Pasien Pasca Bedah Ortopedi RSUP Dr. Wahidin Sudirohusodo Periode Oktober Hingga Desember 2023”**

Sehubungan hal tersebut kiranya yang bersangkutan dapat diberi izin untuk melakukan Penelitian dalam rangka penyelesaian studinya.

Demikian permohonan kami, atas bantuan dan kerjasamanya disampaikan terima kasih

Ketua Program Studi S1  
 Pendidikan Dokter  
 Fakultas Kedokteran



dr. Ririn Nislawati, M.Kes.,Sp.M  
 NIP 198101182009122003



## Lampiran 4. Izin Penelitian



Nomor : DP.04.03/D.XIX.2/1957/2024  
Hal : Izin Penelitian

### Kementerian Kesehatan RS Wahidin Sudirohusodo

Jalan Perintis Kemerdekaan KM. 11, Tamalanrea, Makassar 90245  
(0411)583333 / (0411)582888  
[www.rsupwahidin.com](http://www.rsupwahidin.com)

26 Juni 2024

### Yth. Ketua Program Studi S1 Pendidikan Dokter Fakultas Kedokteran Universitas Hasanuddin

Sehubungan dengan surat saudara nomor **06340/UN4.6.8/PT.01.04/2024**, tertanggal **17 April 2024**, hal **Permohonan Izin Penelitian**, dapat kami fasilitasi dan memberikan izin pelaksanaan penelitian kepada:

Nama	: A. Aulia Ulandira
NIM	: C011211107
Prog. Pend.	: S1 Pendidikan Dokter
No. HP	: 081368193987
Judul	: Karakteristik Penggunaan Analgesik Opioid pada Pasien Pasca Bedah Ortopedi RS Wahidin Sudirohusodo Periode Oktober hingga Desember 2023
Jangka Waktu	: Tiga Bulan Setelah Surat ini di Keluarkan
Lokasi	: Instalasi Rekam Medik; Instalasi SIRS

Dengan ketentuan sebagai berikut :

1. Mengikuti seluruh peraturan dan ketentuan penelitian yang berlaku di lingkup RS Wahidin Sudirohusodo
2. Sebelum meneliti, peneliti wajib melapor kepada Pengawas Penelitian di masing-masing unit yang menjadi lokasi penelitian dan mengikuti syarat administrasi di *Clinical Research Unit* (CRU)
3. Pelaksanaan penelitian tidak mengganggu proses pelayanan, dan mendukung upaya peningkatan mutu pelayanan serta keselamatan pasien
4. Pemeriksaan penunjang, Bahan Habis Pakai (BHP) dan lain-lain yang digunakan dalam penelitian, menjadi tanggung jawab peneliti, tidak dibebebkan kepada pasien ataupun RS
5. Peneliti melaporkan proses penelitian secara periodik serta hasil penelitian di akhir waktu penelitian di link <https://s.id/SisterElit>
6. Mencantumkan nama RS Wahidin Sudirohusodo sebagai afiliasi institusi dalam naskah dan publikasi penelitian
7. Surat Keterangan Selesai Penelitian menjadi salah satu syarat untuk mengikuti Seminar Hasil Penelitian
8. Bukti Penyerahan Skripsi/Thesis/Disertasi ke RS Wahidin Sudirohusodo menjadi syarat penyelesaian studi

Mohon dapat dipastikan agar ketentuan tersebut dipenuhi peneliti sebelum menyelesaikan studi di institusi saudara. Atas perhatian dan kerjasama yang baik, diucapkan terima kasih.



Tembusan:

1. Kepala Instalasi Rekam Medik
2. Kepala Instalasi Sistem Informasi Rumah Sakit (SIRS)

Kementerian Kesehatan tidak menerima suap dan/atau gratifikasi dalam bentuk apapun. Jika terdapat potensi suap atau gratifikasi silahkan laporan melalui HALO KEMENKES 1500567 dan <https://wbs.kemkes.go.id>. Untuk verifikasi keaslian tanda tangan elektronik, silahkan unggah dokumen pada laman <https://tte.kominfo.go.id/verifyPDF>.

**Lampiran 5. Data Penelitian**

PASIEN	USIA	JK	JENIS PEMBEDAHAN	RUTE ANASTESI	JENIS OPIOID	RUTE PEMBERIAN OPIOID	DOSIS OPIOID	DURASI PEMBERIAN OPIOID
P1	<18	P	Open reduction and internal fixation	Lokal	Opioid kerja kuat	Intravena	100 mcg/jam	1-3
P2	<18	L	Open reduction and internal fixation	Spinal	Opioid kerja kuat	Intravena	2 mcg/kg/jam	1-3
P3	<18	L	Removal of implanted device	Spinal	Opioid kerja kuat	Intravena	3 mcg/kg/jam	1-3
P4	<18	L	Sequesterectomy	Spinal	Opioid kerja kuat	Intravena	1 mcg/kg/jam	1-3
P5	<18	P	Open reduction and internal fixation	Spinal	Opioid kerja kuat	Intravena	2 mcg/kg/jam	1-3
P6	<18	L	Open reduction and internal fixation	Umum	Opioid kerja kuat	Intratekal	25 mcg/jam	1-3
P7	<18	L	Removal of implanted device	Umum	Opioid kerja kuat	Intravena	2 mcg/kg/jam	1-3
P8	<18	P	Removal of implanted device	Umum	Opioid kerja kuat	Intravena	30 mcg/jam	1-3
P9	<18	L	Removal of implanted device	Umum	Opioid kerja kuat	Intravena	50 mcg/jam	1-3
P10	<18	L	Wedge osteotomy	Umum	Opioid kerja kuat	Intravena	25 mcg/jam	1-3
P11	<18	L	Achillotenotomy	Umum	Opioid kerja kuat	Intravena	2 mcg/kg/jam	1-3
P12	<18	L	Open reduction and internal fixation	Umum	Opioid kerja kuat	Intravena	2 mcg/kg/jam	1-3
P13	<18	P	Open reduction of dislocation	Umum	Opioid kerja kuat	Intravena	3 mcg/kg/jam	1-3

P14	<18	L	Open reduction and internal fixation	Umum	Opioid kerja kuat	Intravena	1 mcg/kg/jam	1-3
P15	<18	L	Open reduction and internal fixation	Umum	Opioid kerja kuat	Intravena	100 mcg/jam	1-3
P16	<18	L	Open reduction and internal fixation	Umum	Opioid kerja kuat	Intravena	50 mcg/jam	1-3
P17	<18	L	Removal of implanted device	Umum	Opioid kerja kuat	Intravena	100 mcg/jam	1-3
P18	<18	L	Removal of implanted device	Umum	Opioid kerja kuat	Intravena	20 mcg/jam	1-3
P19	<18	P	Removal of implanted device	Umum	Opioid kerja kuat	Intravena	50 mcg/jam	1-3
P20	<18	L	Removal of implanted device	Umum	Opioid kerja kuat	Intravena	50 mcg/jam	1-3
P21	<18	L	Sequesterectomy	Umum	Opioid kerja kuat	Intravena	3 mcg/kg/jam	1-3
P22	<18	L	Sequesterectomy	Umum	Opioid kerja kuat	Intravena	3 mcg/kg/jam	1-3
P23	<18	P	Open reduction and internal fixation	Umum	Opioid kerja kuat	Intravena	30 mcg/jam	4-7
P24	<18	L	Open reduction of dislocation	Umum	Opioid kerja kuat	Intravena	50 mcg/jam	4-7
P25	<18	L	Open reduction and internal fixation	Umum	Opioid kerja kuat	Intravena	0,5 mcg/kg/jam	4-7
P26	<18	L	Removal of implanted device	Umum	Opioid kerja kuat	Intravena	2 mcg/kg/jam	4-7
P27	<18	L	Open reduction and internal fixation	Umum	Opioid kerja kuat	Intravena	3 mcg/kg/jam	7-14
P28	>50	L	Amputation	Epidural	Opioid kerja kuat	Intravena	3 mcg/kg/jam	1-3

P29	>50	L	Free flap surgery	Epidural	Opioid kerja kuat	Intravena	0,5 mcg/kg/jam	1-3
P30	>50	L	Open reduction and internal fixation	Spinal	Opioid kerja kuat	Intravena	2 mcg/kg/jam	1-3
P31	>50	L	Removal of implanted device	Spinal	Opioid kerja kuat	Intravena	30 mcg/jam	1-3
P32	>50	P	Wedge osteotomy	Spinal	Opioid kerja kuat	Intravena	3 mcg/kg/jam	1-3
P33	>50	P	Open reduction and internal fixation	Spinal	Opioid kerja kuat	Intravena	100 mcg/jam	1-3
P34	>50	L	Open reduction and internal fixation	Spinal	Opioid kerja kuat	Intratekal	25 mcg/jam	1-3
P35	>50	P	Removal of implanted device	Spinal	Opioid kerja kuat	Intravena	30 mcg/jam	1-3
P36	>50	P	Total knee replacement	Spinal	Opioid kerja kuat	Intratekal	25 mcg/jam	1-3
P37	>50	P	Partial hip replacement	Spinal	Opioid kerja kuat	Intravena	50 mcg/jam	1-3
P38	>50	P	Total knee replacement	Spinal	Opioid kerja kuat	Intravena	30 mcg/jam	1-3
P39	>50	L	Total knee replacement	Spinal	Opioid kerja kuat	Intratekal	50 mcg/jam	1-3
P40	>50	P	Open reduction and internal fixation	Spinal	Opioid kerja kuat	Intravena	3 mcg/kg/jam	1-3
P41	>50	P	Open reduction and internal fixation	Spinal	Opioid kerja kuat	Intravena	3 mcg/kg/jam	1-3
P42	>50	P	Open reduction and internal fixation	Spinal	Opioid kerja kuat	Intravena	30 mcg/jam	1-3
P43	>50	P	Partial hip replacement	Spinal	Opioid kerja kuat	Intravena	3 mcg/kg/jam	1-3

P44	>50	L	Open reduction and internal fixation	Spinal	Opioid kerja kuat	Intravena	2 mcg/kg/jam	1-3
P45	>50	P	Open reduction and internal fixation	Spinal	Opioid kerja kuat	Intravena	1 mcg/kg/jam	1-3
P46	>50	P	Partial hip replacement	Spinal	Opioid kerja kuat	Intravena	3 mcg/kg/jam	4-7
P47	>50	P	Partial hip replacement	Spinal	Opioid kerja kuat	Intravena	3 mcg/kg/jam	4-7
P48	>50	L	Amputation	Umum	Opioid kerja kuat	Intravena	30 mcg/jam	>14
P49	>50	L	Open reduction and internal fixation	Umum	Opioid kerja kuat	Intravena	2 mcg/kg/jam	1-3
P50	>50	P	Open reduction and internal fixation	Umum	Opioid kerja kuat	Intravena	1 mcg/kg/jam	1-3
P51	>50	L	Removal of implanted device	Umum	Opioid kerja kuat	Intravena	3 mcg/kg/jam	1-3
P52	>50	L	Open reduction and internal fixation	Umum	Opioid kerja kuat	Intravena	100 mcg/jam	1-3
P53	>50	P	Exploration of tendon sheath	Umum	Opioid kerja kuat	Intravena	2 mcg/kg/jam	1-3
P54	>50	L	Open reduction and internal fixation	Umum	Opioid kerja kuat	Intravena	3 mcg/kg/jam	4-7
P55	>50	L	Open reduction and internal fixation	Umum	Opioid kerja kuat	Intravena	3 mcg/kg/jam	4-7
P56	18-30	P	Amputation	Spinal	Opioid kerja kuat	Intravena	3 mcg/kg/jam	1-3
P57	18-30	L	Open reduction and internal fixation	Spinal	Opioid kerja kuat	Intravena	2 mcg/kg/jam	1-3
P58	18-30	L	Open reduction and internal fixation	Spinal	Opioid kerja kuat	Intratekal	25 mcg/jam	1-3

P59	18-30	L	Open reduction and internal fixation	Spinal	Opioid kerja kuat	Intravena	3 mcg/kg/jam	1-3
P60	18-30	P	Removal of implanted device	Spinal	Opioid kerja kuat	Intratekal	25 mcg/jam	1-3
P61	18-30	L	Removal of implanted device	Spinal	Opioid kerja kuat	Intratekal	25 mcg/jam	1-3
P62	18-30	L	Removal of implanted device	Spinal	Opioid kerja kuat	Intravena	30 mcg/jam	1-3
P63	18-30	P	Open reduction and internal fixation	Spinal	Opioid kerja kuat	Intratekal	100 mcg/jam	1-3
P64	18-30	L	Open reduction and internal fixation	Spinal	Opioid kerja kuat	Intratekal	100 mcg/jam	1-3
P65	18-30	L	Open reduction and internal fixation	Spinal	Opioid kerja kuat	Intravena	1 mcg/kg/jam	1-3
P66	18-30	L	Open reduction and internal fixation	Spinal	Opioid kerja kuat	Intravena	3 mcg/kg/jam	1-3
P67	18-30	P	Open reduction and internal fixation	Spinal	Opioid kerja kuat	Intravena	3 mcg/kg/jam	1-3
P68	18-30	P	Removal of implanted device	Spinal	Opioid kerja kuat	Intravena	2 mcg/kg/jam	4-7
P69	18-30	L	Open reduction and internal fixation	Umum	Opioid kerja kuat	Intravena	30 mcg/jam	>14
P70	18-30	P	Open reduction and internal fixation	Umum	Opioid kerja kuat	Intravena	100 mcg/jam	1-3
P71	18-30	P	Muscle transplantation	Umum	Opioid kerja kuat	Intravena	50 mcg/jam	1-3
P72	18-30	L	Open reduction and internal fixation	Umum	Opioid kerja kuat	Intravena	2 mcg/kg/jam	1-3
P73	18-30	L	Open reduction and internal fixation	Umum	Opioid kerja kuat	Intravena	50 mcg/jam	1-3

P74	18-30	L	Open reduction and internal fixation	Umum	Opioid kerja kuat	Intravena	3 mcg/kg/jam	4-7
P75	18-30	L	Open reduction and internal fixation	Umum	Opioid kerja kuat	Intravena	1 mcg/kg/jam	4-7
P76	18-30	L	Open reduction and internal fixation	Umum	Opioid kerja kuat	Intravena	3 mcg/kg/jam	4-7
P77	18-30	L	Open reduction and internal fixation	Umum	Opioid kerja kuat	Intravena	30 mcg/jam	4-7
P78	18-30	L	Open reduction and internal fixation	Umum	Opioid kerja kuat	Intravena	3 mcg/kg/jam	4-7
P79	18-30	P	Open reduction and internal fixation	Umum	Opioid kerja kuat	Intravena	100 mcg/jam	4-7
P80	18-30	L	Open reduction and internal fixation	Umum	Opioid kerja kuat	Intravena	2 mcg/kg/jam	7-14
P81	18-30	L	Open reduction and internal fixation	Umum	Opioid kerja kuat	Intravena	30 mcg/jam	7-14
P82	31-40	L	Removal of implanted device	Spinal	Opioid kerja kuat	Intratekal	50 mcg/jam	1-3
P83	31-40	P	Bone graft	Umum	Opioid kerja kuat	Intravena	30 mcg/jam	1-3
P84	31-40	L	Open reduction and internal fixation	Umum	Opioid kerja kuat	Intravena	50 mcg/jam	1-3
P85	31-40	L	Sequestrectomy	Umum	Opioid kerja kuat	Intravena	2 mcg/kg/jam	1-3
P86	31-40	P	Open reduction and internal fixation	Umum	Opioid kerja kuat	Intravena	2 mcg/kg/jam	1-3
P87	31-40	L	Open reduction and internal fixation	Umum	Opioid kerja kuat	Intravena	3 mcg/kg/jam	4-7
P88	31-40	P	Synovectomy	Umum	Opioid kerja kuat	Intravena	100 mcg/jam	4-7

P89	31-40	L	Open reduction and internal fixation	Umum	Opioid kerja kuat	Intravena	3 mcg/kg/jam	4-7
P90	31-40	L	Open reduction and internal fixation	Umum	Opioid kerja kuat	Intravena	100 mcg/jam	4-7
P91	41-50	L	Advancement of pedicle graft	Lokal	Opioid kerja kuat	Intravena	3 mcg/kg/jam	1-3
P92	41-50	P	Removal of implanted device	Spinal	Opioid kerja kuat	Intravena	30 mcg/jam	1-3
P93	41-50	L	Amputation	Spinal	Opioid kerja kuat	Intravena	50 mcg/jam	1-3
P94	41-50	L	Open reduction and internal fixation	Spinal	Opioid kerja kuat	Intravena	100 mcg/jam	1-3
P95	41-50	L	Synovectomy	Spinal	Opioid kerja kuat	Intratekal	25 mcg/jam	1-3
P96	41-50	L	Sequestrectomy	Spinal	Opioid kerja kuat	Intravena	2 mcg/kg/jam	1-3
P97	41-50	P	Open reduction and internal fixation	Spinal	Opioid kerja kuat	Intravena	2 mcg/kg/jam	1-3
P98	41-50	L	Tendon transplantation	Umum	Opioid kerja kuat	Intravena	50 mcg/jam	1-3
P99	41-50	L	Open reduction and internal fixation	Umum	Opioid kerja kuat	Intravena	30 mcg/jam	1-3
P100	41-50	P	Bone graft	Umum	Opioid kerja kuat	Intravena	2 mcg/kg/jam	1-3
P101	41-50	L	Open reduction and internal fixation	Umum	Opioid kerja kuat	Intravena	3 mcg/kg/jam	4-7
P102	41-50	P	Open reduction and internal fixation	Umum	Opioid kerja kuat	Intravena	30 mcg/jam	7-14
P103	41-50	L	Open reduction and internal fixation	Umum	Opioid kerja kuat	Intravena	2 mcg/kg/jam	7-14

P104	>50	P	Removal of implanted device	Lokal	Opioid kerja lemah	Oral	50 mg/12 jam	4-7
P105	18-30	L	Open reduction and internal fixation	Umum	Opioid kerja lemah	Oral	50 mg/12 jam	1-3
P106	18-30	L	Arthroscopy of shoulder	Umum	Opioid kerja lemah	Oral	50 mg/12 jam	7-14
P107	31-40	P	Arthroscopy of shoulder	Umum	Opioid kerja lemah	Oral	50 mg/12 jam	4-7
P108	41-50	L	Open reduction and internal fixation	Lokal	Opioid kerja lemah	Oral	50 mg/12 jam	4-7
P109	<18	P	Wedge osteotomy	Umum	Opioid kerja sedang	Intravena	100 mcg/jam	1-3
P110	18-30	L	Removal of implanted device	Spinal	Opioid kerja sedang	Intravena	0,5 mg/kg/jam	1-3