

DAFTAR PUSTAKA

- Afaq, F., Adhami, V. M., & Mukhtar, H. (2005). Photochemoprevention of ultraviolet B signaling and photocarcinogenesis. *Mutation Research/Fundamental and Molecular* <https://doi.org/10.1016/j.mrfmmm.2004.07.019>.
- Afaq, F., Adhami, V. M., Ahmad, N., & Mukhtar, H. (2003). Inhibition of ultravioletB-mediated activation of nuclear factor κB in normal human epidermal keratinocytesby green tea Constituent (-)-epigallocatechin-3-gallate. *Oncogene*,22(7),1035-1044<https://doi.org/10.1038/sj.onc.1206206>.
- Aggarwal, V., Tuli, H. S., Tania, Met al. (2022). Molecular mechanisms of action of epigallocatechin gallate in cancer: Recent trends and advancement. *Seminars in Cancer Biology*, 80, 256–275. <https://doi.org/10.1016/j.semcaner.2020.05.011>
- Anjarsari, I. R. D. (2016). Katekin teh Indonesia : prospek dan manfaatnya. *Kultivasi*, 15(2). <https://doi.org/10.24198/kultivasi.v15i2.11871>
- Apalla, Z., Nashan, D., Weller, R. B., & Castellsagué, X. (2017). Skin Cancer: Epidemiology, Disease Burden, Pathophysiology, Diagnosis, and Therapeutic Approaches. *Dermatology and Therapy*, 7(S1), 5–19. <https://doi.org/10.1007/s13555-016-0165-y>.
- Alam M,Ratner D,Cutaneus Squamous Cell Carsinoma.New England Journal Of Medicine,2001;Vol(22)no.313 pp975-983.
- AnwarJ,Wrone DA,Kimyai-Asadi Aet al.The development of actinic keratosis into invasive squamous cell carcinoma;evidence and evolving classification schemes.
- Antony E ,Oro,Tang Jean Y. Basal cell Nevus Syndrome.In Goldsmith, lowell A, Katz, Stephen iI , Gilchrest Barbara A,et al. Editors)Fitzpatrick's Dermatology in General Medicine .Eighth Edition. New York.Mac Graw Hill.page:130-113.
- Arits, A. H., Mosterd, K., Essers, B. A., et. Al.W. (2013). Photodynamic therapy versus topical imiquimod versus topical fluorouracil for treatment of superficial basal-cell carcinoma: a single blind, non- inferiority, randomised controlled trial. *The Lancet Oncology*, 14(7), 647–654. [https://doi.org/10.1016/S1470-2045\(13\)70143-8](https://doi.org/10.1016/S1470-2045(13)70143-8).

Arnelia. (2002). *Fitokimia: Komponen Ajaib Cegah PJK, Diabetes Mellitus & Kanker*. Lembaga Ilmu Pengetahuan Indonesia (LIPI).

B. Drolet. et al: “Membranous aplasia cutis” with hair collars: Congenital absence of skin or neuroectodermal defect *Arch Dermatol* **131**:142, 1995.

Bologna, J. L., Schaffer, J. V, & Cerroni, L. (2017). Pathogenesis. in Dermatology (4th ed., pp. 1767–1769). Elsevier Inc.

Bowden, G. T. (2004). Prevention of non-melanoma skin cancer by targeting ultraviolet-B-light signalling. *Nature Reviews Cancer*, *4*(1), 23–35.
<https://doi.org/10.1038/nrc1253>

Calzavara-Pinton, P., Ortel, B., & Venturini, M. (2015). Non-melanoma skin cancer, sun exposure and sun protection. *Giornale Italiano Di Dermatologia e Venereologia Organo Ufficiale, Societa Italiana Di Dermatologia e Sifilografia* **150**(4) 367-368.
<http://www.ncbi.nlm.nih.gov/pubmed/26186380>

Cassarino DS, Linden KG, Barr RJ. Cutaneous keratocyte arising independently of nevoid basal cell carcinoma syndrome. American Journal of Dermatology. 2005;27(2):177–178.

Cassarino DS, DeRienzo DP, Barr RJ. Cutaneous squamous cell carcinoma: a comprehensive clinicopathological classification—part one. Journal of Cutaneous Pathology. 2006;33(3):191–206.

Cascella,M.;Bimonte,S.;Muzio,M.R.;Schiavone,V.;Cuomo,A.The efficacy of Epigallocatechin-3-gallate (green tea) in the treatment of Alzheimer's disease: An overview of pre-clinical studies and translational perspectives in clinical practice. *Infect. Agent Cancer* **2017**, *12*, 36

Camouse, M. M., Domingo, D. S., Swain, F. R., et al(2009). Topical application of green and white tea extracts provides protection from solar- simulated ultraviolet light in human skin. *Experimental Dermatology*, *18*(6), 522–526.
<https://doi.org/10.1111/j.1600-0625.2008.00818.x>

Cancer Research U.K. (2023). *Non-melanoma skin cancer incidence statistics*. Cancer Research U.K.

Caruntu, A., Moraru, L., Lupu, Met al.(2021). Assessment of Histological Features in Squamous Cell Carcinoma Involving Head and Neck ,Skin and Mucosa. *Journal of Clinical Medicine*, *10*(11), 2343. <https://doi.org/10.3390/jcm10112343>.

Christenson, L. J. (2005). Incidence of Basal Cell and Squamous Cell Carcinomas in a Population Younger Than 40 Years. *JAMA*, 294(6), 681. <https://doi.org/10.1001/jama.294.6.681>.

Corchado-Cobos, R., García-Sancha, N., González-Sarmiento, R., Pérez-Losada, J., & Cañuelo, J. (2020). Cutaneous Squamous Cell Carcinoma: From Biology to therapy. *International Journal of Molecular Sciences*, 21(8), 2956. <https://doi.org/10.3390/ijms21082956>

Cuda, J., Rangwala, S., & Taube, J. (2019). Benign epithelial tumors, hamartomas, and hyperplasias. In S Kang, M. Amagai, A. Bruckner, A. 131 e tal (Eds.), *Fitzpatrick's Dermatology in General Medicine* (9th Ed., pp. 1799–1817). McGraw-Hill Education.

Didona, D., Paolino, G., Bottoni, U., & Cantisani, C. (2018). Non Melanoma Skin Cancer Pathogenesis Overview. *Biomedicines*, 6(1), 6. <https://doi.org/10.3390/biomedicines6010006>.

Dika, E., Scarfi, F., Ferracin, M et al. (2020). Basal Cell Carcinoma: A Comprehensive Review. *Orang Journal of Molecular Sciences*, 21(15), 5572. <https://doi.org/10.3390/ijms21155572>

Douglas G & David J.L.Squamous Cell Carcinoma.in Goldsmith LA,KatzSI, Gilchrest BA,et al. *Fitzpatrick's Dermatology in General Medicine* .Eighth Edition New York Mc.Graww Hill.2012.1283-1294

Edge. St B, Byrd DR, Compton . C C, et al. The American Joint Committee on Cancer: the 7th Edition of the AJCC Cancer Staging Manual and the Future of TNM. *Ann Surg Oncol* (2010) 17:1471–1474 DOI 10.1245/s10434-010-0985-4

Erika L. Abel, Joe M Angel, Kaoru Kiguchi, and John DiGiovanni. Multi-stage chemical carcinogenesis in mouse skin: Fundamentals and applications Published online 2009 Aug 27. Doi10.1038/nprot.2009.120

Fahradyan, A., Howell, A., Wolfswinkel, Eet al. (2017). Updates on the Management of Non-Melanoma Skin Cancer (NMSC). *Healthcare*, 5(4), 82. <https://doi.org/10.3390/healthcare5040082>.

Fajar, R. I., Wrasiati, L. P., & Suhendra, L. (2018). Kandungan Senyawa Flavonoid dan Aktivitas Antioksidan Ekstrak Teh Hijau pada Perlakuan Suhu awal dan lama. Penyeduhan. *Jurnal rekayasa dan manajemen agroindustri*, 6(3), 196. <https://doi.org/10.24843/JRMA.2018.v06.i03.p02>

Filippini, T., Malavolti, M., Borrelli, F., Izzo, A. A., Fairweather-Tait, S. J., Horneber, M., & Vinceti, M. (2020). Green tea (*Camellia sinensis*) for the prevention of cancer. *Cochrane Database of Systematic Reviews*, 2021(11). <https://doi.org/10.1002/14651858.CD005004.pub3>

Freeman History of the American Society of Dermatophatologi. American Journal of Dermatopatholgy vol.6(1)pp:25-33.1984

Gailani, M. R., Leffell, D. J., Ziegler, A., Gross, E. G., Brash, D. E., & Bale, A. E. (1996). Relationship Between Sunlight Exposure and a Key Genetic Alteration in Basal Cell Carcinoma. *JNCI: Journal of the National Cancer Institute*, 88(6), 349–354. <https://doi.org/10.1093/jnci/88.6.349>

GlobaCancer Observatory. (2021a). ORANG. Global Cancer Observatory.

Global Cancer Observatory. (2021b). *Non-Melanoma Skin Cancer*. Global Cancer Observatory. <https://gco.iarc.fr/today/data/factsheets/cancers/17-Non-melanoma-skin-cancer-fact-sheet.pdf>.

Gloster, H. M., & Brodland, D. G. (1996). The Epidemiology of Skin Cancer. *Dermatologic Surgery*, 22(3), 217–226. <https://doi.org/10.1111/j.1524-4725.1996.tb00312.x>.

Gorlin, R. J. (1987). Nevoid Basal-Cell Carcinoma Syndrome. *Medicine*, 66(2), 98–113. <https://doi.org/10.1097/00005792-198703000-00002>

Goldsmith Lowell, Katz Stephen, Gilchrest Barbara, Paller Amy, Leffel David, Wolff Klaus. Fitzpatrick dermatology in general medicine, eight edition.Mc Graw Hill Company.2012.h.1134-37, 1283-93, 1294-7, 1371, 1655-62

Hui-Min Liu¹, Ming-Yan Cheng , Meng-Han Xun et al.Possible Mechanisms of Oxidative Stress-Induced Skin CellularSenescence, Inflammation, and Cancer and the Therapeutic Potential of Plant Polyphenol. *T Mol Sci*. 2023 Feb 13;24(4):3755.doi: 10.3390/ijms2404375

He, L.; He, T.; Farrar, S.; Ji, L.; Liu, T.; Ma, X. Antioxidants Maintain Cellular Redox Homeostasis by Elimination of Reactive Oxygen Species. *Cell. Physiol. Biochem.* **2017**, *44*, 532–553. [CrossRef]

Heather E Kleiner¹, Suryanarayana V Vulimiri, Melissa J Reed et al .Role of cytochrome P450 1a1 and 1b1 in the metabolic activation of 7,12dimethylbenz[a]anthracene and the effects of naturally occurring furanocoumarins on skin tumor initiation.2002 Feb;15(2):226

Iqbal, J., Abbasi, B. A., Orang, Ret al.(2019). Potential phytochemicals in the fight against skin cancer: Current landscape and future perspectives. *Biomedicine & Pharmacotherapy*, 109, 1381–1393. <https://doi.org/10.1016/j.biopha.2018.10.107>.

J William,Mcintyre,Pharmd.Treatment options for Actinic Keratoses.Ameriican Family Physician.Vollume. 76,sep.1,2007.www.aafp.org/afp.

Javed Iqbal, Banzeer Ahsan Abbasi, . Potential phytochemicals in the fight against skin cancer: Current landscape and future perspectives . *Biomedicine & Pharmacotherapy*Volume 109, January 2019, Pages 1381-1393.

Jennifer Caudill .MS, Jean E Thomas .The risk of metastases from squamous cell carcinoma of the skin. *International Journal of Dermatology* 2023, 62, 483–486 © 2022 The Authors. *International Journal of Dermatology* published by Wiley Periodicals LLC on behalf of the International Society of Dermatology.

Katiyar, S. K., Afaq, F., Azizuddin, K., & Mukhtar, H. (2001). Inhibition of UVB-Induced Oxidative Stress-Mediated Phosphorylation of Mitogen-Activated Protein Kinase Signaling Pathways in Cultured Human Epidermal Keratinocytes by Green Tea Polyphenol (-)-Epigallocatechin-3-gallate. *Toxicology and Applied Pharmacology*, 176(2), 110–117. <https://doi.org/10.1006/taap.2001.9276>

Kanwal, S., Afzal Shah, S., Alam, M. M., Bashir, S., Badshah, H., & Munir, A.(2019). Potential phytochemicals in the fight against skin cancer: Current landscape and future perspectives. *Biomedicine & Pharmacotherapy*, 109.

Khazaei, Z., Ghorat, F., Jarrahi, A. M., et al.E. (2019). Global incidence and mortality of skin cancer by histological subtype and its relationship with the human development orang (HDI); an ecology study in 2018. *World Cancer Research Journal*, 6, e1265. https://doi.org/10.32113/wcrj_20194_1265.

Kim, H., Kawazoe, T., Han, D.-W., Matsumara, K.,et al (2008). Enhanced wound healing by an epigallocatechin gallate- incorporated collagen sponge in diabetic mice. *Wound Repair and Regeneration*, 16(5), 714–720. <https://doi.org/10.1111/j.1524-475X.2008.00422.x>.

Kim, H. S., Kim, Y. S., Lee, C.,et al.. (2019). Expression profile of sonic hedgehog signaling-related molecules in basal cell carcinoma. *PLOS ONE*, 14(11), e0225511. <https://doi.org/10.1371/journal.phone.0225511>

Kwon, Y., Orang, D., Orang, H., & Chun, Y. (2018). 7,12-Dimethylbenz[α]anthracene increases cell proliferation and invasion through induction of Wnt/ β -catenin signaling and EMT process. *Environmental Toxicology*, 33(7), 729–742. <https://doi.org/10.1002/tox22560>.

Lee MM and Wick MM. Bowen Disease CA: A Cancer. *Journal of Dermatology* 1996;;vol (40) orang4 pp237-242.

Lee D,Nash M,Har-El G,Regional Spread of auricular. And periauricular cutaneus malignancies.*Laringscope*1996;Vol(106)orang8.pp998-1001.

Li, Y.-H., Wu, Y., Wei, H.-C., et al.(2009). Protective effects of green tea extracts on photoaging and photommunosuppression. *Skin Research and Technology*, 15(3), 338–345. <https://doi.org/10.1111/j.1600-0846.2009.00370.x>

L.H.Goldberg.AK.Joepf and.J.A.Tshen.Poleferative. Actinic Keratosis .International Journalof Dermatology ,vol 33,(5)pp341-345.1994.

Liu, L., Liu, B., Li, J., Zhen, S., Orang, Z., Cheng, M., & Liu, W. (2018). Responses of Different Cancer Cells to White Tea Aqueous Extract. *Journal of Food Science*, 83(10), 2593–2601. <https://doi.org/10.1111/1750-3841.14351>

Luo, J. Wang, Y. Yin, H. Hua, J. Jing, X. Sun, M. Li, Y. Zhang, Y. Jiang, (-)-Epigallocatechin gallate sensitizes breast cancer cells to paclitaxel in a murine model of breast carcinoma, *Breast Cancer Res.* 12.(2010)

Luick J. R., Black A. L., simesen m. G,(1967). Dkk. Acetone Metabolism in Normal and Ketotic Cows. College of Agriculture and School of Veterinary Medicine, University of California, Davis . J. Dairy sience 1967.vol.50,no.4.

Lohmann CM ,Solomon AR. Clinicopathologic variants of cutaneus squamous cell carcinoma. *Advances in Anatomic Pathology*.2001;vol(8) no1.27-36.

Lomas, A., Leonardi-Bee, J., & Bath-Hextall, F. (2012). A systematic review of worldwide incidence of nonmelanoma skin cancer. *British Journal of dermatology*166(5), 1069–1080. <https://doi.org/10.1111/j.1365-2133.2012.10830.x>

Madan, V., & Lear, J. T. (2016). Basal Cell Carcinoma. In C. E. . Griffiths, J. Barker, T. . Bleiker, R. Chalmers, & D. Creamer (Eds.), *Rook's Textbook of Dermatology* 9th Ed, pp. 141.1-141.21). Wiley-Blackwel.

Mandel, I. D., & Shklar, G. Development of Experimental Oral Carcinogenesis and its Impact on Current Oral Cancer Resecuch. *Journal of DentalResearch*, (1999). 78(12), 1768–1772. <https://doi.org/10.1177/00220345990780120101>

Mani iyer ,Bhagavathi Sundaram Sivamaruthi,A Review of the Role of Green Tea (*Camellia sinensis*) in Antiphotoaging, Stress Resistance, Neuroprotection, and Autophagy.2019 Feb; 11(2)

Martha. (2013). Pengaruh variasi pemberian 7,12- dimethylbenz(a)anthracene (dmba) terhadap kejadian tumor kulit pada mencit albino sebelum pemberian 12-o tetradecanoylphorbol-13-acetate (tpa). Universitas Hasanuddin.

Martínez B., D. A., Barato Gómez, P. A., Iregui Castro, C. A., et al. DMBA-Induced Oral Carcinoma in Syrian Hamster: Increased Carcinogenic Effect by Dexamethasone Coexposure. *BidoMed Research Orang*, 2020, 1–8. <https://doi.org/10.1155/2020/1470868>

Margolis, A. J. McMichael, & J. S. Orringer (Eds.), *Fitzpatrick's Dermatology* (9thEd)McGraw-Hill Education.2019. accessmedicine. Mhmedical . com/content.aspx?aid=1161335298 .

Menteri Kesehatan Republik Orang. (1995). *Peraturan Menteri Kesehatan Republik Orang tentang Sentra Pengembangan dan Penerapan Pengobatan Tradisional(Peraturan Menkes Orang.0584/Menkes/SK/VI/1995)*. <https://www.regulasip.id/book/4915/read>

Melissa M. Et al Topical application of green and white tea extracts provides protection from solar-simulated ultraviolet light in human skin . Journal compilation a 2009 Blackwell Munksgaard, *Experimental Dermatology*, 18, 522–526.

Metchnikoff C, Mully T, Singer JP, Golden JA, Arron ST. The 7th edition AJCC staging system for cutaneous squamous cell carcinoma accurately predicts risk of recurrence for heart and lung transplant recipients. *J Am Acad Dermatol* 2012;67:829–35.

Millsop, J. W., Sivamani, R. K., & Fazel, N. Botanical Agents for the Treatment of Nonmelanoma Skin Cancer. *Dermatology Research and Practice*, 2013, 1–9. <https://doi.org/10.1155/2013/837152>

Miryana, W., Reza, N., Sarwono, I., & Cholis, Mgambaran Histopatologi Karsinoma Sel Basal. *Media Dermato-Venereologica Indonesiana*, 2013; 40(3), 138– 144.

Mittal, A., Piyathilake, C., Hara, Y., & Katiyar, S. K. (2003). Exceptionally High Protection of Photocarcinogenesis by Topical Application of (-)-Epi gal locatechin-3-Gal late in Hydrophilic Cream in SKH-1 Hairless Mouse Model: Relationship to Inhibition of UVB-Induced Global DNA Hypomethylation. *Neoplasia*, 2003;5(6), 555–565. [https://doi.org/10.1016/S1476-5586\(03\)80039-8](https://doi.org/10.1016/S1476-5586(03)80039-8).

Moon-shong, Tanget et al. .Both (6)*syn*- and (6)*anti*-7,12-Dimethylbenz[a] anthracene-3,4-diol-1,2-epoxides Initiate Tumors in Mouse Skin That Possess -CAA- to -CTA- Mutations . *Cancer Research* 60.2000;5688 –5695, October 15,

Muchsin, D. The Impact of the frequency of 7,12- dimethylbenz [a] anthracene (dmba) administration on the formation of dysplasia and squamous cell Carcinoma on the skin of albino mice. *Nusantara Medical Science Journal*, 2016;I(4). <https://doi.org/10.20956/nmsj.v1i4.2248> .

Nandakumar, V., Vaid, M., & Katiyar, S. K.. (-)-Epigallocatechin-3-gallate reactivates silenced tumor suppressor genes, Cip1/p21 and p16INK4a, by reducing DNA methylation and increasing histones acetylation in human skin cancer cells. *Carcinogenesis*,2011;32(4), 537–544. <https://doi.org/10.1093/carcin/bgq285>

Najjar T. Cutaneous squamous cell carcinoma. Rutgers School of Dental Medicine. USA; Medscape. 2018. diakses dari <http://emedicine.medscape.com/article/1965430-overview>, 13 Juli 2018.

Nebert, dw, the ah locus: genetic differences in toxicity, cancer, mutation, and birth defects, crc crit.rev.toxicol.1989;20,153.

OyetakinWhite, P., Tribout, H., & Baron, E. (2012). Protective Mechanisms of Green Tea Polyphenols in Skin. *Oxidative Medicine and Cellular Longevity*, 2012, 1–8. <https://doi.org/10.1155/2012/560682>.

Pan, M.-H., Lai, C.-S., Wang, H., et al. Black tea in chemo-prevention of cancer and other human diseases. *Food Science and Human Wellness*,2013; 2(1), 12–21. <https://doi.org/10.1016/j.fshw.2013.03.004>

Peris, K., Farnoli, M. C., Garbe, C., et al,Diagnosis and treatment of basal cell carcinoma: European consensus-based interdisciplinary guidelines. *European Journal of Cancer*,.2019; 118, 10–34. <https://doi.org/10.1016/j.ejca.2019.06.003>

Poland A., Glover, E. Genetic expression of aryl hydrocarbon hydroxylase by 2,3,7,8-tetrachloro-dibenzo-p-dioxin: evidence for a receptor mutation in genetically non-responsive mice. *Mol Pharmacol* 1975;11,389.

Rahmani, A. H., Al shabrm, F. M., Allemailem, K. S., Aly, S. M., & Khan, M. A. (2015). Implications of Green Tea and Its Constituents in the Prevention of Cancer via the Modulation of Cell Signalling Pathway. *BioMed Research International*, 2015, 1–12. <https://doi.org/10.1155/2015/925640>.

Rata.I GAK.Tumor kulit.inDjuanda A,Hamzah M,Aisah S.Ilmu Penyakit Kulit dan Kelamin.edisi ketiga.FKUI.1999;207-2019.

Rowlands, J. C., & Gustafsson, J.-Å. Aryl Hydrocarbon Receptor-Mediated Signal Transduction. *Critical Reviews in Toxicology*. 1997; 27(2), 109–134.
<https://doi.org/10.3109/104084497090216>

Rowe DE, Carroll RJ, Day CL. Prognostic Factor for local recurrence, metastases and survival rate in squamous cell carcinoma of the skin, ear and lip: implications for treatment modality selection. *Journal of American Academy of Dermatology*, 1992. Vol(26) no.6 pp.976-990

RG.Glogau.The risk of Progression to invasive disease.Journal Of the American Academy of The Dermatology .2000.vol.42.(1) pp523-524.

Saryono. Potensi Teh Hijau dalam Penyembuhan Luka: Sistematik Review. *Prosiding Konferensi Nasional PPNI Jawa Tengah*, 2013; 202–205. <https://jurnal.unimus.ac.id/index.php/psn12012010/article/viewFile/876/930>

Sharma, P., Montes de Oca, M. K., Alkeswani, A. R., McClees, S. F., Das, T., Elmets, C. A., & Afaq, F. Tea polyphenols for the prevention of UVB-induced skin cancer. *Photodermatology, Photoimmunology & Photomedicine*, 2018; 34(1), 50–59. <https://doi.org/10.1111/phpp.12356>

S. Lee, G.S. Razqan, D.H. Kwon, Antibacterial activity of epigallocatechin-3-gallate (EGCG) and its synergism with beta-lactam antibiotics sensitizing carbapenem-associated multidrug resistant clinical isolates of *Acinetobacter baumannii*, *Phytomedicine*. 24 (2017) 49-55

Shen, J., Abel, E. L., Riggs, et al. Proteomic and pathway analyses reveal a network of inflammatory genes associated with differences in skin tumor promotion susceptibility in DBA/2 and C57BL/6 mice. *Carcinogenesis*. 2012;33(11), 2208–2219. <https://doi.org/10.1093/carcin/bgs213>

Skoda, A. M., Simovic, D., Karin, V., et al. The role of the Hedgehog signaling pathway in cancer: A comprehensive review. *Bosnian Journal of Basic Medical Sciences*, 2018;18(1), 8–20. <https://doi.org/10.17305/bjbms.2018.2756>

Soraya, N. (2007). *Sehat Cantik berkat teh hijau* (1st Ed.). Penebar Plus.

Suryadireja, C. Tumor Kulit. In S. Menaldi, K. Bramono, & W. Indriatmi (Eds.), *Ilmu Penyakit Kulit Kelamin* (4th Eds.). Balai penerbit FKUI. 2017;pp. 266–267.

Tang, J. Y., Epstein, E. H., & Oro, A. E. Basal Cell Carcinoma and Basal Cell Nevus Syndrome. In Sewon Kang, M. Amagai, A. L. Bruckner, A. H. Enk, D. J. 2019.

Thomas, P. E., Kouri, R. E., and Hutton, J. J., The genetics of aryl hydrocarbon hydroxylase induction in mice: a single gene difference between C57BLi6J and DBA/2J, *Biochem. Genet.*, 6, 157, 1972

T. Luo, J. Wang, Y. Yin, H. Hua, J. Jing, X. et al. (-)-Epigallocatechin gallate sensitizes breast cancer cells to paclitaxel in a murine model of breast carcinoma, *Breast Cancer Res.* 12 (2010) Lin, C.L.; Chen, T.F.; Chiu, M.J.; Way, T.D.; Lin, J.K. Epigallocatechin gallate (EGCG) suppresses beta-amyloid-induced neurotoxicity through inhibiting c-Abl/FE65 nuclear translocation and GSK3 beta activation. *Neurobiol. Aging* **2009**, 30, 81–92. [CrossRef] [PubMed]

Ulrich M, Stockfleth, Roewerth-Huber J, Astner S. Non invasive diagnostic tools for nonmelanoma skin cancer. *British Journal Of Dermatology*. 2007;Vol 157. pp56-58.

Unachukwu, U. J., Ahmed, S., Kavalier, A., Lyles, J. T., & Kennelly, E. J. (2010). White and Green Teas (*Camellia sinensis* var. *sinensis*): Variation in Phenolic, Methylxanthine, and Antioxidant Profiles. *Journal of Food Science*, 75(6), C541–C548. <https://doi.org/10.1111/j.1750-3841.2010.01705.x>.

Vogl Thomas, Ghabriyan Anna L. Morozova LA. Pro-Inflammatory S100A8 and S100A9 Proteins : Self-Assembly into Multifunctional Native and Amyloid Complexes. *Int. J. Mol. Sci.* 2012, 13(3), 2893–2917 <https://doi.org/10.3390/ijms13032893>

Wang, Z., Xiao, S., Huang, J., Liu, S., Xue, M., & Lu, F. Chemoprotective Effect of Boeravinone B against DMBA/Croton Oil Induced Skin Cancer via Reduction of Inflammation. *Journal of Oleo Science*, 2021; 70(7), ess21055. <https://doi.org/10.5650/jos.ess21055>

Wei, J.C.C.; Huang, H.C.; Chen, W.J.; Huang, C.N.; Peng, C.H.; Lin, C.L. Epigallocatechin gallate attenuates amyloid -induced inflammation and neurotoxicity in EOC 13.31 microglia. *Eur. J. Pharmacol.* 2016; 770, 16–24.

Wibawa, L. P., Andardewi, M. F., Ade Krisanti, I., & Arisanty, R. The Epidemiology of skin cancer at Dr. Cipto Mangunkusumo National Central General Hospital from 2014 to 2017. *Journal of General-Procedural Dermatology & Venereology Indonesia*. 2019; 4(1), 11–16.
<https://doi.org/10.19100/jdvi.v4i1.162>

Wongso, H., & Iswahyudi. (2013). Induksi Kanker Pada Tikus Putih sprague dawley sebagai hewan model dalam penelitian radiofarmaka. *Seminar Nasional Sains Dan Teknologi Nuklir 2013*.

Yanofsky, V. R., Mercer, S. E., & Phelps, R. G. (2011). Histopathological Variants of Cutaneous Squamous Cell Carcinoma: A Review. *Journal of Skin Cancer*, 2011, 1–13. <https://doi.org/10.1155/2011/210813>.

Yu, H., Yan, J., Jiao, Y., & Fu, P.. Photochemical Reaction of 7,12-Dimethylbenz[a]anthracene (DMBA) and Formation of DNA Covalent Adducts. *International Journal of Environmental Research and Public Health*. 2005;2(1), 114– 122. <https://doi.org/10.3390/ijerph2005010114> .

Zhang, W., Yin, G., Dai, J., et al Chemoprevention by Quercetin of Oral Squamous Cell Carcinoma by Suppression of the NF-κB Signaling Pathway in DMBA-treated Hamsters. *Anticancer Research*. 2017; 37(8).
<https://doi.org/10.21873/anticanres.11789>

XIE,X.,ZHANG,Y.,JIANG, Yet al. Suppressive function of RKTG on chemical carcinogen-induced skin carcinogenesis in mouse. *Carcinogenesis*, 2008;29,1632-8.

Zhitao Li ,Wubin Zheng,Hanjin Wang. Recent Progress and Future Prospects This article was published in the following Dove Press journal: REVIE.W, Application of Animal Models in Cancer Research: Published online 2021; Mar 15. doi: [10.2147/CMAR.S302565](https://doi.org/10.2147/CMAR.S302565)

