

## DAFTAR PUSTAKA

- Amanda P, Aly A, Karon A. Epidemiology of cerebral venous sinus thrombosis and cerebral venous sinus thrombosis with thrombocytopenia in the United States, 2018 and 2019. *Res Pract Thromb Haemost.* 2022;6:e12682.
- Akhavan R, Abbasi B, Kheirollahi M, Ghamari Khameneh A, Hashemi J, Khoei S, Darban Hosseini Amirkhiz G. Factors affecting dural sinus density in non-contrast computed tomography of brain. *Sci Rep.* 2019;9:12016.
- Arzpeyma S, Leili E, Rashidi H. Factors Contributing to Attenuation of Cerebral Venous Sinus in Brain Non contrast Computed Tomography Scan. *IndianJRadiol Imaging.* 2021;31:882–887.
- Black D F, A.E. Rad, L.A. Gray, N.G. Campeau. Cerebral Venous Sinus Density on Noncontrast CT Correlates with Hematocrit. *AJNR Am J Neuroradiol.* 2011, 32 (7) 1354-1357 <https://doi.org/10.3174/ajnr.A2504>
- BuyckP-J, De Keyzer F, Vanneste D, Wilms G, Thijs V, Demaerel P. CT density measurement and H:H ratio are useful in diagnosing acute cerebral venous sinus thrombosis. *AJNR Am J Neuroradiol* 2013;34(08):1568–1572
- Canakci, M. E., Acar, N., Kuas, C., Ozakin, E., Tiryaki Bastug, B., Karakilic, E., & Ozdemir, A. O. (2021). *Diagnostic Value of Hounsfield Unit and Hematocrit Levels in Cerebral Vein Thrombosis in the Emergency Department. The Journal of Emergency Medicine.* doi:10.1016/j.jemermed.2021.07.016
- Chetana R, Avinash D, Akhil G. Diagnostic Accuracy of Hounsfield Unit Value and Hounsfield Unit to Hematocrit Ratio in Predicting Cerebral Venous Sinus Thrombosis: A Retrospective Case-Control Study. *Cureus.* 2024;16(4): e57567. DOI 10.7759/cureus.57567
- Coutinho, J.M., Ferro, J.M., Canhão, P., Barinagarrementeria, F., Cantú, C., Bousser, M.G. and Stam, J., 2009. Cerebral venous and sinus thrombosis in women. *Stroke,* 40(7), pp.2356-2361. <https://doi.org/10.1161/STROKEAHA.108.543884>.
- Dash D, Prasad K, Joseph L: Cerebral venous thrombosis: an Indian perspective. *Neurol India.* 2015, 63:318 328. 10.4103/0028-3886.158191
- De la Vega Muns, G., Quencer, R., Ezuddin, N. S., & Saigal, G. (2018). *Utility of Hounsfield unit and hematocrit values in the diagnosis of acute venous sinus thrombosis in unenhanced brain CTs in the pediatric population. Pediatric Radiology.* doi:10.1007/s00247-018-4273-y
- DenOtter TD, Schubert J. Hounsfield Unit. [Updated 2023 Mar 6]. In: StatPearls [Internet]. Treasure Island (FL): StatPearls Publishing; 2024 Jan-. Available from: <https://www.ncbi.nlm.nih.gov/books/NBK547721/>

- Dentali F, Crowther M, Ageno W. Thrombo philic abnormalities, oral contraceptives, and risk of cerebral vein thrombosis: a meta-analysis. *Blood*. 2019; 107(7): 2766–73.
- Digge P, Prakashini K, Bharath KV. Plain CT vs MR venography in acute cerebral venous sinus thrombosis: Triumphant dark horse. *Indian J Radiol Imaging* 2018;28:280-4.
- Gokey R, M Das J. Venous Sinus Thrombosis. In: StatPearls [Internet]. Treasure Island (FL): StatPearls Publishing; 2024 Jan-. Available from: <https://www.ncbi.nlm.nih.gov/books/NBK560598/>
- Idiculla P, Gurala D, Palanisamy M. Cerebral Venous Thrombosis: A Comprehensive Review. *Eur Neurol* 2020;83:369–379 DOI: 10.1159/000509802
- Jiao L, Huang X, Fan C. Clinical Characteristics and Management of Cerebral Venous Sinus Thrombosis in Patients with Essential Thrombocythemia. *Neuropsychiatric Disease and Treatment* 2021;17 1195–1206
- Kementerian Kesehatan Republik Indonesia. 2011. Pedoman Interpretasi Data Klinik. Jakarta : 2011.
- Khan MWA, Zeeshan HM, Iqbal S. Clinical Profile and Prognosis of Cerebral Venous Sinus Thrombosis. *Cureus*. 2020 Dec 22;12(12):e12221. doi: 10.7759/cureus.12221. PMID: 33391957; PMCID: PMC7767834.
- Leach JL, Fortuna RB, Jones BV, Gaskill-Shipley MF. Imaging of cerebral venous thrombosis: current techniques, spectrum of findings, and diagnostic pitfalls. *Radiographics*. 2006 Oct;26 Suppl 1:S19-41; discussion S42-3.
- Linn J, Pfefferkorn T, Ivanicova K. Noncontrast CT in deep cerebral venous thrombosis and sinus thrombosis: comparison of its diagnostic value for both entities. *AJNR Am J Neuroradiol*. 2009;30:728–735.
- Lisda A. The Role of Platelet-Selectin as a Marker of Thrombocyte Aggregation on Cerebral Sinus Venous Thrombosis, *Journal of Blood Medicine*, 2022; 267-274, DOI: 10.2147/JBM.S356028
- Madineni KU, Prasad SVN, Bhuma V. A study of the prognostic significance of platelet distribution width, mean platelet volume, and plateletcrit in cerebral venous sinus thrombosis. *J Neurosci Rural Pract*. 2023 Jul-Sep;14(3):418-423. doi: 10.25259/JNRP-2021-1-3-R2-(1431). Epub 2022 Dec 22. PMID: 37692829; PMCID: PMC10483190.
- Nurmin, R., Lismayanti, L., Rostini, T., Indrati, A.R. and Amalia, L., 2023. Correlation between P-Selectin level and platelet aggregation in cerebral venous sinus thrombosis patients. *Majalah Kedokteran Bandung*, 55(3), pp.191-196. Available at: <https://doi.org/10.15395/mkb.v55n3.2777>

- Poon CS, Chang JK, Swarnkar A, Johnson MH, Wasenko J. Radiologic diagnosis of cerebral venous thrombosis: pictorial review. *AJR Am J Roentgenol.* 2007 Dec;189(6 Suppl):S64-75
- Qiu Z, Sang H, Dai Q, Xu G: Endovascular treatments for cerebral venous sinus thrombosis. *J Thromb Thrombolysis.* 2015, 40:353-362. doi:10.1007/s11239-015-1205-7
- Ranjan R, Ken-Dror G, Sharma P. Pathophysiology, diagnosis and management of cerebral venous thrombosis: A comprehensive review. *Medicine* 2023;102:48(e36366).
- Roland T, Jacobs J, Rappaport A, Vanheste R, Wilms G, Demaerel P. Unenhanced brain CT is useful to decide on further imaging in suspected venous sinus thrombosis. *Clin Radiol.* 2010;65:34–39.
- Sidhom, Y., Mansour, M., Messelmani, M., Derbali, H., Fekih-Mrissa, N., Zaouali, J., et al. (2014). Cerebral venous thrombosis: clinical features, risk factors, and long-term outcome in a Tunisian cohort. *J. Stroke Cerebrovasc. Dis.* 23, 1291–1295. doi: 10.1016/j.jstrokecerebrovasdis.2013.10.025
- Van Dam LF, van Walderveen MAA, Kroft LJM, Kruyt ND, Wermer MJH, van Osch MJP, et al. Current imaging modalities for diagnosing cerebral vein thrombosis: a critical review. *Thromb Res.* 2020 Mar 19; 189: 132–9.
- Walton BL, Lehmann M, Skorczewski T, Holle LA, Beckman JD, Cribb JA, Mooberry MJ, Wufsus AR, Cooley BC, Homeister JW, Pawlinski R, Falvo MR, Key NS, Fogelson AL, Neeves KB, Wolberg AS. Elevated hematocrit enhances platelet accumulation following vascular injury. *Blood.* 2017 May 4;129(18):2537-2546. doi: 10.1182/blood-2016-10-746479. Epub 2017 Mar 1. PMID: 28251913; PMCID: PMC5418635.
- Yang Y, Cheng J, Peng Y, Luo Y, Zou D, Yang Y, Ma Y. Clinical features of patients with cerebral venous sinus thrombosis at plateau areas. *Brain Behav.* 2023 Jun;13(6):e2998. doi: 10.1002/brb3.2998. Epub 2023 Apr 24. PMID: 37095720; PMCID: PMC10275515.
- Zaheer S, Iancu D, Seppala N, Patro S, Glikstein R, Thornhill RE, Lum C. Quantitative non-contrast measurements improve diagnosing dural venous sinus thrombosis. *Neuroradiology.* 2016;58:657–663.
- Zenobia E, Lailiyya N, Dian S, Juli C, Nugraha Hermawan A, Amalia L. Platelet Selectin Levels in Patients with Cerebral Venous Sinus Thrombosis: Preliminary Findings. *J Blood Med.* 2023 May 31;14:359-365. doi: 10.2147/JBM.S405975. PMID: 37284611; PMCID: PMC10239894.

## LAMPIRAN



KEMENTERIAN PENDIDIKAN, KEBUDAYAAN, RISET DAN TEKNOLOGI  
UNIVERSITAS HASANUDDIN FAKULTAS KEDOKTERAN  
KOMITE ETIK PENELITIAN UNIVERSITAS HASANUDDIN  
RSPTN UNIVERSITAS HASANUDDIN  
RSUP Dr. WAHIDIN SUDIROHUSODO MAKASSAR  
Sekretariat : Lantai 2 Gedung Laboratorium Terpadu  
JL PERINTIS KEMERDEKAAN KAMPUS TAMALANREA KM.10 MAKASSAR 90245.  
Contact Person: dr. Agusalmi Rukhani, MMed.PHD, Sp.GK TELP. 081241850858, OHTL 5780103, Fax: 0411-581431



### REKOMENDASI PERSETUJUAN ETIK

Nomor : 783/UN4.6.4.5.31/ PP36/ 2024

Tanggal: 27 September 2024

Dengan ini Menyatakan bahwa Protokol dan Dokumen yang Berhubungan Dengan Protokol berikut ini telah mendapatkan Persetujuan Etik :

No Protokol	UH24080634	No Sponsor	
Peneliti Utama	dr. M. Fajrin Hidayah	Sponsor	
Judul Peneliti	HUBUNGAN KADAR HEMATOKRIT DAN PLATELET TERHADAP SKALA HOUNSFIELD UNIT CT SCAN KEPALA NON KONTRAS PADA PASIEN CEREBRAL VENOUS SINUS THROMBOSIS		
No Versi Protokol	2	Tanggal Versi	25 September 2024
No Versi PSP		Tanggal Versi	
Tempat Penelitian	RSUP Dr.Wahidin Sudirohusodo Makassar		
Jenis Review	<input type="checkbox"/> Exempted <input checked="" type="checkbox"/> Expedited <input type="checkbox"/> Fullboard Tanggal	Masa Berlaku 27 September 2024 sampai 27 September 2025	Frekuensi review lanjutan
Ketua KEP Universitas Hasanuddin	Prof. dr. Muh Nasrum Massi, PhD, SpMK, Subsp. Bakt(K)	Tanda tangan	
Sekretaris KEP Universitas Hasanuddin	dr. Firdaus Hamid, PhD, SpMK(K)	Tanda tangan	

Kewajiban Peneliti Utama:

- Menyerahkan Amandemen Protokol untuk persetujuan sebelum di implementasikan
- Menyerahkan Laporan SAE ke Komisi Etik dalam 24 jam dan dilengkapi dalam 7 hari dan Lapor SUSAR dalam 72 Jam setelah Peneliti Utama menerima laporan
- Menyerahkan Laporan Kemajuan (progress report) setiap 6 bulan untuk penelitian resiko tinggi dan setiap setahun untuk penelitian resiko rendah
- Menyerahkan laporan akhir setelah Penelitian berakhir
- Melaporkan penyimpangan dari protokol yang disetujui (protocol deviation / violation)
- Mematuhi semua peraturan yang ditentukan



**FORMULIR PERSETUJUAN SETELAH PENJELASAN (PSP)  
(INFORMED CONSENT)**

Penelitian ini tidak menggunakan informed consent karena menggunakan data rekam medik nama akan dianonimkan dan informasi yang di peroleh akan dijaga kerahasiaannya.

**Identitas Peneliti**

Nama : dr. M. Fajrin Hidayah  
Alamat : Royal Srntraland BTP cluster Notingham F8/17  
No Hp : 081360878528

KEMENTERIAN PENDIDIKAN, KEBUDAYAAN, RISET DAN TEKNOLOGI  
UNIVERSITAS HASANUDDIN FAKULTAS KEDOKTERAN

KOMITE ETIK PENELITIAN UNIVERSITAS HASANUDDIN

RSPTN UNIVERSITAS HASANUDDIN

RSUP Dr. WAHIDIN SUDIROHUSODO MAKASSAR

Sekretariat : Lantai 2 Gedung Laboratorium Terpadu

JL.PERINTIS KEMERDEKAAN KAMPUS TAMALANREA KM.10 MAKASSAR 90245.

Contact Person: dr. Agussalim Bulkhari.,MMed,PhD, Sp.GK TELP. 081241950858, 0411 5780103, Fax : 0411-581431



## **FORMULIR PERSETUJUAN SETELAH PENJELASAN**

Penelitian ini tidak menggunakan informed consent karena menggunakan data rekam medik nama akan dianonimkan dan informasi yang di peroleh akan dijaga kerahasiaannya.

**Penanggung jawab penelitian :**

Nama : dr. M.Fajrin Hidayah  
Alamat : Royal Smntraland BTP cluster  
Nottingham F8/17  
Tlp : 081360878528

**Penanggung jawab Medis :**

Nama: dr. Muhammad Yunus Amran, Ph.D,  
Sp.S(K), FINR, FIPM,FINA  
Alamat: perum. Angin mamiri  
Tlp: 082293031819



M. Fajrin hidayah <faszrinovic.bizzare030491@gmail.com>

**Manuscript no. Gazz Med Ital - Arch Sci Med-5893 - Gazzetta Medica Italiana -  
Archivio per le Scienze mediche**

1 pesan

journals6.dept@minervamedicaonlinesubmission.it  
<journals6.dept@minervamedicaonlinesubmission.it>  
Kepada: faszrinovic.bizzare030491@gmail.com

5 Desember 2024  
pukul 00.00

Dear Mr. M Fajrin HIDAYAH,

I am pleased to inform you that your manuscript entitled

Correlation Between Hematocrit and Platelet Levels with Stroke Severity and Hounsfield Units in Ischemic Stroke Patients

received by the editorial office of Gazzetta Medica Italiana - Archivio per le Scienze Mediche and registered under no. Gazz Med Ital - Arch Sci Med-5893 has been accepted for publication as Original Article.

Before preparation of the proofs, the manuscript will undergo copy-editing to align it with the journal's editorial standards. You will be contacted by the editorial staff should any questions arise.  
From now on, any request for substantial changes in content (changes of title and authorship, new results and corrected values, changes in figures and tables) will be subject to a completely new peer-review process.

Gazzetta Medica Italiana - Archivio per le Scienze Mediche is a hybrid journal and Minerva Medica offers authors the option either to publish the article open access or to follow the traditional subscription-based route.

In the first case your manuscript will be freely available online upon publication to anyone anywhere. Authors will retain copyright and will be asked to sign a License Agreement. Minerva Medica will distribute the article under a Creative Commons Attribution Non-Commercial License (CC BY-NC) which allows users to read, download and share the work as long as it is properly referenced and the use is not commercial. Authors will be asked to pay an Article Processing Charge (APC) which may be borne by the organization (the author's affiliated institution or a funding body) which supported the research the article refers to and requests its open access publication. Authors can publish under the Creative Commons Attribution License (CC BY) if required by their funder.

If authors opt for the traditional subscription-based route, the manuscript will be made available to those users who purchased a subscription. Authors will be asked to sign a Copyright Transfer Agreement and will be requested to pay a set price per published page (Page Charges), being understood that Page Charges may be paid by institutions or funders on behalf of the authors.

In order to forward your manuscript to production, please click the following link to choose the publication model and to download, fill in and send the relevant publishing agreement. Immediately afterwards you will receive the payment form.

[CLICK HERE](#)

If you are for some reason unable to complete the procedure using the link, go to the "ONLINE SUBMISSION" section of the website [www.minervamedica.it](http://www.minervamedica.it), log into your AUTHOR AREA and click either on "SEND PUBLISHING AGREEMENTS" on the left of the screen or on ACCEPTED MANUSCRIPTS AWAITING COPYRIGHT TRANSFER AGREEMENT/LICENSE AGREEMENT in your "Summary of papers".

Thank you for considering the journal Gazzetta Medica Italiana - Archivio per le Scienze Mediche for publication of your paper.

Sincerely,

Prof. Alberto Oliaro  
Managing Editor  
Gazzetta Medica Italiana - Archivio per le Scienze Mediche

Edizioni Minerva Medica  
Corso Bramante 83-85  
10126 Torino, Italy  
Phone +39-011-678282, fax +39-011-674502

### Descriptive Statistics

	N	Minimum	Maximum	Mean	Std. Deviation
OnsetT	34	1.00	2.00	1.2059	.41043
HUHCTT	34	1.34	2.56	1.7568	.30503
HTCt	34	28.00	47.00	39.1912	4.36587
HUt	34	54.00	84.00	68.6765	8.05933
PLTt	34	179.00	409.00	304.0000	54.52717
GenderT	34	1.00	2.00	1.1765	.38695
UsiaT	34	18.00	67.00	40.0000	12.69932
Valid N (listwise)	34				

### Descriptive Statistics

	N	Minimum	Maximum	Mean	Std. Deviation
Usia	93	16.00	68.00	40.7742	12.53441
Gender	93	1.00	2.00	1.2581	.43994
HU	36	54.00	84.00	68.5278	8.13980
HCT	88	18.00	55.00	38.9830	5.33932
HUHCT	34	1.34	2.56	1.7624	.30775
PLT	88	18.00	812.00	301.1591	93.91594
Valid N (listwise)	34				

### Tests of Normality

	Kolmogorov-Smirnov <sup>a</sup>			Shapiro-Wilk		
	Statistic	df	Sig.	Statistic	df	Sig.
HUHCTT	.123	34	.200*	.937	34	.051
HUt	.112	34	.200*	.934	34	.040
HTCt	.102	34	.200*	.971	34	.482
PLTt	.099	34	.200*	.971	34	.481

\*. This is a lower bound of the true significance.

a. Lilliefors Significance Correction

### Correlations

		HUHCTT	HUT	PLTt	HTCt
HUHCTT	Pearson Correlation	1	.665**	-.255	-.667**
	Sig. (2-tailed)		.000	.145	.000
	N	34	34	34	34
HUT	Pearson Correlation	.665**	1	-.296	.035
	Sig. (2-tailed)	.000		.089	.844
	N	34	34	34	34
PLTt	Pearson Correlation	-.255	-.296	1	.004
	Sig. (2-tailed)	.145	.089		.981
	N	34	34	34	34
HTCt	Pearson Correlation	-.667**	.035	.004	1
	Sig. (2-tailed)	.000	.844	.981	
	N	34	34	34	34

\*\*. Correlation is significant at the 0.01 level (2-tailed).

Usia	Jenis kelamin	Hounsfield Unit	Hct	HU/HCT	WBC	HB	PR	Neutrofil	Limfosit	PT	APTT	INR	SGPT	SGOT	CREATININ	UREUM	GDS	NATRIUM	KALIUM	CHLORIDA	
35	P		84	41.5 2.02	6.6	14.4		236 45.9	38.3	10.7	24.5	0.95	11	16	0.7	13	94	144 3.9	109		
16	P	Hanya MRV							9.4	24.3	0.87	10	12	0.44	7			137 4.1		107	
45	P	MRV	27		7.7	7.5		285 61.3	27.2	10.5	24.1	0.97	38	41	0.72	25	111	139 4.0		106	
41	P		60	42 1.42	7.7	13.7		321 62.6	26.5	10.1	21.7	0.97	55	39	0.8	32	137	135 4.4		108	
33	P		66	38 1.73	7.5	12.2		304 61.9	21.8					0.9	0.5	21		137 3.9		106	
27	L	tidak ada radiologi	44		9.3		14	434 55.5		9.7	26.4	0.90	21	19	0.83	17		142 3.7		106	
60	P	tidak ada radiologi								9.8	23.6	0.91	21	23	0.68	27		138 4.0		104	
18	P		64	37 1.72	11.6	11.6		343 58.7	29.0		27.5	1.0		18	18	0.61	15	129	138 4.1	110	
29	P		67	39 1.71	7.1	12.4		315 69.5	22.4	10.6	27.4		1.02		13	16	0.83	14	129	138 4.8	104
67	L		70	38 1.84	6.2	11.8		248 49.4	32.4									155			
17	P	tidak ada data sama sekali																			
58	P		60	28 2.14	12.7	9.5		360 68.7	22.9	10.3	21.2	0.95	18	22	1.31		53	155	143 3.1	107	
25	P	tidak ada radiologi	36		8.3	11.3		319 53.8	39.0	9.6	25.8	0.92	8	17	0.59		14		137 4.2		106
58	P		79	37 2.13	9.3	12.7		234 55.9	30.8	9.8	26.8	0.94		1.20			33	132	144 3.4		106
34	L		62	46 1.34	9.3	15.1		284 66.8	23.9		26.2	0.94	22	19	0.84	18	87	142 3.8		105	
20	P		60	38 1.57	7.9	12.7		238 54.5	34.4	10.7	27.5	1.03	7	17	0.71		15	81	137 3.7		105
54	P	MRI	56		8.7	12.6		343 55.6	33.5	9.6	24.3	0.88	49	39	0.94		25	215	137 4.1		102
41	P		69	39 1.34	8.0	12.8		409 67.7	26.3	9.8	24.9	0.94							134 3.8		103
20	P	tidak ada radiologi	42		10.9	12.4		356 61.3	24.8	10.6	27.2	0.98	34	17	0.79		17				
25	P	tidak ada radiologi	40		8.3	14.0		254 64.4	26.9	11.4	29.1	0.95	16	24	0.62		18	128	139 3.8		96
32	P	MRI	35		6.1	11.9		293 67.0	24.4	10.2	26.5	0.94	13	20	0.54		22		141 3.8		107
20	P	tidak ada radiologi	42		10.9	12.4		356 61.3	24.8	10.6	27.2	0.98	17	34	0.78		17	100	134 3.8		103
58	P		70	41 1.70	7.3	13.3		274 41.2	48.0	9.7	33.6	0.89	21	30	1.01		31	85	143 4		108
47	L	tidak ada radiologi	54		17.2	16.6		812 68.1	20.0	12.7	28.4	1.24									
48	P	tidak ada radiologi	39		10.5	13.1		331 75.1	12.7	10.9	27.9	1.01									
32	P	MRI/MRV	37		10.00	12.2		298 66.8	24.3	10.0	26.7	1.05							141 3.8		107
51	P	tidak ada radiologi	31		10.3	9.3		574 58.5	21.4												
43	P	tidak ada radiologi	31		9.3	10.7		185 72.5	16.7												
50	L	tidak ada radiologi	36		9.6	11.8		336 62.0	25.0	10.3	22.2	0.99	56	31	20 1.24			142 3.5		106	
47	P	tidak ada radiologi	43		6.9	14.3		226 83.1	12.8	11.1	22.9	1.08									
59	L	tidak ada radiologi	18		48.9	6.2		18	97.4	1.2											
59	P	tidak ada radiologi	40		12.7	13.4		247 52.0	25.5												
51	P	MRI	38		7.0	12.8		359 49.5	40.8	10.9	23.6	0.98	14	19	0.88		20		138 3.6		103
44	L	tidak ada radiologi	38		8.7	12.8		222 69.7	21.0	10.5	22.9	1.01	14	16	1.11		19	98	137 3.5		
36	P	MRI	34		4.7	11.6		213 48.0	40.0	10.2	28.7	0.94	42	34	0.8		14		137 3.7		104
48	L	tidak ada radiologi	55		7.0	17.3		289 49.2	36.4	10.3	26.1	0.99	58	46	1.25		46	85	137 4.5		107
49	P	tidak ada radiologi	34		6.4	11.1		167 51.2	31.3	11.5	25.9	1.12	34	35	1.02		16	117	137 3.8		102
50	P		75		10.2	12.8		195 78.6	12.7	10.3	22.4	0.99	26	26	1.05		29	139	139 3.9		105
68	P		57		10.2	13.8		226 76.9	16.8	11.4	25.1	1.06	15	27	0.64		30		140 3.9		102
27	P	tidak ada radiologi	42		10.3	13.5		359 60.3	26.9										138 4.0		98
40	P	tidak ada radiologi	39		8.7	13.3		296 68.2	25.1	10.3	22.8	0.99	17	18	1.01		14	109	136 3.5		104
45	L		70	44 1.59	7.5	14.9		322 43.1	44.6	10.8	25.9	1.00	41	35	1.00		33	153	137 4.6		96
42	P		61	42 1.45	7.7	13.7		323 62.6	26.5	10.1	21.7	0.97	55	39	0.80		32	137	135 4.4		108
36	P		MRI		4.7	11.6		213 48.5	38.3	10.2	28.7	0.97	42	34	0.8		14	84	136 3.8		103
37	P	MRV	39		13.5	12.4		285 62.4	25.8	10.8	22.6	1.04	11	14	0.96		14	98	140 3.6		105
34	P	tidak ada radiologi	38		7.4	12.3		258 75.9	11.6	11.3	30.8	1.10	22	42	0.87		15	84	138 3.5		110
33	L	tidak ada radiologi	46		11.0	15.7		232 52.3	39.2	10.1	22.4	0.97	48	25	1.11		16	105	139 4.1		105
39	P	tidak ada radiologi	32		7.0	9.6		309 58.6	31.6	10.5	22.2	1.01	67	67	0.62		9	130			
59	L	tidak ada radiologi	40		8.3	13.9		251 61.2	27.0	11.1	23.4	1.08	7	14	0.94		20	222	137 3.6		105
44	L	tidak ada radiologi	44		9.0	14.9		284 61.7	29.0									169			

43	P	tidak ada radiologi	36	8.0	11.8	226	57.7	32.8	10.3	26.0	0.99	16	23	0.83	22	107	139 4.0	106		
30	P		63	39	1.61	7.1	12.4	315	69.5	22.4	10.6	27.4	1.02	13	16	0.83	14	109	140 4.0	105
34	L	tidak ada radiologi				tidak ada														
27	P		66	42	1.57	10.5	14.0	280	68.5	24.9	10.5	25.4	1.01	14	41	0.86	16	91	141 3.8	107
26	P	tidak ada radiologi	38	9.8	12.4	328	61.1	30.9	11.2	31.1	1.04	11	12	0.69	18	106	136 3.9	104		
41	P	tidak ada radiologi	42	8.2	12.9	221	50.0	35.6				15	21	0.77	27	113	141 4.4	104		
36	P	MRI	37	9.1	12.4	389	67.3	23.7				15	21	0.77	27	113	141 4.4	104		
65	P	tidak ada radiologi	41	7.3	13.1	301	57.5	30.5	10.8	24.0	1.00	15	29	0.78	21	81	139 3.3	103		
48	L	tidak ada radiologi	39	8.1	13.1	250	51.8	31.7	11.5	24.5	1.07	12	19	1.52	21	93	139 3.9	106		
45	P		65	47	1.38	10.2	14.3	396	70.4	23.2				2.25	101	129				
62	L	tidak ada radiologi	32	5.7	10.3	237	52.3	34.3	9.7	26.6	0.94	37	34	0.75	32	111	139 4.6	105		
32	P		69	35	1.97	10.8	11.3	310	55.0	31.7	10.4	28.1	0.96	15	20	0.43	15	101	137 4.0	108
46	L	tidak ada radiologi	47	11.4	15.6	188	5.3	36.2	10.2	22.8	0.98	36	26	1.06	52	120				
41	P		65	40	1.625	7.2	13.4	313	69.0	20.0	11.8	25.5	1.10	30	27	0.79	23	128	147 3.7	108
32	P		67	35	1.91	6.5	11.3	310	55.0	31.7	10.4	28.1	0.96	15	20	0.43	15	115	139 4.0	109
43	P	tidak ada radiologi	41	11.5	12.7	348	61.7	28.3	10.4	24.3	0.96	32	24	0.50	23	109	137 3.7	109		
24	P		54	37	1.45	16.8	14.2	390	75.6	15.7	10.2	21.0	0.94						145 4.5	109
52	L	MRV	41	6.1	13.2	155	60.5	20.3	10.5	28.8	0.97	39	22	0.38	19	155	135 3.8	105		
48	L	tidak ada radiologi	42	5.3	13.9	215	45.7	43.1	11.9	29.5	1.11	80	44	1.02	25	105	139 3.8	107		
40	P	tidak ada radiologi	41	9.1	13.5	205	50.4	42.3	10.4	24.9	1.00									
59	L		60	42	1.42	8.8	13.7	288	52.9	33.7	10.6	25.1	0.98	16	21	1.19	46	245	138 4.1	101
44	P		72	38	1.89	5.3	11.8	241	62.8	25.3	10.3	30.5	0.95	54	77	0.70	9	99	143 3.4	110
35	P		65	44	1.47	7.3	15.1	300	60.1	29.2	10.0	27.9	0.92	32	37	0.61	13	104	142 4.1	105
24	P		84	41	2.04	6.1	12.7	254	55.4	29.1							10		135 3.5	109
33.0	P	MRV	38	5.3	11.9	360	57.5	30.6	9.3	0.85	26.8	14	9	0.46	26	102	145 4.2	106		
28	P		MRV			LAB	TIDAK	LENGKA												
45	P		83	38	2.18	9.3	12.4	345	48.8	28.2	10.6	24.3	1.02	18	19	0.70	19	164	141 3.6	104
49	L	tidak ada radiologi	43	6.3	10.4	416	53.7	32.1	10.1	30.4	0.97	15	22	0.82	13	92	140 3.7	105		
59	L		73	45	1.62	13.3	14.7	307	76.20	17.3	9.8	0.92	26.2	61	16	0.75	29	130	134 3.0	98
59	L		74	38	1.94	13.9	12.6	245	65.5	6.3	10.7	1.03	18.0	22	18	0.81	23	110	149 4.2	113
36	P		82	33	2.49	6.3	11.2	179	69.3	24.0	10.5	28.2	1.01	36	25	0.70	22		146 3.8	116
49.0	P		82	46	1.78	8.7	15.0	352	73.0	22.2				17	13	0.60	21	207	140 4.5	105
62	L	tidak ada radiologi	40	5.9	14.1	216	62.8	16.6	10.2	26.3	0.94	14	19	1.38	30	92	138 4.0	104		
37.0	P		77	30	2.56	7.2	9.4	409	41.9	45.8	9.8	30.3	0.90	21	22	0.68	19	94	143 3.8	107
26	P		61	36	1.69	8.1	12.6	233	81.2	11.3	10.7	22.4	0.99	9	12	0.67	24	110	135 4.5	108
26	P	MRV	40	10.8	12.1	405	60.30	23.7				34	18	0.59	23	116				
35	P	tidak ada radiologi	37	8.4	11.6	347	61.1	29.7	10.0	27.0	0.92	29	24	0.80	20	97	141 3.9	106		
24	P		39	8.6	13.3	334	67.4	25.1	11.0	27.4	1.06	13	19	0.85	25	93	140 4.8	107		
37	P	tidak ada radiologi	37	8.1	12.5	437	72.6	17.8	10.1	19.5	0.93	131	68	0.46	10	124	138 3.6	107		
32	P		71	11.7	13.5	319	68.9	22.7	9.7	27.1	0.89	20	22	0.49	15	99	142 4.3	104		
37.0	L	tidak ada radiologi	48	10.7	16.2	267	62.0	25.2	10.3	26.7	0.99	26	20	1.00	24	83	139 5.3	103		
45	P	tidak ada radiologi	44	8.3	14.6	296	52.0	41.6	9.8	21.6	0.90	17	19	0.99	22	116	140 4.2	106		
45	P		60	34	1.76	11.9	11.1	349	69.0	24.0	10.0	23.9	0.92	15	13	0.53	21	92	140 3.6	106