

## DAFTAR PUSTAKA

- Abd El-Aaty, H.E., El-Mahallawy, I.I., Abd Elmaksoud, F.G., Abdelaal, G.A., 2022. Role of cholesterol, lipoproteins, and neutrophilic-lymphocytic ratio in patients with pneumonia. *The Egyptian Journal of Bronchology* 16, 44. <https://doi.org/10.1186/s43168-022-00148-4>
- Abu Ghosh, Z., Amir, O., Carasso, S., Planer, D., Alcalai, R., Golomb, M., Dagan, G., Kalmanovich, E., Blatt, A., Elbaz-Greener, G., 2023. Outcomes of Acute Coronary Syndrome Patients Who Presented with Cardiogenic Shock versus Patients Who Developed Cardiogenic Shock during Hospitalization. *J Clin Med* 12, 2603. <https://doi.org/10.3390/jcm12072603>
- Alexander, K.P., Newby, L.K., Armstrong, P.W., Cannon, C.P., Gibler, W.B., Rich, M.W., Van de Werf, F., White, H.D., Weaver, W.D., Naylor, M.D., Gore, J.M., Krumholz, H.M., Ohman, E.M., 2007. Acute Coronary Care in the Elderly, Part II. *Circulation* 115, 2570–2589. <https://doi.org/10.1161/CIRCULATIONAHA.107.182616>
- Al-Saif, S.M., AlHabib, K.F., Ullah, A., Hersi, A., AlFaleh, H., Alnemer, K., Tarabin, A., Abuosa, A., Kashour, T., Al-Murayeh, M., 2012. Age and its relationship to acute coronary syndromes in the Saudi Project for Assessment of Coronary Events (SPACE) registry: The SPACE age study. *J Saudi Heart Assoc* 24, 9–16. <https://doi.org/10.1016/j.jsha.2011.08.001>
- Anjarwani, S., Nugraha, K.A., Fadlan, M.R., 2020. Leukocytosis as The Short-Term Predictor for Mortality in Acute Coronary Syndrome Patients Undergoing Percutaneous Coronary Intervention. *Heart Science Journal* 1, 14–18. <https://doi.org/10.21776/ub.hsj.2020.001.04.04>
- Awsan Noman, Karthik Balasubramaniam, M. Hafez A. Alhous, Kelvin Lee, Peter Jesudason, Muhammad Rashid, Mamas A. Mamas, Mamas A. Mamas, Azfar Zaman, Azfar Zaman, 2017. Mortality after percutaneous coronary revascularization: Prior cardiovascular risk factor control and improved outcomes in patients with diabetes mellitus. *Catheterization and Cardiovascular Interventions* 89, 1195–1204. <https://doi.org/10.1002/CCD.26882>
- Baker, D.W., Einstadter, D., Husak, S.S., Cebul, R.D., 2004. Trends in postdischarge mortality and readmissions: has length of stay declined too far? *Arch Intern Med* 164, 538–544. <https://doi.org/10.1001/archinte.164.5.538>
- Bentzon, J.F., Otsuka, F., Virmani, R., Falk, E., 2014. Mechanisms of plaque formation and rupture. *Circ Res* 114, 1852–1866. <https://doi.org/10.1161/CIRCRESAHA.114.302721>
- Biasucci, L.M., Colizzi, C., Rizzello, V., Vitrella, G., Crea, F., Liuzzo, G., 1999. Role of inflammation in the pathogenesis of unstable coronary artery diseases. *Scand J Clin Lab Invest Suppl* 230, 12–22.
- Bozorgmehr, R., Bahrani, V., Fatemi, A., 2017. Ventilator-Associated Pneumonia and Its Responsible Germs; an Epidemiological Study. *EMERGENCY* 5, e26–e26. <https://doi.org/10.22037/emergency.v5i1.14521>
- Brown, A.O., Mann, B., Gao, G., Hankins, J.S., Humann, J., Giardina, J., Faverio, P., Restrepo, M.I., Halade, G.V., Mortensen, E.M., Lindsey, M.L., Hanes, M., Happel, K.I., Nelson, S., Bagby, G.J., Lorent, J.A., Cardinal, P., Granados, R., Esteban, A., LeSaux, C.J., Tuomanen, E.I., Orihuela, C.J., 2014.

- Streptococcus pneumoniae* translocates into the myocardium and forms unique microlesions that disrupt cardiac function. *PLoS Pathog* 10, e1004383. <https://doi.org/10.1371/journal.ppat.1004383>
- Brown, A.O., Millett, E.R.C., Quint, J.K., Orihuela, C.J., 2015. Cardiotoxicity during invasive pneumococcal disease. *Am J Respir Crit Care Med* 191, 739–745. <https://doi.org/10.1164/rccm.201411-1951PP>
- Campos, I., Oliveira, C., Pires, C., Medeiros, P., Flores, R., Mane, F., Braga, C., Gaspar, A., Researchers From The National Registry Of Acute Coronary Syndromes, 2020. Prognostic impact of severe anemia (hemoglobin <10g/dL) during treatment with dual antiplatelet therapy after hospital discharge for acute coronary syndrome. *European Heart Journal* 41, ehaa946.1621. <https://doi.org/10.1093/ehjci/ehaa946.1621>
- Collet, J.-P., Thiele, H., Barbato, E., Barthélémy, O., Bauersachs, J., Bhatt, D.L., Dendale, P., Dorobantu, M., Edvardsen, T., Folliguet, T., Gale, C.P., Gilard, M., Jobs, A., Jüni, P., Lambrinou, E., Lewis, B.S., Mehilli, J., Meliga, E., Merkely, B., Mueller, C., Roffi, M., Rutten, F.H., Sibbing, D., Siontis, G.C.M., ESC Scientific Document Group, 2021. 2020 ESC Guidelines for the management of acute coronary syndromes in patients presenting without persistent ST-segment elevation. *Eur Heart J* 42, 1289–1367. <https://doi.org/10.1093/eurheartj/ehaa575>
- Corrales-Medina, V.F., Alvarez, K.N., Weissfeld, L.A., Angus, D.C., Chirinos, J.A., Chang, C.-C.H., Newman, A., Loehr, L., Folsom, A.R., Elkind, M.S., Lyles, M.F., Kronmal, R.A., Yende, S., 2015. Association between hospitalization for pneumonia and subsequent risk of cardiovascular disease. *JAMA* 313, 264–274. <https://doi.org/10.1001/jama.2014.18229>
- Corrales-Medina, V.F., Musher, D.M., Shachkina, S., Chirinos, J.A., 2013. Acute pneumonia and the cardiovascular system. *Lancet* 381, 496–505. [https://doi.org/10.1016/S0140-6736\(12\)61266-5](https://doi.org/10.1016/S0140-6736(12)61266-5)
- Costagliola, G., Mosca, M., Migliorini, P., Consolini, R., 2018. Pediatric Systemic Lupus Erythematosus: Learning From Longer Follow Up to Adulthood. *Front. Pediatr.* 6. <https://doi.org/10.3389/fped.2018.00144>
- Cui, K., Lyu, S., Song, X., Liu, H., Yuan, F., Xu, F., Zhang, Min, Wang, W., Zhang, Mingduo, Zhang, D., Tian, J., 2019. Drug-Eluting Stent Versus Coronary Artery Bypass Grafting for Diabetic Patients With Multivessel and/or Left Main Coronary Artery Disease: A Meta-Analysis. *Angiology* 70, 765–773. <https://doi.org/10.1177/0003319719839885>
- Daga, L.C., Kaul, U., Mansoor, A., 2011. Approach to STEMI and NSTEMI. *J Assoc Physicians India* 59 Suppl, 19–25.
- Dandachi, D., Rodriguez-Barradas, M.C., 2018. Viral pneumonia: etiologies and treatment. *J Investig Med* 66, 957–965. <https://doi.org/10.1136/jim-2018-000712>
- De Rosa, R., Morici, N., De Servi, S., De Luca, G., Galasso, G., Piscione, F., Ferri, L.A., Piatti, L., Grosseto, D., Tortorella, G., Franco, N., Lenatti, L., Misuraca, L., Leuzzi, C., Verdoia, M., Sganzerla, P., Cacucci, M., Ferrario, M., Murena, E., Sibilio, G., Toso, A., Savonitto, S., 2021. Impact of renal dysfunction and acute kidney injury on outcome in elderly patients with acute coronary syndrome undergoing percutaneous coronary intervention. *European Heart Journal. Acute Cardiovascular Care* 10, 1160–1169. <https://doi.org/10.1177/2048872620920475>

- Dedobbeleer, C., Melot, C., Renard, M., 2004. C-reactive protein increase in acute myocardial infarction. *Acta Cardiol* 59, 291–296. <https://doi.org/10.2143/AC.59.3.2005184>
- Ding, L., Yang, J., Li, L., Yang, Y., 2020. Effects of ACEIs and ARBs on the Residual Renal Function in Peritoneal Dialysis Patients: A Meta-Analysis of Randomized Controlled Trials. *Biomed Res Int* 2020, 6762029. <https://doi.org/10.1155/2020/6762029>
- Drácz, B., Czompa, D., Müllner, K., Hagymási, K., Miheller, P., Székely, H., Papp, V., Horváth, M., Hritz, I., Szijártó, A., Werling, K., 2022. The Elevated De Ritis Ratio on Admission Is Independently Associated with Mortality in COVID-19 Patients. *Viruses* 14, 2360. <https://doi.org/10.3390/v14112360>
- Eapen, Z.J., Reed, S.D., Li, Y., Kociol, R.D., Armstrong, P.W., Starling, R.C., McMurray, J.J., Massie, B.M., Swedberg, K., Ezekowitz, J.A., Fonarow, G.C., Teerlink, J.R., Metra, M., Whellan, D.J., O'Connor, C.M., Califf, R.M., Hernandez, A.F., 2013. Do countries or hospitals with longer hospital stays for acute heart failure have lower readmission rates?: Findings from ASCEND-HF. *Circ Heart Fail* 6, 727–732. <https://doi.org/10.1161/CIRCHEARTFAILURE.112.000265>
- Epstein, S.E., Zhu, J., Najafi, A.H., Burnett, M.S., 2009. Insights Into the Role of Infection in Atherogenesis and in Plaque Rupture. *Circulation* 119, 3133–3141. <https://doi.org/10.1161/CIRCULATIONAHA.109.849455>
- Erfan Ayubi, Fatemeh Torkaman Asadi, Shiva Borzouei, Behnaz Alafchi, Mobin Faghieh Soleimani, Saman Khosronejad, Salman Khazaei, Seyed Saman Talebi, 2022. Effects of Hypertension Alone and in Comorbidity with Diabetes on Death within 30 Days among Inpatients with COVID-19 Infection. *Journal of research in health sciences* 22, e00565–e00565. <https://doi.org/10.34172/jrhs.2022.100>
- Fang, L., Moore, X.-L., Dart, A.M., Wang, L.-M., 2015. Systemic inflammatory response following acute myocardial infarction. *J Geriatr Cardiol* 12, 305–312. <https://doi.org/10.11909/j.issn.1671-5411.2015.03.020>
- Farihatun, A., Setiawan, H., Fitria, V., 2020. The Effect of Fasting Time on Triglyceride Measurement Results. Presented at the 1st International Conference on Science, Health, Economics, Education and Technology (ICoSHEET 2019), Atlantis Press, pp. 292–294. <https://doi.org/10.2991/ahsr.k.200723.073>
- Gansevoort, R.T., Correa-Rotter, R., Hemmelgarn, B.R., Jafar, T.H., Heerspink, H.J.L., Mann, J.F., Matsushita, K., Wen, C.P., 2013. Chronic kidney disease and cardiovascular risk: epidemiology, mechanisms, and prevention. *The Lancet* 382, 339–352. [https://doi.org/10.1016/S0140-6736\(13\)60595-4](https://doi.org/10.1016/S0140-6736(13)60595-4)
- Gao, L., Liu, Y.-J., Chen, J., Xue, Q., Wang, Y., Zhao, Y.-S., 2011. [The short-term prognosis for hospitalized acute myocardial infarction patients: the impact of complication by community-acquired pneumonia]. *Zhongguo Wei Zhong Bing Ji Jiu Yi Xue* 23, 705–708.
- Gonzalez, D.C.Q., Ocampo, J.M., Ortiz, C.A.R., 2020. Factores asociados con la letalidad por neumonía en una unidad de atención del paciente geriátrico agudo: una cohorte retrospectiva. *Biomedica* 40, 734–748.
- Grob, S.R., Suter, F., Katzke, V., Rohrmann, S., 2023. The Association between Liver Enzymes and Mortality Stratified by Non-Alcoholic Fatty Liver Disease: An Analysis of NHANES III. *Nutrients* 15, 3063. <https://doi.org/10.3390/nu15133063>

- Gross, A.K., Dunn, S.P., Feola, D.J., Martin, C.A., Charnigo, R., Li, Z., Abdel-Latif, A., Smyth, S.S., 2013. Clopidogrel treatment and the incidence and severity of community acquired pneumonia in a cohort study and meta-analysis of antiplatelet therapy in pneumonia and critical illness. *J Thromb Thrombolysis* 35, 147–154. <https://doi.org/10.1007/s11239-012-0833-4>
- Hanaa El Ghiati, Hind Ouaouicha, Hamza Chraibi, Zineb Fassi Fehri, Najat Mouine, Zouhair Lakhel, Aatif Benyass, 2024. Unlocking the Impact of Renal Function on Acute Coronary Syndrome: Insights from A Cohort Of 318 Cases. *RA journal of applied research*. <https://doi.org/10.47191/rajar/v10i03.01>
- Helvacı, M.R., Ayyıldız, O., Muftuoğlu, O.E., Gundogdu, M., Abyad, A., Pocock, L., 2017. Lower the Triglyceride, Longer the Survival. *Middle East Journal of Internal Medicine* 63, 1–6. <https://doi.org/10.5742/MEIM.2017.93045>
- Huaman, M.A., Henson, D., Ticona, E., Sterling, T.R., Garvy, B.A., 2015. Tuberculosis and Cardiovascular Disease: Linking the Epidemics. *Trop Dis Travel Med Vaccines* 1, 10. <https://doi.org/10.1186/s40794-015-0014-5>
- Huaman, M.A., Ticona, E., Miranda, G., Kryscio, R.J., Mugruza, R., Aranda, E., Rondan, P.L., Henson, D., Ticona, C., Sterling, T.R., Fichtenbaum, C.J., Garvy, B.A., 2018. The Relationship Between Latent Tuberculosis Infection and Acute Myocardial Infarction. *Clin Infect Dis* 66, 886–892. <https://doi.org/10.1093/cid/cix910>
- Husain-Syed, F., McCullough, P.A., Birk, H.-W., Renker, M., Brocca, A., Seeger, W., Ronco, C., 2015. Cardio-Pulmonary-Renal Interactions: A Multidisciplinary Approach. *J Am Coll Cardiol* 65, 2433–2448. <https://doi.org/10.1016/j.jacc.2015.04.024>
- Jiao, X., Guo, H., Zhang, G., Yin, X., Li, H., Chen, Y., 2021. In-hospital fasting hyperglycemia and increased risk of mortality after acute coronary syndrome: a systematic overview and meta-analysis. *Int J Diabetes Dev Ctries* 41, 536–542. <https://doi.org/10.1007/s13410-020-00850-3>
- Kaboli, P.J., Go, J.T., Hockenberry, J., Glasgow, J.M., Johnson, S.R., Rosenthal, G.E., Jones, M.P., Vaughan-Sarrazin, M., 2012. Associations between reduced hospital length of stay and 30-day readmission rate and mortality: 14-year experience in 129 Veterans Affairs hospitals. *Ann Intern Med* 157, 837–845. <https://doi.org/10.7326/0003-4819-157-12-201212180-00003>
- Keeley, E.C., Boura, J.A., Grines, C.L., 2003. Primary angioplasty versus intravenous thrombolytic therapy for acute myocardial infarction: a quantitative review of 23 randomised trials. *Lancet* 361, 13–20. [https://doi.org/10.1016/S0140-6736\(03\)12113-7](https://doi.org/10.1016/S0140-6736(03)12113-7)
- Kellum, J.A., Kong, L., Fink, M.P., Weissfeld, L.A., Yealy, D.M., Pinsky, M.R., Fine, J., Krichevsky, A., Delude, R.L., Angus, D.C., GenIMS Investigators, 2007. Understanding the inflammatory cytokine response in pneumonia and sepsis: results of the Genetic and Inflammatory Markers of Sepsis (GenIMS) Study. *Arch Intern Med* 167, 1655–1663. <https://doi.org/10.1001/archinte.167.15.1655>
- Kim, J., Park, S.J., Choi, S., Seo, W.-W., Lee, Y.J., 2021. Hospitalization for acute coronary syndrome increases the long-term risk of pneumonia: a population-based cohort study. *Sci Rep* 11, 9696. <https://doi.org/10.1038/s41598-021-89038-1>
- Lam, B.C.C., Koh, G.C.H., Chen, C., Wong, M.T.K., Fallows, S.J., 2015. Comparison of Body Mass Index (BMI), Body Adiposity Index (BAI), Waist Circumference

- (WC), Waist-To-Hip Ratio (WHR) and Waist-To-Height Ratio (WHtR) as Predictors of Cardiovascular Disease Risk Factors in an Adult Population in Singapore. *PLOS ONE* 10, e0122985. <https://doi.org/10.1371/journal.pone.0122985>
- Lee, W.-C., Wu, P.-J., Tsai, Y.-H., Hsieh, Y.-Y., Chen, T.-Y., Fang, Y.-N., Chen, H.-C., Fang, H.-Y., 2023. Impact of Coexisting Risk Factors on Outcomes in Patients with Acute Coronary Syndrome: A Real-World Analysis Using the Taiwan Chang Gung Research Database. *Med Sci Monit* 29, 0–0. <https://doi.org/10.12659/MSM.941258>
- Lin, C.-F., Chang, Y.-H., Chi, N.-F., Chuang, M.-T., Chien, L.-N., 2018. Effect of early percutaneous coronary intervention on one-year risk of pneumonia and pneumonia-related adverse outcomes in patients with acute myocardial infarction. *EuroIntervention* 13, 1705–1713. <https://doi.org/10.4244/EIJ-D-16-00840>
- Małyszczak, A., Łukawska, A., Dyląg, I., Lis, W., Mysiak, A., Kuliczowski, W., 2020. Blood Platelet Count at Hospital Admission Impacts Long-Term Mortality in Patients with Acute Coronary Syndrome. *Cardiology* 145, 148–154. <https://doi.org/10.1159/000505640>
- Mamas, M.A., Kwok, C.S., Kontopantelis, E., Fryer, A.A., Buchan, I., Bachmann, M.O., Zaman, M.J., Myint, P.K., 2016. Relationship Between Anemia and Mortality Outcomes in a National Acute Coronary Syndrome Cohort: Insights From the UK Myocardial Ischemia National Audit Project Registry. *Journal of the American Heart Association* 5, e003348. <https://doi.org/10.1161/JAHA.116.003348>
- Manhapa, A., Gupta, R., Kasliwal, R.R., 2001. Systemic Inflammation: The Central Factor in Pathogenesis of Unstable Angina. *Circulation* 103, E91–E91. <https://doi.org/10.1161/01.cir.103.16.e91>
- Meregildo-Rodriguez, E.D., Asmat-Rubio, M.G., Rojas-Benites, M.J., Vásquez-Tirado, G.A., 2023. Acute Coronary Syndrome, Stroke, and Mortality After Community-Acquired Pneumonia: Systematic Review and Meta-Analysis. *Journal of Clinical Medicine* 12, 2577. <https://doi.org/10.3390/jcm12072577>
- Mills, K.H.G., 2011. TLR-dependent T cell activation in autoimmunity. *Nat Rev Immunol* 11, 807–822. <https://doi.org/10.1038/nri3095>
- Moisi, M.I., Bungau, S.G., Vesa, C.M., Diaconu, C.C., Behl, T., Stoicescu, M., Toma, M.M., Bustea, C., Sava, C., Popescu, M.I., 2021. Framing Cause-Effect Relationship of Acute Coronary Syndrome in Patients with Chronic Kidney Disease. *Diagnostics* 11, 1518. <https://doi.org/10.3390/diagnostics11081518>
- Morici, N., Tavecchia, G.A., Antolini, L., Caporale, M.R., Cantoni, S., Bertuccio, P., Sacco, A., Meani, P., Viola, G., Brunelli, D., Oliva, F., Lombardi, F., Segreto, A., Oreglia, J.A., La Vecchia, C., Cattaneo, M., Valgimigli, M., Savonitto, S., 2019. Use of PRECISE-DAPT Score and Admission Platelet Count to Predict Mortality Risk in Patients With Acute Coronary Syndrome. *Angiology* 70, 867–877. <https://doi.org/10.1177/0003319719848547>
- Musher, D.M., Rueda, A.M., Kaka, A.S., Mapara, S.M., 2007. The association between pneumococcal pneumonia and acute cardiac events. *Clin Infect Dis* 45, 158–165. <https://doi.org/10.1086/518849>
- Nishizaki, Y., Miyauchi, K., Okazaki, S., Tamura, H., Okai, I., Ogita, M., Kato, Y., Tsuboi, S., Konishi, H., Naito, R., Kurata, T., Daida, H., 2016. Cause of Death in Patients with Acute Coronary Syndrome. *Journal of General and Family*

- Medicine 17, 332–335. [https://doi.org/10.14442/jgfm.17.4\\_332](https://doi.org/10.14442/jgfm.17.4_332)
- Patel, B., Shah, M., Dusaj, R., Maynard, S., Patel, N., 2017. Percutaneous Coronary Intervention and Inpatient Mortality in Patients with Advanced Chronic Kidney Disease Presenting with Acute Coronary Syndrome. *Baylor University Medical Center Proceedings* 30, 400–403. <https://doi.org/10.1080/08998280.2017.11930205>
- PERKI, 2015. Pedoman Tatalaksana Sindrom Koroner Akut. Centra Communications, Jakarta.
- Pocock, S., Bueno, H., Licour, M., Medina, J., Zhang, L., Annemans, L., Danchin, N., Huo, Y., Van de Werf, F., 2015. Predictors of one-year mortality at hospital discharge after acute coronary syndromes: A new risk score from the EPICOR (long-term follow up of antithrombotic management patterns in acute coronary syndrome patients) study. *European Heart Journal. Acute Cardiovascular Care* 4, 509–517. <https://doi.org/10.1177/2048872614554198>
- Ram, E., Sternik, L., Klempfner, R., Iakobishvili, Z., Fisman, E.Z., Tenenbaum, A., Zuroff, E., Peled, Y., Raanani, E., 2020. Type 2 diabetes mellitus increases the mortality risk after acute coronary syndrome treated with coronary artery bypass surgery. *Cardiovascular Diabetology* 19, 86. <https://doi.org/10.1186/s12933-020-01069-6>
- Ribeiro, L.S., Migliari Branco, L., Franklin, B.S., 2019. Regulation of Innate Immune Responses by Platelets. *Front Immunol* 10, 1320. <https://doi.org/10.3389/fimmu.2019.01320>
- Rolli, J., Rosenblatt-Velin, N., Li, J., Loukili, N., Levrard, S., Pacher, P., Waeber, B., Feihl, F., Ruchat, P., Liaudet, L., 2010. Bacterial flagellin triggers cardiac innate immune responses and acute contractile dysfunction. *PLoS One* 5, e12687. <https://doi.org/10.1371/journal.pone.0012687>
- Saczynski, J.S., Lessard, D., Spencer, F.A., Gurwitz, J.H., Gore, J.M., Yarzebski, J., Goldberg, R.J., 2010. Declining length of stay for patients hospitalized with AMI: impact on mortality and readmissions. *Am J Med* 123, 1007–1015. <https://doi.org/10.1016/j.amjmed.2010.05.018>
- Sato, Y., Takatsu, Y., Kataoka, K., Yamada, T., Taniguchi, R., Sasayama, S., Matsumori, A., 1999. Serial circulating concentrations of C-reactive protein, interleukin (IL)-4, and IL-6 in patients with acute left heart decompensation. *Clin Cardiol* 22, 811–813. <https://doi.org/10.1002/clc.4960221211>
- Sharma, Y.P., Gawalkar, A.A., Batta, A., Shrimanth, Y.S., Revaiah, P.C., Shrestha, A., Chaudhary, V., Kasinadhuni, G., Santosh, K., Bootla, D., Kumar, S., Patel, N., Sambyal, B., Panda, P., 2023. Novel Markers of COVID-19 Mortality-a Comparative Study With Patients of Acute Coronary Syndrome. *Journal of Family Medicine and Primary Care* 12, 962–966. [https://doi.org/10.4103/jfmpc.jfmpc\\_1629\\_22](https://doi.org/10.4103/jfmpc.jfmpc_1629_22)
- Shehab, A., Bhagavathula, A.S., Al-Rasadi, K., Alshamsi, F., Kaab, J.A., Thani, K.B., Mustafa, R., 2020. Diabetes and Mortality in Acute Coronary Syndrome: Findings from the Gulf COAST. *Current Vascular Pharmacology* 18, 68–76. <https://doi.org/10.2174/1570161116666181024094337>
- Shi, S., Kong, S., Ni, W., Lu, Y., Li, J., Huang, Y., Chen, J., Lin, K., Li, Y., Ke, J., Zhou, H., 2023. Association of the Systemic Immune-Inflammation Index with Outcomes in Acute Coronary Syndrome Patients with Chronic Kidney Disease. *JIR* 16, 1343–1356. <https://doi.org/10.2147/JIR.S397615>
- Silva, M.V. de P. da, Villar-Delfino, P.H., Nogueira-Machado, J.A., Volpe, C.M.O.,

2022. IL-6, IL-1 $\beta$ , and MDA Correlate with Thrombolysis in Myocardial Infarction (TIMI) Risk Score in Patients with Acute Coronary Syndrome 15, 71–79. <https://doi.org/10.2174/2772270816666220211091231>
- Singh, A., Museedi, A.S., Grossman, S.A., 2024. Acute Coronary Syndrome, in: StatPearls. StatPearls Publishing, Treasure Island (FL).
- Sosnowski, C., Janeczko-Sosnowska, E., Dabrowski, R., Sterlinski, M., Ostrzycki, A., Wozniak, J.A., Suminski, A., Zalucka, L., Kowalik, I., Szwed, H., 2013. Acute hyperglycaemia in contrast to chronic hyperglycaemia is a true contrast-induced nephropathy risk factor in patients with acute coronary syndrome undergoing interventional procedures. *European Heart Journal* 34, P4808. <https://doi.org/10.1093/eurheartj/eh310.P4808>
- Stampouloglou, P.K., Anastasiou, A., Bletsas, E., Lygkoni, S., Chouzouri, F., Xenou, M., Katsarou, O., Theofilis, P., Zisimos, K., Tousoulis, D., Vavuranakis, M., Siasos, G., Oikonomou, E., 2023. Diabetes Mellitus in Acute Coronary Syndrome. *Life* 13, 2226. <https://doi.org/10.3390/life13112226>
- Tan, Y.C., Sinclair, H., Ghoorah, K., Teoh, X., Mehran, R., Kunadian, V., 2016. Gender differences in outcomes in patients with acute coronary syndrome in the current era: A review. *Eur Heart J Acute Cardiovasc Care* 5, 51–60. <https://doi.org/10.1177/2048872615610886>
- Vaccarino, V., Parsons, L., Peterson, E.D., Rogers, W.J., Kiefe, C.I., Canto, J., 2009. Sex differences in mortality after acute myocardial infarction: changes from 1994 to 2006. *Arch Intern Med* 169, 1767–1774. <https://doi.org/10.1001/archinternmed.2009.332>
- Vorhies, J.S., Wang, Y., Herndon, J.H., Maloney, W.J., Huddleston, J.I., 2012. Decreased length of stay after TKA is not associated with increased readmission rates in a national Medicare sample. *Clin Orthop Relat Res* 470, 166–171. <https://doi.org/10.1007/s11999-011-1957-0>
- Vraynko, E., Bogevska, I., Dobjani, A., Shehu, E., Taravari, H., Andova, V., Pocesta, B., Pejkov, H., Vavlukis, M., 2024. The role of pre-existing renal dysfunction on in-hospital morbidity and mortality in patients with acute coronary syndrome. *European Heart Journal. Acute Cardiovascular Care* 13, zuae036.144. <https://doi.org/10.1093/ehjacc/zuae036.144>
- Wang, M., Su, W., Cao, N., Chen, H., Li, H., 2023. Prognostic implication of stress hyperglycemia in patients with acute coronary syndrome undergoing percutaneous coronary intervention. *Cardiovascular Diabetology* 22, 63. <https://doi.org/10.1186/s12933-023-01790-y>
- Wiviott, S.D., Braunwald, E., McCabe, C.H., Montalescot, G., Ruzyllo, W., Gottlieb, S., Neumann, F.-J., Ardissino, D., Servi, S.D., Murphy, S.A., Riesmeyer, J., Weerakkody, G., Gibson, C.M., Antman, E.M., 2007. Prasugrel versus Clopidogrel in Patients with Acute Coronary Syndromes. *New England Journal of Medicine* 357, 2001–2015. <https://doi.org/10.1056/NEJMoa0706482>
- Writing Group Members, Mozaffarian, D., Benjamin, E.J., Go, A.S., Arnett, D.K., Blaha, M.J., Cushman, M., Das, S.R., de Ferranti, S., Després, J.-P., Fullerton, H.J., Howard, V.J., Huffman, M.D., Isasi, C.R., Jiménez, M.C., Judd, S.E., Kissela, B.M., Lichtman, J.H., Lisabeth, L.D., Liu, S., Mackey, R.H., Magid, D.J., McGuire, D.K., Mohler, E.R., Moy, C.S., Muntner, P., Mussolino, M.E., Nasir, K., Neumar, R.W., Nichol, G., Palaniappan, L., Pandey, D.K., Reeves, M.J., Rodriguez, C.J., Rosamond, W., Sorlie, P.D., Stein, J., Towfighi, A., Turan, T.N., Virani, S.S., Woo, D., Yeh, R.W., Turner, M.B., American Heart

- Association Statistics Committee, Stroke Statistics Subcommittee, 2016. Heart Disease and Stroke Statistics-2016 Update: A Report From the American Heart Association. *Circulation* 133, e38-360. <https://doi.org/10.1161/CIR.0000000000000350>
- Wu, C., Chen, X., Cai, Y., Xia, J., Zhou, Xing, Xu, S., Huang, H., Zhang, L., Zhou, Xia, Du, C., Zhang, Y., Song, J., Wang, S., Chao, Y., Yang, Z., Xu, J., Zhou, Xin, Chen, D., Xiong, W., Xu, L., Zhou, F., Jiang, J., Bai, C., Zheng, J., Song, Y., 2020. Risk Factors Associated With Acute Respiratory Distress Syndrome and Death in Patients With Coronavirus Disease 2019 Pneumonia in Wuhan, China. *JAMA Internal Medicine* 180, 934–943. <https://doi.org/10.1001/jamainternmed.2020.0994>
- Wu, K., 2023. Prevention and Treatment of Acute Coronary Artery Syndrome. *Theoretical and Natural Science* 4, 684–691. <https://doi.org/10.54254/2753-8818/4/20220684>
- Zykov, M.V., Валерьевич, З.М., Dyachenko, N.V., Валерьевич, Д.Н., Velieva, R.M., Оглы, В.Р.М., Kashtalap, V.V., Васильевич, К.В., Barbarash, O.L., Леонидовна, Б.О., 2022. Combined use of the GRACE ACS risk score and comorbidity indices to increase the effectiveness of hospital mortality risk assessment in patients with acute coronary syndrome. *Terapevticheskii arkhiv* 94, 816–821. <https://doi.org/10.26442/00403660.2022.07.201742>



LAMPIRAN

OLAH DATA SPSS

TABEL 2:

**Descriptives**

		D30DAYS	Statistic	Std. Error		
USIA RECONDEN	YA	Mean	61.43	1.445		
		95% Confidence Interval for Mean	Lower Bound	58.53		
			Upper Bound	64.34		
		5% Trimmed Mean	61.43			
		Median	62.00			
		Variance	95.985			
		Std. Deviation	9.797			
		Minimum	43			
		Maximum	81			
		Range	38			
		Interquartile Range	10			
		Skewness	-.208	.350		
		Kurtosis	-.298	.688		
			TIDAK	Mean	57.73	.555
				95% Confidence Interval for Mean	Lower Bound	56.63
Upper Bound	58.82					
5% Trimmed Mean	57.63					
Median	57.00					
Variance	121.103					
Std. Deviation	11.005					
Minimum	33					
Maximum	87					
Range	54					
Interquartile Range	15					
Skewness	.202			.123		
Kurtosis	-.348			.246		
IMT	YA			Mean	24.1500	.48154
				95% Confidence Interval for Mean	Lower Bound	23.1801
		Upper Bound	25.1199			
		5% Trimmed Mean	24.1056			
		Median	23.8500			
		Variance	10.667			
		Std. Deviation	3.26597			
		Minimum	18.20			
		Maximum	31.20			
		Range	13.00			
		Interquartile Range	4.18			

		Skewness		.148	.350
		Kurtosis		-.473	.688
	TIDAK	Mean		24.9097	.17128
		95% Confidence Interval for Mean	Lower Bound	24.5729	
			Upper Bound	25.2464	
		5% Trimmed Mean		24.7548	
		Median		24.3000	
		Variance		11.529	
		Std. Deviation		3.39541	
		Minimum		17.00	
		Maximum		44.90	
		Range		27.90	
		Interquartile Range		4.45	
		Skewness		1.062	.123
		Kurtosis		3.287	.246
LAMARAWAT	YA	Mean		9.3478	.95261
		95% Confidence Interval for Mean	Lower Bound	7.4292	
			Upper Bound	11.2665	
		5% Trimmed Mean		8.8140	
		Median		8.0000	
		Variance		41.743	
		Std. Deviation		6.46088	
		Minimum		2.00	
		Maximum		27.00	
		Range		25.00	
		Interquartile Range		8.25	
		Skewness		1.248	.350
		Kurtosis		1.145	.688
	TIDAK	Mean		8.1527	.21100
		95% Confidence Interval for Mean	Lower Bound	7.7378	
			Upper Bound	8.5675	
		5% Trimmed Mean		7.6486	
		Median		7.0000	
		Variance		17.497	
		Std. Deviation		4.18295	
		Minimum		3.00	
		Maximum		43.00	
		Range		40.00	
		Interquartile Range		3.00	
		Skewness		3.802	.123
		Kurtosis		22.005	.246

### Tests of Normality

D30DAYS Kolmogorov-Smirnov<sup>a</sup>

Shapiro-Wilk

		Statistic	df	Sig.	Statistic	df	Sig.
USIA REponden	YA	.108	46	.200*	.959	46	.107
	TIDAK	.047	393	.038	.990	393	.011
IMT	YA	.079	46	.200*	.979	46	.570
	TIDAK	.082	393	<.001	.950	393	<.001
LAMARAWAT	YA	.195	46	<.001	.873	46	<.001
	TIDAK	.199	393	<.001	.678	393	<.001

\*. This is a lower bound of the true significance.

a. Lilliefors Significance Correction

### Crosstab

		D30DAYS			
		YA	TIDAK	Total	
USIAKAT	<45 TAHUN	Count	3	39	42
		% within D30DAYS	6.5%	9.9%	9.6%
	>= 45 TAHUN	Count	43	354	397
		% within D30DAYS	93.5%	90.1%	90.4%
Total		Count	46	393	439
		% within D30DAYS	100.0%	100.0%	100.0%

### Chi-Square Tests

	Value	df	Asymptotic Significance (2-sided)	Exact Sig. (2- sided)	Exact Sig. (1- sided)	Point Probability
Pearson Chi-Square	.551 <sup>a</sup>	1	.458	.602	.334	
Continuity Correction <sup>b</sup>	.228	1	.633			
Likelihood Ratio	.606	1	.436	.602	.334	
Fisher's Exact Test				.602	.334	
Linear-by-Linear Association	.550 <sup>c</sup>	1	.458	.602	.334	.178
N of Valid Cases	439					

a. 1 cells (25.0%) have expected count less than 5. The minimum expected count is 4.40.

b. Computed only for a 2x2 table

c. The standardized statistic is -.741.

### Crosstab

		D30DAYS			
		YA	TIDAK	Total	
JK	LAKI-LAKI	Count	32	323	355
		% within D30DAYS	69.6%	82.2%	80.9%
	PEREMPUAN	Count	14	70	84
		% within D30DAYS	30.4%	17.8%	19.1%
Total		Count	46	393	439
		% within D30DAYS	100.0%	100.0%	100.0%

### Chi-Square Tests

	Value	df	Asymptotic Significance (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)	Point Probability
Pearson Chi-Square	4.241 <sup>a</sup>	1	.039	.048	.036	
Continuity Correction <sup>b</sup>	3.464	1	.063			
Likelihood Ratio	3.814	1	.051	.073	.036	
Fisher's Exact Test				.048	.036	
Linear-by-Linear Association	4.231 <sup>c</sup>	1	.040	.048	.036	.020
N of Valid Cases	439					

a. 0 cells (0.0%) have expected count less than 5. The minimum expected count is 8.80.

b. Computed only for a 2x2 table

c. The standardized statistic is -2.057.

### Crosstab

		D30DAYS			
		YA	TIDAK	Total	
JENISSKA	STEMI	Count	33	209	242
		% within D30DAYS	71.7%	53.2%	55.1%
	NSTEMI	Count	10	122	132
		% within D30DAYS	21.7%	31.0%	30.1%
UAPI/APTS	Count	3	62	65	
	% within D30DAYS	6.5%	15.8%	14.8%	
Total	Count	46	393	439	
	% within D30DAYS	100.0%	100.0%	100.0%	

### Chi-Square Tests

	Value	df	Asymptotic Significance (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)	Point Probability
Pearson Chi-Square	6.140 <sup>a</sup>	2	.046	.043		
Likelihood Ratio	6.620	2	.037	.038		
Fisher-Freeman-Halton Exact Test	5.872			.049		
Linear-by-Linear Association	5.921 <sup>b</sup>	1	.015	.019	.008	.004
N of Valid Cases	439					

a. 0 cells (0.0%) have expected count less than 5. The minimum expected count is 6.81.

b. The standardized statistic is 2.433.

### Descriptive Statistics

	N	Minimum	Maximum	Mean	Std. Deviation
LAMARAWAT	439	2.00	43.00	8.2779	4.48134

USIA RESPONDEN	439	33	87	58.11	10.933
IMT	439	17.00	44.90	24.8301	3.38647
Valid N (listwise)	439				

### Test Statistics<sup>a</sup>

	USIA RESPONDEN	IMT	LAMARAWAT
Mann-Whitney U	7041.000	8026.500	8580.000
Wilcoxon W	84462.000	9107.500	86001.000
Z	-2.455	-1.244	-.569
Asymp. Sig. (2-tailed)	.014	.214	.570

a. Grouping Variable: D30DAYS

TABEL 3:

### Crosstab

			PNEUMURNI		Total
			YA	TIDAK	
USIAKAT	<45 TAHUN	Count	1	41	42
		% within PNEUMURNI	3.1%	10.1%	9.6%
	≥ 45 TAHUN	Count	31	366	397
		% within PNEUMURNI	96.9%	89.9%	90.4%
Total		Count	32	407	439
		% within PNEUMURNI	100.0%	100.0%	100.0%

### Chi-Square Tests

	Value	df	Asymptotic Significance (2- sided)	Exact Sig. (2- sided)	Exact Sig. (1- sided)	Point
Pearson Chi-Square	1.656 <sup>a</sup>	1	.198	.237	.165	
Continuity Correction <sup>b</sup>	.950	1	.330			
Likelihood Ratio	2.148	1	.143	.237	.165	
Fisher's Exact Test				.345	.165	
Linear-by-Linear Association	1.652 <sup>c</sup>	1	.199	.237	.165	.130
N of Valid Cases	439					

a. 1 cells (25.0%) have expected count less than 5. The minimum expected count is 3.06.

b. Computed only for a 2x2 table

c. The standardized statistic is -1.285.

### Crosstab

PNEUMURNI Total

		YA	TIDAK		
JK	LAKI-LAKI	Count	30	325	355
		% within PNEUMURNI	93.8%	79.9%	80.9%
	PEREMPUAN	Count	2	82	84
		% within PNEUMURNI	6.3%	20.1%	19.1%
Total		Count	32	407	439
		% within PNEUMURNI	100.0%	100.0%	100.0%

### Chi-Square Tests

	Value	df	Asymptotic Significance (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)	Point 1
Pearson Chi-Square	3.703 <sup>a</sup>	1	.054	.061	.036	
Continuity Correction <sup>b</sup>	2.859	1	.091			
Likelihood Ratio	4.661	1	.031	.045	.036	
Fisher's Exact Test				.061	.036	
Linear-by-Linear Association	3.695 <sup>c</sup>	1	.055	.061	.036	.028
N of Valid Cases	439					

a. 0 cells (0.0%) have expected count less than 5. The minimum expected count is 6.12.

b. Computed only for a 2x2 table

c. The standardized statistic is 1.922.

### Crosstab

		PNEUMURNI		Total	
		YA	TIDAK		
JENISSKA	STEMI	Count	22	220	242
		% within PNEUMURNI	68.8%	54.1%	55.1%
	NSTEMI	Count	8	124	132
		% within PNEUMURNI	25.0%	30.5%	30.1%
	UAPI/APTS	Count	2	63	65
		% within PNEUMURNI	6.3%	15.5%	14.8%
Total		Count	32	407	439
		% within PNEUMURNI	100.0%	100.0%	100.0%

### Chi-Square Tests

	Value	df	Asymptotic Significance (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)	Point 1
Pearson Chi-Square	3.164 <sup>a</sup>	2	.206	.208		
Likelihood Ratio	3.544	2	.170	.180		
Fisher-Freeman-Halton Exact Test	2.862			.229		

Linear-by-Linear Association	3.157 <sup>b</sup>	1	.076	.080	.045	.021
N of Valid Cases	439					

a. 1 cells (16.7%) have expected count less than 5. The minimum expected count is 4.74.

b. The standardized statistic is 1.777.

### Descriptives

		PNEUMURNI	Statistic	Std. Error		
USIA RECONDEN	YA	Mean	58.94	1.652		
		95% Confidence Interval for Mean	Lower Bound	55.57		
			Upper Bound	62.31		
		5% Trimmed Mean	58.72			
		Median	57.50			
		Variance	87.351			
		Std. Deviation	9.346			
		Minimum	44			
		Maximum	79			
		Range	35			
		Interquartile Range	15			
		Skewness	.370	.414		
		Kurtosis	-.796	.809		
		TIDAK		Mean	58.05	.548
				95% Confidence Interval for Mean	Lower Bound	56.97
Upper Bound	59.13					
5% Trimmed Mean	57.97					
Median	58.00					
Variance	122.234					
Std. Deviation	11.056					
Minimum	33					
Maximum	87					
Range	54					
Interquartile Range	15					
Skewness	.147			.121		
Kurtosis	-.387			.241		
IMT	YA			Mean	23.6094	.55026
				95% Confidence Interval for Mean	Lower Bound	22.4871
		Upper Bound	24.7316			
		5% Trimmed Mean	23.4840			
		Median	23.9000			
		Variance	9.689			
		Std. Deviation	3.11276			
		Minimum	18.00			
		Maximum	33.20			
		Range	15.20			
		Interquartile Range	4.07			

		Skewness		.602	.414
		Kurtosis		1.686	.809
	TIDAK	Mean		24.9260	.16813
		95% Confidence Interval for Mean	Lower Bound	24.5955	
			Upper Bound	25.2566	
		5% Trimmed Mean		24.7864	
		Median		24.3000	
		Variance		11.506	
		Std. Deviation		3.39199	
		Minimum		17.00	
		Maximum		44.90	
		Range		27.90	
		Interquartile Range		4.50	
		Skewness		1.002	.121
		Kurtosis		3.089	.241
LAMARAWAT	YA	Mean		9.3125	1.09842
		95% Confidence Interval for Mean	Lower Bound	7.0723	
			Upper Bound	11.5527	
		5% Trimmed Mean		8.4375	
		Median		7.0000	
		Variance		38.609	
		Std. Deviation		6.21360	
		Minimum		4.00	
		Maximum		36.00	
		Range		32.00	
		Interquartile Range		4.00	
		Skewness		2.958	.414
		Kurtosis		10.764	.809
	TIDAK	Mean		8.1966	.21393
		95% Confidence Interval for Mean	Lower Bound	7.7760	
			Upper Bound	8.6171	
		5% Trimmed Mean		7.6914	
		Median		7.0000	
		Variance		18.626	
		Std. Deviation		4.31582	
		Minimum		2.00	
		Maximum		43.00	
		Range		41.00	
		Interquartile Range		3.00	
		Skewness		3.202	.121
		Kurtosis		16.306	.241

## Tests of Normality



	PNEUMURNI	Kolmogorov-Smirnov <sup>a</sup>			Shapiro-Wilk		
		Statistic	df	Sig.	Statistic	df	Sig.
USIA	YA	.102	32	.200*	.961	32	.301
REPONDEN	TIDAK	.038	407	.165	.992	407	.025
IMT	YA	.109	32	.200*	.956	32	.209
	TIDAK	.079	407	<.001	.953	407	<.001
LAMARAWAT	YA	.237	32	<.001	.674	32	<.001
	TIDAK	.200	407	<.001	.730	407	<.001

\*. This is a lower bound of the true significance.

a. Lilliefors Significance Correction

### Independent Samples Test

		Levene's Test for Equality of Variances		t-test for Equality of Variances	
		F	Sig.	t	df
USIA REPONDEN	Equal variances assumed	.822	.365	.442	437
	Equal variances not assumed			.510	38.16

### Test Statistics<sup>a</sup>

	USIA REPONDEN	IMT	LAMARAWAT
Mann-Whitney U	6246.000	5117.500	6136.000
Wilcoxon W	89274.000	5645.500	89164.000
Z	-.385	-2.019	-.549
Asymp. Sig. (2-tailed)	.700	.044	.583

a. Grouping Variable: PNEUMURNI

TABEL 4

### Descriptive Statistics

	N	Minimum	Maximum	Mean	Std. Deviation
HB	439	6.90	26.50	13.5426	2.17070
HCT	439	20.00	67.80	39.7786	6.15582
LEUKOSIT	439	7.62	186800.00	12964.8331	9677.52065
PLT	439	73.00	1097.00	263.9886	89.70949
KREATININ	439	.29	16.04	1.1952	1.08926
SGOT	437	10.00	4447.00	144.1007	287.73377
SGPT	438	4.00	2162.00	67.4521	154.84635
GDS	428	15.00	546.00	159.1028	80.79760
KOLESTOTAL	390	77.00	1512.00	193.0795	84.44947
LDL	388	31.00	263.00	114.0052	35.22933

HDL	389	3.90	126.00	43.6527	12.93402
TG	384	42.00	660.00	141.3411	81.82243
Valid N (listwise)	372				

### Descriptives

		D30DAYS	Statistic	Std. Error		
HB	YA	Mean	13.4077	.55542		
		95% Confidence Interval for Mean	Lower Bound	12.2638		
			Upper Bound	14.5516		
		5% Trimmed Mean	13.2679			
		Median	12.9500			
		Variance	8.021			
		Std. Deviation	2.83209			
		Minimum	8.00			
		Maximum	22.60			
		Range	14.60			
		Interquartile Range	3.13			
		Skewness	1.003	.456		
		Kurtosis	3.547	.887		
		TIDAK		Mean	13.6731	.11441
				95% Confidence Interval for Mean	Lower Bound	13.4481
Upper Bound	13.8981					
5% Trimmed Mean	13.6988					
Median	13.6000					
Variance	4.529					
Std. Deviation	2.12809					
Minimum	6.90					
Maximum	26.50					
Range	19.60					
Interquartile Range	2.20					
Skewness	.261			.131		
Kurtosis	4.668			.261		
HCT	YA			Mean	39.8192	1.58821
				95% Confidence Interval for Mean	Lower Bound	36.5483
		Upper Bound	43.0902			
		5% Trimmed Mean	39.2581			
		Median	39.0000			
		Variance	65.582			
		Std. Deviation	8.09830			
		Minimum	28.00			
		Maximum	65.80			
		Range	37.80			
		Interquartile Range	11.50			
		Skewness	1.120	.456		

		Kurtosis	2.929	.887
	TIDAK	Mean	39.9855	.31271
		95% Confidence Interval for Mean	Lower Bound Upper Bound	39.3705 40.6006
		5% Trimmed Mean	40.1092	
		Median	40.0000	
		Variance	33.834	
		Std. Deviation	5.81666	
		Minimum	20.00	
		Maximum	66.00	
		Range	46.00	
		Interquartile Range	7.13	
		Skewness	-.219	.131
		Kurtosis	2.099	.261
LEUKOSIT	YA	Mean	15959.0654	1425.68843
		95% Confidence Interval for Mean	Lower Bound Upper Bound	13022.8051 18895.3257
		5% Trimmed Mean	15650.0000	
		Median	15030.0000	
		Variance	52847275.191	
		Std. Deviation	7269.61314	
		Minimum	15.70	
		Maximum	37850.00	
		Range	37834.30	
		Interquartile Range	6925.00	
		Skewness	.862	.456
		Kurtosis	2.729	.887
	TIDAK	Mean	12796.0868	560.32157
		95% Confidence Interval for Mean	Lower Bound Upper Bound	11694.0105 13898.1630
		5% Trimmed Mean	12082.7071	
		Median	12050.0000	
		Variance	108630250.974	
		Std. Deviation	10422.58370	
		Minimum	7.62	
		Maximum	186800.00	
		Range	186792.38	
		Interquartile Range	5695.00	
		Skewness	13.612	.131
		Kurtosis	226.265	.261
PLT	YA	Mean	259.3846	21.44525
		95% Confidence Interval for Mean	Lower Bound Upper Bound	215.2173 303.5519
		5% Trimmed Mean	249.2521	
		Median	240.0000	

		Variance		11957.366	
		Std. Deviation		109.34974	
		Minimum		73.00	
		Maximum		639.00	
		Range		566.00	
		Interquartile Range		80.25	
		Skewness		2.107	.456
		Kurtosis		6.253	.887
	TIDAK	Mean		258.5173	4.36524
		95% Confidence Interval for Mean	Lower Bound	249.9315	
			Upper Bound	267.1032	
		5% Trimmed Mean		254.0254	
		Median		250.5000	
		Variance		6593.132	
		Std. Deviation		81.19810	
		Minimum		88.00	
		Maximum		1097.00	
		Range		1009.00	
		Interquartile Range		80.25	
		Skewness		3.476	.131
		Kurtosis		32.125	.261
KREATININ	YA	Mean		1.4250	.15408
		95% Confidence Interval for Mean	Lower Bound	1.1077	
			Upper Bound	1.7423	
		5% Trimmed Mean		1.3612	
		Median		1.0850	
		Variance		.617	
		Std. Deviation		.78568	
		Minimum		.53	
		Maximum		3.68	
		Range		3.15	
		Interquartile Range		1.01	
		Skewness		1.301	.456
		Kurtosis		1.333	.887
	TIDAK	Mean		1.0960	.04263
		95% Confidence Interval for Mean	Lower Bound	1.0122	
			Upper Bound	1.1799	
		5% Trimmed Mean		.9933	
		Median		.9500	
		Variance		.629	
		Std. Deviation		.79290	
		Minimum		.29	
		Maximum		10.99	
		Range		10.70	
		Interquartile Range		.40	

		Skewness	7.505	.131			
		Kurtosis	78.843	.261			
SGOT	YA	Mean	308.1538	69.55612			
		95% Confidence Interval for Mean	Lower Bound	164.9003			
			Upper Bound	451.4074			
		5% Trimmed Mean	281.0299				
		Median	97.0000				
		Variance	125789.415				
		Std. Deviation	354.66804				
		Minimum	15.00				
		Maximum	1126.00				
		Range	1111.00				
		Interquartile Range	546.75				
		Skewness	1.103	.456			
		Kurtosis	-.125	.887			
		TIDAK	TIDAK	Mean	134.3497	15.67279	
				95% Confidence Interval for Mean	Lower Bound	103.5235	
					Upper Bound	165.1760	
5% Trimmed Mean	98.3308						
Median	55.5000						
Variance	84990.228						
Std. Deviation	291.53084						
Minimum	11.00						
Maximum	4447.00						
Range	4436.00						
Interquartile Range	138.50						
Skewness	10.408			.131			
Kurtosis	143.418			.261			
SGPT	YA			Mean	152.7692	39.61796	
				95% Confidence Interval for Mean	Lower Bound	71.1745	
					Upper Bound	234.3639	
		5% Trimmed Mean	133.5556				
		Median	40.5000				
		Variance	40809.145				
		Std. Deviation	202.01273				
		Minimum	13.00				
		Maximum	643.00				
		Range	630.00				
		Interquartile Range	182.25				
		Skewness	1.629	.456			
		Kurtosis	1.474	.887			
		TIDAK	TIDAK	Mean	59.8728	8.16438	
				95% Confidence Interval for Mean	Lower Bound	43.8146	
					Upper Bound	75.9311	
5% Trimmed Mean	41.3015						

		Median		33.0000	
		Variance		23063.358	
		Std. Deviation		151.86625	
		Minimum		4.00	
		Maximum		2162.00	
		Range		2158.00	
		Interquartile Range		39.25	
		Skewness		10.369	.131
		Kurtosis		125.317	.261
GDS	YA	Mean		202.5000	24.75425
		95% Confidence Interval for Mean	Lower Bound	151.5177	
			Upper Bound	253.4823	
		5% Trimmed Mean		196.0427	
		Median		153.5000	
		Variance		15932.100	
		Std. Deviation		126.22242	
		Minimum		15.00	
		Maximum		524.00	
		Range		509.00	
		Interquartile Range		207.75	
		Skewness		.981	.456
		Kurtosis		.186	.887
	TIDAK	Mean		151.5260	3.76847
		95% Confidence Interval for Mean	Lower Bound	144.1139	
			Upper Bound	158.9381	
		5% Trimmed Mean		142.9627	
		Median		130.0000	
		Variance		4913.682	
		Std. Deviation		70.09766	
		Minimum		54.00	
		Maximum		528.00	
		Range		474.00	
		Interquartile Range		59.00	
		Skewness		2.264	.131
		Kurtosis		6.390	.261
KOLESTOTAL	YA	Mean		179.3846	9.91162
		95% Confidence Interval for Mean	Lower Bound	158.9712	
			Upper Bound	199.7980	
		5% Trimmed Mean		180.1752	
		Median		180.5000	
		Variance		2554.246	
		Std. Deviation		50.53955	
		Minimum		77.00	
		Maximum		265.00	
		Range		188.00	

		Interquartile Range	72.00	
		Skewness	.038	.456
		Kurtosis	-.655	.887
	TIDAK	Mean	194.2110	4.71683
		95% Confidence Interval for Mean	Lower Bound Upper Bound	184.9336 203.4884
		5% Trimmed Mean	188.2303	
		Median	186.5000	
		Variance	7697.987	
		Std. Deviation	87.73817	
		Minimum	93.00	
		Maximum	1512.00	
		Range	1419.00	
		Interquartile Range	62.25	
		Skewness	10.018	.131
		Kurtosis	147.646	.261
LDL	YA	Mean	108.1923	7.39938
		95% Confidence Interval for Mean	Lower Bound Upper Bound	92.9530 123.4316
		5% Trimmed Mean	107.6282	
		Median	99.0000	
		Variance	1423.522	
		Std. Deviation	37.72958	
		Minimum	53.00	
		Maximum	174.00	
		Range	121.00	
		Interquartile Range	66.50	
		Skewness	.303	.456
		Kurtosis	-1.267	.887
	TIDAK	Mean	114.3873	1.86539
		95% Confidence Interval for Mean	Lower Bound Upper Bound	110.7183 118.0562
		5% Trimmed Mean	113.1654	
		Median	112.0000	
		Variance	1203.966	
		Std. Deviation	34.69821	
		Minimum	31.00	
		Maximum	263.00	
		Range	232.00	
		Interquartile Range	44.25	
		Skewness	.622	.131
		Kurtosis	.686	.261
HDL	YA	Mean	38.1154	2.08092
		95% Confidence Interval for Mean	Lower Bound Upper Bound	33.8296 42.4011

		5% Trimmed Mean	38.6325	
		Median	41.5000	
		Variance	112.586	
		Std. Deviation	10.61066	
		Minimum	13.00	
		Maximum	53.00	
		Range	40.00	
		Interquartile Range	17.25	
		Skewness	-.723	.456
		Kurtosis	-.193	.887
	TIDAK	Mean	43.7858	.69431
		95% Confidence Interval for Mean	Lower Bound Upper Bound	42.4202 45.1514
		5% Trimmed Mean	43.5045	
		Median	43.0000	
		Variance	166.795	
		Std. Deviation	12.91490	
		Minimum	3.90	
		Maximum	126.00	
		Range	122.10	
		Interquartile Range	13.25	
		Skewness	.924	.131
		Kurtosis	5.370	.261
TG	YA	Mean	157.1154	22.56180
		95% Confidence Interval for Mean	Lower Bound Upper Bound	110.6485 203.5823
		5% Trimmed Mean	140.2735	
		Median	138.0000	
		Variance	13234.906	
		Std. Deviation	115.04306	
		Minimum	55.00	
		Maximum	657.00	
		Range	602.00	
		Interquartile Range	106.00	
		Skewness	3.448	.456
		Kurtosis	14.879	.887
	TIDAK	Mean	140.9306	4.29740
		95% Confidence Interval for Mean	Lower Bound Upper Bound	132.4782 149.3830
		5% Trimmed Mean	132.0790	
		Median	117.0000	
		Variance	6389.792	
		Std. Deviation	79.93618	
		Minimum	42.00	
		Maximum	660.00	



Range	618.00	
Interquartile Range	77.25	
Skewness	2.488	.131
Kurtosis	9.673	.261

### Tests of Normality

	D30DAYS	Kolmogorov-Smirnov <sup>a</sup>			Shapiro-Wilk		
		Statistic	df	Sig.	Statistic	df	Sig.
HB	YA	.124	26	.200*	.918	26	.041
	TIDAK	.087	346	<.001	.945	346	<.001
HCT	YA	.118	26	.200*	.916	26	.037
	TIDAK	.070	346	<.001	.969	346	<.001
LEUKOSIT	YA	.123	26	.200*	.939	26	.126
	TIDAK	.226	346	<.001	.325	346	<.001
PLT	YA	.236	26	<.001	.772	26	<.001
	TIDAK	.092	346	<.001	.815	346	<.001
KREATININ	YA	.197	26	.011	.868	26	.003
	TIDAK	.247	346	<.001	.452	346	<.001
SGOT	YA	.246	26	<.001	.786	26	<.001
	TIDAK	.336	346	<.001	.340	346	<.001
SGPT	YA	.278	26	<.001	.703	26	<.001
	TIDAK	.359	346	<.001	.226	346	<.001
GDS	YA	.204	26	.007	.885	26	.007
	TIDAK	.183	346	<.001	.774	346	<.001
KOLESTOTAL	YA	.118	26	.200*	.963	26	.460
	TIDAK	.158	346	<.001	.490	346	<.001
LDL	YA	.147	26	.157	.928	26	.070
	TIDAK	.074	346	<.001	.978	346	<.001
HDL	YA	.147	26	.151	.942	26	.146
	TIDAK	.074	346	<.001	.946	346	<.001
TG	YA	.219	26	.002	.636	26	<.001
	TIDAK	.147	346	<.001	.789	346	<.001

\*. This is a lower bound of the true significance.

a. Lilliefors Significance Correction

### Test Statistics<sup>a</sup>

	HB	HCT	LEUKOSIT	PLT	KREATININ	SGOT	SGPT
Mann-Whitney U	7401.500	8039.000	6353.500	7313.000	6669.000	6805.000	7700.000
Wilcoxon W	8482.500	9120.000	83774.500	84734.000	84090.000	84226.000	85100.000
Z	-2.012	-1.229	-3.299	-2.120	-2.911	-2.318	-1.444
Asymp. Sig. (2-tailed)	.044	.219	<.001	.034	.004	.020	.150

a. Grouping Variable: D30DAYS

TABEL 5

**Descriptives**

		PNEUMURNI	Statistic	Std. Error	
HB	YA	Mean	14.1481	.31822	
		95% Confidence Interval for Mean	Lower Bound 13.4940 Upper Bound 14.8023		
		5% Trimmed Mean	14.1558		
		Median	14.2000		
		Variance	2.734		
		Std. Deviation	1.65352		
		Minimum	10.40		
		Maximum	17.50		
		Range	7.10		
		Interquartile Range	2.70		
		Skewness	-.017	.448	
		Kurtosis	-.246	.872	
		TIDAK	Mean	13.6159	.11921
			95% Confidence Interval for Mean	Lower Bound 13.3815 Upper Bound 13.8504	
	5% Trimmed Mean		13.6285		
	Median		13.6000		
	Variance		4.903		
	Std. Deviation		2.21416		
	Minimum		6.90		
	Maximum		26.50		
HCT	YA	Mean	40.6852	.80257	
		95% Confidence Interval for Mean	Lower Bound 39.0355 Upper Bound 42.3349		
		5% Trimmed Mean	40.7058		
		Median	40.0000		
		Variance	17.391		
		Std. Deviation	4.17029		
		Minimum	32.00		
		Maximum	49.00		
		Range	17.00		
		Interquartile Range	7.70		
		Skewness	.048	.448	
		Kurtosis	-.652	.872	
		TIDAK	Mean	39.9183	.32900
			95% Confidence Interval for Mean	Lower Bound 39.2712 Upper Bound 40.5654	

		5% Trimmed Mean	39.9916	
		Median	40.0000	
		Variance	37.343	
		Std. Deviation	6.11087	
		Minimum	20.00	
		Maximum	66.00	
		Range	46.00	
		Interquartile Range	7.30	
		Skewness	-.004	.131
		Kurtosis	2.269	.262
LEUKOSIT	YA	Mean	14428.8889	1040.77118
		95% Confidence Interval for Mean	Lower Bound 12289.5531 Upper Bound 16568.2247	
		5% Trimmed Mean	14133.5391	
		Median	14500.0000	
		Variance	29246525.641	
		Std. Deviation	5408.00570	
		Minimum	5560.00	
		Maximum	29900.00	
		Range	24340.00	
		Interquartile Range	6690.00	
		Skewness	.714	.448
		Kurtosis	1.322	.872
	TIDAK	Mean	12906.6717	567.50361
		95% Confidence Interval for Mean	Lower Bound 11790.4579 Upper Bound 14022.8854	
		5% Trimmed Mean	12162.9630	
		Median	12100.0000	
		Variance	111110819.508	
		Std. Deviation	10540.91170	
		Minimum	7.62	
		Maximum	186800.00	
		Range	186792.38	
		Interquartile Range	5700.00	
		Skewness	13.201	.131
		Kurtosis	216.325	.262
PLT	YA	Mean	247.9630	13.11786
		95% Confidence Interval for Mean	Lower Bound 220.9988 Upper Bound 274.9271	
		5% Trimmed Mean	246.3374	
		Median	241.0000	
		Variance	4646.114	
		Std. Deviation	68.16241	
		Minimum	140.00	
		Maximum	387.00	

		Range	247.00	
		Interquartile Range	113.00	
		Skewness	.362	.448
		Kurtosis	-.654	.872
	TIDAK	Mean	259.4087	4.54308
		95% Confidence Interval for Mean	Lower Bound 250.4730 Upper Bound 268.3444	
		5% Trimmed Mean	253.9799	
		Median	249.0000	
		Variance	7120.649	
		Std. Deviation	84.38394	
		Minimum	73.00	
		Maximum	1097.00	
		Range	1024.00	
		Interquartile Range	78.50	
		Skewness	3.393	.131
		Kurtosis	28.579	.262
KREATININ	YA	Mean	1.0289	.07706
		95% Confidence Interval for Mean	Lower Bound .8705 Upper Bound 1.1873	
		5% Trimmed Mean	.9820	
		Median	.9200	
		Variance	.160	
		Std. Deviation	.40042	
		Minimum	.51	
		Maximum	2.70	
		Range	2.19	
		Interquartile Range	.35	
		Skewness	2.884	.448
		Kurtosis	11.636	.872
	TIDAK	Mean	1.1261	.04407
		95% Confidence Interval for Mean	Lower Bound 1.0394 Upper Bound 1.2128	
		5% Trimmed Mean	1.0179	
		Median	.9700	
		Variance	.670	
		Std. Deviation	.81864	
		Minimum	.29	
		Maximum	10.99	
		Range	10.70	
		Interquartile Range	.40	
		Skewness	6.873	.131
		Kurtosis	68.586	.262
SGOT	YA	Mean	143.1111	32.07298
		95% Confidence Interval for Mean	Lower Bound 77.1842	

		Mean	Upper Bound	209.0381	
		5% Trimmed Mean		119.7243	
		Median		65.0000	
		Variance		27774.256	
		Std. Deviation		166.65610	
		Minimum		26.00	
		Maximum		802.00	
		Range		776.00	
		Interquartile Range		214.00	
		Skewness		2.567	.448
		Kurtosis		8.753	.872
	TIDAK	Mean		146.7623	16.54177
		95% Confidence Interval for Mean	Lower Bound	114.2266	
			Upper Bound	179.2981	
		5% Trimmed Mean		105.5427	
		Median		56.0000	
		Variance		94402.356	
		Std. Deviation		307.24966	
		Minimum		11.00	
		Maximum		4447.00	
		Range		4436.00	
		Interquartile Range		143.50	
		Skewness		9.057	.131
		Kurtosis		115.262	.262
SGPT	YA	Mean		48.0370	7.51285
		95% Confidence Interval for Mean	Lower Bound	32.5941	
			Upper Bound	63.4799	
		5% Trimmed Mean		43.0267	
		Median		45.0000	
		Variance		1523.960	
		Std. Deviation		39.03793	
		Minimum		4.00	
		Maximum		210.00	
		Range		206.00	
		Interquartile Range		37.00	
		Skewness		2.855	.448
		Kurtosis		11.337	.872
	TIDAK	Mean		67.8000	8.77401
		95% Confidence Interval for Mean	Lower Bound	50.5425	
			Upper Bound	85.0575	
		5% Trimmed Mean		43.4831	
		Median		33.0000	
		Variance		26559.230	
		Std. Deviation		162.97003	
		Minimum		6.00	

		Maximum	2162.00	
		Range	2156.00	
		Interquartile Range	41.00	
		Skewness	8.682	.131
		Kurtosis	93.696	.262
GDS	YA	Mean	124.5926	4.05702
		95% Confidence Interval for Mean	Lower Bound Upper Bound	116.2533 132.9319
		5% Trimmed Mean	124.2037	
		Median	126.0000	
		Variance	444.405	
		Std. Deviation	21.08091	
		Minimum	85.00	
		Maximum	173.00	
		Range	88.00	
		Interquartile Range	30.00	
		Skewness	.225	.448
		Kurtosis	.150	.872
	TIDAK	Mean	157.4754	4.22422
		95% Confidence Interval for Mean	Lower Bound Upper Bound	149.1668 165.7839
		5% Trimmed Mean	148.3486	
		Median	132.0000	
		Variance	6156.186	
		Std. Deviation	78.46137	
		Minimum	15.00	
		Maximum	528.00	
		Range	513.00	
		Interquartile Range	66.50	
		Skewness	2.064	.131
		Kurtosis	4.934	.262
KOLESTOTAL	YA	Mean	175.6296	7.80334
		95% Confidence Interval for Mean	Lower Bound Upper Bound	159.5896 191.6696
		5% Trimmed Mean	173.3848	
		Median	171.0000	
		Variance	1644.088	
		Std. Deviation	40.54736	
		Minimum	110.00	
		Maximum	291.00	
		Range	181.00	
		Interquartile Range	58.00	
		Skewness	.746	.448
		Kurtosis	1.335	.872
	TIDAK	Mean	194.5478	4.74605

		95% Confidence Interval for Mean	Lower Bound	185.2129	
			Upper Bound	203.8828	
		5% Trimmed Mean		188.7882	
		Median		188.0000	
		Variance		7771.132	
		Std. Deviation		88.15403	
		Minimum		77.00	
		Maximum		1512.00	
		Range		1435.00	
		Interquartile Range		67.50	
		Skewness		9.888	.131
		Kurtosis		145.115	.262
LDL	YA	Mean		103.6296	5.78266
		95% Confidence Interval for Mean	Lower Bound	91.7432	
			Upper Bound	115.5161	
		5% Trimmed Mean		101.2510	
		Median		104.0000	
		Variance		902.858	
		Std. Deviation		30.04759	
		Minimum		62.00	
		Maximum		193.00	
		Range		131.00	
		Interquartile Range		37.00	
		Skewness		1.179	.448
		Kurtosis		2.255	.872
	TIDAK	Mean		114.7623	1.89305
		95% Confidence Interval for Mean	Lower Bound	111.0389	
			Upper Bound	118.4857	
		5% Trimmed Mean		113.6908	
		Median		113.0000	
		Variance		1236.356	
		Std. Deviation		35.16186	
		Minimum		31.00	
		Maximum		263.00	
		Range		232.00	
		Interquartile Range		49.00	
		Skewness		.549	.131
		Kurtosis		.491	.262
HDL	YA	Mean		43.6296	2.70599
		95% Confidence Interval for Mean	Lower Bound	38.0674	
			Upper Bound	49.1919	
		5% Trimmed Mean		42.3807	
		Median		42.0000	
		Variance		197.704	
		Std. Deviation		14.06071	

		Minimum	22.00	
		Maximum	95.00	
		Range	73.00	
		Interquartile Range	13.00	
		Skewness	1.813	.448
		Kurtosis	6.130	.872
	TIDAK	Mean	43.3707	.68688
		95% Confidence Interval for Mean	Lower Bound Upper Bound	42.0197 44.7217
		5% Trimmed Mean	43.1876	
		Median	43.0000	
		Variance	162.774	
		Std. Deviation	12.75831	
		Minimum	3.90	
		Maximum	126.00	
		Range	122.10	
		Interquartile Range	14.00	
		Skewness	.790	.131
		Kurtosis	5.269	.262
TG	YA	Mean	110.0741	8.91379
		95% Confidence Interval for Mean	Lower Bound Upper Bound	91.7515 128.3966
		5% Trimmed Mean	107.3210	
		Median	96.0000	
		Variance	2145.302	
		Std. Deviation	46.31740	
		Minimum	53.00	
		Maximum	225.00	
		Range	172.00	
		Interquartile Range	80.00	
		Skewness	.845	.448
		Kurtosis	-.105	.872
	TIDAK	Mean	144.5652	4.54921
		95% Confidence Interval for Mean	Lower Bound Upper Bound	135.6175 153.5130
		5% Trimmed Mean	134.8639	
		Median	120.0000	
		Variance	7139.880	
		Std. Deviation	84.49781	
		Minimum	42.00	
		Maximum	660.00	
		Range	618.00	
		Interquartile Range	78.50	
		Skewness	2.667	.131
		Kurtosis	10.813	.262



### Tests of Normality

	PNEUMURNI	Kolmogorov-Smirnov <sup>a</sup>			Shapiro-Wilk		
		Statistic	df	Sig.	Statistic	df	Sig.
HB	YA	.124	27	.200*	.980	27	.860
	TIDAK	.088	345	<.001	.942	345	<.001
HCT	YA	.101	27	.200*	.974	27	.703
	TIDAK	.070	345	<.001	.967	345	<.001
LEUKOSIT	YA	.095	27	.200*	.956	27	.296
	TIDAK	.224	345	<.001	.339	345	<.001
PLT	YA	.099	27	.200*	.962	27	.409
	TIDAK	.108	345	<.001	.809	345	<.001
KREATININ	YA	.166	27	.056	.730	27	<.001
	TIDAK	.244	345	<.001	.487	345	<.001
SGOT	YA	.241	27	<.001	.698	27	<.001
	TIDAK	.329	345	<.001	.381	345	<.001
SGPT	YA	.204	27	.005	.727	27	<.001
	TIDAK	.352	345	<.001	.281	345	<.001
GDS	YA	.086	27	.200*	.977	27	.786
	TIDAK	.189	345	<.001	.788	345	<.001
KOLESTOTAL	YA	.124	27	.200*	.952	27	.240
	TIDAK	.151	345	<.001	.498	345	<.001
LDL	YA	.175	27	.033	.894	27	.010
	TIDAK	.064	345	.002	.982	345	<.001
HDL	YA	.189	27	.014	.857	27	.002
	TIDAK	.069	345	<.001	.952	345	<.001
TG	YA	.227	27	<.001	.906	27	.018
	TIDAK	.147	345	<.001	.770	345	<.001

\*. This is a lower bound of the true significance.

a. Lilliefors Significance Correction

	Test Statistics <sup>a</sup>											
	HB	HCT	LEUKOSIT	PLT	KREATININ	SGOT	SGPT	GDS	KOLESTOTAL	LDL	HDL	TG
Mann-Whitney U	5779.000	6338.000	4629.000	6317.000	6228.500	5801.000	6415.000	5062.500	4194.000	4074.500	4711.500	3459.000
Wilcoxon W	88807.000	89366.000	87657.000	6845.000	6756.500	88016.000	6943.000	5590.500	4600.000	4480.500	5117.500	3837.000
Z	-1.061	-.252	-2.725	-.282	-.410	-.987	-.118	-1.892	-1.521	-1.689	-.598	-2.447
Asymp. Sig. (2-tailed)	.289	.801	.006	.778	.682	.323	.906	.058	.128	.091	.550	.014

a. Grouping Variable: PNEUMURNI

TABEL 6

### Crosstab

PNEU	YA	Count	D30DAYS		Total
			YA	TIDAK	
			18	76	94

	% within D30DAYS	39.1%	19.3%	21.4%
TIDAK	Count	28	317	345
	% within D30DAYS	60.9%	80.7%	78.6%
Total	Count	46	393	439
	% within D30DAYS	100.0%	100.0%	100.0%

### Chi-Square Tests

	Value	df	Asymptotic Significance (2- sided)	Exact Sig. (2- sided)	Exact Sig. (1- sided)	Point L
Pearson Chi-Square	9.586 <sup>a</sup>	1	.002	.003	.003	
Continuity Correction <sup>b</sup>	8.446	1	.004			
Likelihood Ratio	8.428	1	.004	.007	.003	
Fisher's Exact Test				.004	.003	
Linear-by-Linear Association	9.564 <sup>c</sup>	1	.002	.003	.003	.002
N of Valid Cases	439					

a. 0 cells (0.0%) have expected count less than 5. The minimum expected count is 9.85.

b. Computed only for a 2x2 table

c. The standardized statistic is 3.093.

### Risk Estimate

	Value	95% Confidence Interval	
		Lower	Upper
Odds Ratio for PNEU (YA / TIDAK)	2.681	1.410	5.100
For cohort D30DAYS = YA	2.359	1.366	4.075
For cohort D30DAYS = TIDAK	.880	.794	.976
N of Valid Cases	439		

### Crosstab

		D30DAYS		Total	
		YA	TIDAK		
DISLIPID	YA	Count	12	154	166
		% within D30DAYS	26.1%	39.2%	37.8%
TIDAK	Count	34	239	273	
	% within D30DAYS	73.9%	60.8%	62.2%	
Total	Count	46	393	439	
	% within D30DAYS	100.0%	100.0%	100.0%	

### Chi-Square Tests

	Value	df	Asymptotic Significance (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)	Point 1
Pearson Chi-Square	3.005 <sup>a</sup>	1	.083	.107	.056	
Continuity Correction <sup>b</sup>	2.474	1	.116			
Likelihood Ratio	3.151	1	.076	.107	.056	
Fisher's Exact Test				.107	.056	
Linear-by-Linear Association	2.998 <sup>c</sup>	1	.083	.107	.056	.029
N of Valid Cases	439					

a. 0 cells (0.0%) have expected count less than 5. The minimum expected count is 17.39.

b. Computed only for a 2x2 table

c. The standardized statistic is -1.731.

### Risk Estimate

	Value	95% Confidence Interval	
		Lower	Upper
Odds Ratio for DISLIPID (YA / TIDAK)	.548	.275	1.090
For cohort D30DAYS = YA	.580	.309	1.089
For cohort D30DAYS = TIDAK	1.060	.996	1.127
N of Valid Cases	439		

### Crosstab

		D30DAYS			
		YA	TIDAK	Total	
DIABETES	YA	Count	25	116	141
		% within D30DAYS	54.3%	29.5%	32.1%
	TIDAK	Count	21	277	298
		% within D30DAYS	45.7%	70.5%	67.9%
Total		Count	46	393	439
		% within D30DAYS	100.0%	100.0%	100.0%

### Chi-Square Tests

	Value	df	Asymptotic Significance (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)	Point 1
Pearson Chi-Square	11.646 <sup>a</sup>	1	<.001	<.001	<.001	
Continuity Correction <sup>b</sup>	10.535	1	.001			
Likelihood Ratio	10.875	1	<.001	.001	<.001	
Fisher's Exact Test				.001	<.001	
Linear-by-Linear Association	11.620 <sup>c</sup>	1	<.001	<.001	<.001	.001
N of Valid Cases	439					

- a. 0 cells (0.0%) have expected count less than 5. The minimum expected count is 14.77.
- b. Computed only for a 2x2 table
- c. The standardized statistic is 3.409.

**Risk Estimate**

	Value	95% Confidence Interval	
		Lower	Upper
Odds Ratio for DIABETES (YA / TIDAK)	2.843	1.530	5.281
For cohort D30DAYS = YA	2.516	1.460	4.337
For cohort D30DAYS = TIDAK	.885	.815	.961
N of Valid Cases	439		

**Crosstab**

			D30DAYS		
			YA	TIDAK	Total
ROKOK	YA	Count	24	233	257
		% within D30DAYS	52.2%	59.3%	58.5%
	TIDAK	Count	22	160	182
		% within D30DAYS	47.8%	40.7%	41.5%
Total		Count	46	393	439
		% within D30DAYS	100.0%	100.0%	100.0%

**Chi-Square Tests**

	Value	df	Asymptotic Significance (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)	Point
Pearson Chi-Square	.859 <sup>a</sup>	1	.354	.429	.220	
Continuity Correction <sup>b</sup>	.591	1	.442			
Likelihood Ratio	.850	1	.357	.429	.220	
Fisher's Exact Test				.429	.220	
Linear-by-Linear Association	.857 <sup>c</sup>	1	.355	.429	.220	.081
N of Valid Cases	439					

- a. 0 cells (0.0%) have expected count less than 5. The minimum expected count is 19.07.
- b. Computed only for a 2x2 table
- c. The standardized statistic is -.926.

**Risk Estimate**

	Value	95% Confidence Interval	
		Lower	Upper
Odds Ratio for ROKOK (YA / TIDAK)	.749	.406	1.382

For cohort D30DAYS = YA	.773	.447	1.334
For cohort D30DAYS = TIDAK	1.031	.965	1.102
N of Valid Cases	439		

**Crosstab**

		D30DAYS		Total	
		YA	TIDAK		
HIPERTENSI	YA	Count	28	224	252
		% within D30DAYS	60.9%	57.0%	57.4%
	TIDAK	Count	18	169	187
		% within D30DAYS	39.1%	43.0%	42.6%
Total		Count	46	393	439
		% within D30DAYS	100.0%	100.0%	100.0%

**Chi-Square Tests**

	Value	df	Asymptotic Significance (2- sided)	Exact Sig. (2- sided)	Exact Sig. (1- sided)	Point L
Pearson Chi-Square	.253 <sup>a</sup>	1	.615	.640	.367	
Continuity Correction <sup>b</sup>	.119	1	.730			
Likelihood Ratio	.254	1	.614	.640	.367	
Fisher's Exact Test				.640	.367	
Linear-by-Linear Association	.252 <sup>c</sup>	1	.616	.640	.367	.111
N of Valid Cases	439					

a. 0 cells (0.0%) have expected count less than 5. The minimum expected count is 19.59.

b. Computed only for a 2x2 table

c. The standardized statistic is .502.

**Risk Estimate**

	Value	95% Confidence Interval	
		Lower	Upper
Odds Ratio for HIPERTENSI (YA / TIDAK)	1.174	.628	2.192
For cohort D30DAYS = YA	1.154	.659	2.023
For cohort D30DAYS = TIDAK	.984	.923	1.049
N of Valid Cases	439		

**Crosstab**

		D30DAYS		Total
		YA	TIDAK	

OBESITAS	YA	Count	21	178	199
		% within D30DAYS	45.7%	45.3%	45.3%
	TIDAK	Count	25	215	240
		% within D30DAYS	54.3%	54.7%	54.7%
Total		Count	46	393	439
		% within D30DAYS	100.0%	100.0%	100.0%

### Chi-Square Tests

	Value	df	Asymptotic Significance (2- sided)	Exact Sig. (2- sided)	Exact Sig. (1- sided)	Point
Pearson Chi-Square	.002 <sup>a</sup>	1	.963	1.000	.542	
Continuity Correction <sup>b</sup>	.000	1	1.000			
Likelihood Ratio	.002	1	.963	1.000	.542	
Fisher's Exact Test				1.000	.542	
Linear-by-Linear Association	.002 <sup>c</sup>	1	.963	1.000	.542	.124
N of Valid Cases	439					

a. 0 cells (0.0%) have expected count less than 5. The minimum expected count is 20.85.

b. Computed only for a 2x2 table

c. The standardized statistic is .046.

### Risk Estimate

	Value	95% Confidence Interval	
		Lower	Upper
Odds Ratio for OBESITAS (YA / TIDAK)	1.015	.550	1.873
For cohort D30DAYS = YA	1.013	.585	1.754
For cohort D30DAYS = TIDAK	.998	.936	1.065
N of Valid Cases	439		

### Crosstab

CKD	YA	Count	D30DAYS		Total
			YA	TIDAK	
		Count	19	41	60
		% within D30DAYS	41.3%	10.4%	13.7%
	TIDAK	Count	27	352	379
		% within D30DAYS	58.7%	89.6%	86.3%
Total		Count	46	393	439
		% within D30DAYS	100.0%	100.0%	100.0%

### Chi-Square Tests

	Value	df	Asymptotic Significance (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)	Point 1
Pearson Chi-Square	33.262 <sup>a</sup>	1	<.001	<.001	<.001	
Continuity Correction <sup>b</sup>	30.697	1	<.001			
Likelihood Ratio	24.940	1	<.001	<.001	<.001	
Fisher's Exact Test				<.001	<.001	
Linear-by-Linear Association	33.186 <sup>c</sup>	1	<.001	<.001	<.001	.000
N of Valid Cases	439					

a. 0 cells (0.0%) have expected count less than 5. The minimum expected count is 6.29.

b. Computed only for a 2x2 table

c. The standardized statistic is 5.761.

### Risk Estimate

	Value	95% Confidence Interval	
		Lower	Upper
Odds Ratio for CKD (YA / TIDAK)	6.042	3.091	11.808
For cohort D30DAYS = YA	4.445	2.643	7.476
For cohort D30DAYS = TIDAK	.736	.618	.876
N of Valid Cases	439		

TABEL 7

### Crosstab

			D30DAYS		
			YA	TIDAK	Total
PNEUMURNI	YA	Count	2	30	32
		% within D30DAYS	4.3%	7.6%	7.3%
	TIDAK	Count	44	363	407
		% within D30DAYS	95.7%	92.4%	92.7%
Total		Count	46	393	439
		% within D30DAYS	100.0%	100.0%	100.0%

### Chi-Square Tests

	Value	df	Asymptotic Significance (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)	Point 1
Pearson Chi-Square	.658 <sup>a</sup>	1	.417	.559	.324	
Continuity Correction <sup>b</sup>	.262	1	.609			
Likelihood Ratio	.750	1	.387	.559	.324	
Fisher's Exact Test				.559	.324	

Linear-by-Linear Association	.656 <sup>c</sup>	1	.418	.559	.324	.197
N of Valid Cases	439					

a. 1 cells (25.0%) have expected count less than 5. The minimum expected count is 3.35.

b. Computed only for a 2x2 table

c. The standardized statistic is -.810.

### Risk Estimate

	Value	95% Confidence Interval	
		Lower	Upper
Odds Ratio for PNEUMURNI (YA / TIDAK)	.550	.127	2.381
For cohort D30DAYS = YA	.578	.147	2.276
For cohort D30DAYS = TIDAK	1.051	.955	1.157
N of Valid Cases	439		

### Crosstab

		D30DAYS			
		YA	TIDAK	Total	
PNEUMONIAPENYERTA	YA	Count	16	46	62
		% within D30DAYS	34.8%	11.7%	14.1%
	TIDAK	Count	30	347	377
		% within D30DAYS	65.2%	88.3%	85.9%
Total		Count	46	393	439
		% within D30DAYS	100.0%	100.0%	100.0%

### Chi-Square Tests

	Value	df	Asymptotic Significance (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)	Point
Pearson Chi-Square	18.083 <sup>a</sup>	1	<.001	<.001	<.001	
Continuity Correction <sup>b</sup>	16.230	1	<.001			
Likelihood Ratio	14.325	1	<.001	<.001	<.001	
Fisher's Exact Test				<.001	<.001	
Linear-by-Linear Association	18.042 <sup>c</sup>	1	<.001	<.001	<.001	.000
N of Valid Cases	439					

a. 0 cells (0.0%) have expected count less than 5. The minimum expected count is 6.50.

b. Computed only for a 2x2 table

c. The standardized statistic is 4.248.

### Risk Estimate

Value	95% Confidence Interval
-------	-------------------------



		Lower	Upper
Odds Ratio for PNEUMONIAPENYERTA (YA / TIDAK)	4.023	2.038	7.943
For cohort D30DAYS = YA	3.243	1.882	5.588
For cohort D30DAYS = TIDAK	.806	.694	.936
N of Valid Cases	439		

**Crosstab**

		D30DAYS		Total
		YA	TIDAK	
PNEUMONIADM YA	Count	2	11	13
	% within D30DAYS	4.3%	2.8%	3.0%
TIDAK	Count	44	382	426
	% within D30DAYS	95.7%	97.2%	97.0%
Total	Count	46	393	439
	% within D30DAYS	100.0%	100.0%	100.0%

**Chi-Square Tests**

	Value	df	Asymptotic Significance (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)	Point
Pearson Chi-Square	.344 <sup>a</sup>	1	.558	.636	.403	
Continuity Correction <sup>b</sup>	.016	1	.899			
Likelihood Ratio	.306	1	.580	.636	.403	
Fisher's Exact Test				.636	.403	
Linear-by-Linear Association	.343 <sup>c</sup>	1	.558	.636	.403	.258
N of Valid Cases	439					

- a. 1 cells (25.0%) have expected count less than 5. The minimum expected count is 1.36.
- b. Computed only for a 2x2 table
- c. The standardized statistic is .586.

**Risk Estimate**

	Value	95% Confidence Interval	
		Lower	Upper
Odds Ratio for PNEUMONIADM (YA / TIDAK)	1.579	.339	7.353
For cohort D30DAYS = YA	1.490	.404	5.494
For cohort D30DAYS = TIDAK	.944	.747	1.192
N of Valid Cases	439		

**Crosstab**

			D30DAYS		Total
			YA	TIDAK	
PNEUMONIACKD	YA	Count	3	6	9
		% within D30DAYS	6.5%	1.5%	2.1%
	TIDAK	Count	43	387	430
		% within D30DAYS	93.5%	98.5%	97.9%
Total		Count	46	393	439
		% within D30DAYS	100.0%	100.0%	100.0%

**Chi-Square Tests**

	Value	df	Asymptotic Significance (2- sided)	Exact Sig. (2- sided)	Exact Sig. (1- sided)	Point
Pearson Chi-Square	5.117 <sup>a</sup>	1	.024	.058	.058	
Continuity Correction <sup>b</sup>	2.931	1	.087			
Likelihood Ratio	3.513	1	.061	.058	.058	
Fisher's Exact Test				.058	.058	
Linear-by-Linear Association	5.105 <sup>c</sup>	1	.024	.058	.058	.049
N of Valid Cases	439					

a. 1 cells (25.0%) have expected count less than 5. The minimum expected count is .94.

b. Computed only for a 2x2 table

c. The standardized statistic is 2.259.

**Risk Estimate**

	Value	95% Confidence Interval	
		Lower	Upper
Odds Ratio for PNEUMONIACKD (YA / TIDAK)	4.500	1.086	18.641
For cohort D30DAYS = YA	3.333	1.268	8.762
For cohort D30DAYS = TIDAK	.741	.466	1.177
N of Valid Cases	439		

**Crosstab**

			D30DAYS		Total
			YA	TIDAK	
PNEUMMCKD	YA	Count	6	1	7
		% within D30DAYS	13.0%	0.3%	1.6%
	TIDAK	Count	40	392	432
		% within D30DAYS	87.0%	99.7%	98.4%
Total		Count	46	393	439
		% within D30DAYS	100.0%	100.0%	100.0%

### Chi-Square Tests

	Value	df	Asymptotic Significance (2- sided)	Exact Sig. (2- sided)	Exact Sig. (1- sided)	Point 1
Pearson Chi-Square	42.925 <sup>a</sup>	1	<.001	<.001	<.001	
Continuity Correction <sup>b</sup>	35.161	1	<.001			
Likelihood Ratio	22.259	1	<.001	<.001	<.001	
Fisher's Exact Test				<.001	<.001	
Linear-by-Linear Association	42.827 <sup>c</sup>	1	<.001	<.001	<.001	.000
N of Valid Cases	439					

a. 1 cells (25.0%) have expected count less than 5. The minimum expected count is .73.

b. Computed only for a 2x2 table

c. The standardized statistic is 6.544.

### Risk Estimate

	Value	95% Confidence Interval	
		Lower	Upper
Odds Ratio for PNEUDMCKD (YA / TIDAK)	58.800	6.905	500.694
For cohort D30DAYS = YA	9.257	6.066	14.126
For cohort D30DAYS = TIDAK	.157	.026	.967
N of Valid Cases	439		

### Crosstab

			D30DAYS		Total
			YA	TIDAK	
PNEUDMDISL	YA	Count	2	6	8
		% within D30DAYS	4.3%	1.5%	1.8%
	TIDAK	Count	44	387	431
		% within D30DAYS	95.7%	98.5%	98.2%
Total		Count	46	393	439
		% within D30DAYS	100.0%	100.0%	100.0%

### Chi-Square Tests

	Value	df	Asymptotic Significance (2- sided)	Exact Sig. (2- sided)	Exact Sig. (1- sided)	Point 1
Pearson Chi-Square	1.832 <sup>a</sup>	1	.176	.200	.200	
Continuity Correction <sup>b</sup>	.594	1	.441			
Likelihood Ratio	1.388	1	.239	.610	.200	
Fisher's Exact Test				.200	.200	

Linear-by-Linear Association	1.828 <sup>c</sup>	1	.176	.200	.200	.159
N of Valid Cases	439					

a. 1 cells (25.0%) have expected count less than 5. The minimum expected count is .84.

b. Computed only for a 2x2 table

c. The standardized statistic is 1.352.

### Risk Estimate

	Value	95% Confidence Interval	
		Lower	Upper
Odds Ratio for PNEUDMDISL (YA / TIDAK)	2.932	.574	14.970
For cohort D30DAYS = YA	2.449	.714	8.399
For cohort D30DAYS = TIDAK	.835	.559	1.248
N of Valid Cases	439		

### Crosstab

		D30DAYS			Total
		YA	TIDAK		
PNEUDISLCKD	YA	Count	1	3	4
		% within D30DAYS	2.2%	0.8%	0.9%
	TIDAK	Count	45	390	435
		% within D30DAYS	97.8%	99.2%	99.1%
Total		Count	46	393	439
		% within D30DAYS	100.0%	100.0%	100.0%

### Chi-Square Tests

	Value	df	Asymptotic Significance (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)	Point
Pearson Chi-Square	.907 <sup>a</sup>	1	.341	.359	.359	
Continuity Correction <sup>b</sup>	.018	1	.894			
Likelihood Ratio	.685	1	.408	1.000	.359	
Fisher's Exact Test				.359	.359	
Linear-by-Linear Association	.905 <sup>c</sup>	1	.341	.359	.359	.303
N of Valid Cases	439					

a. 2 cells (50.0%) have expected count less than 5. The minimum expected count is .42.

b. Computed only for a 2x2 table

c. The standardized statistic is .952.

### Risk Estimate

	Value	95% Confidence Interval	
		Lower	Upper
Odds Ratio for PNEUDISLCKD (YA / TIDAK)	2.889	.294	28.360
For cohort D30DAYS = YA	2.417	.433	13.493
For cohort D30DAYS = TIDAK	.837	.475	1.474
N of Valid Cases	439		

**Crosstab**

			D30DAYS		Total
			YA	TIDAK	
LENGKAPPP	YA	Count	2	3	5
		% within D30DAYS	4.3%	0.8%	1.1%
	TIDAK	Count	44	390	434
		% within D30DAYS	95.7%	99.2%	98.9%
Total		Count	46	393	439
		% within D30DAYS	100.0%	100.0%	100.0%

**Chi-Square Tests**

	Value	df	Asymptotic Significance (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)	Point
Pearson Chi-Square	4.699 <sup>a</sup>	1	.030	.088	.088	
Continuity Correction <sup>b</sup>	2.055	1	.152			
Likelihood Ratio	3.011	1	.083	.088	.088	
Fisher's Exact Test				.088	.088	
Linear-by-Linear Association	4.688 <sup>c</sup>	1	.030	.088	.088	.078
N of Valid Cases	439					

a. 2 cells (50.0%) have expected count less than 5. The minimum expected count is .52.

b. Computed only for a 2x2 table

c. The standardized statistic is 2.165.

**Risk Estimate**

	Value	95% Confidence Interval	
		Lower	Upper
Odds Ratio for LENGKAPPP (YA / TIDAK)	5.909	.961	36.330
For cohort D30DAYS = YA	3.945	1.301	11.965
For cohort D30DAYS = TIDAK	.668	.326	1.367
N of Valid Cases	439		

**Crosstab**

		D30DAYS			
		YA	TIDAK	Total	
PNEUDISLIPID	YA	Count	0	16	16
		% within D30DAYS	0.0%	4.1%	3.6%
	TIDAK	Count	46	377	423
		% within D30DAYS	100.0%	95.9%	96.4%
Total		Count	46	393	439
		% within D30DAYS	100.0%	100.0%	100.0%

### Chi-Square Tests

	Value	df	Asymptotic Significance (2- sided)	Exact Sig. (2- sided)	Exact Sig. (1- sided)	Point L
Pearson Chi-Square	1.944 <sup>a</sup>	1	.163	.240	.165	
Continuity Correction <sup>b</sup>	.957	1	.328			
Likelihood Ratio	3.612	1	.057	.183	.165	
Fisher's Exact Test				.394	.165	
Linear-by-Linear Association	1.939 <sup>c</sup>	1	.164	.240	.165	.165
N of Valid Cases	439					

a. 1 cells (25.0%) have expected count less than 5. The minimum expected count is 1.68.

b. Computed only for a 2x2 table

c. The standardized statistic is -1.393.

### Risk Estimate

	Value	95% Confidence Interval	
		Lower	Upper
For cohort D30DAYS = TIDAK	1.122	1.085	1.160
N of Valid Cases	439		