

DAFTAR PUSTAKA

- Andriani, E. S. Nurwantoro. Hintono, A. 2018. *Perubahan Fisik Tomat Selama Penyimpanan Pada Suhu Ruang Akibat Pelapisan dengan Agar-Agar*. Jurnal Teknologi Pangan. 2(2). 176-182. Universitas Diponegoro. Semarang.
- Angelia, I. O. 2017. *Kandungan Ph, Total Asam Tertitrasi, Padatan Terlarut Dan Vitamin C Pada Beberapa Komoditas Hortikultura (pH Content, Total Acidified Acid, Dissolved Solids and Vitamin C in Some Horticultural Commodities)*. Journal of Agritech Science, 1(2). 68-73. Politeknik Gorontalo.
- Angga, D. W. 2007. *Pengaruh Metode Aplikasi Kitosan, Tanin, Natrium Metabisulfit dan Mix Pengawet Terhadap Umur Simpan Bakso Daging Sapi Pada Suhu Ruang*. Skripsi. Institut Pertanian Bogor.
- Gunawan, V. 2009. *Formulasi dan Aplikasi Edible Coating Berbasis Pati Sagu Dengan Penambahan Vitamin C Pada Paprika (Capsicum Annuum Varietas Athena)*. Skripsi. Institut Pertanian Bogor.
- Huse, M. A. 2014. *Aplikasi Edible Coating Dari Keragenan dan Gliserol Untuk Mengurangi Penurunan Kerusakan Apel Romebeauty*. Skripsi. Universitas Brawijaya. Malang.
- Iflah, T. Sutrisno. Titi, C. S. 2012. *Pengaruh Kemasan Starch-Based Plastics (Bioplastik) Terhadap Mutu Tomat Dan Paprika Selama Penyimpanan Dingin*. Jurnal Teknologi Industri Pertanian, 22(3).
- Kamsiati. Elmi. Herawati, H. Purwani, E. Y. 2017. *Potensi pengembangan plastik biodegradable berbasis pati sagu dan ubikayu di Indonesia*. Jurnal Penelitian dan Pengembangan Pertanian 36.2: 67-76.
- Kartika, I . 2018. *Pengaruh Konsentrasi Gliserol Pada Edible Coating Berbasis Pati Sagu Dengan Masa Simpan Berbeda Terhadap Mutu Kimia Jambu Biji Merah (Psidium guajava L.)*. Skripsi. Universitas Islam Negeri Sultan Syarif Kasim Riau.
- Kurniawan H. 2020). *Pengaruh Kadar Air Terhadap Nilai Warna CIE Pada Gula Semut*. Jurnal Teknik Pertanian Lampung. 9(3). 213-221. Universitas Mataram.

- Kusumiyati, Farida. Sutari, W. Mubarak, S. 2017. *Mutu Buah Sawo Selama Periode Simpan Berbeda. Jurnal Kultivasi*. 16 (3). 451-454. Universitas Padjajaran. Jawa Barat.
- Kusumiyati, Farida. Sutari, W. Hamdani, J. S. Mubarak, S. 2018. *Pengaruh Waktu Simpan Terhadap Nilai Total Padatan Terlarut, Kekerasan, dan Susut Bobot Buah Mangga Arumanis. Jurnal Kultivasi*. 17 (3). 769. Universitas Padjajaran. Jawa Barat.
- Luthfiani, S. (2021). *Pembuatan Label Indikator Sebagai Elemen Kemasan Cerdas (Smart Packaging) Untuk Memonitor Mutu Buah Paprika Merah (Capsicum Annuum Var-Grossum)*. Skripsi. Universitas Hasanuddin.
- Mawaddah, Y. A. 2018. *Pengaruh Berbagai Konsentrasi Edible Coating Tepung Terigu Terhadap Umur Simpan Buah Stroberi (Fragraria anannasa)*. Skripsi. Universitas Muhammadiyah Malang.
- Murtiwulandari, M. Archery, D. T. M. Haloho, M.. Kinasih, R. Tanggara, L. H. S. Hulu, Y. H. Anarki, G. D. Y. 2020. *Pengaruh suhu penyimpanan terhadap kualitas hasil panen komoditas Brassicaceae*. Jurnal Teknologi Pangan: Media Informasi Dan Komunikasi Ilmiah Teknologi Pertanian, 11(2), 136-143.
- Ningrum, R. S. Sondari, D. Purnomo, D. Amanda, P. Burhani, D. Rodhibilah, F. I. 2021. *Karakterisasi Edible Film dari Pati Sagu Alami dan Termodifikasi*. Jurnal Kimia dan Kemasan. 43(2). 95-102. Universitas Padjajaran. Jawa Barat.
- Pradana, D. 2015. *Respon Kualitas Pascapanen Paprika Hijau (Capsicum Annuum L.) pada Beberapa Tingkat Suhu Penyimpanan*. Skripsi. Institut Pertanian Bogor.
- Puspita, D. Tjahjono, J. D. Samalukang, Y. Toy, B. A. I. Totoda, N. W. 2018. *Isolasi dan Uji Termostabilitas Pigmen Cabai Katokon (Capsicum chinense Jacq.)*. Journal of Food and Life Sciences. 2(1). 9-16. Universitas Kristen Satya Wacana. Jawa Tengah.
- Sani, S. P. I. 2020. *Korelasi Konsentrasi Asap Cair Tempurung Kelapa Terhadap Karakteristik Paprika Merah (Capsicum annuum L.) Selama Penyimpanan Suhu Ruang*. Skripsi. Universitas Pasundan.

Gardjito, M. Swasti, Y. R. 2018. Buku Fisiologi Pascapanen Buah dan Sayur. UGM PRESS. Yogyakarta.

Widaningrum. Miskiyah. Winarti, C. 2016. *Aplikasi Bahan Penyalut Berbasis Pati Sagu dan Antimikroba Minyak Sereh Untuk Meningkatkan Umur Simpan Paprika (Capsicum Annuum Var. Athena) Merah.*" *Jurnal Penelitian Pascapanen Pertanian* 13.1: 11-20.

,

LAMPIRAN

Lampiran 1. Hasil Analisis Statistik (ANOVA) Pengukuran Susut Bobot Paprika Merah pada Hari ke-1

Tests of Between-Subjects Effects

Dependent Variable: susutbobot

Source	Type III Sum of Squares	df	Mean Square	F	Sig.
Model	70.469 ^a	6	11.745	163.419	.000
perlakuan * suhu	1.610	2	.805	11.199	.009
Perlakuan	5.417	2	2.708	37.685	.000
Suhu	3.312	1	3.312	46.079	.001
Error	.431	6	.072		
Total	70.900	12			

a. R Squared = .994 (Adjusted R Squared = .988)


SUSUT_BOBOT

Duncan^a

PERLAKUAN	N	Subset for alpha = 0.05		
		1	2	3
A3B1	2	1.2850		
A2B1	2	1.7575	1.7575	
A3B2	2	1.7685	1.7685	
A1B1	2		2.0970	
A2B2	2		2.3410	
A1B2	2			4.1820
Sig.		.132	.084	1.000

Means for groups in homogeneous subsets are displayed.

a. Uses Harmonic Mean Sample Size = 2.000.



Lampiran 2. Hasil Analisis Statistik (ANOVA) Pengukuran Susut Bobot Paprika Merah pada Hari ke-5

Tests of Between-Subjects Effects

Dependent Variable: susutbobot

Source	Type III Sum of Squares	df	Mean Square	F	Sig.
Model	1301.129 ^a	6	216.855	133.225	.000
perlakuan * suhu	.021	2	.011	.007	.993
Perlakuan	23.413	2	11.707	7.192	.026
Suhu	165.949	1	165.949	101.951	.000
Error	9.766	6	1.628		
Total	1310.896	12			

a. R Squared = .993 (Adjusted R Squared = .985)


SUSUT_BOBOT

Duncan^a

PERLAKUAN	N	Subset for alpha = 0.05	
		1	2
A3B1	2	4.6165	
A2B1	2	5.2630	
A1B1	2	7.8400	
A3B2	2		12.1370
A2B2	2		12.5845
A1B2	2		15.3105
Sig.		.051	.053

Means for groups in homogeneous subsets are displayed.

a. Uses Harmonic Mean Sample Size = 2.000.



Lampiran 3. Hasil Analisis Statistik (ANOVA) Pengukuran Susut Bobot Paprika Merah pada Hari ke-11

Tests of Between-Subjects Effects

Dependent Variable: susutbobot

Source	Type III Sum of Squares	df	Mean Square	F	Sig.
Model	5173.871 ^a	6	862.312	238.531	.000
perlakuan * suhu	7.203	2	3.601	.996	.423
Perlakuan	33.132	2	16.566	4.582	.062
Suhu	362.692	1	362.692	100.327	.000
Error	21.691	6	3.615		
Total	5195.561	12			

a. R Squared = .996 (Adjusted R Squared = .992)


SUSUT_BOBOT

Duncan^a

PERLAKUAN	N	Subset for alpha = 0.05	
		1	2
A2B1	2	11.7205	
A3B1	2	15.2565	
A1B1	2	16.3475	
A3B2	2		24.1640
A2B2	2		24.3360
A1B2	2		27.8105
Sig.		.057	.113

Means for groups in homogeneous subsets are displayed.

a. Uses Harmonic Mean Sample Size = 2.000.



Lampiran 4. Hasil Analisis Statistik (ANOVA) Pengukuran Susut Bobot Paprika Merah pada Hari ke-16

Tests of Between-Subjects Effects

Dependent Variable: susutbobot

Source	Type III Sum of Squares	df	Mean Square	F	Sig.
Model	10104.200 ^a	6	1684.033	532.646	.000
perlakuan * suhu	53.006	2	26.503	8.383	.018
Perlakuan	146.663	2	73.331	23.194	.002
Suhu	523.895	1	523.895	165.704	.000
Error	18.970	6	3.162		
Total	10123.170	12			

a. R Squared = .998 (Adjusted R Squared = .996)


SUSUT_BOBOT

Duncan^a

PERLAKUAN	N	Subset for alpha = 0.05				
		1	2	3	4	5
A3B1	2	16.7210				
A2B1	2		21.2580			
A1B1	2			26.0765		
A3B2	2			29.3155		
A1B2	2				34.4815	
A2B2	2					39.9030
Sig.		1.000	1.000	.118	1.000	1.000

Means for groups in homogeneous subsets are displayed.

a. Uses Harmonic Mean Sample Size = 2.000.



Lampiran 5. Hasil Analisis Statistik (ANOVA) Pengukuran Nilai *L Paprika Merah pada Hari ke-1

Tests of Between-Subjects Effects

Dependent Variable: NILAI_L

Source	Type III Sum of Squares	df	Mean Square	F	Sig.
Model	23188.678 ^a	6	3864.780	1439.340	.000
PERLAKUAN	11.176	2	5.588	2.081	.168
SUHU	13.694	1	13.694	5.100	.043
PERLAKUAN * SUHU	6.853	2	3.426	1.276	.314
Error	32.221	12	2.685		
Total	23220.899	18			

a. R Squared = .999 (Adjusted R Squared = .998)


NILAI_L

Duncan^a

PERLAKUAN	N	Subset for alpha = 0.05	
		1	2
A3B1	3	34.4933	
A2B1	3	34.8733	
A3B2	3	35.0533	
A1B1	3	35.6200	35.6200
A1B2	3	36.8467	36.8467
A2B2	3		38.3200
Sig.		.134	.078

Means for groups in homogeneous subsets are displayed.

a. Uses Harmonic Mean Sample Size = 3.000.



Lampiran 6. Hasil Analisis Statistik (ANOVA) Pengukuran Nilai *L Paprika Merah pada Hari ke-5

Tests of Between-Subjects Effects

Dependent Variable: NILAI_L

Source	Type III Sum of Squares	df	Mean Square	F	Sig.
Model	22386.666 ^a	6	3731.111	2543.843	.000
PERLAKUAN	10.041	2	5.020	3.423	.067
SUHU	4.460	1	4.460	3.041	.107
PERLAKUAN * SUHU	3.220	2	1.610	1.098	.365
Error	17.601	12	1.467		
Total	22404.267	18			

a. R Squared = .999 (Adjusted R Squared = .999)


NILAI_L

Duncan^a

PERLAKUAN	N	Subset for alpha = 0.05	
		1	2
A1B2	3	34.2833	
A1B1	3	34.4300	
A2B2	3	34.8700	
A3B2	3	35.1100	35.1100
A2B1	3	35.5600	35.5600
A3B1	3		37.2600
Sig.		.261	.060

Means for groups in homogeneous subsets are displayed.

a. Uses Harmonic Mean Sample Size = 3.000.



Lampiran 7. Hasil Analisis Statistik (ANOVA) Pengukuran Nilai *L Paprika Merah pada Hari ke-11

Tests of Between-Subjects Effects

Dependent Variable: NILAI_L

Source	Type III Sum of Squares	df	Mean Square	F	Sig.
Model	22073.795 ^a	6	3678.966	4559.540	.000
PERLAKUAN	29.393	2	14.696	18.214	.000
SUHU	6.219	1	6.219	7.707	.017
PERLAKUAN * SUHU	44.148	2	22.074	27.358	.000
Error	9.682	12	.807		
Total	22083.478	18			

a. R Squared = 1.000 (Adjusted R Squared = .999)


NILAI_L

Duncan^a

PERLAKUAN	N	Subset for alpha = 0.05		
		1	2	3
A1B2	3	31.0400		
A3B1	3		33.3667	
A3B2	3			35.4267
A1B1	3			36.4533
A2B2	3			36.6367
A2B1	3			36.8100
Sig.		1.000	1.000	.105

Means for groups in homogeneous subsets are displayed.

a. Uses Harmonic Mean Sample Size = 3.000.



Lampiran 8. Hasil Analisis Statistik (ANOVA) Pengukuran Nilai *L Paprika Merah pada Hari ke-16

Tests of Between-Subjects Effects

Dependent Variable: NILAI_L

Source	Type III Sum of Squares	df	Mean Square	F	Sig.
Model	19957.585 ^a	6	3326.264	457.721	.000
PERLAKUAN	9.519	2	4.760	.655	.537
SUHU	.646	1	.646	.089	.771
PERLAKUAN * SUHU	20.021	2	10.010	1.377	.289
Error	87.204	12	7.267		
Total	20044.789	18			

a. R Squared = .996 (Adjusted R Squared = .993)


NILAI_L

Duncan^a

PERLAKUAN	N	Subset for alpha = 0.05
		1
A1B2	3	31.5967
A3B1	3	32.1867
A1B1	3	32.9000
A2B2	3	33.2500
A2B1	3	34.1633
A3B2	3	35.5400
Sig.		.131

Means for groups in homogeneous subsets are displayed.

a. Uses Harmonic Mean Sample Size = 3.000.



Lampiran 9. Hasil Analisis Statistik (ANOVA) Pengukuran Nilai *a Paprika Merah pada Hari ke-1

Tests of Between-Subjects Effects

Dependent Variable: NILAI_a

Source	Type III Sum of Squares	df	Mean Square	F	Sig.
Model	15328.071 ^a	6	2554.678	278.446	.000
PERLAKUAN	4.420	2	2.210	.241	.790
SUHU	30.837	1	30.837	3.361	.092
PERLAKUAN * SUHU	36.262	2	18.131	1.976	.181
Error	110.097	12	9.175		
Total	15438.168	18			

a. R Squared = .993 (Adjusted R Squared = .989)


NILAI_a

Duncan^a

PERLAKUAN	N	Subset for alpha = 0.05
		1
A1B2	3	26.1333
A2B2	3	26.9767
A3B1	3	28.9067
A3B2	3	30.3033
A1B1	3	30.7367
A2B1	3	31.6233
Sig.		.068

Means for groups in homogeneous subsets are displayed.

a. Uses Harmonic Mean Sample Size = 3.000.



Lampiran 10. Hasil Analisis Statistik (ANOVA) Pengukuran Nilai *a Paprika Merah pada Hari ke-5

Tests of Between-Subjects Effects

Dependent Variable: NILAI_a

Source	Type III Sum of Squares	df	Mean Square	F	Sig.
Model	16759.338 ^a	6	2793.223	410.965	.000
PERLAKUAN	25.713	2	12.857	1.892	.193
SUHU	35.729	1	35.729	5.257	.041
PERLAKUAN * SUHU	30.167	2	15.084	2.219	.151
Error	81.561	12	6.797		
Total	16840.899	18			

a. R Squared = .995 (Adjusted R Squared = .993)


NILAI_a

Duncan^a

PERLAKUAN	N	Subset for alpha = 0.05	
		1	2
A1B2	3	25.7933	
A2B2	3	29.9333	29.9333
A3B1	3		30.9100
A3B2	3		31.3367
A1B1	3		31.7033
A2B1	3		32.9033
Sig.		.076	.226

Means for groups in homogeneous subsets are displayed.

a. Uses Harmonic Mean Sample Size = 3.000.



Lampiran 11. Hasil Analisis Statistik (ANOVA) Pengukuran Nilai *a Paprika Merah pada Hari ke-11

Tests of Between-Subjects Effects

Dependent Variable: NILAI_a

Source	Type III Sum of Squares	df	Mean Square	F	Sig.
Model	16857.483 ^a	6	2809.581	290.406	.000
PERLAKUAN	61.530	2	30.765	3.180	.078
SUHU	32.913	1	32.913	3.402	.090
PERLAKUAN * SUHU	36.835	2	18.418	1.904	.191
Error	116.096	12	9.675		
Total	16973.580	18			

a. R Squared = .993 (Adjusted R Squared = .990)


NILAI_a

Duncan^a

PERLAKUAN	N	Subset for alpha = 0.05	
		1	2
A1B2	3	25.0267	
A2B2	3	30.1100	30.1100
A1B1	3	30.7167	30.7167
A3B1	3		31.1033
A3B2	3		32.2567
A2B1	3		33.6867
Sig.		.054	.222

Means for groups in homogeneous subsets are displayed.

a. Uses Harmonic Mean Sample Size = 3.000.



Lampiran 12. Hasil Analisis Statistik (ANOVA) Pengukuran Nilai *a Paprika Merah pada Hari ke-16

Tests of Between-Subjects Effects

Dependent Variable: NILAI_a

Source	Type III Sum of Squares	df	Mean Square	F	Sig.
Model	18411.709 ^a	6	3068.618	73.883	.000
PERLAKUAN	499.282	2	249.641	6.011	.016
SUHU	44.023	1	44.023	1.060	.324
PERLAKUAN * SUHU	.973	2	.487	.012	.988
Error	498.403	12	41.534		
Total	18910.113	18			

a. R Squared = .974 (Adjusted R Squared = .960)


NILAI_a

Duncan^a

PERLAKUAN	N	Subset for alpha = 0.05	
		1	2
A1B2	3	22.3533	
A1B1	3	26.1367	26.1367
A2B2	3	32.3233	32.3233
A2B1	3		35.0767
A3B2	3		35.1500
A3B1	3		37.9967
Sig.		.096	.062

Means for groups in homogeneous subsets are displayed.

a. Uses Harmonic Mean Sample Size = 3.000.



Lampiran 13. Hasil Analisis Statistik (ANOVA) Pengukuran Nilai *b Paprika Merah pada Hari ke-1

Tests of Between-Subjects Effects

Dependent Variable: NILAI_b

Source	Type III Sum of Squares	df	Mean Square	F	Sig.
Model	749.676 ^a	6	124.946	75.147	.000
PERLAKUAN	216.188	2	108.094	65.011	.000
SUHU	304.346	1	304.346	183.043	.000
PERLAKUAN * SUHU	158.199	2	79.099	47.573	.000
Error	19.952	12	1.663		
Total	769.629	18			

a. R Squared = .974 (Adjusted R Squared = .961)


NILAI_b

Duncan^a

PERLAKUAN	N	Subset for alpha = 0.05	
		1	2
A2B2	3	-11.2733	
A1B2	3	-9.9433	
A1B1	3		1.0667
A2B1	3		2.4067
A3B1	3		2.9067
A3B2	3		2.9250
Sig.		.230	.127

Means for groups in homogeneous subsets are displayed.

a. Uses Harmonic Mean Sample Size = 3.000.



Lampiran 14. Hasil Analisis Statistik (ANOVA) Pengukuran Nilai *b Paprika Merah pada Hari ke-5

Tests of Between-Subjects Effects

Dependent Variable: NILAI_b

Source	Type III Sum of Squares	df	Mean Square	F	Sig.
Model	182.886 ^a	6	30.481	19.609	.000
PERLAKUAN	70.220	2	35.110	22.587	.000
SUHU	42.627	1	42.627	27.423	.000
PERLAKUAN * SUHU	34.647	2	17.324	11.145	.002
Error	18.653	12	1.554		
Total	201.540	18			

a. R Squared = .907 (Adjusted R Squared = .861)


NILAI_b

Duncan^a

PERLAKUAN	N	Subset for alpha = 0.05		
		1	2	3
A2B1	3	-5.3467		
A3B1	3	-5.2767		
A3B2	3		-.5867	
A2B2	3		.4433	.4433
A1B2	3		.9733	.9733
A1B1	3			1.8000
Sig.		.942	.142	.197

Means for groups in homogeneous subsets are displayed.

a. Uses Harmonic Mean Sample Size = 3.000.



Lampiran 15. Hasil Analisis Statistik (ANOVA) Pengukuran Nilai *b Paprika Merah pada Hari ke-11

Tests of Between-Subjects Effects

Dependent Variable: NILAI_b

Source	Type III Sum of Squares	df	Mean Square	F	Sig.
Model	798.062 ^a	6	133.010	26.292	.000
PERLAKUAN	88.376	2	44.188	8.734	.005
SUHU	21.539	1	21.539	4.257	.061
PERLAKUAN * SUHU	17.513	2	8.757	1.731	.219
Error	60.708	12	5.059		
Total	858.770	18			

a. R Squared = .929 (Adjusted R Squared = .894)


NILAI_b

Duncan^a

PERLAKUAN	N	Subset for alpha = 0.05	
		1	2
A2B2	3	-8.4467	
A3B1	3	-6.6167	-6.6167
A3B2	3	-5.4833	-5.4833
A2B1	3	-5.4333	-5.4333
A1B1	3	-3.4233	-3.4233
A1B2	3		-1.1000
Sig.		.142	.110

Means for groups in homogeneous subsets are displayed.

a. Uses Harmonic Mean Sample Size = 3.000.



**Lampiran 16. Hasil Analisis Statistik (ANOVA) Pengukuran Nilai *b
Paprika Merah pada Hari ke-16**

Tests of Between-Subjects Effects

Dependent Variable: NILAI_b

Source	Type III Sum of Squares	df	Mean Square	F	Sig.
Model	117.428 ^a	6	19.571	3.925	.021
PERLAKUAN	43.172	2	21.586	4.329	.038
SUHU	15.052	1	15.052	3.019	.108
PERLAKUAN * SUHU	17.068	2	8.534	1.712	.222
Error	59.830	12	4.986		
Total	177.258	18			

a. R Squared = .662 (Adjusted R Squared = .494)


NILAI_b

Duncan^a

PERLAKUAN	N	Subset for alpha = 0.05		
		1	2	3
A3B2	3	-4.4500		
A3B1	3	-2.8033	-2.8033	
A2B2	3		-2.0833	
A1B1	3			.3000
A1B2	3			.6100
A2B1	3			2.2167
Sig.		.111	.466	.080

Means for groups in homogeneous subsets are displayed.

a. Uses Harmonic Mean Sample Size = 3.000.



Lampiran 17. Hasil Analisis Statistik (ANOVA) Nilai HUE Paprika Merah pada Hari ke-1

Tests of Between-Subjects Effects

Dependent Variable: NILAI_HUE

Source	Type III Sum of Squares	df	Mean Square	F	Sig.
Model	3421.873 ^a	6	570.312	63.130	.000
PERLAKUAN	855.663	2	427.832	47.359	.000
SUHU	1320.980	1	1320.980	146.225	.000
PERLAKUAN * SUHU	818.910	2	409.455	45.324	.000
Error	108.407	12	9.034		
Total	3530.280	18			

a. R Squared = .969 (Adjusted R Squared = .954)


HUE

Duncan^a

PERLAKUAN	N	Subset for alpha = 0.05	
		1	2
A2B2	3	-24.067	
A1B2	3	-22.000	
A1B1	3		2.333
A3B1	3		2.800
A2B1	3		4.767
A3B2	3		5.767
Sig.		.486	.290

Means for groups in homogeneous subsets are displayed.

a. Uses Harmonic Mean Sample Size = 3.000.



Lampiran 18. Hasil Analisis Statistik (ANOVA) Nilai HUE Paprika Merah pada Hari ke-5

Tests of Between-Subjects Effects

Dependent Variable: NILAI_HUE

Source	Type III Sum of Squares	df	Mean Square	F	Sig.
Model	681.667 ^a	6	113.611	17.207	.000
PERLAKUAN	256.968	2	128.484	19.459	.000
SUHU	177.976	1	177.976	26.955	.000
PERLAKUAN * SUHU	130.188	2	65.094	9.859	.003
Error	79.233	12	6.603		
Total	760.900	18			

a. R Squared = .896 (Adjusted R Squared = .844)


HUE

Duncan^a

PERLAKUAN	N	Subset for alpha = 0.05	
		1	2
A3B1	3	-10.633	
A2B1	3	-9.833	
A3B2	3		-1.000
A2B2	3		.700
A1B2	3		2.100
A1B1	3		3.400
Sig.		.710	.075

Means for groups in homogeneous subsets are displayed.

a. Uses Harmonic Mean Sample Size = 3.000.



Lampiran 19. Hasil Analisis Statistik (ANOVA) Nilai HUE Paprika Merah pada Hari ke-11

Tests of Between-Subjects Effects

Dependent Variable: NILAI_HUE

Source	Type III Sum of Squares	df	Mean Square	F	Sig.
Model	2781.003 ^a	6	463.501	16.601	.000
PERLAKUAN	271.110	2	135.555	4.855	.029
SUHU	36.125	1	36.125	1.294	.278
PERLAKUAN * SUHU	86.363	2	43.182	1.547	.253
Error	335.047	12	27.921		
Total	3116.050	18			

a. R Squared = .892 (Adjusted R Squared = .839)


HUE

Duncan^a

PERLAKUAN	N	Subset for alpha = 0.05	
		1	2
A2B2	3	-16.733	
A3B1	3	-16.067	
A2B1	3	-13.400	
A3B2	3	-10.667	-10.667
A1B1	3	-9.333	-9.333
A1B2	3		-2.900
Sig.		.143	.112

Means for groups in homogeneous subsets are displayed.

a. Uses Harmonic Mean Sample Size = 3.000.



Lampiran 20. Hasil Analisis Statistik (ANOVA) Nilai HUE Paprika Merah pada Hari ke-16

Tests of Between-Subjects Effects

Dependent Variable: NILAI_HUE

Source	Type III Sum of Squares	df	Mean Square	F	Sig.
Model	366.917 ^a	6	61.153	4.769	.010
PERLAKUAN	203.541	2	101.771	7.937	.006
SUHU	55.125	1	55.125	4.299	.060
PERLAKUAN * SUHU	53.823	2	26.912	2.099	.165
Error	153.873	12	12.823		
Total	520.790	18			

a. R Squared = .705 (Adjusted R Squared = .557)


HUE

Duncan^a

PERLAKUAN	N	Subset for alpha = 0.05	
		1	2
A3B2	3	-8.567	
A3B1	3	-4.300	-4.300
A2B2	3	-3.700	-3.700
A1B2	3	-.900	-.900
A1B1	3		.733
A2B1	3		3.600
Sig.		.076	.072

Means for groups in homogeneous subsets are displayed.

a. Uses Harmonic Mean Sample Size = 3.000.



Lampiran 21. Hasil Analisis Statistik (ANOVA) Pengukuran Kekerasan Paprika Merah pada Hari ke-1

Tests of Between-Subjects Effects

Dependent Variable: KEKERASAN_NEWTON

Source	Type III Sum of Squares	df	Mean Square	F	Sig.
Corrected Model	259.487 ^a	5	51.897	4.014	.023
Intercept	18503.108	1	18503.108	1431.157	.000
KONSENTRASI * SUHU	235.080	2	117.540	9.091	.004
KONSENTRASI	11.522	2	5.761	.446	.651
SUHU	12.886	1	12.886	.997	.338
Error	155.145	12	12.929		
Total	18917.741	18			
Corrected Total	414.633	17			

a. R Squared = .626 (Adjusted R Squared = .470)


KEKERASAN_NEWTON

Duncan^a

PERLAKUAN	N	Subset for alpha = 0.05		
		1	2	3
A1B2	3	26.3333		
A1B1	3	29.4000	29.4000	
A2B2	3	31.0800	31.0800	
A2B1	3	32.5767	32.5767	32.5767
A3B2	3		34.7367	34.7367
A3B1	3			38.2433
Sig.		.072	.117	.090

Means for groups in homogeneous subsets are displayed.

a. Uses Harmonic Mean Sample Size = 3.000.



Lampiran 22. Hasil Analisis Statistik (ANOVA) Pengukuran Kekerasan Paprika Merah pada Hari ke-5

Tests of Between-Subjects Effects

Dependent Variable: KEKERASAN_NEWTON

Source	Type III Sum of Squares	df	Mean Square	F	Sig.
Corrected Model	404.018 ^a	5	80.804	5.485	.007
Intercept	17205.743	1	17205.743	1167.897	.000
KONSENTRASI * SUHU	322.237	2	161.119	10.936	.002
KONSENTRASI	31.145	2	15.572	1.057	.378
SUHU	50.635	1	50.635	3.437	.088
Error	176.787	12	14.732		
Total	17786.548	18			
Corrected Total	580.805	17			

a. R Squared = .696 (Adjusted R Squared = .569)


KEKERASAN_NEWTON

Duncan^a

PERLAKUAN	N	Subset for alpha = 0.05		
		1	2	3
A1B2	3	23.1600		
A1B1	3	27.0667	27.0667	
A2B1	3		31.8133	31.8133
A2B2	3		32.5233	32.5233
A3B2	3		32.7467	32.7467
A3B1	3			38.1933
Sig.		.236	.118	.083

Means for groups in homogeneous subsets are displayed.

a. Uses Harmonic Mean Sample Size = 3.000.



Lampiran 23. Hasil Analisis Statistik (ANOVA) Pengukuran Kekerasan Paprika Merah pada Hari ke-11

Tests of Between-Subjects Effects

Dependent Variable: KEKERASAN_NEWTON

Source	Type III Sum of Squares	df	Mean Square	F	Sig.
Corrected Model	481.362 ^a	5	96.272	6.855	.003
Intercept	14825.846	1	14825.846	1055.714	.000
KONSENTRASI * SUHU	445.297	2	222.649	15.854	.000
KONSENTRASI	24.109	2	12.055	.858	.448
SUHU	11.956	1	11.956	.851	.374
Error	168.521	12	14.043		
Total	15475.730	18			
Corrected Total	649.884	17			

a. R Squared = .741 (Adjusted R Squared = .633)


KEKERASAN_NEWTON

Duncan^a

PERLAKUAN	N	Subset for alpha = 0.05			
		1	2	3	4
A1B2	3	20.3767			
A1B1	3	23.9933	23.9933		
A2B2	3		28.6700	28.6700	
A2B1	3			31.3200	31.3200
A3B2	3			31.9567	31.9567
A3B1	3				35.8800
Sig.		.260	.152	.327	.181

Means for groups in homogeneous subsets are displayed.

a. Uses Harmonic Mean Sample Size = 3.000.



Lampiran 24. Hasil Analisis Statistik (ANOVA) Pengukuran Kekerasan Paprika Merah pada Hari ke-16

Tests of Between-Subjects Effects

Dependent Variable: KEKERASAN_NEWTON

Source	Type III Sum of Squares	df	Mean Square	F	Sig.
Corrected Model	1187.407 ^a	5	237.481	17.578	.000
Intercept	10336.344	1	10336.344	765.074	.000
KONSENTRASI * SUHU	1026.457	2	513.229	37.988	.000
KONSENTRASI	114.356	2	57.178	4.232	.041
SUHU	46.593	1	46.593	3.449	.088
Error	162.123	12	13.510		
Total	11685.874	18			
Corrected Total	1349.530	17			

a. R Squared = .880 (Adjusted R Squared = .830)


KEKERASAN_NEWTON

Duncan^a

PERLAKUAN	N	Subset for alpha = 0.05			
		1	2	3	4
A2B2	3	10.4000			
A1B2	3		17.6833		
A1B1	3		22.3767	22.3767	
A2B1	3			28.6133	28.6133
A3B2	3				30.4200
A3B1	3				34.2867
Sig.		1.000	.144	.060	.097

Means for groups in homogeneous subsets are displayed.

a. Uses Harmonic Mean Sample Size = 3.000.



Lampiran 25. Hasil Analisis Statistik (ANOVA) Pengukuran Total Padatan Terlarut (TPT) Paprika Merah pada Hari ke-1

Tests of Between-Subjects Effects

Dependent Variable: TPT_BUAH

Source	Type III Sum of Squares	df	Mean Square	F	Sig.
Model	890.800 ^a	6	148.467	311.469	.000
perlakuan * suhu	1.282	2	.641	1.344	.329
perlakuan	1.995	2	.998	2.093	.204
Suhu	.003	1	.003	.007	.936
Error	2.860	6	.477		
Total	893.660	12			

a. R Squared = .997 (Adjusted R Squared = .994)


TPT_BUAH

Duncan^a

PERLAKUAN	N	Subset for alpha = 0.05
		1
A3B1	2	7.900
A2B1	2	8.350
A2B2	2	8.350
A3B2	2	8.650
A1B2	2	8.750
A1B1	2	9.600
Sig.		.060

Means for groups in homogeneous subsets are displayed.

a. Uses Harmonic Mean Sample Size = 2.000.



Lampiran 26. Hasil Analisis Statistik (ANOVA) Pengukuran Total Padatan Terlarut (TPT) Paprika Merah pada Hari ke-5

Tests of Between-Subjects Effects

Dependent Variable: TPT_BUAH

Source	Type III Sum of Squares	df	Mean Square	F	Sig.
Model	963.570 ^a	6	160.595	250.278	.000
perlakuan * suhu	.072	2	.036	.056	.946
perlakuan	1.415	2	.708	1.103	.391
Suhu	.853	1	.853	1.330	.293
Error	3.850	6	.642		
Total	967.420	12			

a. R Squared = .996 (Adjusted R Squared = .992)


TPT_BUAH

Duncan^a

		Subset for alpha = 0.05
PERLAKUAN	N	1
A2B1	2	8.400
A1B1	2	8.600
A2B2	2	8.850
A1B2	2	9.000
A3B1	2	9.050
A3B2	2	9.800
Sig.		.148

Means for groups in homogeneous subsets are displayed.

a. Uses Harmonic Mean Sample Size = 2.000.



Lampiran 27. Hasil Analisis Statistik (ANOVA) Pengukuran Total Padatan Terlarut (TPT) Paprika Merah pada Hari ke-11

Tests of Between-Subjects Effects

Dependent Variable: TPT_BUAH

Source	Type III Sum of Squares	df	Mean Square	F	Sig.
Model	1167.460 ^a	6	194.577	275.344	.000
perlakuan * suhu	4.512	2	2.256	3.192	.114
perlakuan	1.412	2	.706	.999	.422
Suhu	1.203	1	1.203	1.703	.240
Error	4.240	6	.707		
Total	1171.700	12			

a. R Squared = .996 (Adjusted R Squared = .993)


TPT_BUAH

Duncan^a

		Subset for alpha = 0.05
PERLAKUAN	N	1
A2B1	2	8.650
A1B1	2	9.150
A3B2	2	9.650
A2B2	2	10.100
A1B2	2	10.700
A3B1	2	10.750
Sig.		.058

Means for groups in homogeneous subsets are displayed.

a. Uses Harmonic Mean Sample Size = 2.000.



Lampiran 28. Hasil Analisis Statistik (ANOVA) Pengukuran Total Padatan Terlarut (TPT) Paprika Merah pada Hari ke-16

Tests of Between-Subjects Effects

Dependent Variable: TPT_BUAH

Source	Type III Sum of Squares	df	Mean Square	F	Sig.
Model	1166.760 ^a	6	194.460	119.301	.000
perlakuan * suhu	.802	2	.401	.246	.790
perlakuan	.485	2	.243	.149	.865
Suhu	1.203	1	1.203	.738	.423
Error	9.780	6	1.630		
Total	1176.540	12			

a. R Squared = .992 (Adjusted R Squared = .983)


TPT_BUAH

Duncan^a

		Subset for alpha = 0.05
PERLAKUAN	N	1
A3B2	2	9.200
A2B2	2	9.450
A1B1	2	9.900
A3B1	2	9.950
A1B2	2	9.950
A2B1	2	10.650
Sig.		.317

Means for groups in homogeneous subsets are displayed.

a. Uses Harmonic Mean Sample Size = 2.000.



Lampiran 29. Data Hasil Pengukuran Susut Bobot Paprika Merah pada Suhu Dingin

Lama Penyimpanan (Hari)	Perlakuan	Susut Bobot (%)		Total (%)	Rata-Rata Susut Bobot (g)
		I	II		
1	A1B1	2,26	1,94	4,19	2,10
	A2B1	1,71	1,81	3,52	1,76
	A3B1	1,61	0,96	2,57	1,29
5	A1B1	5,75	9,93	15,68	7,84
	A2B1	5,22	5,31	10,53	5,26
	A3B1	4,72	4,51	9,23	4,62
11	A1B1	18,70	14,00	32,70	16,35
	A2B1	12,50	10,95	23,44	11,72
	A3B1	13,84	16,67	30,51	15,26
16	A1B1	25,59	26,56	52,15	26,08
	A2B1	23,93	18,58	42,52	21,26
	A3B1	16,71	16,73	33,44	16,72

Keterangan :

I : Ulangan pertama

II : Ulangan kedua

A1B1 : Konsentrasi tanpa *coating* (perlakuan kontrol).

A2B1 : Konsentrasi *coating* pati sagu 100 g, akuades 1000 ml, dan penambahan gliserol 10 %.

A3B1 : Konsentrasi *coating* pati sagu 200 g, akuades 1000 ml, dan penambahan gliserol 10 %.

Lampiran 30. Data Hasil Pengukuran Susut Bobot Paprika Merah pada Suhu Ruang

Lama Penyimpanan (Hari)	Perlakuan	Susut Bobot (%)		Total (%)	Rata-Rata Susut Bobot (%)
		I	II		
1	A1B2	4,40	3,97	8,36	4,18
	A2B2	2,33	2,35	4,68	2,34
	A3B2	1,59	1,95	3,54	1,77
5	A1B2	15,79	14,83	30,62	15,31
	A2B2	12,06	13,11	25,17	12,59
	A3B2	12,14	12,14	24,27	12,14
11	A1B2	27,75	27,87	55,62	27,81
	A2B2	25,97	22,70	48,67	24,34
	A3B2	23,96	24,37	48,33	24,16
16	A1B2	34,26	34,70	68,96	34,48
	A2B2	40,92	38,88	79,81	39,90
	A3B2	28,31	30,32	58,63	29,32

Keterangan :

I : Ulangan pertama.

II : Ulangan kedua.

A1B2 : Konsentrasi tanpa *coating* (perlakuan kontrol).

A2B2 : Konsentrasi *coating* pati sagu 100 g, akuades 1000 ml, dan penambahan gliserol.

A3B2 : Konsentrasi *coating* pati sagu 200 g, akuades 1000 ml, dan penambahan gliserol.

Lampiran 31. Data Hasil Pengukuran Warna Paprika Merah pada Suhu Dingin

1. Nilai *L Hasil Pengukuran Warna Paprika Merah pada Suhu Dingin

Lama Penyimpanan (Hari)	Perlakuan	Warna *L						Rata-Rata *L			Rata-Rata *L
		Titik 1		Titik 2		Titik 3		Titik 1	Titik 2	Titik 3	
		I	II	I	II	I	II				
1	A1B1	37,30	33,75	34,29	36,30	34,29	37,77	35,53	35,295	36,03	35,62
	A2B1	33,70	33,06	38,76	36,14	34,03	33,54	33,38	37,45	33,79	34,87
	A3B1	33,69	33,68	32,36	32,62	32,83	41,76	33,69	32,49	37,30	34,49
5	A1B1	34,25	34,99	31,07	35,33	34,52	36,41	34,62	33,2	35,47	34,43
	A2B1	35,33	39,11	34,95	37,59	30,84	35,53	37,22	36,27	33,19	35,56
	A3B1	36,34	34,83	36,27	38,41	36,61	41,08	35,59	37,34	38,85	37,26
11	A1B1	36,80	36,13	33,69	37,76	35,83	38,49	36,47	35,73	37,16	36,45
	A2B1	37,78	36,55	36,54	37,63	35,36	36,98	37,17	37,09	36,17	36,81
	A3B1	35,24	29,47	34,66	31,11	34,16	35,54	32,36	32,89	34,85	33,36
16	A1B1	33,38	34,54	32,26	32,20	32,85	32,17	33,96	32,23	32,51	32,90
	A2B1	33,42	34,86	34,55	34,04	33,38	34,71	34,14	34,30	34,05	34,16
	A3B1	30,61	30,43	34,33	32,75	32,77	32,22	30,52	33,54	32,50	32,19

Keterangan :

I : Ulangan pertama.

II : Ulangan kedua.

2. Nilai *a Hasil Pengukuran Warna Paprika Merah pada Suhu Dingin

Lama Penyimpanan (Hari)	Perlakuan	Warna *a						Rata-Rata *a			Rata-Rata *a
		Titik 1		Titik 2		Titik 3		Titik 1	Titik 2	Titik 3	
		I	II	I	II	I	II				
1	A1B1	34,38	31,06	34,24	35,41	20,46	28,86	32,72	34,83	24,66	30,74
	A2B1	34,37	34,30	39,27	26,13	29,24	26,42	34,34	32,7	27,83	31,62
	A3B1	31,77	31,26	27,22	26,32	20,24	36,61	31,52	26,77	28,43	28,90
5	A1B1	26,88	33,82	30,52	34,16	30,46	34,37	30,35	32,34	32,42	31,70
	A2B1	38,05	34,33	33,19	24,05	34,84	32,95	36,19	28,62	33,90	32,90
	A3B1	36,76	35,09	30,52	26,63	30,10	26,34	35,93	28,58	28,22	30,91
11	A1B1	29,79	27,56	34,07	35,04	29,95	27,87	28,68	34,56	28,91	30,71
	A2B1	30,55	30,93	34,89	38,63	32,01	35,10	30,74	36,76	33,56	33,69
	A3B1	27,40	31,92	34,33	31,88	32,92	28,16	29,66	33,11	30,54	31,10
16	A1B1	20,76	23,5	20,55	26,34	34,38	31,28	22,13	23,45	32,83	26,14
	A2B1	37,44	34,9	34,94	34,55	33,51	35,11	36,17	34,75	34,31	35,08
	A3B1	46,75	41,70	33,25	33,19	35,26	37,81	44,23	33,22	36,54	37,99

Keterangan :

I : Ulangan pertama.

II : Ulangan kedua.

3. Nilai *b Hasil Pengukuran Warna Paprika Merah pada Suhu Dingin

Lama Penyimpanan (Hari)	Perlakuan	Warna *b						Rata-Rata *b			Rata-Rata *b
		Titik 1		Titik 2		Titik 3		Titik 1	Titik 2	Titik 3	
		I	II	I	II	I	II				
1	A1B1	-3,03	4,00	3,11	1,92	3,08	-2,70	0,49	2,52	0,19	1,06
	A2B1	3,70	0,20	0,78	5,76	2,21	1,79	1,95	3,27	2,00	2,41
	A3B1	3,77	3,17	1,87	3,82	-6,60	11,40	3,47	2,845	2,40	2,91
5	A1B1	3,90	2,52	1,49	1,29	0,73	0,87	3,21	1,39	0,80	1,80
	A2B1	-0,35	-10,21	-1,48	-7,86	-9,83	-2,34	-5,28	-4,67	-6,09	-5,35
	A3B1	-2,16	-5,32	0,09	-9,50	-2,15	-12,60	-3,74	-4,71	-7,38	-5,27
11	A1B1	-5,69	-4,51	-5,39	-3,30	-7,15	-3,66	-5,10	-4,35	-5,41	-4,95
	A2B1	-6,38	-8,63	-7,36	-8,59	-8	-8,19	-7,51	-7,975	-8,10	-7,86
	A3B1	-6,40	-13,14	-8,93	-9,79	-7,69	-6,70	-9,77	-9,36	-7,20	-8,78
16	A1B1	1,80	-0,55	0,58	-1,62	0,94	0,64	0,63	-0,52	0,79	0,30
	A2B1	2,74	1,61	1,98	2,96	1,68	2,32	2,18	2,47	2,00	2,22
	A3B1	-2,67	-2,76	-2,28	-3	-2,68	-3,41	-2,72	-2,64	-3,05	-2,80

Keterangan :

I : Ulangan pertama.

II : Ulangan kedua.

4. Nilai °Hue Pengukuran Warna Paprika Merah pada Suhu Dingin

Lama Penyimpanan (Hari)	Perlakuan	Warna (Hue)						Rata-Rata (Hue)			Rata-Rata °Hue
		Titik 1		Titik 2		Titik 3		Titik 1	Titik 2	Titik 3	
		I	II	I	II	I	II				
1	A1B1	-5,0	7,4	5,2	3,1	8,6	-5,4	1,2	4,2	1,6	2,3
	A2B1	6,2	0,3	1,1	12,6	4,3	3,9	3,3	6,9	4,1	4,7
	A3B1	6,8	5,8	3,9	8,3	-18,7	17,8	6,3	6,1	-0,4	4,0
5	A1B1	8,3	4,3	2,8	2,2	1,4	1,5	6,3	2,5	1,4	3,4
	A2B1	-0,5	-17,0	-2,6	-18,7	-16,2	-4,1	-8,8	-10,6	-10,1	350,2
	A3B1	-3,4	-8,7	0,2	-20,4	-4,1	-27,4	-6,0	-10,1	-15,8	349,4
11	A1B1	-10,9	-9,4	-9,1	-5,4	-13,7	-7,5	-10,2	-7,2	-10,6	350,7
	A2B1	-12,0	-16,0	-12,1	-12,7	-14,3	-13,4	-14,0	-12,4	-13,8	346,6
	A3B1	-13,4	-23,6	-14,9	-17,6	-13,4	-13,6	-18,5	-16,2	-13,5	343,9
16	A1B1	5,0	-1,3	1,6	-3,5	1,6	1,2	1,8	-1,0	1,4	0,7
	A2B1	4,2	2,6	3,2	4,9	2,9	3,8	3,4	4,1	3,3	3,6
	A3B1	-3,3	-3,8	-3,9	-5,2	-4,4	-5,2	-3,5	-4,6	-4,8	355,7

Keterangan :

I : Ulangan pertama.

II : Ulangan kedua.

Lampiran 32. Data Hasil Pengukuran Warna Paprika Merah pada Suhu Ruang

1. Nilai *L Hasil Pengukuran Warna Paprika Merah pada Suhu Ruang

Lama Penyimpanan (Hari)	Perlakuan	Warna *L						Rata-Rata *L			Rata-Rata *L
		Titik 1		Titik 2		Titik 3		Titik 1	Titik 2	Titik 3	
		I	II	I	II	I	II				
1	A1B2	35,44	34,20	37,54	37,22	38,97	37,71	34,82	37,38	38,34	36,85
	A2B2	37,99	37,58	39,10	39,14	36,39	39,70	37,79	39,12	38,05	38,32
	A3B2	37,08	34,29	34,41	33,54	35,84	35,13	35,69	33,98	35,49	35,05
5	A1B2	33,79	34,36	34,08	33,87	35,51	34,06	34,08	33,98	34,79	34,28
	A2B2	33,91	35,28	33,34	35,98	34,79	35,91	34,60	34,66	35,35	34,87
	A3B2	34,60	35,84	34,84	35,43	34,35	35,58	35,22	35,14	34,97	35,11
11	A1B2	35,17	26,72	30,44	29,18	26,54	38,17	30,95	29,81	32,36	31,04
	A2B2	36,98	37,25	37,18	36,37	37	35,02	37,12	36,78	36,01	36,63
	A3B2	36,87	34,56	35,85	35,76	34,44	35,06	35,72	35,81	34,75	35,42
16	A1B2	30,03	31,83	33,56	33,2	31,68	29,27	30,93	33,38	30,48	31,60
	A2B2	32,67	33,09	34,49	31,06	34,79	33,38	32,88	32,78	34,09	33,25
	A3B2	33,64	33,93	32,97	28	43,76	40,92	33,79	30,49	42,34	35,54

Keterangan :

I : Ulangan pertama.

II : Ulangan kedua.

2. Nilai *a Hasil Pengukuran Warna Paprika Merah pada Suhu Ruang

Lama Penyimpanan (Hari)	Perlakuan	Warna *a						Rata-Rata *a			Rata-Rata *a
		Titik 1		Titik 2		Titik 3		Titik 1	Titik 2	Titik 3	
		I	II	I	II	I	II				
1	A1B2	26,04	22,33	27,09	27,33	30,08	23,92	24,19	27,21	27,00	26,13
	A2B2	28,36	24,12	25,12	29,60	27,60	27,06	26,24	27,36	27,33	26,98
	A3B2	35,47	26,21	31,75	23,62	35,01	29,74	30,84	27,685	32,38	30,30
5	A1B2	20,53	29,84	25,88	27,46	20,41	30,63	25,19	26,67	25,52	25,79
	A2B2	31,47	26,26	31,24	30,93	35,81	23,87	28,87	31,085	29,84	29,93
	A3B2	32,26	34,51	29,73	29,63	31,09	30,79	33,39	29,68	30,94	31,34
11	A1B2	23,37	29,25	21,40	26,36	20,30	29,48	26,31	23,88	24,89	25,03
	A2B2	24,32	39,80	27,15	29,60	27,17	32,60	32,06	28,375	29,89	30,11
	A3B2	24,35	28,99	27,04	38,02	35,68	39,46	26,67	32,53	37,57	32,26
16	A1B2	20,38	21,95	24,18	26,31	20,99	20,29	21,17	25,25	20,64	22,35
	A2B2	29,9	33,79	29,68	28,78	34,41	37,37	31,85	29,23	35,89	32,32
	A3B2	48,69	48,35	31,61	36,39	25,36	20,49	48,52	34	22,93	35,15

Keterangan :

I : Ulangan pertama.

II : Ulangan kedua.

3. Nilai *b Hasil Pengukuran Warna Paprika Merah pada Suhu Ruang

Lama Penyimpanan (Hari)	Perlakuan	Warna *b						Rata-Rata *B			Rata-Rata *B
		Titik 1		Titik 2		Titik 3		Titik 1	Titik 2	Titik 3	
		I	II	I	II	I	II				
1	A1B2	-10,74	-9,94	-9,41	-7,84	-11,53	-10,18	-10,34	-8,63	-10,86	-9,94
	A2B2	-7,94	-8,96	-13,92	-10,99	-14,76	-11,06	-8,45	-12,455	-12,91	-11,27
	A3B2	2,42	2,81	1,84	3,82	2,62	4,03	2,62	2,83	3,33	2,92
5	A1B2	0,97	1,45	1,17	-0,22	0,42	2,03	1,21	0,475	1,23	0,97
	A2B2	1,04	-0,45	1,00	-1,28	2,18	0,16	0,30	-0,14	1,17	0,44
	A3B2	-1,11	-1,50	1,70	0,21	-1,94	-0,87	-1,31	0,96	-1,41	-0,59
11	A1B2	4,83	4,60	-3,07	-3,63	-4,44	-4,90	4,72	-3,35	-4,67	-1,10
	A2B2	-7,65	-7,71	-11,50	-6,41	-11,39	-6	-7,68	-8,955	-8,70	-8,44
	A3B2	-9,21	-4,78	-6,26	-2,83	-5,82	-3,98	-7,00	-4,55	-4,90	-5,48
16	A1B2	4,83	1,99	1,15	-2,09	-0,59	-1,62	3,41	-0,47	-1,11	0,61
	A2B2	-1,47	-1,71	-1,76	-2,52	-1,66	-3,37	-1,59	-2,14	-2,52	-2,08
	A3B2	-3,37	-3,10	-3,82	-5,13	-4,88	-6,37	-3,24	-4,475	-5,63	-4,45

Keterangan :

I : Ulangan pertama.

II : Ulangan kedua.

4. Nilai °Hue Pengukuran Warna Paprika Merah pada Suhu Ruang

Lama Penyimpanan (Hari)	Perlakuan	Warna (Hue)						Rata-Rata (Hue)			Rata-Rata °Hue
		Titik 1		Titik 2		Titik 3		Titik 1	Titik 2	Titik 3	
		I	II	I	II	I	II				
1	A1B2	-23,6	-25,5	-19,9	-16,4	-22,0	-24,4	-24,6	-18,2	-23,2	338,0
	A2B2	-16,0	-21,3	-31,7	-21,3	-30,6	-23,4	-18,7	-26,5	-27,0	335,9
	A3B2	3,9	6,1	3,3	9,3	4,3	7,8	5,0	6,3	6,0	5,8
5	A1B2	2,7	2,8	2,6	-0,5	1,2	3,8	2,7	1,1	2,5	2,1
	A2B2	1,9	-1,0	1,8	-2,4	3,5	0,4	0,5	-0,3	1,9	0,7
	A3B2	-2,0	-2,5	3,3	0,4	-3,6	-1,6	-2,2	1,8	-2,6	359,0
11	A1B2	11,8	9,0	-8,2	-7,9	-12,5	-9,5	10,4	-8,1	-11,0	357,1
	A2B2	-18,0	-11,1	-24,3	-12,4	-24,0	-10,5	-14,6	-18,3	-17,3	349,3
	A3B2	-21,7	-9,4	-13,3	-4,3	-9,3	-5,8	-15,6	-8,8	-7,6	349,4
16	A1B2	13,6	5,2	2,7	-4,6	-1,6	-4,6	9,4	-0,9	-3,1	1,8
	A2B2	-2,8	-2,9	-3,4	-5,0	-2,8	-5,2	-2,9	-4,2	-4,0	356,3
	A3B2	-4,0	-3,7	-6,9	-8,1	-11,0	-17,8	-3,8	-7,5	-14,4	351,4

Keterangan :

I : Ulangan pertama.

II : Ulangan kedua.

Lampiran 33. Data Hasil Pengukuran Kekerasan Paprika Merah pada Suhu Dingin

Lama Penyimpanan (Hari)	Perlakuan	Nilai Kekerasan Buah (N)						Rata-Rata Nilai Kekerasan Buah (N)			Rata-Rata Nilai Kekerasan Buah (N)
		Titik 1		Titik 2		Titik 3		Titik 1	Titik 2	Titik 3	
		I	II	I	II	I	II				
1	A1B1	31,33	22,04	24,22	23,21	36,92	38,29	26,87	23,72	37,61	29,40
	A2B1	33,70	32,91	30,33	36,18	29,10	33,21	33,31	33,26	31,16	32,57
	A3B1	37,12	35,65	31,22	41,29	43,22	40,93	36,39	36,26	42,08	38,24
5	A1B1	30,88	19,67	22,91	20,12	33,57	35,23	25,28	21,52	34,40	27,06
	A2B1	31,39	32,74	30,33	26,71	38,45	31,24	32,07	28,52	34,85	31,81
	A3B1	35,18	36,95	31,81	39,29	44,67	41,24	36,07	35,55	42,96	38,19
11	A1B1	29,66	10,77	19,22	20,82	34,13	29,34	20,22	20,02	31,74	23,99
	A2B1	30,62	30,57	30,19	30,23	35,62	30,67	30,60	30,21	33,15	31,32
	A3B1	33,12	35,17	30,28	38,12	40,28	38,29	34,15	34,20	39,29	35,88
16	A1B1	25,11	10,05	16,28	20,62	33,53	28,66	17,58	18,45	31,10	22,38
	A2B1	28,72	28,15	27,85	29,29	30,42	27,24	28,44	28,57	28,83	28,61
	A3B1	30,09	33,55	31,88	35,19	36,77	38,23	31,82	33,54	37,50	34,29

Keterangan :

I : Ulangan pertama.

II : Ulangan kedua.

Lampiran 34. Data Hasil Pengukuran Kekerasan Paprika Merah pada Suhu Ruang

Lama Penyimpanan (Hari)	Perlakuan	Nilai Kekerasan Buah (N)						Rata-Rata Nilai Kekerasan Buah (N)			Rata-Rata Nilai Kekerasan Buah (N)
		Titik 1		Titik 2		Titik 3		Titik 1	Titik 2	Titik 3	
		I	II	I	II	I	II				
1	A1B2	25,86	22,55	28,56	30,22	22,37	28,42	24,21	29,39	25,40	26,33
	A2B2	29,34	30,41	30,83	32,12	30,19	33,56	29,88	31,48	31,88	31,08
	A3B2	32,54	35,77	31,20	35,23	38,42	35,23	34,16	33,22	36,83	34,73
5	A1B2	22,65	23,54	27,88	18,29	26,46	20,12	23,10	23,09	23,29	23,16
	A2B2	27,92	29,73	39,21	33,27	31,34	33,65	28,83	36,24	32,50	32,52
	A3B2	30,15	33,05	30,12	33,28	36,23	33,65	31,60	31,70	34,94	32,75
11	A1B2	21,09	24,72	15,82	14,12	25,67	20,83	22,91	14,97	23,25	20,38
	A2B2	24,33	30,17	26,82	30,27	29,19	31,23	27,25	28,55	30,21	28,67
	A3B2	28,08	32,21	29,19	34,18	35,92	32,13	30,15	31,69	34,03	31,95
16	A1B2	14,22	23,17	15,61	11,76	20,12	21,20	18,70	13,69	20,66	17,68
	A2B2	10,77	10,32	10,81	10,19	10,01	10,29	10,55	10,50	10,15	10,40
	A3B2	27,21	30,34	28,20	33,19	33,45	30,11	28,78	30,70	31,78	30,42

Keterangan :

I : Ulangan pertama.

II : Ulangan kedua.

Lampiran 35. Data Hasil Pengukuran Total Padatan Terlarut (TPT) Paprika Merah pada Suhu Dingin

Lama Penyimpanan (Hari)	Perlakuan	Total Padatan Terlarut (°Brix)		Rata-Rata TPT (°Brix)
		I	II	
1	A1B1	9,4	9,8	9,6
	A2B1	8,9	7,8	8,4
	A3B1	7,5	8,3	7,9
5	A1B1	7,5	9,7	8,6
	A2B1	8,4	8,4	8,4
	A3B1	9,3	8,8	9,1
11	A1B1	9,3	9	9,2
	A2B1	9	8,3	8,7
	A3B1	10,1	11,4	10,8
16	A1B1	9,9	9,9	9,9
	A2B1	11	10,3	10,7
	A3B1	8,8	11,1	10,0

Keterangan :

I : Ulangan pertama.

II : Ulangan kedua.

Lampiran 36. Data Hasil Pengukuran Total Padatan Terlarut (TPT) Paprika Merah pada Suhu Ruang

Lama Penyimpanan (Hari)	Perlakuan	Total Padatan Terlarut (°Brix)		Rata-Rata TPT (°Brix)
		I	II	
1	A1B2	8,8	8,7	8,8
	A2B2	8,2	8,5	8,4
	A3B2	7,7	9,6	8,7
5	A1B2	9,8	8,2	9,0
	A2B2	8,8	8,9	8,9
	A3B2	9,7	9,9	9,8
11	A1B2	10,5	10,9	10,7
	A2B2	11,2	9	10,1
	A3B2	9,1	10,2	9,7
16	A1B2	8,1	11,8	10,0
	A2B2	9,3	9,6	9,5
	A3B2	9,2	9,2	9,2

Keterangan :

I : Ulangan pertama.

II : Ulangan kedua

Lampiran 37. Pembuatan Larutan *Edible Coating* Pati Sagu



Gambar 9. Menyiapkan Pati Sagu



Gambar 10. Pembuatan larutan *edible coating*



Gambar 11. Larutan *edible coating* Pati sagu siap di aplikasikan.


Lampiran 38. Pengaplikasian *Edible Coating* Pati Sagu Pada Paprika Merah



Gambar 12. Sortasi paprika merah



Gambar 13. Menimbang berat awal paprika merah



Gambar 14. Proses pencelupan paprika merah pada larutan *edible coating*



Gambar 15. Proses penyimpanan paprika merah



Gambar 16. Penyimpanan paprika merah pada suhu dingin



Gambar 17. Penyimpanan paprika merah di suhu ruang

Lampiran 39. Pengujian Kualitas Paprika Merah




Gambar 18. Pengukuran susut bobot paprika merah



Gambar 19. Pengukuran warna paprika merah



Gambar 20. Pengukuran tingkat kekerasan paprika merah



Gambar 21. Pengukuran total padatan terlarut (TPT) paprika merah.

Lampiran 40 . Tabel Gambar Paprika Merah Penyimpanan Suhu Dingin

LAMA PENYIMP ANAN	PERLAKUAN					
	A1B1		A2B1		A3B1	
	1	2	1	2	1	2
HARI KE-1						
HARI KE-5						

**HARI
KE-11**



**HARI
KE-16**



Lampiran 41 . Tabel Gambar Paprika Merah Penyimpanan Suhu Ruang

LAMA PENYIMPANAN	PERLAKUAN					
	A1B2		A2B2		A3B2	
	1	2	1	2	1	2
HARI KE-1						
HARI KE-5						

**HARI
KE-11**



**HARI
KE-16**

