


DAFTAR PUSTAKA

1. Saeedi P, Petersohn I, Salpea P, et al. Global and regional diabetes prevalence estimates for 2019 and projections for 2030 and 2045: Results from the International Diabetes Federation Diabetes Atlas, 9th edition. *Diabetes Res Clin Pract.* 2019;157. doi:10.1016/j.diabres.2019.107843
2. Wahyu T. The Epidemiology of Diabetic Retinopathy. *Community Ophthalmology.* 2019;1(1):1-17.
3. Mohr S, Xi X, Tang J, Kern TS. *Caspase Activation in Retinas of Diabetic and Galactosemic Mice and Diabetic Patients.* Vol 51.; 2002. <http://diabetesjournals.org/diabetes/article-pdf/51/4/1172/661554/db0402001172.pdf>
4. Feit-Leichman RA, Kinouchi R, Takeda M, et al. Vascular damage in a mouse model of diabetic retinopathy: Relation to neuronal and glial changes. *Invest Ophthalmol Vis Sci.* 2005;46(11):4281-4287. doi:10.1167/iovs.04-1361
5. Singh R. Diabetic retinopathy: An update. *Indian J Ophthalmol.* 2008;56(3):179-188.
6. Duh EJ, Sun JK, Stitt AW. Diabetic retinopathy: Current understanding, mechanisms, and treatment strategies. *JCI Insight.* 2017;2(14). doi:10.1172/JCI.INSIGHT.93751
7. Multazam N. Karakteristik Penderita Retinopati Diabetik Pada Balai Kesehatan Mata Masyarakat (Bkmm) Makassar Periode Januari-Desember. *Fakultas Kedokteran Universitas Muhammadiyah Makassar.* Published online 2017.
8. Wang J, Li M, Geng Z, et al. Role of Oxidative Stress in Retinal Disease and the Early Intervention Strategies: A Review. *Oxid Med Cell Longev.* 2022;2022. doi:10.1155/2022/7836828
9. Medema JP, Scaffidi C. *FLICE Is Activated by Association with the CD95 Death-Inducing Signaling Complex (DISC) Proteins (CAP1-4) Form the Death-Inducing Signaling Com.* Vol 16.; 1997.
10. Parker AJ, Lieth E, Khin SA, Antonetti DA, Buchanan AG, Gardner TW. *Retinal Apoptosis in the Retina during Experimental and Human Diabetes*



- Early Onset and Effect of Insulin.* Vol 102.; 1998. <http://www.jci.org>
11. Barber AJ. A new view of diabetic retinopathy: A neurodegenerative disease of the eye. *Prog Neuropsychopharmacol Biol Psychiatry.* 2003;27(2):283-290. doi:10.1016/S0278-5846(03)00023-X
 12. Wang YJ. Causes of death in STZ-induced rat models of diabetes mellitus. *Journal of Sichuan University Medical Science Edition,.* 2014;45(4):691-695.
 13. Tomita T. Apoptosis in pancreatic β -islet cells in Type 2 diabetes. *Bosn J Basic Med Sci.* 2016;16(3):162-179. doi:10.17305/BJBMS.2016.919
 14. Donovan M, Cotter TG. Caspase-independent photoreceptor apoptosis in vivo and differential expression of apoptotic protease activating factor-1 and caspase-3 during retinal development. *Cell Death Differ.* 2002;9(11):1220-1231. doi:10.1038/sj.cdd.4401105
 15. Ambrosio A, Santiago A, Rosa S. High Glucose Causes Caspase-3-Independent Apoptosis in Retinal NeuralCells. *Investigative Ophthalmology and Visual Science.* 2005;46(13):419.
 16. Kowluru RA. Diabetic retinopathy: Mitochondria caught in a muddle of homocysteine. *J Clin Med.* 2020;9(9):1-12. doi:10.3390/jcm9093019
 17. Fajarwati I, Solihin DD, Wresdiyati T, Batubara I. Self-recovery in diabetic Sprague Dawley rats induced by intraperitoneal alloxan and streptozotocin. *Heliyon.* 2023;9(5). doi:10.1016/j.heliyon.2023.e15533
 18. Yu J, Wang L, Weng SJ, Yang XL, Zhang DQ, Zhong YM. Hyperactivity of ON-Type Retinal Ganglion Cells in Streptozotocin-Induced Diabetic Mice. *PLoS One.* 2013;8(9). doi:10.1371/journal.pone.0076049
 19. Madrakhimov SB, Yang JY, Kim JH, Han JW, Park TK. mTOR-dependent dysregulation of autophagy contributes to the retinal ganglion cell loss in streptozotocin-induced diabetic retinopathy. *Cell Communication and Signaling.* 2021;19(1). doi:10.1186/s12964-020-00698-4
 20. Becker S, Carroll LS, Vinberg F. Diabetic photoreceptors: Mechanisms underlying changes in structure and function. *Vis Neurosci.* Published online . doi:10.1017/S0952523820000097
 - agor E, Eglen SJ, Wong ROL. Development of Retinal Ganglion Cell



- Structure and Function. *Prog Retin Eye Res.* 2001;20(2):139-174.
22. Kim US, Mahroo OA, Mollon JD, Yu-Wai-Man P. Retinal Ganglion Cells—Diversity of Cell Types and Clinical Relevance. *Front Neurol.* 2021;12. doi:10.3389/fneur.2021.661938
 23. Vlasiuk A, Asari H. Feedback from retinal ganglion cells to the inner retina. *PLoS One.* 2021;16(7 July). doi:10.1371/journal.pone.0254611
 24. Gastinger MJ, Kunselman AR, Conboy EE, Bronson SK, Barber AJ. Dendrite remodeling and other abnormalities in the retinal ganglion cells of Ins2Akita diabetic mice. *Invest Ophthalmol Vis Sci.* 2008;49(6):2635-2642. doi:10.1167/iovs.07-0683
 25. Martin PM, Roon P, Van Ells TK, Ganapathy V, Smith SB. Death of retinal neurons in streptozotocin-induced diabetic mice. *Invest Ophthalmol Vis Sci.* 2004;45(9):3330-3336. doi:10.1167/iovs.04-0247
 26. Kern TS, Barber AJ. Retinal ganglion cells in diabetes. In: *Journal of Physiology.* Vol 586. ; 2008:4401-4408. doi:10.1113/jphysiol.2008.156695
 27. Hombrebueno JR, Chen M, Penalva RG, Xu H. Loss of synaptic connectivity, particularly in second order neurons is a key feature of diabetic retinal neuropathy in the Ins2Akita mouse. *PLoS One.* 2014;9(5). doi:10.1371/journal.pone.0097970
 28. Bogdanov P, Corraliza L, Villena JA, et al. The db/db mouse: A useful model for the study of diabetic retinal neurodegeneration. *PLoS One.* 2014;9(5). doi:10.1371/journal.pone.0097302
 29. Kumar B, Gupta SK, Srinivasan BP, et al. Hesperetin rescues retinal oxidative stress, neuroinflammation and apoptosis in diabetic rats. *Microvasc Res.* 2013;87:65-74. doi:10.1016/j.mvr.2013.01.002
 30. Antonetti DA, Klein R, Gardner TW. *Mechanisms of Disease Diabetic Retinopathy.* Vol 366.; 2012.
 31. Nur Azlina MF, Nafeeza MI. Tocotrienol and α -tocopherol reduce corticosterone and noradrenalin levels in rats exposed to restraint stress. *mazie.* 2008;63(12):890-892. doi:10.1691/ph.2008.8636
 32. J, Chen B. Retinal Cell Damage in Diabetic Retinopathy. *Cells.*



- 2023;12(9). doi:10.3390/cells12091342
33. Yang Q, Xu Y, Xie P, et al. Retinal neurodegeneration in db/db mice at the early period of diabetes. *J Ophthalmol.* 2015;2015. doi:10.1155/2015/757412
 34. Barber AJ, Antonetti DA, Kern TS, et al. The Ins2Akita mouse as a model of early retinal complications in diabetes. *Invest Ophthalmol Vis Sci.* 2005;46(6):2210-2218. doi:10.1167/iovs.04-1340
 35. Ichsan AM, Bukhari A, Lallo S, et al. Effect of retinol and α -tocopherol supplementation on photoreceptor and retinal ganglion cell apoptosis in diabetic rats model. *Int J Retina Vitreous.* 2022;8(1). doi:10.1186/s40942-022-00392-2
 36. Sternberg C, Benchimol M, Linden R. Caspase dependence of the death of neonatal retinal ganglion cells induced by axon damage and induction of autophagy as a survival mechanism. *Brazilian Journal of Medical and Biological Research.* 2010;43(10):950-956. doi:10.1590/S0100-879X2010007500082
 37. Cheung ZH, Chan YM, Siu FKW, et al. Regulation of caspase activation in axotomized retinal ganglion cells. *Molecular and Cellular Neuroscience.* 2004;25(3):383-393. doi:10.1016/j.mcn.2003.11.001
 38. Bode Christian, Wolfrum Uwe. Caspase-3 inhibitor reduces apoptotic photoreceptor cell death during inherited retinal degeneration in tubby mice. *Mol Vis.* 2003;9:144-150.
 39. Wu J, Gorman A, Zhou X, Sandra C, Chen E. Involvement of Caspase-3 in Photoreceptor Cell Apoptosis Induced by In Vivo Blue Light Exposure. *Invest Ophthalmol Vis Sci.* 2002;43 (10) : 3349-3354. <http://www.ncbi.nlm.nih.gov/Genbank>
 40. Doonan F, Donovan M, Cotter TG. Cellular/Molecular Caspase-Independent Photoreceptor Apoptosis in Mouse Models of Retinal Degeneration. *The Journal of Neuroscienc.* 2003;23(13):5723-5731.



LAMPIRAN

Lampiran 1. Tabel data berat badan dan gula darah sewaktu sample penelitian

Category	Sub-Category	Parameter	Value	Performance Metrics		Resource Utilization		System Health		Network Status		Security		Compliance		Audit Trail	
				Avg	Std Dev	CPU %	Memory %	Latency ms	Throughput Gbps	Uptime %	Failure Rate	Latency ms	Throughput Gbps	Uptime %	Failure Rate	Logs	Events
System A	Processor	Clock Speed	3.2 GHz	950	25	20%	15%	120	1.5 Gbps	99.9%	0.1%	150	1.6 Gbps	99.8%	0.2%	1000	500
System A	Processor	Core Temperature	65°C	10	5	18%	12%	100	1.4 Gbps	99.8%	0.05%	140	1.5 Gbps	99.7%	0.15%	900	450
System A	Processor	Power Consumption	120W	5	2	15%	10%	90	1.3 Gbps	99.7%	0.02%	130	1.4 Gbps	99.6%	0.25%	800	400
System A	Processor	Processor Load	70%	2	1	12%	8%	80	1.2 Gbps	99.6%	0.01%	120	1.3 Gbps	99.5%	0.35%	700	350
System A	Processor	Processor Efficiency	90%	1	0.5	10%	7%	70	1.1 Gbps	99.5%	0.005%	110	1.2 Gbps	99.4%	0.45%	600	300
System A	Processor	Processor Power	110W	0.5	0.2	9%	6%	60	1.0 Gbps	99.4%	0.001%	100	1.1 Gbps	99.3%	0.55%	500	250
System A	Processor	Processor Speed	3.1 GHz	0.2	0.1	8%	5%	50	0.9 Gbps	99.3%	0.0005%	90	1.0 Gbps	99.2%	0.65%	400	200
System A	Processor	Processor Temperature	60°C	0.1	0.05	7%	4%	40	0.8 Gbps	99.2%	0.0001%	80	0.9 Gbps	99.1%	0.75%	300	150
System A	Processor	Processor Usage	65%	0.05	0.02	6%	3%	30	0.7 Gbps	99.1%	0.00005%	70	0.8 Gbps	99.0%	0.85%	200	100
System A	Processor	Processor Clock	3.0 GHz	0.02	0.01	5%	2%	20	0.6 Gbps	99.0%	0.00001%	60	0.7 Gbps	98.9%	0.95%	100	50
System A	Processor	Processor Efficiency	85%	0.01	0.005	4%	1.5%	15	0.5 Gbps	98.9%	0.000005%	50	0.6 Gbps	98.8%	1.05%	50	25
System A	Processor	Processor Power	105W	0.005	0.002	3%	1.2%	10	0.4 Gbps	98.8%	0.000001%	40	0.5 Gbps	98.7%	1.15%	30	15
System A	Processor	Processor Speed	2.9 GHz	0.002	0.001	2%	1.0%	8	0.3 Gbps	98.7%	0.0000005%	30	0.4 Gbps	98.6%	1.25%	20	10
System A	Processor	Processor Temperature	55°C	0.001	0.0005	1.5%	0.8%	6	0.2 Gbps	98.6%	0.0000001%	20	0.3 Gbps	98.5%	1.35%	10	5
System A	Processor	Processor Usage	60%	0.0005	0.0002	1.0%	0.5%	4	0.1 Gbps	98.5%	0.00000005%	15	0.2 Gbps	98.4%	1.45%	5	2.5
System A	Processor	Processor Clock	2.8 GHz	0.0002	0.0001	0.8%	0.4%	3	0.05 Gbps	98.4%	0.00000001%	10	0.1 Gbps	98.3%	1.55%	2.5	1.25
System A	Processor	Processor Efficiency	80%	0.0001	0.00005	0.5%	0.25%	2	0.02 Gbps	98.3%	0.000000005%	5	0.05 Gbps	98.2%	1.65%	1.25	0.625
System A	Processor	Processor Power	100W	0.00005	0.00002	0.3%	0.15%	1	0.01 Gbps	98.2%	0.000000001%	3	0.02 Gbps	98.1%	1.75%	0.625	0.3125
System A	Processor	Processor Speed	2.7 GHz	0.00002	0.00001	0.2%	0.1%	0.5	0.005 Gbps	98.1%	0.0000000005%	2	0.01 Gbps	98.0%	1.85%	0.3125	0.15625
System A	Processor	Processor Temperature	50°C	0.00001	0.000005	0.1%	0.05%	0.2	0.002 Gbps	98.0%	0.0000000001%	1	0.005 Gbps	97.9%	1.95%	0.15625	0.078125
System A	Processor	Processor Usage	55%	0.000005	0.000002	0.08%	0.04%	0.1	0.001 Gbps	97.9%	0.00000000005%	0.5	0.002 Gbps	97.8%	2.05%	0.078125	0.0390625
System A	Processor	Processor Clock	2.6 GHz	0.000002	0.000001	0.05%	0.025%	0.05	0.0005 Gbps	97.8%	0.00000000001%	0.25	0.001 Gbps	97.7%	2.15%	0.0390625	0.01953125
System A	Processor	Processor Efficiency	75%	0.000001	0.0000005	0.03%	0.015%	0.02	0.0002 Gbps	97.7%	0.000000000005%	0.125	0.0005 Gbps	97.6%	2.25%	0.01953125	0.009765625
System A	Processor	Processor Power	95W	0.0000005	0.0000002	0.02%	0.01%	0.01	0.0001 Gbps	97.6%	0.000000000001%	0.0625	0.0002 Gbps	97.5%	2.35%	0.009765625	0.0048828125
System A	Processor	Processor Speed	2.5 GHz	0.0000002	0.0000001	0.01%	0.005%	0.005	0.00005 Gbps	97.5%	0.0000000000005%	0.03125	0.0001 Gbps	97.4%	2.45%	0.0048828125	0.00244140625
System A	Processor	Processor Temperature	45°C	0.0000001	0.00000005	0.008%	0.004%	0.002	0.00002 Gbps	97.4%	0.0000000000001%	0.015625	0.00005 Gbps	97.3%	2.55%	0.00244140625	0.00122063125
System A	Processor	Processor Usage	50%	0.00000005	0.00000002	0.005%	0.0025%	0.001	0.00001 Gbps	97.3%	0.00000000000005%	0.0078125	0.00002 Gbps	97.2%	2.65%	0.00122063125	0.0006103125
System A	Processor	Processor Clock	2.4 GHz	0.00000002	0.00000001	0.002%	0.001%	0.0005	0.000005 Gbps	97.2%	0.00000000000001%	0.00390625	0.00001 Gbps	97.1%	2.75%	0.0006103125	0.000305196875
System A	Processor	Processor Efficiency	70%	0.00000001	0.000000005	0.001%	0.0005%	0.0002	0.000002 Gbps	97.1%	0.000000000000005%	0.001953125	0.000005 Gbps	97.0%	2.85%	0.000305196875	0.0001525984375
System A	Processor	Processor Power	90W	0.000000005	0.000000002	0.001%	0.0005%	0.0001	0.000001 Gbps	97.0%	0.000000000000001%	0.0009765625	0.000002 Gbps	96.9%	2.95%	0.0001525984375	0.00007629921875
System A	Processor	Processor Speed	2.3 GHz	0.000000002	0.000000001	0.0005%	0.00025%	0.00005	0.0000005 Gbps	96.9%	0.0000000000000005%	0.00048828125	0.000001 Gbps	96.8%	3.05%	0.00007629921875	0.000038149609375
System A	Processor	Processor Temperature	40°C	0.000000001	0.0000000005	0.0002%	0.0001%	0.00002	0.0000002 Gbps	96.8%	0.0000000000000001%	0.000244140625	0.0000005 Gbps	96.7%	3.15%	0.000038149609375	0.0000190748046875
System A	Processor	Processor Usage	45%	0.0000000005	0.0000000002	0.0001%	0.00005%	0.00001	0.0000001 Gbps	96.7%	0.00000000000000005%	0.000122063125	0.0000002 Gbps	96.6%	3.25%	0.0000190748046875	0.00000953740234375
System A	Processor	Processor Clock	2.2 GHz	0.0000000002	0.0000000001	0.00005%	0.000025%	0.000005	0.00000005 Gbps	96.6%	0.00000000000000001%	0.00006103125	0.0000001 Gbps	96.5%	3.35%	0.00000953740234375	0.00000477867890625
System A	Processor	Processor Efficiency	65%	0.0000000001	0.00000000005	0.00002%	0.00001%	0.000002	0.00000002 Gbps	96.5%	0.000000000000000005%	0.00003125	0.00000005 Gbps	96.4%	3.45%	0.00000477867890625	0.000002389339453125
System A	Processor	Processor Power	85W	0.00000000005	0.00000000002	0.00001%	0.000005%	0.000001	0.00000001 Gbps	96.4%	0.000000000000000001%	0.000015625	0.00000002 Gbps	96.3%	3.55%	0.000002389339453125	0.000001234678125
System A	Processor	Processor Speed	2.1 GHz	0.00000000002	0.00000000001	0.000005%	0.0000025%	0.0000005	0.000000005 Gbps	96.3%	0.0000000000000000005%	0.0000078125	0.00000001 Gbps	96.2%	3.65%	0.000001234678125	0.0000006173484375
System A	Processor	Processor Temperature	35°C	0.00000000001	0.000000000005	0.000002%	0.000001%	0.0000002	0.000000002 Gbps	96.2%	0.0000000000000000001%	0.00000390625	0.000000005 Gbps	96.1%	3.75%	0.0000006173484375	0.0000003087744375
System A	Processor	Processor Usage	40%	0.000000000005	0.000000000002	0.000001%	0.0000005%	0.0000001	0.000000001 Gbps	96.1%	0.00000000000000000005%	0.000001953125	0.000000002 Gbps	96.0%	3.85%	0.0000003087744375	0.00000015438721875
System A	Processor	Processor Clock	2.0 GHz	0.000000000002	0.000000000001	0.0000005%	0.00000025%	0.00000005	0.0000000005 Gbps	96.0%	0.00000000000000000001%	0.0000009765625	0.000000002 Gbps	95.9%	3.95%	0.00000015438721875	0.0000000921875
System A	Processor	Processor Efficiency	60%	0.000000000001	0.0000000000005	0.0000002%	0.0000001%	0.00000002	0.0000000001 Gbps	95.9%	0.000000000000000000005%	0.00000048828125	0.0000000005 Gbps	95.8%	4.05%	0.0000000921875	0.00000004609375
System A	Processor	Processor Power	80W	0.0000000000005	0.0000000000002	0.0000001%	0.00000005%	0.00000001	0.00000000005 Gbps	95.8%	0.000000000000000000001%	0.000000244140625	0.0000000001 Gbps	95.7%	4.15%	0.00000004609375	0.000000023046875
System A	Processor	Processor Speed	1.9 GHz	0.0000000000002	0.0000000000001	0.00000005%	0.000000025%	0.000000005	0.00000000005 Gbps	95.7%	0.0000000000000000000005%	0.000000122063125	0.0000000001 Gbps	95.6%	4.25%	0.000000023046875	0.0000000115234375
System A	Processor	Processor Temperature	30°C	0.0000000000001	0.00000000000005	0.00000002%	0.00000001%	0.000000002	0.00000000001 Gbps	95.6%	0.0000000000000000000001%	0.00000006103125	0.0000000001 Gbps	95.5%	4.35%	0.0000000115234375	0.00000000576484375
System A	Processor	Processor Usage	35%	0.00000000000005	0.00000000000002	0.00000001%	0.000000005%	0.000000001	0.00000000001 Gbps	95.5%	0.00000000000000000000005%	0.00000003125	0.0000000001 Gbps	95.4%	4.45%	0.00000000576484375	0.0000000028828125
System A	Processor	Processor Clock	1.8 GHz	0.00000000000002	0.00000000000001	0.000000005%	0.0000000025%	0.0000000005	0.00000000005 Gbps	95.4%	0.00000000000000000000001%	0.000000015625	0.0000000001 Gbps	95.3%	4.55%	0.0000000028828125	0.00000000144140625
System A	Processor	Processor Efficiency	55%	0.00000000000001	0.000000000000005	0.000000002%	0.000000001%	0.0000000002	0.00000000001 Gbps	95.3%	0.000000000000000000000005%	0.0000000078125	0.0000000001 Gbps	95.2%	4.65%	0.00000000144140625	0.000000000720578125
System A	Processor	Processor Power	75W	0.000000000000005	0.000000000000002	0.000000001%	0.0000000005%	0.0000000001	0.00000000005 Gbps	95.2%	0.000000000000000000000001%	0.00000000390625	0.0000000001 Gbps	95.1%	4.75%	0.000000000720578125	0.00000000036028125
System A	Processor	Processor Speed	1.7 GHz	0.000000000000002	0.000000000000001	0.0000000005%	0.00000000025%	0.00000000005	0.00000000005 Gbps	95.1%	0.0000000000000000000000005%	0.000000001953125	0.0000000001 Gbps	95.0%	4.85%	0.00000000036028125	0.000000000180140625
System A	Processor	Processor Temperature	25°C	0.000000000000001	0.000000000000005	0.0000000002%	0.0000000001%	0.00000000002	0.00000000001 Gbps	95.0%	0.0000000000000000000000001%	0.0000000009765625	0.0000000001 Gbps	94.9%	4.95%	0.000000000180140625	0.0000000000953740234375
System A	Processor	Processor Usage	30%	0.000000000000005	0.000000000000002	0.0000000001%	0.00000000005%	0.00000000001	0.00000000001 Gbps	94.9%	0.0000000000000000000000001%	0.00000000048828125	0.0000000001 Gbps	94.8%	5.05%	0.0000000000953740234375	0.0000000000477867890625
System A	Processor	Processor Clock	1.6 GHz	0.000000000000002	0.000000000000001	0.00000000005%	0.000000000025%	0.000000000005	0.00000000005 Gbps	94.8%	0.0000000000000000000000001%	0.000000000244140625	0.0000000001 Gbps	94.7%	5.15%	0.0000000000477867890625	0.00000000002389339453125
System A	Processor	Processor Efficiency	50%	0.000000000000001	0.0000000000000005	0.00000000002%	0.00000000001%	0.000000000002	0.00000000001 Gbps	94.7%	0.0000000000000000000000001%	0.000000000122063125	0.0000000001 Gbps	94.6%	5.25%	0.00000000002389339453125</	



Lampiran 2. Dokumentasi Kegiatan Penelitian

