

DAFTAR PUSTAKA

- Anderson, B.W., 2024. Anatomy, head and neck, skull. StatPearls [Internet]. *StatPearls Publishing*; Treasure Island (FL): 2024.
- Caple, J., Stephan, C.N., 2015. A standardized nomenclature for craniofacial and facial anthropometry. *Int J Legal Med* 130(3).
- Craven, J., 2014. Anatomy of the skull. *Anaesthesia and Intensive Care Medicine* 15:4 <https://doi.org/10.1016/j.mpaic.2014.01.011>
- Dedouit, F., Savall, F., Mokrane, F.Z., Rousseau, H., Crubezy, E., Rouge, D., Telmon, N., 2014. Virtual anthropology and forensic identification using multidetector CT. *Br J Radiol* 2014;87:20130468
- Del Bove, A., Menendez, L., Manzi, G., Moggi-Cecchi, J., Lorenzo, C., Profico, A., 2023. Mapping sexual dimorphism signal in the human cranium. *Nature* (2023) 13:16847. DOI:10.1038/s41598-023-43007-y
- Dillon, A., 2014. Cranial sexual dimorphism and the population specificity of anthropological standards. University of Western Australia; 2014.
- Fukuta, M., Kato, C., Biwasaka, H., Usui, A., Horita, T., Kanno, S., Kato, H., Aoki, Y., 2020. Sex estimation of the pelvis by deep learning of two-dimensional depth images generated from homologous models of three-dimensional computed tomography images. *Forensic Science International: Reports* 2 (2020) 100129.
- Garvin, H.M., Stock, M.A., 2016. The Utility of Advanced Imaging in Forensic Anthropology. *Academic Forensic Pathology International*. DOI:10.23907/2016.050
- Ibrahim, A., Alias, A., Mohd Nor, F., Swarhib, M., Abu Bakar, S.N., Das, S., 2017. Study of sexual dimorphism of Malaysian crania: an important step in identification of the skeletal remains. *Anat Cell Biol* 2017;50:86-92



Krishan, K., 2006. Anthropometry in Forensic Medicine and Forensic Science- 'Forensic Anthropometry'. The Internet Journal of Forensic Science. 2006 Volume 2 Number 1.

Krishan, K., Chatterjee, P.M., Kanchan, T., Kaur, S., Baryah, N., Singh, R.K., 2016. A review of sex estimation techniques during examination of skeletal remains in forensic anthropology casework. Forensic Science International (2016), <http://dx.doi.org/10.1016/j.forsciint.2016.02.007>

Kristanto, R., Astuti, E.R., Utomo, D.H., Ruth, M.S.M.A., 2021. CBCT-3D anthropometric measurement of mandibular bone to sex determination in Surabaya Indonesia : a pilot study. Indian Journal of Forensic Medicine & Toxicology, July-September 2021, Vol. 15, No. 3

Kumar, R., Athota, A., Rastogi, T., Karumuri, S.K., 2015. Forensic radiology: An emerging tool in identification. J Indian Acad Oral Med Radiol 2015;27:416-22.

Lynnerup, N., 2013. Forensic anthropology and human identification. Scandinavian journal of Forensic Science Volume 19 - No 1 - 2013 - Page 16-38 - doi: 10.2478/sjfs-2013-0005

Mahakkanukrauh, P., Sinthubua, A., Prasitwattanaseree, S., 2015. Craniometric study for sex determination in a Thai population. Anat Cell Biol 2015;48:275-283 <http://dx.doi.org/10.5115/acb.2015.48.4.275>

Mello-Gentil, T., Souza-Mello, V., 2022. Contributions of anatomy to forensic sex estimation: focus on head and neck bones. Forensic Sciences Research 2022, VOL. 7, NO. 1, 11–23.

Meral, O., Meydan, R., Toklu, B.B., Kaya, A., Karadayi, B., Acar, T., 2022. Estimation of sex from computed tomography images of skull measurements in an adult Turkish population. Acta Radiologica 2022, Vol. 63(11) 1513–1521

Nikitovic, D., 2018. Sexual dimorphism (human). In: Trevathan W, Cartmill M, our D, et al., eds. The International Encyclopedia of Biological hropology. 1st ed. Wiley; 2018:1-4. 10.1002/9781118584538.ieba0443



- Rooppakhun, S., Piyasin, S., Sitthiseripratip, K., 2009. 3D CT Craniometric Study of Thai Skulls Revelance to Sex Determination Using Logistic Regression Analysis. Chwee Teck Lim, James C.H. Goh (Eds.): ICBME 2008, Proceedings 23, pp. 761–764, 2009
- Scheuer, L., 2002. Application of Osteology to Forensic Medicine. *Clinical Anatomy* 15:297–312 (2002)
- Senol, R., Safak, N., Yucel, A., 2019. Anthropometric Evaluation of Cranial Indexes. *International Journal of Contemporary Medical Research* 2019;6(10):J1-J4. <http://dx.doi.org/10.21276/ijcmr.2019.6.10.47>
- Setiawati, R., Rahardjo, P., Ruriana, I., Guglielmi, G., 2022. Anthropometric study using three-dimensional pelvic CT scan in sex determination among adult Indonesian population. *Forensic Sci Med Pathol.* 2022;19(1):24-33.
- Spradley, M.K., 2016. Metric Methods for the Biological Profile in Forensic Anthropology: Sex, Ancestry, and Stature. *Academic Forensic Pathology International*. DOI:10.23907/2016.040
- Standring, S. (ed)., 41st edition. Elsevier, 2016. *Gray's anatomy the anatomical basis of clinical practice*
- Teodoru-Raghina, D., Perlea, P., Marinescu, M., 2017. Forensic anthropology from skeletal remains to CT scans: A review on sexual dimorphism of human skull. *Rom J Leg Med* [25] 287-292 [2017]
- Walker, P.L., 2008. Sexing Skulls Using Discriminant Function Analysis of Visually Assessed Traits. *American Journal Of Physical Anthropology* 136:39–50 (2008)
- Warmlander, S., Garvin, H., Guyomarch, P., et al, 2019. Landmark Typology in Applied Morphometrics Studies: What's the Point? *The Anatomical Record* 302:1144–1153 (2019)



.W., Scafer, K., Prossinger, H., et al, 2001. Virtual anthropology: the digital lution in anthropological sciences. *J Physiol Anthropol*, 20 (2): 69-80,

1

Wiersema, J.M., 2016. Evolution of Forensic Anthropological Methods of Identification. Academic Forensic Pathology International. DOI:10.23907/2016.038

Zhan, M., Cui, J., Zhang, K., Chen, Y., Deng, Z., 2019. Estimation of stature and sex from skull measurements by multidetector computed tomography in Chinese. Legal Medicine 41 (2019) 101625



Lampiran 1. *Ethical Clearance*



KEMENTERIAN PENDIDIKAN, KEBUDAYAAN, RISET DAN TEKNOLOGI
UNIVERSITAS HASANUDDIN FAKULTAS KEDOKTERAN
KOMITE ETIK PENELITIAN UNIVERSITAS HASANUDDIN
RSPTN UNIVERSITAS HASANUDDIN
RSUP Dr. WAHIDIN SUDIROHUSODO MAKASSAR
Sekretariat : Lantai 2 Gedung Laboratorium Terpadu
JL. PERINTIS KEMERDEKAAN KAMPUS TAMALANREA KM.10 MAKASSAR 90245.

Contact Person: dr. Agussalim Bukhari., MMed, PhD, SpGK TELP. 081241850858, 0411 5780103, Fax : 0411-581431



REKOMENDASI PERSETUJUAN ETIK

Nomor : 258/UN4.6.4.5.31/ PP36/ 2024

Tanggal: 18 April 2024

Dengan ini Menyatakan bahwa Protokol dan Dokumen yang Berhubungan Dengan Protokol berikut ini telah mendapatkan Persetujuan Etik :

No Protokol	UH24030204	No Sponsor	
Peneliti Utama	dr. Weny Imelda	Sponsor	
Judul Peneliti	Pengukuran Antropometrik Cranium Dengan CT Scan Kepala Berdasarkan Jenis Kelamin Pada Populasi Dewasa di Sulawesi Selatan		
No Versi Protokol	1	Tanggal Versi	27 Maret 2024
No Versi PSP		Tanggal Versi	
Tempat Penelitian	RSUP. Dr. Wahidin Sudirohusodo Makassar		
Jenis Review	☐ Exempted ☒ Expedited ☐ Fullboard Tanggal	Masa Berlaku 18 April 2024 sampai 18 April 2025	Frekuensi review lanjutan
Ketua KEP Universitas Hasanuddin	Prof. dr. Muh Nasrum Massi, PhD, SpMK, Subsp. Bakt(K)	Tanda tangan	
Sekretaris KEP Universitas Hasanuddin	dr. Firdaus Hamid, PhD, SpMK(K)	Tanda tangan	

Kewajiban Peneliti Utama:

- Menyerahkan Amandemen Protokol untuk persetujuan sebelum di implementasikan
- Menyerahkan Laporan SAE ke Komisi Etik dalam 24 Jam dan dilengkapi dalam 7 hari dan Laporan SUSAR dalam 72 Jam setelah Peneliti Utama menerima laporan
- Menyerahkan Laporan Kemajuan (progress report) setiap 6 bulan untuk penelitian resiko tinggi dan setiap 12 bulan untuk penelitian resiko rendah
- Menyerahkan laporan akhir setelah Penelitian berakhir
- Menyerahkan penyimpangan dari protokol yang disetujui (protocol deviation / violation)
- Menyerahkan semua peraturan yang ditentukan



Lampiran 2. Tabel Uji Statistik

GET

FILE='C:\Users\adipr\OneDrive\Desktop\Hasil radiologi antro\hasil.sav'.

DATASET NAME DataSet1 WINDOW=FRONT.

REGRESSION

/MISSING LISTWISE

/STATISTICS COEFF OUTS R ANOVA

/CRITERIA=PIN(.05) POUT(.10)

/NOORIGIN

/DEPENDENT Jeniskelamin

/METHOD=ENTER Maximumcraniallength Maximumfrontalbreadth
Minimumfrontalbreadth Bimastoiddiameter Nasalheight.



Regression

Notes

Output Created	18-APR-2024 11:36:47	
Comments		
Input	Data	C:\Users\adipr\OneDrive\Desktop\Hasil radiologi antro\hasil.sav
	Active Dataset	DataSet1
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	211
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing.
	Cases Used	Statistics are based on cases with no missing values for any variable used.
Syntax	REGRESSION /MISSING LISTWISE /STATISTICS COEFF OUTS R ANOVA /CRITERIA=PIN(.05) POUT(.10) /NOORIGIN /DEPENDENT Jeniskelamin /METHOD=ENTER Maximumcraniallength Maximumfrontalbreadth Minimumfrontalbreadth Bimastoiddiameter Nasalheight.	
	es	Processor Time 00:00:00.02
		Elapsed Time 00:00:00.03

Memory Required	5088 bytes
Additional Memory Required for Residual Plots	0 bytes

[DataSet1] C:\Users\adipr\OneDrive\Desktop\Hasil radiologi antro\hasil.sav



Variables Entered/Removed^a

Model	Variables Entered	Variables Removed	Method
1	n-ns, ft-ft, ms-ms, g-op, co-co ^b	.	Enter

a. Dependent Variable: Jeniskelamin

b. All requested variables entered.

Model Summary

Model	R	R Square	Adjusted R Square	Std. Error of the Estimate
1	.719 ^a	.516	.505	.35272

a. Predictors: (Constant), n-ns, ft-ft, ms-ms, g-op, co-co

ANOVA^a

Model		Sum of Squares	df	Mean Square	F	Sig.
1	Regression	27.234	5	5.447	43.780	.000 ^b
	Residual	25.505	205	.124		
	Total	52.739	210			



- a. Dependent Variable: Jeniskelamin
- b. Predictors: (Constant), n-ns, ft-ft, ms-ms, g-op, co-co



Coefficients^a

Model	Unstandardized Coefficients		Standardized Coefficients	t	Sig.
	B	Std. Error	Beta		
1 (Constant)	10.449	.719		14.534	.000
g-op	-.013	.004	-.198	-3.240	.001
co-co	-.015	.006	-.171	-2.629	.009
ft-ft	.009	.006	.080	1.330	.185
ms-ms	-.030	.006	-.293	-5.383	.000
n-ns	-.049	.009	-.334	-5.552	.000

a. Dependent Variable: Jeniskelamin

REGRESSION

/MISSING LISTWISE

/STATISTICS COEFF OUTS R ANOVA

/CRITERIA=PIN(.05) POUT(.10)

/NOORIGIN

/DEPENDENT Jeniskelamin

/METHOD=ENTER Maximumcraniallength Maximumfrontalbreadth Bimastoiddiameter Nasalheight.



Regression

Notes

Output Created		18-APR-2024 11:37:27
Comments		
Input	Data	C:\Users\adipr\OneDrive\Desktop\Hasil radiologi antro\hasil.sav
	Active Dataset	DataSet1
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	211
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing.
	Cases Used	Statistics are based on cases with no missing values for any variable used.



Syntax		REGRESSION /MISSING LISTWISE /STATISTICS COEFF OUTS R ANOVA /CRITERIA=PIN(.05) POUT(.10) /NOORIGIN /DEPENDENT Jeniskelamin /METHOD=ENTER Maximumcraniallength Maximumfrontalbreadth Bimastoiddiameter Nasalheight.	
Resources	Processor Time		00:00:00.02
	Elapsed Time		00:00:00.05
	Memory Required	4432 bytes	
	Additional Memory Required for Residual Plots	0 bytes	

Variables Entered/Removed^a

Model	Variables Entered	Variables Removed	Method
1	n-ns, ms- ms, co- co, g-op ^b	.	Enter



Ident Variable: Jeniskelamin

Requested variables entered.

Model Summary

Model	R	R Square	Adjusted R Square	Std. Error of the Estimate
1	.716 ^a	.512	.503	.35338

a. Predictors: (Constant), n-ns, ms-ms, co-co, g-op

ANOVA^a

Model		Sum of Squares	df	Mean Square	F	Sig.
1	Regression	27.014	4	6.754	54.081	.000 ^b
	Residual	25.725	206	.125		
	Total	52.739	210			

a. Dependent Variable: Jeniskelamin

b. Predictors: (Constant), n-ns, ms-ms, co-co, g-op



Coefficients^a

Model	Unstandardized Coefficients		Standardized Coefficients	t	Sig.
	B	Std. Error	Beta		
1 (Constant)	10.689	.697		15.329	.000
g-op	-.012	.004	-.178	-3.004	.003
co-co	-.012	.005	-.131	-2.268	.024
ms-ms	-.030	.006	-.295	-5.409	.000
n-ns	-.050	.009	-.342	-5.700	.000

a. Dependent Variable: Jeniskelamin

LOGISTIC REGRESSION VARIABLES Jeniskelamin

/METHOD=ENTER Minimumfrontalbreadth Bizygomaticbreadth Bimastoiddiameter
Nasalheight

/PRINT=CORR CI(95)

/CRITERIA=PIN(0.05) POUT(0.10) ITERATE(20) CUT(0.5).



Logistic Regression

Notes

Output Created		18-APR-2024 11:40:54
Comments		
Input	Data	C:\Users\adipr\OneDrive\Desktop\Hasil radiologi antro\hasil.sav
	Active Dataset	DataSet1
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	211
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing



Syntax		LOGISTIC REGRESSION VARIABLES Jeniskelamin /METHOD=ENTER Minimumfrontalbreadth Bizygomaticbreadth Bimastoiddiameter Nasalheight /PRINT=CORR CI(95) /CRITERIA=PIN(0.05) POUT(0.10) ITERATE(20) CUT(0.5).
Resources	Processor Time	00:00:00.02
	Elapsed Time	00:00:00.02



Case Processing Summary

Unweighted Cases ^a		N	Percent
Selected Cases	Included in Analysis	211	100.0
	Missing Cases	0	.0
	Total	211	100.0
Unselected Cases		0	.0
Total		211	100.0

a. If weight is in effect, see classification table for the total number of cases.

Dependent Variable Encoding

Original Value	Internal Value
Laki-laki	0
Perempuan	1

Block 0: Beginning Block



Classification Table^{a,b}

Observed			Predicted		
			Jeniskelamin		Percentage Correct
			Laki-laki	Perempuan	
Step 0	Jeniskelamin	Laki-laki	0	104	.0
		Perempuan	0	107	100.0
Overall Percentage					50.7

a. Constant is included in the model.

b. The cut value is .500

Variables in the Equation

	B	S.E.	Wald	df	Sig.	Exp(B)
Step 0 Constant	.028	.138	.043	1	.836	1.029

Variables not in the Equation

	Score	df	Sig.
Step 0 Variables Minimumfrontalbreadth	11.863	1	.001
Bizygomaticbreadth	70.935	1	.000
Bimastoiddiameter	58.259	1	.000
Nasalheight	74.739	1	.000
Overall Statistics	107.081	4	.000



Block 1: Method = Enter

Omnibus Tests of Model Coefficients

	Chi-square	df	Sig.
Step 1 Step	146.297	4	.000
Block	146.297	4	.000
Model	146.297	4	.000

Model Summary

Step	-2 Log likelihood	Cox & Snell R Square	Nagelkerke R Square
1	146.168 ^a	.500	.667

a. Estimation terminated at iteration number 6 because parameter estimates changed by less than .001.



Classification Table^a

Observed			Predicted		
			Jeniskelamin		Percentage Correct
			Laki-laki	Perempuan	
Step 1	Jeniskelamin	Laki-laki	91	13	87.5
		Perempuan	16	91	85.0
Overall Percentage					86.3

a. The cut value is .500

Variables in the Equation

	B	S.E.	Wald	df	Sig.	Exp(B)	95% C.I. for EXP(B)
							Lower
Step 1 ^a Minimumfrontalbreadth	.056	.055	1.032	1	.310	1.058	.949
Bizygomaticbreadth	-.222	.059	14.113	1	.000	.801	.714
Bimastoiddiameter	-.176	.057	9.545	1	.002	.839	.750
Nasalheight	-.429	.084	26.355	1	.000	.651	.553
Constant	64.122	9.080	49.866	1	.000	7041531657770790000000.000	



Variables in the Equation

		95% C.I. for EXP(B)
		Upper
Step 1 ^a	Minimum frontal breadth	1.178
	Bizygomatic breadth	.899
	Bimastoid diameter	.938
	Nasal height	.767
	Constant	

a. Variable(s) entered on step 1: Minimum frontal breadth, Bizygomatic breadth, Bimastoid diameter, Nasal height.

PrediksiJK * Jeniskelamin Crosstabulation

Count

		Jeniskelamin		
		Laki-laki	Perempuan	Total
PrediksiJK	Laki-laki	90	14	104
	Perempuan	14	93	107
Total		104	107	211

Correlation Matrix



	Constant	Minimum frontal breadth	Bizygomatic breadth	Bimastoid diameter	Upper facial height
Constant	1.000	-.165	-.421	-.498	-.469

Minimum frontal breadth	-.165	1.000	-.439	.023	-.086
Bizygomatic breadth	-.421	-.439	1.000	-.262	-.018
Bimastoid diameter	-.498	.023	-.262	1.000	.101
Nasal height	-.469	-.086	-.018	.101	1.000

LOGISTIC REGRESSION VARIABLES Jeniskelamin

/METHOD=ENTER Bizygomaticbreadth Bimastoiddiameter Nasallheight

/PRINT=CORR CI(95)

/CRITERIA=PIN(0.05) POUT(0.10) ITERATE(20) CUT(0.5).



Logistic Regression

Notes

Output Created		18-APR-2024 11:41:16
Comments		
Input	Data	C:\Users\adipr\OneDrive\Desktop\Hasil radiologi antro\hasil.sav
	Active Dataset	DataSet1
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	211
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing



Syntax		LOGISTIC REGRESSION VARIABLES Jeniskelamin /METHOD=ENTER Bizygomaticbreadth Bimastoiddiameter Nasalheight /PRINT=CORR CI(95) /CRITERIA=PIN(0.05) POUT(0.10) ITERATE(20) CUT(0.5).
Resources	Processor Time	00:00:00.05
	Elapsed Time	00:00:00.05



Case Processing Summary

Unweighted Cases ^a		N	Percent
Selected Cases	Included in Analysis	211	100.0
	Missing Cases	0	.0
	Total	211	100.0
Unselected Cases		0	.0
Total		211	100.0

a. If weight is in effect, see classification table for the total number of cases.

Dependent Variable Encoding

Original Value	Internal Value
Laki-laki	0
Perempuan	1

Block 0: Beginning Block



Classification Table^{a,b}

Observed			Predicted		
			Jeniskelamin		Percentage Correct
			Laki-laki	Perempuan	
Step 0	Jeniskelamin	Laki-laki	0	104	.0
		Perempuan	0	107	100.0
Overall Percentage					50.7

a. Constant is included in the model.

b. The cut value is .500

Variables in the Equation

	B	S.E.	Wald	df	Sig.	Exp(B)
Step 0 Constant	.028	.138	.043	1	.836	1.029

Variables not in the Equation

	Score	df	Sig.
Step 0 Variables Bizygomaticbreadth	70.935	1	.000
Bimastoiddiameter	58.259	1	.000
Nasalheight	74.739	1	.000
Overall Statistics	106.825	3	.000



Block 1: Method = Enter

Omnibus Tests of Model Coefficients

		Chi-square	df	Sig.
Step 1	Step	145.252	3	.000
	Block	145.252	3	.000
	Model	145.252	3	.000

Model Summary

Step	-2 Log likelihood	Cox & Snell R Square	Nagelkerke R Square
1	147.214 ^a	.498	.664

a. Estimation terminated at iteration number 6 because parameter estimates changed by less than .001.

Classification Table^a



Observed

Predicted	
Jeniskelamin	

		Laki-laki	Perempuan	Percentage Correct
Step 1	Jeniskelamin Laki-laki	91	13	87.5
	Perempuan	15	92	86.0
	Overall Percentage			86.7

a. The cut value is .500

Variables in the Equation

	B	S.E.	Wald	df	Sig.	Exp(B)	95% C.I. for EXP(B)
							Lower
Step 1 ^a Bizygomaticbreadth	-.197	.053	13.886	1	.000	.821	.740
Bimastoiddiameter	-.178	.056	10.093	1	.001	.837	.749
Nasalheight	-.425	.084	25.863	1	.000	.654	.555
Constant	66.221	8.917	55.152	1	.000	574389138581182300000000.000	

Variables in the Equation



95% C.I. for EXP(B)

Upper

Step 1 ^a	Bizygomaticbreadth	.911
	Bimastoiddiameter	.934
	Nasalheight	.770
	Constant	

a. Variable(s) entered on step 1: Bizygomaticbreadth, Bimastoiddiameter, Upperfacialheight.



Correlation Matrix

	Constant	Bizygomaticbreadth	Bimastoid diameter	Nasalheight
Step 1 Constant	1.000	-.563	-.499	-.485
Bizygomaticbreadth	-.563	1.000	-.271	-.069
Bimastoiddiameter	-.499	-.271	1.000	.095
Nasalheight	-.485	-.069	.095	1.000

CROSSTABS

/TABLES=PrediksiJK BY Jeniskelamin

/FORMAT=AVALUE TABLES

/STATISTICS=CHISQ RISK

/CELLS=COUNT ROW COLUMN

/COUNT ROUND CELL.



Crosstabs

Notes

Output Created		18-APR-2024 11:57:36
Comments		
Input	Data	C:\Users\adipr\OneDrive\Desktop\Hasil radiologi antro\hasil.sav
	Active Dataset	DataSet1
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	211
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing.
	Cases Used	Statistics for each table are based on all the cases with valid data in the specified range(s) for all variables in each table.



Syntax		CROSSTABS	
		/TABLES=PrediksiJK BY Jeniskelamin	
		/FORMAT=AVALUE TABLES	
		/STATISTICS=CHISQ RISK	
		/CELLS=COUNT ROW COLUMN	
		/COUNT ROUND CELL.	
Resources	Processor Time	00:00:00.03	
	Elapsed Time	00:00:00.03	
	Dimensions Requested	2	
	Cells Available	131029	

Case Processing Summary

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
PrediksiJK * Jeniskelamin	211	100.0%	0	0.0%	211	100.0%



PrediksiJK * Jeniskelamin Crosstabulation

	Jeniskelamin	Total
--	--------------	-------

N of Valid Cases	211				
------------------	-----	--	--	--	--

- a. 0 cells (.0%) have expected count less than 5. The minimum expected count is 51.26.
- b. Computed only for a 2x2 table

Risk Estimate

	Value	95% Confidence Interval	
		Lower	Upper
Odds Ratio for PrediksiJK (Laki-laki / Perempuan)	42.704	19.275	94.610
For cohort Jeniskelamin = Laki-laki	6.614	4.035	10.842
For cohort Jeniskelamin = Perempuan	.155	.095	.254
N of Valid Cases	211		



Lampiran 3. *Curriculum Vitae*

CURRICULUM VITAE

A. Data Pribadi

- Nama : dr. Weny Imelda
- Tempat/Tgl. Lahir : Ujung Pandang/20 Maret 1985
- Alamat : Jl. Tidung I Stp. 3 No. 13 Makassar
- Jenis Kelamin : Perempuan
- Nomor Telepon : 081241538485
- Agama : Kristen Protestan
- Status : Menikah
- Nama Ayah/Ibu : Johanes Limbongan/Irene Martha Rissing (almh)

B. Riwayat Pendidikan

- 1990-1996 : SD Negeri Sudirman II Makassar
- 1996-1999 : SLTP Kartika VII-I Makassar
- 1999-2002 : SMU Negeri I Makassar
- 2003-2006 : S1 Pendidikan Dokter Fakultas Kedokteran Unhas
- 2006-2009 : Profesi Dokter Fakultas Kedokteran Unhas

C. Riwayat Pekerjaan

- 2009-2010 : Dokter PTT Kemenkes Puskesmas Hunduhon, Kabupaten Banggai, Sulawesi Tengah
- 2010-2012 : CPNS Kemenkes RSUP dr. Wahidin Sudirohusodo Makassar
- 2012-sekarang : PNS Kemenkes RSUP dr. Wahidin Sudirohusodo Makassar

D. Makalah pada Seminar/Konferensi Ilmiah Nasional



“Giant Cell Tumor of The Cervical Spine with Lung Metastasis”, dibawakan
acara “23rd Grand Round Musculoskeletal Tumor”, Labuan Bajo, 1-2
: 2024