

DAFTAR PUSTAKA

1. Chiaghana C, Awoniyi C. Chapter 107: Complications of Thyroid Surgery. New York: McGraw Hill; 2020.
 2. Bajwa SJ, Sehgal V. Anesthesia and thyroid surgery: The never ending challenges. *Indian J Endocrinol Metab.* 2013;17(2):228.
 3. Biello A, Kinberg EC, Wirtz ED. Thyroidectomy. *StatPearls Publ.* 2022;
 4. Cheran K, Kumar P, Madhusudhanan T. Successful Management of Post Extubation Stridor in a Patient with Toxic Multinodular Goitre Posted For Total Thyroidectomy. *J Med Sci Clin Res.* 2019;7(12):79–81.
 5. Cortelli P, Calandra-Buonaura G, Benarroch EE, Giannini G, Iranzo A, Low PA, et al. Stridor in multiple system atrophy: Consensus statement on diagnosis, prognosis, and treatment. *Neurology.* 2019;93(14):630–9.
 6. Schnell D, Planquette B, Berger A, Merceron S, Mayaux J, Strasbach L, et al. Cuff Leak Test for the Diagnosis of Post-Extubation Stridor: A Multicenter Evaluation Study. *J Intensive Care Med.* 2019;34(5):391–6.
 7. Shilpage S, Fernando RF, Munasinghe NL. Immediate Post Thyroidectomy Stridor Caused by Paradoxical Vocal Cord Dysfunction : Results from a Single Centre Case Series. *J Endocrinol Thyroid Res.* 2021;6(2):1–2.
 8. Patnaik S, Zacharias G, Jain MK, Samantaray KK, Surapaneni SP. Etiology, Clinical Profile, Evaluation, and Management of Stridor in Children. *Indian J Pediatr.* 2021;88(11):1115–20.
 9. Nedenleri SN, Değildir TSK. Rare Causes of Stridor: Not All Stridors are Croups. *J Dr Behcet Uz Child s Hosp.* 2022;12(1):101–6.
 10. Mohamad I, Hassan NFHN. Airway in Thyroid Surgery: To Foresee than to be Ignored. *J Thyroid Disord Ther.* 2013;03(01):1–2.
 11. Venkategowda PM, Mahendrakar K, Manimala Rao S, Mutkule DP, Shirodkar CG, Yogesh H. Laryngeal air column width ratio in predicting post extubation stridor. *Indian J Crit Care Med.* 2015;19(3):170–3.
 12. Ding LW, Wang HC, Wu HD, Chang CJ, Yang PC. Laryngeal ultrasound: useful method in predicting post-extubation stridor. A pilot study. *Eur spir J.* 2006;27(2):384–9.
- Amrousy D, Elakashlan M, Elshmaa N, Ragab A. Ultrasound-Guided



- Laryngeal Air Column Width Difference as a New Predictor for Postextubation Stridor in Children. *Crit Care Med*. 2018;46(6):E496–501.
14. Mikaeili H, Yazdchi M, Tarzamni MK, Ansarin K, Ghasemzadeh M. Laryngeal ultrasonography versus cuff leak test in predicting postextubation stridor. *J Cardiovasc Thorac Res* [Internet]. 2014;6(1):25–8. Tersedia pada: <http://www.ncbi.nlm.nih.gov/pubmed/24753828><http://www.pubmedcentral.nih.gov/articlerender.fcgi?artid=PMC3992728>
 15. Elsayed AA, Mansour M, Ali TM. Laryngeal air column width ratio in predicting postextubation stridor. *An Int J Med*. 2021;114(1):77–8.
 16. Sahbal MA, Mohamed KA, Zaghla HH, Kenawy MM. Laryngeal ultrasound versus cuff leak test in prediction of post-extubation stridor. *Egypt J Crit Care Med* [Internet]. 2017;5(3):83–6. Tersedia pada: <https://doi.org/10.1016/j.ejccm.2017.10.002>
 17. Bhargava T, Kumar A, Bharti A, Khuba S. Comparison of laryngeal ultrasound and cuff leak test to predict post-extubation stridor in total thyroidectomy. *Turkish J Anaesthesiol Reanim*. 2021;49(3):238–43.
 18. Oertli D. Technique of thyroidectomy. *Surg Thyroid Parathyroid Gland*. 2012;9783642234:165–73.
 19. Hobbs CGL, Watkinson JC. Thyroidectomy. *Encycl Toxicol* [Internet]. 2014;50(January 2014):952–61. Tersedia pada: <http://dx.doi.org/10.1016/B978-0-1237-4553-8.00216-1>
 20. Lu IC, Lin IH, Wu CW, Chen HY, Lin YC, Chiang FY, et al. Preoperative, intraoperative and postoperative anesthetic prospective for thyroid surgery: What's new. *Gland Surg*. 2017;6(5):469–75.
 21. Sicari V, Zabbo CP. Stridor. *StatPearls*. 2023;
 22. Pfleger A, Eber E. Assessment and causes of stridor. *Paediatr Respir Rev* [Internet]. 2016;18:64–72. Tersedia pada: <http://dx.doi.org/10.1016/j.prrv.2015.10.003>
 23. Nitschke C, Ghadban T, Izbicki J, Grotelüschen R. Hypocalcemia as an important differential diagnosis in patients suffering from stridor following thyroidectomy. *Clin Case Reports*. 2021;9(1):470–2.
 24. Morrison J, Dodd J, McNicholas WT. Paradoxical vocal cord motion causing



- stridor after thyroidectomy. *Thorax*. 2000;55(6):533–4.
25. Mahmood SF, Padmanabha S, Hegde H, Gouroji SK. Delayed Stridor following thyroid surgery: A Case report. *J Evol Med Dent Sci*. 2014;3(27):788–9.
 26. Patel AB, Feeney C. Prediction of Postextubation Stridor. *Chest* [Internet]. 2008;134(4):163P. Tersedia pada: http://dx.doi.org/10.1378/chest.134.4_MeetingAbstracts.p163001
 27. Tanaka A, Uchiyama A, Horiguchi Y, Higano R, Sakaguchi R, Koyama Y, et al. Predictors of post-extubation stridor in patients on mechanical ventilation: a prospective observational study. *Sci Rep* [Internet]. 2021;11(1):1–10. Tersedia pada: <https://doi.org/10.1038/s41598-021-99501-8>
 28. Wang C, Tsai Y, Huang C, Wu Y, Ye M, Chou H, et al. The Role of the Cuff Leak Test in Predicting the Effects of Corticosteroid Treatment on Postextubation Stridor. *Chang Gung Med J*. 2007;30(1):53–61.
 29. Keeratichananont W, Limthong T, Keeratichananont S. Cuff leak volume as a clinical predictor for identifying post-extubation stridor. *J Med Assoc Thail*. 2012;95(6):752–5.
 30. Kallet RH. The Cuff-Leak Test for Predicting Post-Extubation Stridor: Are We Focusing on the Wrong Question? *Reli Media*. 2012;
 31. Paulo L, Silva E, Rego S, Lima MH, Carreira C, Costa G. Positive cuff leak test in a patient with post-extubation stridor after total thyroidectomy. How to deal with it? *Undefined*. 2018;27:108–11.
 32. De Backer D. The cuff-leak test: What are we measuring? *Crit Care*. 2005;9(1):31–3.
 33. El-Baradei GF, EL-Shmaa NS, Elsharawy F. Ultrasound-guided laryngeal air column width difference and the cuff leak volume in predicting the effectiveness of steroid therapy on postextubation stridor in adult. Are they useful? *J Crit Care* [Internet]. 2016;36:272–6. Tersedia pada: <p://dx.doi.org/10.1016/j.jcrc.2016.07.007>
- hammad AWAS, Sheriff MA, Iskandarani YA, Mossa WM, Alqassas H. Comparative Study Between Cuff Leak Test and Laryngeal U/S for



Detection of Post Extubation Oedema in Prone Position Patient with General Anesthesia. *J Med Chem Sci.* 2023;6(6):2686–98.

35. Soliman O, Mohsen M, Bazaraa H, Algebaly HF, Shiba M, Iraqy R. Use of Bedside Laryngeal Ultrasound to Predict Post-extubation Stridor in Critically Ill Mechanically Ventilated Children. *Egypt J Hosp Med.* 2022;89(1):6011–5.
 36. Chahardahmasumi E, Salehidoost R, Amini M, Aminorroaya A, Rezvanian H, Kachooei A, et al. Assessment of the Early and Late Complication after Thyroidectomy. *Adv Biomed Res.* 2019;8(1):14.
 37. Huang CF, Jeng Y, Chen KD, Yu JK, Shih CM, Huang SM, et al. The preoperative evaluation prevent the postoperative complications of thyroidectomy. *Ann Med Surg [Internet].* 2015;4(1):5–10. Tersedia pada: <http://dx.doi.org/10.1016/j.amsu.2014.11.005>
 38. Cipolla C, Graceffa G, Calamia S, Fiorentino E, Pantuso G, Vieni S, et al. The value of total thyroidectomy as the definitive treatment for Graves' disease: A single centre experience of 594 cases. *J Clin Transl Endocrinol [Internet].* 2019;16(October 2018):100183. Tersedia pada: <https://doi.org/10.1016/j.jcte.2019.100183>
 39. Testini M, Logoluso F, Lissidini G, Gurrado A, Campobasso G, Cortese R, et al. Emergency total thyroidectomy due to non traumatic disease. Experience of a surgical unit and literature review. *World J Emerg Surg [Internet].* 2012;7(1):9. Tersedia pada: <http://www.wjes.org/content/7/1/9>
 40. Patel AB, Ani C, Feeney C. Cuff leak test and laryngeal survey for predicting post-extubation stridor. *Indian J Anaesth.* 2015;59(2):96–102.
 41. Salih Abdul-Zahra A, Hameed Abd Al-Helfy S, Abass Abdulhassan B. Incidence and Risk Factors of Post-Thyroidectomy Stridor. *Diyala J Med.* 2023;25(1):88–99.
 42. Tsai WW, Hung KC, Huang YT, Yu CH, Lin CH, Chen IW, et al. Diagnostic efficacy of sonographic measurement of laryngeal air column width inference for predicting the risk of post-extubation stridor: A meta-analysis observational studies. *Front Med.* 2023;10(January):1–9.
- iner EJ, Shafazand S, Colice GL. The endotracheal tube cuff-leak test as



- a predictor for postextubation stridor. *Respir Care*. 2005;50(12):1632–8.
44. Wittekamp BHJ, van Mook WNKA, Tjan DHT, Zwaveling JH, Bergmans DCJJ. Clinical review: Post-extubation laryngeal edema and extubation failure in critically ill adult patients. *Crit Care*. 2009;13(6):1–9.
45. Kuriyama A, Jackson JL, Kamei J. Performance of the cuff leak test in adults in predicting post-extubation airway complications: a systematic review and meta-analysis. *Crit Care [Internet]*. 2020;24(1):1–11. Tersedia pada: <https://doi.org/10.1186/s13054-020-03358-8>



LAMPIRAN



KEMENTERIAN PENDIDIKAN, KEBUDAYAAN, RISET DAN TEKNOLOGI
UNIVERSITAS HASANUDDIN FAKULTAS KEDOKTERAN
KOMITE ETIK PENELITIAN UNIVERSITAS HASANUDDIN
RSPTN UNIVERSITAS HASANUDDIN
RSUP Dr. WAHIDIN SUDIROHUSODO MAKASSAR
Sekretariat : Lantai 2 Gedung Laboratorium Terpadu
JL. PERINTIS KEMERDEKAAN KAMPUS TAMALANREA KM.10 MAKASSAR 90245.



Contact Person: dr. Agussalim Bukhari., MMed, PhD, SpCK TELP. 081241850858, 0411 5780103, Fax : 0411-581431

REKOMENDASI PERSETUJUAN ETIK

Nomor : 148/UN4.6.4.5.31/ PP36/ 2024

Tanggal: 13 Maret 2024

Dengan ini Menyatakan bahwa Protokol dan Dokumen yang Berhubungan Dengan Protokol berikut ini telah mendapatkan Persetujuan Etik :

No Protokol	UH24010035	No Sponsor	
Peneliti Utama	dr. Aqmar Mubarak Phoenna	Sponsor	
Judul Peneliti	Perbandingan Efektivitas Tes Kebocoran Pipa Endotrakeal dengan Perbedaan Lebar Kolom Udara Laring dengan Ultrasonografi Terhadap Kejadian Stridor Pasca Ekstubasi Operasi Tiroidektomi Total		
No Versi Protokol	2	Tanggal Versi	1 Maret 2024
No Versi PSP	2	Tanggal Versi	1 Maret 2024
Tempat Penelitian	RSUP Dr. Wahidin Sudirohusodo Makassar		
Jenis Review	☐ Exempted ☒ Expedited ☐ Fullboard Tanggal	Masa Berlaku 13 Maret 2024 sampai 13 Maret 2025	Frekuensi review lanjutan
Ketua KEP Universitas Hasanuddin	Prof. dr. Muh Nasrum Massi, PhD, SpMK, Subsp. Bakt(K)	Tanda tangan	
Sekretaris KEP Universitas Hasanuddin	dr. Firdaus Hamid, PhD, SpMK(K)	Tanda tangan	

Kewajiban Peneliti Utama:

- Menyerahkan Amandemen Protokol untuk persetujuan sebelum di implementasikan
- Menyerahkan Laporan SAE ke Komisi Etik dalam 24 Jam dan dilengkapi dalam 7 hari dan Laporan SUSAR dalam 72 Jam setelah Peneliti Utama menerima laporan
- Menyerahkan Laporan Kemajuan (progress report) setiap 6 bulan untuk penelitian resiko tinggi dan setiap setahun untuk penelitian resiko rendah
- Menyerahkan laporan akhir setelah Penelitian berakhir
- Melaporkan penyimpangan dari protokol yang disetujui (protocol deviation / violation)
- Mematuhi semua peraturan yang ditentukan



Optimized using
trial version
www.balesio.com

CURICULUM VITAE

1. DATA PRIBADI

Nama Lengkap : Aqmar Mubarak Phoenna
Tempat tanggal lahir : Sabang, 30 Mei 1987
Jenis Kelamin : Laki-laki
Kewarganegaraan : Warga Negara Indonesia
Agama : Islam
Alamat : Jurong Pantee jaya, Kel. Ie Meulee, Kec. Sukajaya.
Kota Sabang, ACEH
Email : phoenna1987@gmail.com

2. RIWAYAT PENDIDIKAN

No	Jenjang Pendidikan	Institusi	Tahun	Tempat
1	SD	SD Negeri 1 Sabang	1993-1999	Sabang
2	SMP	SMP Negeri 2 Sabang	1999-2002	Sabang
3	SMA	SMA Negeri 1 Sabang	2002-2005	Sabang
4	S1 & PROFESI	FK Universitas Abulyatama	2005-2012	Aceh
5	PPDS	Departemen Ilmu Anestesi, Terapi Intensif dan Manajemen Nyeri FK Universitas Hasanuddin	2018-2024	Makassar

