

REFERENSI

- [1] K. Chen, F. Wang, S. Liu, X. Wu, L. Xu, and D. Zhang, "In situ reduction of silver nanoparticles by sodium alginate to obtain silver-loaded composite wound dressing with enhanced mechanical and antimicrobial property," *Int J Biol Macromol*, vol. 148, pp. 501–509, Apr. 2020, doi: 10.1016/j.ijbiomac.2020.01.156.
- [2] H. Afjoul, A. Shamloo, and A. Kamali, "Freeze-gelled alginate/gelatin scaffolds for wound healing applications: An in vitro, in vivo study," *Materials Science and Engineering C*, vol. 113, Aug. 2020, doi: 10.1016/j.msec.2020.110957.
- [3] K. Ngece, B. A. Aderibigbe, D. T. Ndinteh, Y. T. Fonkui, and P. Kumar, "Alginate-gum acacia based sponges as potential wound dressings for exuding and bleeding wounds," *Int J Biol Macromol*, vol. 172, pp. 350–359, Mar. 2021, doi: 10.1016/j.ijbiomac.2021.01.055.
- [4] M. Zhou, F. Lin, W. Li, L. Shi, Y. Li, and G. Shan, "Development of nanosilver doped carboxymethyl chitosan-polyamideamine alginate composite dressing for wound treatment," *Int J Biol Macromol*, vol. 166, pp. 1335–1351, Jan. 2021, doi: 10.1016/j.ijbiomac.2020.11.014.
- [5] J. A. P. Dutra *et al.*, "Papain wound dressings obtained from poly(vinyl alcohol)/calcium alginate blends as new pharmaceutical dosage form: Preparation and preliminary evaluation," *European Journal of Pharmaceutics and Biopharmaceutics*, vol. 113, pp. 11–23, Apr. 2017, doi: 10.1016/j.ejpb.2016.12.001.
- [6] A. N. Severyukhina *et al.*, "Light-induced antibacterial activity of electrospun chitosan-based material containing photosensitizer," *Materials Science and Engineering C*, vol. 70, pp. 311–316, Jan. 2017, doi: 10.1016/j.msec.2016.09.005.
- [7] L. Sukhodub, M. Kumeda, L. Sukhodub, V. Bielai, and M. Lyndin, "Metal ions doping effect on the physicochemical, antimicrobial, and wound healing profiles of alginate-based composite," *Carbohydr Polym*, vol. 304, Mar. 2023, doi: 10.1016/j.carbpol.2022.120486.

- [8] R. N. F. Moreira Filho, N. F. Vasconcelos, F. K. Andrade, M. de F. Rosa, and R. S. Vieira, "Papain immobilized on alginate membrane for wound dressing application," *Colloids Surf B Biointerfaces*, vol. 194, Oct. 2020, doi: 10.1016/j.colsurfb.2020.111222.
- [9] C. William, "Melgisorb: a highly absorbent calcium/sodium alginate dressing," *British Journal of Nursing*, vol. 7, no. 16, pp. 975–976, Sep. 1998, doi: 10.12968/bjon.1998.7.16.5612.
- [10] S. P. Raman *et al.*, "Alginate aerogels carrying calcium, zinc and silver cations for wound care: Fabrication and metal detection," *Journal of Supercritical Fluids*, vol. 153, Nov. 2019, doi: 10.1016/j.supflu.2019.104545.
- [11] Y. Gao and X. Jin, "Characterizing the degradation behavior of calcium alginate fibers wound dressings fabricated by needle-punching process," *J Appl Polym Sci*, vol. 135, no. 38, Oct. 2018, doi: 10.1002/app.46670.
- [12] K. Viswanathan, P. Monisha, M. Srinivasan, D. Swathi, M. Raman, and G. Dhinakar Raj, "Chlorhexidine-calcium phosphate nanoparticles - Polymer mixer based wound healing cream and their applications," *Materials Science and Engineering C*, vol. 67, pp. 516–521, Oct. 2016, doi: 10.1016/j.msec.2016.05.075.
- [13] N. F. R. Tang, H. Heryanto, B. Armynah, and D. Tahir, "Bibliometric analysis of the use of calcium alginate for wound dressing applications: A review," *International Journal of Biological Macromolecules*, vol. 228. Elsevier B.V., pp. 138–152, Feb. 15, 2023. doi: 10.1016/j.ijbiomac.2022.12.140.
- [14] F. Xiao *et al.*, "Pathogen-Specific Polymeric Antimicrobials with Significant Membrane Disruption and Enhanced Photodynamic Damage To Inhibit Highly Opportunistic Bacteria," *ACS Nano*, vol. 13, no. 2, pp. 1511–1525, Feb. 2019, doi: 10.1021/acsnano.8b07251.
- [15] K. Aponiene and Z. Luksiene, "Effective combination of LED-based visible light, photosensitizer and photocatalyst to combat Gram (-) bacteria," *J Photochem Photobiol B*, vol. 142, pp. 257–263, 2015, doi: 10.1016/j.jphotobiol.2014.11.011.
- [16] K. Patel, B. S. Raj, Y. Chen, and X. Lou, "Novel folic acid conjugated Fe₃O₄-ZnO hybrid nanoparticles for targeted photodynamic therapy," *Colloids Surf B*

- Biointerfaces*, vol. 150, pp. 317–325, Feb. 2017, doi: 10.1016/j.colsurfb.2016.10.045.
- [17] E. Albiter, J. M. Barrera-Andrade, E. Rojas-García, and M. A. Valenzuela, “Recent advances of nanocarbon-inorganic hybrids in photocatalysis,” in *Nanocarbon and its Composites*, Elsevier, 2019, pp. 521–588. doi: 10.1016/B978-0-08-102509-3.00017-1.
- [18] D. Smazna *et al.*, “Mutual interplay of ZnO micro- and nanowires and methylene blue during cyclic photocatalysis process,” *J Environ Chem Eng*, vol. 7, no. 2, p. 103016, Apr. 2019, doi: 10.1016/j.jece.2019.103016.
- [19] C. Yi *et al.*, “Nanoscale ZnO-based photosensitizers for photodynamic therapy,” *Photodiagnosis and Photodynamic Therapy*, vol. 30. Elsevier B.V., Jun. 01, 2020. doi: 10.1016/j.pdpdt.2020.101694.
- [20] B. Gu *et al.*, “In-situ second harmonic generation by cancer cell targeting ZnO nanocrystals to effect photodynamic action in subcellular space,” *Biomaterials*, vol. 104, pp. 78–86, Oct. 2016, doi: 10.1016/j.biomaterials.2016.07.012.
- [21] S. Alven, V. Khwaza, O. O. Oyediji, and B. A. Aderibigbe, “Polymer-Based Scaffolds Loaded with Aloe vera Extract for the Treatment of Wounds,” *Pharmaceutics*, vol. 13, no. 7, p. 961, Jun. 2021, doi: 10.3390/pharmaceutics13070961.
- [22] W. Y. Zhao *et al.*, “Chitosan-calcium alginate dressing promotes wound healing: A preliminary study,” *Wound Repair and Regeneration*, vol. 28, no. 3, pp. 326–337, May 2020, doi: 10.1111/wrr.12789.
- [23] S. Dhivya, V. V. Padma, and E. Santhini, “Wound dressings – a review,” *Biomedicine (Taipei)*, vol. 5, no. 4, p. 22, Dec. 2015, doi: 10.7603/s40681-015-0022-9.
- [24] M. Gruppuso, G. Turco, E. Marsich, and D. Porrelli, “Polymeric wound dressings, an insight into polysaccharide-based electrospun membranes,” *Appl Mater Today*, vol. 24, p. 101148, Sep. 2021, doi: 10.1016/j.apmt.2021.101148.
- [25] S. Tavakoli and A. S. Klar, “Advanced Hydrogels as Wound Dressings,” *Biomolecules*, vol. 10, no. 8, p. 1169, Aug. 2020, doi: 10.3390/biom10081169.
- [26] E. Rezvani Ghomi, S. Khalili, S. Nouri Khorasani, R. Esmaeely Neisiany, and S. Ramakrishna, “Wound dressings: Current advances and future directions,”

J Appl Polym Sci, vol. 136, no. 27, p. 47738, Jul. 2019, doi: 10.1002/app.47738.

- [27] V. Vivcharenko and A. Przekora, “Modifications of Wound Dressings with Bioactive Agents to Achieve Improved Pro-Healing Properties,” *Applied Sciences*, vol. 11, no. 9, p. 4114, Apr. 2021, doi: 10.3390/app11094114.
- [28] H. Liu *et al.*, “A functional chitosan-based hydrogel as a wound dressing and drug delivery system in the treatment of wound healing,” *RSC Adv*, vol. 8, no. 14, pp. 7533–7549, 2018, doi: 10.1039/C7RA13510F.
- [29] R. Derwin, D. Patton, P. Avsar, H. Strapp, and Z. Moore, “The impact of topical agents and dressing on <scp>pH</scp> and temperature on wound healing: A systematic, narrative review,” *Int Wound J*, vol. 19, no. 6, pp. 1397–1408, Oct. 2022, doi: 10.1111/iwj.13733.
- [30] F. Tang *et al.*, “Alginate-zinc (II) phthalocyanine conjugates: Synthesis, characterization and tumor-associated macrophages-targeted photodynamic therapy,” *Carbohydr Polym*, vol. 240, Jul. 2020, doi: 10.1016/j.carbpol.2020.116239.
- [31] M. Zhang *et al.*, “Ag@MOF-loaded chitosan nanoparticle and polyvinyl alcohol/sodium alginate/chitosan bilayer dressing for wound healing applications,” *Int J Biol Macromol*, vol. 175, pp. 481–494, Apr. 2021, doi: 10.1016/j.ijbiomac.2021.02.045.
- [32] R. Ma *et al.*, “Nanocomposite sponges of sodium alginate/graphene oxide/polyvinyl alcohol as potential wound dressing: In vitro and in vivo evaluation,” *Compos B Eng*, vol. 167, pp. 396–405, Jun. 2019, doi: 10.1016/j.compositesb.2019.03.006.
- [33] K. Kiti and O. Suwantong, “Bilayer wound dressing based on sodium alginate incorporated with curcumin- β -cyclodextrin inclusion complex/chitosan hydrogel,” *Int J Biol Macromol*, vol. 164, pp. 4113–4124, Dec. 2020, doi: 10.1016/j.ijbiomac.2020.09.013.
- [34] B. Singh, J. Singh, and Rajneesh, “Application of tragacanth gum and alginate in hydrogel wound dressing’s formation using gamma radiation,” *Carbohydrate Polymer Technologies and Applications*, vol. 2, Dec. 2021, doi: 10.1016/j.carpta.2021.100058.

- [35] M. A. Rahman *et al.*, “Calcium ion mediated rapid wound healing by nano-ZnO doped calcium phosphate-chitosan-alginate biocomposites,” *Materialia (Oxf)*, vol. 13, Sep. 2020, doi: 10.1016/j.mtla.2020.100839.
- [36] M. Mosina, I. Kovrlija, L. Stipniece, and J. Locs, “Gallium containing calcium phosphates: Potential antibacterial agents or fictitious truth,” *Acta Biomaterialia*, vol. 150. Acta Materialia Inc, pp. 48–57, Sep. 15, 2022. doi: 10.1016/j.actbio.2022.07.063.
- [37] R. Kamphof *et al.*, “Antimicrobial activity of ion-substituted calcium phosphates: A systematic review,” *Heliyon*, vol. 9, no. 6. Elsevier Ltd, Jun. 01, 2023. doi: 10.1016/j.heliyon.2023.e16568.
- [38] C. S. Cunha *et al.*, “Films of chitosan and natural modified hydroxyapatite as effective UV-protecting, biocompatible and antibacterial wound dressings,” *Int J Biol Macromol*, vol. 159, pp. 1177–1185, Sep. 2020, doi: 10.1016/j.ijbiomac.2020.05.077.
- [39] J. Chen *et al.*, “Composite of silver nanoparticles and photosensitizer leads to mutual enhancement of antimicrobial efficacy and promotes wound healing,” *Chemical Engineering Journal*, vol. 374, pp. 1373–1381, Oct. 2019, doi: 10.1016/j.cej.2019.05.184.
- [40] Y. Liang, Y. Liang, H. Zhang, and B. Guo, “Antibacterial biomaterials for skin wound dressing,” *Asian J Pharm Sci*, vol. 17, no. 3, pp. 353–384, May 2022, doi: 10.1016/j.ajps.2022.01.001.
- [41] N. Guo *et al.*, “Alginate-based aerogels as wound dressings for efficient bacterial capture and enhanced antibacterial photodynamic therapy,” *Drug Deliv*, vol. 29, no. 1, pp. 1086–1099, Dec. 2022, doi: 10.1080/10717544.2022.2058650.
- [42] H. Qiu *et al.*, “ICG-loaded photodynamic chitosan/polyvinyl alcohol composite nanofibers: Anti-resistant bacterial effect and improved healing of infected wounds,” *Int J Pharm*, vol. 588, p. 119797, Oct. 2020, doi: 10.1016/j.ijpharm.2020.119797.
- [43] J.-O. Yoo and K.-S. Ha, “New Insights into the Mechanisms for Photodynamic Therapy-Induced Cancer Cell Death,” 2012, pp. 139–174. doi: 10.1016/B978-0-12-394306-4.00010-1.

- [44] C. Fang-Yen, C. V. Gabel, A. D. T. Samuel, C. I. Bargmann, and L. Avery, "Laser Microsurgery in *Caenorhabditis elegans*," 2012, pp. 177–206. doi: 10.1016/B978-0-12-394620-1.00006-0.
- [45] M. Chu *et al.*, "Functionalization of composite bacterial cellulose with C₆₀ nanoparticles for wound dressing and cancer therapy," *RSC Adv*, vol. 8, no. 33, pp. 18197–18203, 2018, doi: 10.1039/C8RA03965H.
- [46] D. Bradley, "Light-activated biomimetic hydrogel for infection-beating wound dressings," *Materials Today*, vol. 34, pp. 3–4, Apr. 2020, doi: 10.1016/j.mattod.2020.02.011.
- [47] *Nanobiosensors for Biomolecular Targeting*. Elsevier, 2019. doi: 10.1016/C2017-0-00809-1.
- [48] S. Murthy, P. Effiong, and C. C. Fei, "Metal oxide nanoparticles in biomedical applications," in *Metal Oxide Powder Technologies*, Elsevier, 2020, pp. 233–251. doi: 10.1016/B978-0-12-817505-7.00011-7.
- [49] N. M. Amal, M. Shiddiq, B. Armynah, and D. Tahir, "High reactive oxygen species produced from fluorescence carbon dots for anticancer and photodynamic therapies: A review," *Luminescence*, vol. 37, no. 12. John Wiley and Sons Ltd, pp. 2006–2017, Dec. 01, 2022. doi: 10.1002/bio.4388.
- [50] R. Baskaran, J. Lee, and S. G. Yang, "Clinical development of photodynamic agents and therapeutic applications," *Biomaterials Research*, vol. 22. BioMed Central Ltd, 2018. doi: 10.1186/s40824-018-0140-z.
- [51] Z. J. Zhang, K. P. Wang, J. G. Mo, L. Xiong, and Y. Wen, "Photodynamic therapy regulates fate of cancer stem cells through reactive oxygen species," *World J Stem Cells*, vol. 12, no. 7, pp. 562–584, Jul. 2020, doi: 10.4252/wjsc.v12.i7.562.
- [52] C. N. Lee, R. Hsu, H. Chen, and T. W. Wong, "Daylight Photodynamic Therapy: An Update," *Molecules*, vol. 25, no. 21. MDPI, Nov. 01, 2020. doi: 10.3390/molecules25215195.
- [53] N. Kwon, H. Kim, X. Li, and J. Yoon, "Supramolecular agents for combination of photodynamic therapy and other treatments," *Chemical Science*, vol. 12, no. 21. Royal Society of Chemistry, pp. 7248–7268, Jun. 07, 2021. doi: 10.1039/d1sc01125a.

- [54] C. Y. Shih, P. T. Wang, W. C. Su, H. Teng, and W. L. Huang, “Nanomedicine-based strategies assisting photodynamic therapy for hypoxic tumors: State-of-the-art approaches and emerging trends,” *Biomedicines*, vol. 9, no. 2. MDPI AG, pp. 1–18, Feb. 01, 2021. doi: 10.3390/biomedicines9020137.
- [55] R. Alzeibak, T. A. Mishchenko, N. Y. Shilyagina, I. V. Balalaeva, M. V. Vedunova, and D. V. Krysko, “Targeting immunogenic cancer cell death by photodynamic therapy: Past, present and future,” *Journal for ImmunoTherapy of Cancer*, vol. 9, no. 1. BMJ Publishing Group, Jan. 11, 2021. doi: 10.1136/jitc-2020-001926.
- [56] E. Polat and K. Kang, “Natural photosensitizers in antimicrobial photodynamic therapy,” *Biomedicines*, vol. 9, no. 6, 2021, doi: 10.3390/biomedicines9060584.
- [57] S. Kwiatkowski *et al.*, “Photodynamic therapy – mechanisms, photosensitizers and combinations,” *Biomedicine and Pharmacotherapy*, vol. 106. Elsevier Masson SAS, pp. 1098–1107, Oct. 01, 2018. doi: 10.1016/j.biopha.2018.07.049.
- [58] H. Abrahamse and I. Sosthene Mfouo Tynga, “Photodynamic Therapy, a Potential Therapy for Improve Cancer Management,” in *Breast Cancer and Surgery*, IntechOpen, 2018. doi: 10.5772/intechopen.74697.
- [59] G. M. F. Calixto, J. Bernegossi, L. M. De Freitas, C. R. Fontana, M. Chorilli, and A. M. Grumezescu, “Nanotechnology-based drug delivery systems for photodynamic therapy of cancer: A review,” *Molecules*, vol. 21, no. 3. MDPI AG, Mar. 01, 2016. doi: 10.3390/molecules21030342.
- [60] R. Yin *et al.*, “Antimicrobial photodynamic inactivation in nanomedicine: Small light strides against bad bugs,” *Nanomedicine*, vol. 10, no. 15. Future Medicine Ltd., pp. 2379–2404, Aug. 01, 2015. doi: 10.2217/nnm.15.67.
- [61] L. Sun, L. Song, X. Zhang, R. Zhou, J. Yin, and S. Luan, “Poly(γ -glutamic acid)-based electrospun nanofibrous mats with photodynamic therapy for effectively combating wound infection,” *Materials Science and Engineering C*, vol. 113, Aug. 2020, doi: 10.1016/j.msec.2020.110936.
- [62] S. Hu *et al.*, “Preparation of biocompatible wound dressings with long-term antimicrobial activity through covalent bonding of antibiotic agents to natural

- polymers,” *Int J Biol Macromol*, vol. 123, pp. 1320–1330, Feb. 2019, doi: 10.1016/j.ijbiomac.2018.09.122.
- [63] F. Ahmad *et al.*, “Synthesis and Characterization of Nonwoven Cotton-Reinforced Cellulose Hydrogel for Wound Dressings,” *Polymers (Basel)*, vol. 13, no. 23, p. 4098, Nov. 2021, doi: 10.3390/polym13234098.
- [64] H. Mashroteh, M. Khajeh Mehrizi, N. Nabizadeh, and N. Tehrani Dehkordi, “Optimizing of Nonwoven Fabric Properties Using Nano-bio Materials for the Wound Dressing Application,” *Journal of Shahid Sadoughi University of Medical Sciences*, Jul. 2020, doi: 10.18502/ssu.v28i4.3766.
- [65] Y. Liang, J. He, and B. Guo, “Functional Hydrogels as Wound Dressing to Enhance Wound Healing,” *ACS Nano*, vol. 15, no. 8, pp. 12687–12722, Aug. 2021, doi: 10.1021/acsnano.1c04206.
- [66] G. Zhang, Y. Xiao, J. Yan, and W. Zhang, “Fabrication of ZnO nanoparticle-coated calcium alginate nonwoven fabric by ion exchange method based on amino hyperbranched polymer,” *Mater Lett*, vol. 270, p. 127624, Jul. 2020, doi: 10.1016/j.matlet.2020.127624.
- [67] “Characteristics of starch-based bioplastic composites in the ratio variations of the polysaccharide mixture,” *International Journal of Pharmaceutical Research*, vol. 13, no. 02, Feb. 2021, doi: 10.31838/ijpr/2021.13.02.223.
- [68] “Characteristics of starch-based bioplastic composites in the ratio variations of the polysaccharide mixture,” *International Journal of Pharmaceutical Research*, vol. 13, no. 02, Feb. 2021, doi: 10.31838/ijpr/2021.13.02.223.
- [69] X. Meng *et al.*, “Chitosan/alginate/hyaluronic acid polyelectrolyte composite sponges crosslinked with genipin for wound dressing application,” *Int J Biol Macromol*, vol. 182, pp. 512–523, Jul. 2021, doi: 10.1016/j.ijbiomac.2021.04.044.
- [70] A. Khalili, M. Matyka, R. Malek Mohammadi, J. Weise, and M. M. M. Kuypers, “Porosity variation within a porous bed composed of multisized grains,” *Powder Technol*, vol. 338, pp. 830–835, Oct. 2018, doi: 10.1016/j.powtec.2018.07.039.
- [71] A. Rinanti, “THE POTENTIAL OF INDIGENOUS BACTERIA TO INCREASE POROSITY-PERMEABILITY OF RESERVOIR ROCK: A

- PRELIMINARY STUDY,” *International Journal of GEOMATE*, Jun. 2017, doi: 10.21660/2017.34.2704.
- [72] S. SU, Q. RAO, Y. HE, and W. XIE, “Effects of porosity on tensile mechanical properties of porous FeAl intermetallics,” *Transactions of Nonferrous Metals Society of China*, vol. 30, no. 10, pp. 2757–2763, Oct. 2020, doi: 10.1016/S1003-6326(20)65418-8.
- [73] B. Singh, L. Varshney, S. Francis, and Rajneesh, “Designing sterile biocompatible moxifloxacin loaded trigacanth-PVA-alginate wound dressing by radiation crosslinking method,” *Wound Medicine*, vol. 17, pp. 11–17, Jun. 2017, doi: 10.1016/j.wndm.2017.01.001.
- [74] H. Sun *et al.*, “Zinc alginate hydrogels with embedded RL-QN15 peptide-loaded hollow polydopamine nanoparticles for diabetic wound healing therapy,” *Mater Des*, vol. 222, p. 111085, Oct. 2022, doi: 10.1016/j.matdes.2022.111085.
- [75] Y. Gao, B. Chen, M. V. T. da Costa, H. Dai, F. Ram, and Y. Li, “ZnO microrods sandwiched between layered CNF matrix: Fabrication, stress transfer, and mechanical properties,” *Carbohydr Polym*, vol. 305, p. 120536, Apr. 2023, doi: 10.1016/j.carbpol.2022.120536.
- [76] R. Monfared-Hajishirkiaee, H. Ehtesabi, S. Najafinobar, and Z. Masoumian, “Multifunctional chitosan/carbon dots/sodium alginate/zinc oxide double-layer sponge hydrogel with high antibacterial, mechanical and hemostatic properties,” *OpenNano*, vol. 12, p. 100162, Jul. 2023, doi: 10.1016/j.onano.2023.100162.
- [77] K. Vaezi, G. Asadpour, and H. Sharifi, “Effect of ZnO nanoparticles on the mechanical, barrier and optical properties of thermoplastic cationic starch/montmorillonite biodegradable films,” *Int J Biol Macromol*, vol. 124, pp. 519–529, Mar. 2019, doi: 10.1016/j.ijbiomac.2018.11.142.
- [78] J.-H. Zhang *et al.*, “Ordered heterogeneity of molecular photosensitizer toward enhanced photocatalysis,” *Proceedings of the National Academy of Sciences*, vol. 119, no. 11, Mar. 2022, doi: 10.1073/pnas.2118278119.
- [79] Y. Yu *et al.*, “Cationization to boost both type I and type II ROS generation for photodynamic therapy,” *Biomaterials*, vol. 280, p. 121255, Jan. 2022, doi: 10.1016/j.biomaterials.2021.121255.

- [80] F. Rahmawati, R. Wulandari, and E. Nofaris, "Optical properties and photocatalytic activity of CdS-TiO₂/graphite composite," *Science and Engineering of Composite Materials*, vol. 24, no. 2, pp. 253–260, Mar. 2017, doi: 10.1515/secm-2015-0162.
- [81] J. F. Algorri, M. Ochoa, P. Roldán-Varona, L. Rodríguez-Cobo, and J. M. López-Higuera, "Light
- [1] K. Chen, F. Wang, S. Liu, X. Wu, L. Xu, and D. Zhang, "In situ reduction of silver nanoparticles by sodium alginate to obtain silver-loaded composite wound dressing with enhanced mechanical and antimicrobial property," *Int J Biol Macromol*, vol. 148, pp. 501–509, Apr. 2020, doi: 10.1016/j.ijbiomac.2020.01.156.
- [2] H. Afjoul, A. Shamloo, and A. Kamali, "Freeze-gelled alginate/gelatin scaffolds for wound healing applications: An in vitro, in vivo study," *Materials Science and Engineering C*, vol. 113, Aug. 2020, doi: 10.1016/j.msec.2020.110957.
- [3] K. Ngece, B. A. Aderibigbe, D. T. Ndinteh, Y. T. Fonkui, and P. Kumar, "Alginate-gum acacia based sponges as potential wound dressings for exuding and bleeding wounds," *Int J Biol Macromol*, vol. 172, pp. 350–359, Mar. 2021, doi: 10.1016/j.ijbiomac.2021.01.055.
- [4] M. Zhou, F. Lin, W. Li, L. Shi, Y. Li, and G. Shan, "Development of nanosilver doped carboxymethyl chitosan-polyamideamine alginate composite dressing for wound treatment," *Int J Biol Macromol*, vol. 166, pp. 1335–1351, Jan. 2021, doi: 10.1016/j.ijbiomac.2020.11.014.
- [5] J. A. P. Dutra *et al.*, "Papain wound dressings obtained from poly(vinyl alcohol)/calcium alginate blends as new pharmaceutical dosage form: Preparation and preliminary evaluation," *European Journal of Pharmaceutics and Biopharmaceutics*, vol. 113, pp. 11–23, Apr. 2017, doi: 10.1016/j.ejpb.2016.12.001.
- [6] A. N. Severyukhina *et al.*, "Light-induced antibacterial activity of electrospun chitosan-based material containing photosensitizer," *Materials Science and*

Engineering C, vol. 70, pp. 311–316, Jan. 2017, doi: 10.1016/j.msec.2016.09.005.

- [7] L. Sukhodub, M. Kumeda, L. Sukhodub, V. Bielai, and M. Lyndin, “Metal ions doping effect on the physicochemical, antimicrobial, and wound healing profiles of alginate-based composite,” *Carbohydr Polym*, vol. 304, Mar. 2023, doi: 10.1016/j.carbpol.2022.120486.
- [8] R. N. F. Moreira Filho, N. F. Vasconcelos, F. K. Andrade, M. de F. Rosa, and R. S. Vieira, “Papain immobilized on alginate membrane for wound dressing application,” *Colloids Surf B Biointerfaces*, vol. 194, Oct. 2020, doi: 10.1016/j.colsurfb.2020.111222.
- [9] C. William, “Melgisorb: a highly absorbent calcium/sodium alginate dressing,” *British Journal of Nursing*, vol. 7, no. 16, pp. 975–976, Sep. 1998, doi: 10.12968/bjon.1998.7.16.5612.
- [10] S. P. Raman *et al.*, “Alginate aerogels carrying calcium, zinc and silver cations for wound care: Fabrication and metal detection,” *Journal of Supercritical Fluids*, vol. 153, Nov. 2019, doi: 10.1016/j.supflu.2019.104545.
- [11] Y. Gao and X. Jin, “Characterizing the degradation behavior of calcium alginate fibers wound dressings fabricated by needle-punching process,” *J Appl Polym Sci*, vol. 135, no. 38, Oct. 2018, doi: 10.1002/app.46670.
- [12] K. Viswanathan, P. Monisha, M. Srinivasan, D. Swathi, M. Raman, and G. Dhinakar Raj, “Chlorhexidine-calcium phosphate nanoparticles - Polymer mixer based wound healing cream and their applications,” *Materials Science and Engineering C*, vol. 67, pp. 516–521, Oct. 2016, doi: 10.1016/j.msec.2016.05.075.
- [13] N. F. R. Tang, H. Heryanto, B. Armynah, and D. Tahir, “Bibliometric analysis of the use of calcium alginate for wound dressing applications: A review,” *International Journal of Biological Macromolecules*, vol. 228. Elsevier B.V., pp. 138–152, Feb. 15, 2023. doi: 10.1016/j.ijbiomac.2022.12.140.
- [14] F. Xiao *et al.*, “Pathogen-Specific Polymeric Antimicrobials with Significant Membrane Disruption and Enhanced Photodynamic Damage To Inhibit Highly Opportunistic Bacteria,” *ACS Nano*, vol. 13, no. 2, pp. 1511–1525, Feb. 2019, doi: 10.1021/acsnano.8b07251.

- [15] K. Aponiene and Z. Luksiene, "Effective combination of LED-based visible light, photosensitizer and photocatalyst to combat Gram (-) bacteria," *J Photochem Photobiol B*, vol. 142, pp. 257–263, 2015, doi: 10.1016/j.jphotobiol.2014.11.011.
- [16] K. Patel, B. S. Raj, Y. Chen, and X. Lou, "Novel folic acid conjugated Fe₃O₄-ZnO hybrid nanoparticles for targeted photodynamic therapy," *Colloids Surf B Biointerfaces*, vol. 150, pp. 317–325, Feb. 2017, doi: 10.1016/j.colsurfb.2016.10.045.
- [17] E. Albiter, J. M. Barrera-Andrade, E. Rojas-García, and M. A. Valenzuela, "Recent advances of nanocarbon-inorganic hybrids in photocatalysis," in *Nanocarbon and its Composites*, Elsevier, 2019, pp. 521–588. doi: 10.1016/B978-0-08-102509-3.00017-1.
- [18] D. Smazna *et al.*, "Mutual interplay of ZnO micro- and nanowires and methylene blue during cyclic photocatalysis process," *J Environ Chem Eng*, vol. 7, no. 2, p. 103016, Apr. 2019, doi: 10.1016/j.jece.2019.103016.
- [19] C. Yi *et al.*, "Nanoscale ZnO-based photosensitizers for photodynamic therapy," *Photodiagnosis and Photodynamic Therapy*, vol. 30. Elsevier B.V., Jun. 01, 2020. doi: 10.1016/j.pdpdt.2020.101694.
- [20] B. Gu *et al.*, "In-situ second harmonic generation by cancer cell targeting ZnO nanocrystals to effect photodynamic action in subcellular space," *Biomaterials*, vol. 104, pp. 78–86, Oct. 2016, doi: 10.1016/j.biomaterials.2016.07.012.
- [21] S. Alven, V. Khwaza, O. O. Oyediji, and B. A. Aderibigbe, "Polymer-Based Scaffolds Loaded with Aloe vera Extract for the Treatment of Wounds," *Pharmaceutics*, vol. 13, no. 7, p. 961, Jun. 2021, doi: 10.3390/pharmaceutics13070961.
- [22] W. Y. Zhao *et al.*, "Chitosan-calcium alginate dressing promotes wound healing: A preliminary study," *Wound Repair and Regeneration*, vol. 28, no. 3, pp. 326–337, May 2020, doi: 10.1111/wrr.12789.
- [23] S. Dhivya, V. V. Padma, and E. Santhini, "Wound dressings – a review," *Biomedicine (Taipei)*, vol. 5, no. 4, p. 22, Dec. 2015, doi: 10.7603/s40681-015-0022-9.

- [24] M. Gruppuso, G. Turco, E. Marsich, and D. Porrelli, "Polymeric wound dressings, an insight into polysaccharide-based electrospun membranes," *Appl Mater Today*, vol. 24, p. 101148, Sep. 2021, doi: 10.1016/j.apmt.2021.101148.
- [25] S. Tavakoli and A. S. Klar, "Advanced Hydrogels as Wound Dressings," *Biomolecules*, vol. 10, no. 8, p. 1169, Aug. 2020, doi: 10.3390/biom10081169.
- [26] E. Rezvani Ghomi, S. Khalili, S. Nouri Khorasani, R. Esmaeely Neisiany, and S. Ramakrishna, "Wound dressings: Current advances and future directions," *J Appl Polym Sci*, vol. 136, no. 27, p. 47738, Jul. 2019, doi: 10.1002/app.47738.
- [27] V. Vivcharenko and A. Przekora, "Modifications of Wound Dressings with Bioactive Agents to Achieve Improved Pro-Healing Properties," *Applied Sciences*, vol. 11, no. 9, p. 4114, Apr. 2021, doi: 10.3390/app11094114.
- [28] H. Liu *et al.*, "A functional chitosan-based hydrogel as a wound dressing and drug delivery system in the treatment of wound healing," *RSC Adv*, vol. 8, no. 14, pp. 7533–7549, 2018, doi: 10.1039/C7RA13510F.
- [29] R. Derwin, D. Patton, P. Avsar, H. Strapp, and Z. Moore, "The impact of topical agents and dressing on <scp>pH</scp> and temperature on wound healing: A systematic, narrative review," *Int Wound J*, vol. 19, no. 6, pp. 1397–1408, Oct. 2022, doi: 10.1111/iwj.13733.
- [30] F. Tang *et al.*, "Alginate-zinc (II) phthalocyanine conjugates: Synthesis, characterization and tumor-associated macrophages-targeted photodynamic therapy," *Carbohydr Polym*, vol. 240, Jul. 2020, doi: 10.1016/j.carbpol.2020.116239.
- [31] M. Zhang *et al.*, "Ag@MOF-loaded chitosan nanoparticle and polyvinyl alcohol/sodium alginate/chitosan bilayer dressing for wound healing applications," *Int J Biol Macromol*, vol. 175, pp. 481–494, Apr. 2021, doi: 10.1016/j.ijbiomac.2021.02.045.
- [32] R. Ma *et al.*, "Nanocomposite sponges of sodium alginate/graphene oxide/polyvinyl alcohol as potential wound dressing: In vitro and in vivo evaluation," *Compos B Eng*, vol. 167, pp. 396–405, Jun. 2019, doi: 10.1016/j.compositesb.2019.03.006.
- [33] K. Kiti and O. Suwantong, "Bilayer wound dressing based on sodium alginate incorporated with curcumin- β -cyclodextrin inclusion complex/chitosan

- hydrogel,” *Int J Biol Macromol*, vol. 164, pp. 4113–4124, Dec. 2020, doi: 10.1016/j.ijbiomac.2020.09.013.
- [34] B. Singh, J. Singh, and Rajneesh, “Application of tragacanth gum and alginate in hydrogel wound dressing’s formation using gamma radiation,” *Carbohydrate Polymer Technologies and Applications*, vol. 2, Dec. 2021, doi: 10.1016/j.carpta.2021.100058.
- [35] M. A. Rahman *et al.*, “Calcium ion mediated rapid wound healing by nano-ZnO doped calcium phosphate-chitosan-alginate biocomposites,” *Materialia (Oxf)*, vol. 13, Sep. 2020, doi: 10.1016/j.mtla.2020.100839.
- [36] M. Mosina, I. Kovrlija, L. Stipnice, and J. Locs, “Gallium containing calcium phosphates: Potential antibacterial agents or fictitious truth,” *Acta Biomaterialia*, vol. 150. Acta Materialia Inc, pp. 48–57, Sep. 15, 2022. doi: 10.1016/j.actbio.2022.07.063.
- [37] R. Kamphof *et al.*, “Antimicrobial activity of ion-substituted calcium phosphates: A systematic review,” *Heliyon*, vol. 9, no. 6. Elsevier Ltd, Jun. 01, 2023. doi: 10.1016/j.heliyon.2023.e16568.
- [38] C. S. Cunha *et al.*, “Films of chitosan and natural modified hydroxyapatite as effective UV-protecting, biocompatible and antibacterial wound dressings,” *Int J Biol Macromol*, vol. 159, pp. 1177–1185, Sep. 2020, doi: 10.1016/j.ijbiomac.2020.05.077.
- [39] J. Chen *et al.*, “Composite of silver nanoparticles and photosensitizer leads to mutual enhancement of antimicrobial efficacy and promotes wound healing,” *Chemical Engineering Journal*, vol. 374, pp. 1373–1381, Oct. 2019, doi: 10.1016/j.cej.2019.05.184.
- [40] Y. Liang, Y. Liang, H. Zhang, and B. Guo, “Antibacterial biomaterials for skin wound dressing,” *Asian J Pharm Sci*, vol. 17, no. 3, pp. 353–384, May 2022, doi: 10.1016/j.ajps.2022.01.001.
- [41] N. Guo *et al.*, “Alginate-based aerogels as wound dressings for efficient bacterial capture and enhanced antibacterial photodynamic therapy,” *Drug Deliv*, vol. 29, no. 1, pp. 1086–1099, Dec. 2022, doi: 10.1080/10717544.2022.2058650.
- [42] H. Qiu *et al.*, “ICG-loaded photodynamic chitosan/polyvinyl alcohol composite nanofibers: Anti-resistant bacterial effect and improved healing of

- infected wounds,” *Int J Pharm*, vol. 588, p. 119797, Oct. 2020, doi: 10.1016/j.ijpharm.2020.119797.
- [43] J.-O. Yoo and K.-S. Ha, “New Insights into the Mechanisms for Photodynamic Therapy-Induced Cancer Cell Death,” 2012, pp. 139–174. doi: 10.1016/B978-0-12-394306-4.00010-1.
- [44] C. Fang-Yen, C. V. Gabel, A. D. T. Samuel, C. I. Bargmann, and L. Avery, “Laser Microsurgery in *Caenorhabditis elegans*,” 2012, pp. 177–206. doi: 10.1016/B978-0-12-394620-1.00006-0.
- [45] M. Chu *et al.*, “Functionalization of composite bacterial cellulose with C₆₀ nanoparticles for wound dressing and cancer therapy,” *RSC Adv*, vol. 8, no. 33, pp. 18197–18203, 2018, doi: 10.1039/C8RA03965H.
- [46] D. Bradley, “Light-activated biomimetic hydrogel for infection-beating wound dressings,” *Materials Today*, vol. 34, pp. 3–4, Apr. 2020, doi: 10.1016/j.mattod.2020.02.011.
- [47] *Nanobiosensors for Biomolecular Targeting*. Elsevier, 2019. doi: 10.1016/C2017-0-00809-1.
- [48] S. Murthy, P. Effiong, and C. C. Fei, “Metal oxide nanoparticles in biomedical applications,” in *Metal Oxide Powder Technologies*, Elsevier, 2020, pp. 233–251. doi: 10.1016/B978-0-12-817505-7.00011-7.
- [49] N. M. Amal, M. Shiddiq, B. Arminah, and D. Tahir, “High reactive oxygen species produced from fluorescence carbon dots for anticancer and photodynamic therapies: A review,” *Luminescence*, vol. 37, no. 12. John Wiley and Sons Ltd, pp. 2006–2017, Dec. 01, 2022. doi: 10.1002/bio.4388.
- [50] R. Baskaran, J. Lee, and S. G. Yang, “Clinical development of photodynamic agents and therapeutic applications,” *Biomaterials Research*, vol. 22. BioMed Central Ltd, 2018. doi: 10.1186/s40824-018-0140-z.
- [51] Z. J. Zhang, K. P. Wang, J. G. Mo, L. Xiong, and Y. Wen, “Photodynamic therapy regulates fate of cancer stem cells through reactive oxygen species,” *World J Stem Cells*, vol. 12, no. 7, pp. 562–584, Jul. 2020, doi: 10.4252/wjsc.v12.i7.562.
- [52] C. N. Lee, R. Hsu, H. Chen, and T. W. Wong, “Daylight Photodynamic Therapy: An Update,” *Molecules*, vol. 25, no. 21. MDPI, Nov. 01, 2020. doi: 10.3390/molecules25215195.

- [53] N. Kwon, H. Kim, X. Li, and J. Yoon, "Supramolecular agents for combination of photodynamic therapy and other treatments," *Chemical Science*, vol. 12, no. 21. Royal Society of Chemistry, pp. 7248–7268, Jun. 07, 2021. doi: 10.1039/d1sc01125a.
- [54] C. Y. Shih, P. T. Wang, W. C. Su, H. Teng, and W. L. Huang, "Nanomedicine-based strategies assisting photodynamic therapy for hypoxic tumors: State-of-the-art approaches and emerging trends," *Biomedicines*, vol. 9, no. 2. MDPI AG, pp. 1–18, Feb. 01, 2021. doi: 10.3390/biomedicines9020137.
- [55] R. Alzeibak, T. A. Mishchenko, N. Y. Shilyagina, I. V. Balalaeva, M. V. Vedunova, and D. V. Krysko, "Targeting immunogenic cancer cell death by photodynamic therapy: Past, present and future," *Journal for ImmunoTherapy of Cancer*, vol. 9, no. 1. BMJ Publishing Group, Jan. 11, 2021. doi: 10.1136/jitc-2020-001926.
- [56] E. Polat and K. Kang, "Natural photosensitizers in antimicrobial photodynamic therapy," *Biomedicines*, vol. 9, no. 6, 2021, doi: 10.3390/biomedicines9060584.
- [57] S. Kwiatkowski *et al.*, "Photodynamic therapy – mechanisms, photosensitizers and combinations," *Biomedicine and Pharmacotherapy*, vol. 106. Elsevier Masson SAS, pp. 1098–1107, Oct. 01, 2018. doi: 10.1016/j.biopha.2018.07.049.
- [58] H. Abrahamse and I. Sosthene Mfouo Tynga, "Photodynamic Therapy, a Potential Therapy for Improve Cancer Management," in *Breast Cancer and Surgery*, IntechOpen, 2018. doi: 10.5772/intechopen.74697.
- [59] G. M. F. Calixto, J. Bernegossi, L. M. De Freitas, C. R. Fontana, M. Chorilli, and A. M. Grumezescu, "Nanotechnology-based drug delivery systems for photodynamic therapy of cancer: A review," *Molecules*, vol. 21, no. 3. MDPI AG, Mar. 01, 2016. doi: 10.3390/molecules21030342.
- [60] R. Yin *et al.*, "Antimicrobial photodynamic inactivation in nanomedicine: Small light strides against bad bugs," *Nanomedicine*, vol. 10, no. 15. Future Medicine Ltd., pp. 2379–2404, Aug. 01, 2015. doi: 10.2217/nnm.15.67.
- [61] L. Sun, L. Song, X. Zhang, R. Zhou, J. Yin, and S. Luan, "Poly(γ -glutamic acid)-based electrospun nanofibrous mats with photodynamic therapy for

- effectively combating wound infection,” *Materials Science and Engineering C*, vol. 113, Aug. 2020, doi: 10.1016/j.msec.2020.110936.
- [62] S. Hu *et al.*, “Preparation of biocompatible wound dressings with long-term antimicrobial activity through covalent bonding of antibiotic agents to natural polymers,” *Int J Biol Macromol*, vol. 123, pp. 1320–1330, Feb. 2019, doi: 10.1016/j.ijbiomac.2018.09.122.
- [63] F. Ahmad *et al.*, “Synthesis and Characterization of Nonwoven Cotton-Reinforced Cellulose Hydrogel for Wound Dressings,” *Polymers (Basel)*, vol. 13, no. 23, p. 4098, Nov. 2021, doi: 10.3390/polym13234098.
- [64] H. Mashroteh, M. Khajeh Mehrizi, N. Nabizadeh, and N. Tehrani Dehkordi, “Optimizing of Nonwoven Fabric Properties Using Nano-bio Materials for the Wound Dressing Application,” *Journal of Shahid Sadoughi University of Medical Sciences*, Jul. 2020, doi: 10.18502/ssu.v28i4.3766.
- [65] Y. Liang, J. He, and B. Guo, “Functional Hydrogels as Wound Dressing to Enhance Wound Healing,” *ACS Nano*, vol. 15, no. 8, pp. 12687–12722, Aug. 2021, doi: 10.1021/acsnano.1c04206.
- [66] G. Zhang, Y. Xiao, J. Yan, and W. Zhang, “Fabrication of ZnO nanoparticle-coated calcium alginate nonwoven fabric by ion exchange method based on amino hyperbranched polymer,” *Mater Lett*, vol. 270, p. 127624, Jul. 2020, doi: 10.1016/j.matlet.2020.127624.
- [67] “Characteristics of starch-based bioplastic composites in the ratio variations of the polysaccharide mixture,” *International Journal of Pharmaceutical Research*, vol. 13, no. 02, Feb. 2021, doi: 10.31838/ijpr/2021.13.02.223.
- [68] “Characteristics of starch-based bioplastic composites in the ratio variations of the polysaccharide mixture,” *International Journal of Pharmaceutical Research*, vol. 13, no. 02, Feb. 2021, doi: 10.31838/ijpr/2021.13.02.223.
- [69] X. Meng *et al.*, “Chitosan/alginate/hyaluronic acid polyelectrolyte composite sponges crosslinked with genipin for wound dressing application,” *Int J Biol Macromol*, vol. 182, pp. 512–523, Jul. 2021, doi: 10.1016/j.ijbiomac.2021.04.044.
- [70] A. Khalili, M. Matyka, R. Malek Mohammadi, J. Weise, and M. M. M. Kuypers, “Porosity variation within a porous bed composed of multisized

- grains,” *Powder Technol*, vol. 338, pp. 830–835, Oct. 2018, doi: 10.1016/j.powtec.2018.07.039.
- [71] A. Rinanti, “THE POTENTIAL OF INDIGENOUS BACTERIA TO INCREASE POROSITY-PERMEABILITY OF RESERVOIR ROCK: A PRELIMINARY STUDY,” *International Journal of GEOMATE*, Jun. 2017, doi: 10.21660/2017.34.2704.
- [72] S. SU, Q. RAO, Y. HE, and W. XIE, “Effects of porosity on tensile mechanical properties of porous FeAl intermetallics,” *Transactions of Nonferrous Metals Society of China*, vol. 30, no. 10, pp. 2757–2763, Oct. 2020, doi: 10.1016/S1003-6326(20)65418-8.
- [73] B. Singh, L. Varshney, S. Francis, and Rajneesh, “Designing sterile biocompatible moxifloxacin loaded tragacanth-PVA-alginate wound dressing by radiation crosslinking method,” *Wound Medicine*, vol. 17, pp. 11–17, Jun. 2017, doi: 10.1016/j.wndm.2017.01.001.
- [74] H. Sun *et al.*, “Zinc alginate hydrogels with embedded RL-QN15 peptide-loaded hollow polydopamine nanoparticles for diabetic wound healing therapy,” *Mater Des*, vol. 222, p. 111085, Oct. 2022, doi: 10.1016/j.matdes.2022.111085.
- [75] Y. Gao, B. Chen, M. V. T. da Costa, H. Dai, F. Ram, and Y. Li, “ZnO microrods sandwiched between layered CNF matrix: Fabrication, stress transfer, and mechanical properties,” *Carbohydr Polym*, vol. 305, p. 120536, Apr. 2023, doi: 10.1016/j.carbpol.2022.120536.
- [76] R. Monfared-Hajishirki, H. Ehtesabi, S. Najafinobar, and Z. Masoumian, “Multifunctional chitosan/carbon dots/sodium alginate/zinc oxide double-layer sponge hydrogel with high antibacterial, mechanical and hemostatic properties,” *OpenNano*, vol. 12, p. 100162, Jul. 2023, doi: 10.1016/j.onano.2023.100162.
- [77] K. Vaezi, G. Asadpour, and H. Sharifi, “Effect of ZnO nanoparticles on the mechanical, barrier and optical properties of thermoplastic cationic starch/montmorillonite biodegradable films,” *Int J Biol Macromol*, vol. 124, pp. 519–529, Mar. 2019, doi: 10.1016/j.ijbiomac.2018.11.142.

- [78] J.-H. Zhang *et al.*, “Ordered heterogeneity of molecular photosensitizer toward enhanced photocatalysis,” *Proceedings of the National Academy of Sciences*, vol. 119, no. 11, Mar. 2022, doi: 10.1073/pnas.2118278119.
- [79] Y. Yu *et al.*, “Cationization to boost both type I and type II ROS generation for photodynamic therapy,” *Biomaterials*, vol. 280, p. 121255, Jan. 2022, doi: 10.1016/j.biomaterials.2021.121255.
- [80] F. Rahmawati, R. Wulandari, and E. Nofaris, “Optical properties and photocatalytic activity of CdS-TiO₂/graphite composite,” *Science and Engineering of Composite Materials*, vol. 24, no. 2, pp. 253–260, Mar. 2017, doi: 10.1515/secm-2015-0162.
- [81] J. F. Algorri, M. Ochoa, P. Roldán-Varona, L. Rodríguez-Cobo, and J. M. López-Higuera, “Light Technology for Efficient and Effective Photodynamic Therapy: A Critical Review,” *Cancers (Basel)*, vol. 13, no. 14, p. 3484, Jul. 2021, doi: 10.3390/cancers13143484.
- [82] S. C. Bhatia, “Solar radiations,” in *Advanced Renewable Energy Systems*, Elsevier, 2014, pp. 32–67. doi: 10.1016/B978-1-78242-269-3.50002-4.
- [83] B. Fan *et al.*, “The Molecular Mechanism of Retina Light Injury Focusing on Damage from Short Wavelength Light,” *Oxid Med Cell Longev*, vol. 2022, pp. 1–14, Apr. 2022, doi: 10.1155/2022/8482149.
- [84] S. D. Astuty, S. Dewang, F. A. Tasmara, and R. R. Wahyudi, “Activity detection of noni leaf (*Morinda citrifolia* L.) chlorophyll extract through the photoinactivation to reducing *Streptococcus mutans* cells using XTT assay method,” 2022, p. 020001. doi: 10.1063/5.0110743.
- [85] M. Zhang, S. Chen, L. Zhong, B. Wang, H. Wang, and F. Hong, “Zn²⁺-loaded TOBC nanofiber-reinforced biomimetic calcium alginate hydrogel for antibacterial wound dressing,” *Int J Biol Macromol*, vol. 143, pp. 235–242, Jan. 2020, doi: 10.1016/j.ijbiomac.2019.12.046.
- [86] M. Wang, Y. Yang, K. Yuan, S. Yang, and T. Tang, “Dual-functional hybrid quaternized chitosan/Mg/alginate dressing with antibacterial and angiogenic potential for diabetic wound healing,” *J Orthop Translat*, vol. 30, pp. 6–15, Sep. 2021, doi: 10.1016/j.jot.2021.07.006.
- [87] S. Y. H. Abdalkarim, H.-Y. Yu, D. Wang, and J. Yao, “Electrospun poly(3-hydroxybutyrate-co-3-hydroxy-valerate)/cellulose reinforced nanofibrous

- membranes with ZnO nanocrystals for antibacterial wound dressings,” *Cellulose*, vol. 24, no. 7, pp. 2925–2938, Jul. 2017, doi: 10.1007/s10570-017-1303-0.
- [88] T. Wang, J. Wang, R. Wang, P. Yuan, Z. Fan, and S. Yang, “Preparation and properties of ZnO/sodium alginate bi-layered hydrogel films as novel wound dressings,” *New Journal of Chemistry*, vol. 43, no. 22, pp. 8684–8693, 2019, doi: 10.1039/C9NJ00402E.
- [89] Q. Ngo *et al.*, “Developing *in vitro* assays to quantitatively evaluate the interactions of dressings with wounds,” *Wound Repair and Regeneration*, vol. 27, no. 6, pp. 715–719, Nov. 2019, doi: 10.1111/wrr.12746.
- [90] J. Cecilia, C. García-Sancho, C. Jiménez-Gómez, R. Moreno-Tost, and P. Maireles-Torres, “Porous Silicon-Based Catalysts for the Dehydration of Glycerol to High Value-Added Products,” *Materials*, vol. 11, no. 9, p. 1569, Aug. 2018, doi: 10.3390/ma11091569.
- [91] Z. Yu, B. Li, J. Chu, and P. Zhang, “Silica in situ enhanced PVA/chitosan biodegradable films for food packages,” *Carbohydr Polym*, vol. 184, pp. 214–220, Mar. 2018, doi: 10.1016/j.carbpol.2017.12.043.
- [92] D. Adhikari *et al.*, “Degradation of Bioplastics in Soil and Their Degradation Effects on Environmental Microorganisms,” *J Agric Chem Environ*, vol. 05, no. 01, pp. 23–34, 2016, doi: 10.4236/jacen.2016.51003.
- [93] K. Y. Lee and D. J. Mooney, “Alginate: Properties and biomedical applications,” *Prog Polym Sci*, vol. 37, no. 1, pp. 106–126, Jan. 2012, doi: 10.1016/j.progpolymsci.2011.06.003.
- [94] N. Pooja, I. Chakraborty, Md. H. Rahman, and N. Mazumder, “An insight on sources and biodegradation of bioplastics: a review,” *3 Biotech*, vol. 13, no. 7, p. 220, Jul. 2023, doi: 10.1007/s13205-023-03638-4.
- [95] N. I. Ibrahim, F. S. Shahr, M. T. H. Sultan, A. U. M. Shah, S. N. A. Safri, and M. H. Mat Yazik, “Overview of Bioplastic Introduction and Its Applications in Product Packaging,” *Coatings*, vol. 11, no. 11, p. 1423, Nov. 2021, doi: 10.3390/coatings11111423.
- [96] Rahmatullah, R. W. Putri, S. Haryati, H. Waristian, A. Saputra, and R. Kurniawan, “Manufacture of Bioplastic Composite Method of Blending Synthetic Polymer (PP) with Natural Polymers from Kapok Fiber (Ceiba

- Pentandra),” *Chem Eng Trans*, vol. 97, pp. 241–246, 2022, doi: 10.3303/CET2297041.
- [97] N. N. Nasir and S. A. Othman, “The Physical and Mechanical Properties of Corn-based Bioplastic Films with Different Starch and Glycerol Content,” *Journal of Physical Science*, vol. 32, no. 3, pp. 89–101, Nov. 2021, doi: 10.21315/jps2021.32.3.7.
- [98] J. Y. Boey, C. K. Lee, and G. S. Tay, “Factors Affecting Mechanical Properties of Reinforced Bioplastics: A Review,” *Polymers (Basel)*, vol. 14, no. 18, p. 3737, Sep. 2022, doi: 10.3390/polym14183737.
- [99] E. Liwarska-Bizukojc, “Effect of (bio)plastics on soil environment: A review,” *Science of The Total Environment*, vol. 795, p. 148889, Nov. 2021, doi: 10.1016/j.scitotenv.2021.148889.
- [100] S. Shen, X. Chen, Z. Shen, and H. Chen, “Marine Polysaccharides for Wound Dressings Application: An Overview,” *Pharmaceutics*, vol. 13, no. 10, p. 1666, Oct. 2021, doi: 10.3390/pharmaceutics13101666.
- [101] S. M. Lee and D. Lee, “Effective Medical Waste Management for Sustainable Green Healthcare,” *Int J Environ Res Public Health*, vol. 19, no. 22, p. 14820, Nov. 2022, doi: 10.3390/ijerph192214820.
- [102] I. Mutmainna, D. Tahir, P. L. Gareso, S. Ilyas, and A. Saludung, “Improving Degradation Ability of Composite Starch/Chitosan by Additional Pineapple Leaf Microfibers for Food Packaging Applications,” *IOP Conf Ser Mater Sci Eng*, vol. 593, no. 1, p. 012024, Aug. 2019, doi: 10.1088/1757-899X/593/1/012024.
- [103] S. Phosri *et al.*, “Biodegradability of bioplastic blown film in a marine environment,” *Front Mar Sci*, vol. 9, Aug. 2022, doi: 10.3389/fmars.2022.917397.
- [104] M. Maryam, R. Dedy, and Y. Yunizurwan, “Processing of micro-nano bacterial cellulose with hydrolysis method as a reinforcing bioplastic,” *J Phys Conf Ser*, vol. 795, p. 012061, Jan. 2017, doi: 10.1088/1742-6596/795/1/012061.
- [105] G. Singan and L. K. Chiang, “The relationship between absorbency and density of bioplastic film made from hydrolyzed starch,” 2017, p. 130015. doi: 10.1063/1.5010575.

- [106] L. Miksch, M. Köck, L. Gutow, and R. Saborowski, "Bioplastics in the Sea: Rapid In-Vitro Evaluation of Degradability and Persistence at Natural Temperatures," *Front Mar Sci*, vol. 9, Jun. 2022, doi: 10.3389/fmars.2022.920293.
- [107] N. Devi and J. Dutta, "Preparation and characterization of chitosan-bentonite nanocomposite films for wound healing application," *Int J Biol Macromol*, vol. 104, pp. 1897–1904, Nov. 2017, doi: 10.1016/j.ijbiomac.2017.02.080.
- [108] X. Li, M. Ma, D. U. Ahn, and X. Huang, "Preparation and characterization of novel eggshell membrane-chitosan blend films for potential wound-care dressing: From waste to medicinal products," *Int J Biol Macromol*, vol. 123, pp. 477–484, Feb. 2019, doi: 10.1016/j.ijbiomac.2018.10.215.
- [109] M. Balouiri, M. Sadiki, and S. K. Ibsouda, "Methods for in vitro evaluating antimicrobial activity: A review," *J Pharm Anal*, vol. 6, no. 2, pp. 71–79, Apr. 2016, doi: 10.1016/j.jpha.2015.11.005.
- [110] G. Souad and C. Baghdadi, "Effect of calcium phosphate synthesis conditions on its physico-chemical properties and evaluation of its antibacterial activity," *Mater Res Express*, vol. 7, no. 1, p. 015040, Jan. 2020, doi: 10.1088/2053-1591/ab6260.
- [111] H. Elsaywy, H. M. A. El-Lateef, M. M. Khalaf, I. M. A. Mohamed, A. H. Touny, and A. Toghan, "Synthesis and antimicrobial activity assessment of calcium and iron phosphate nanoparticles prepared by a facile and cost-effective method," *Chem Phys Lett*, vol. 779, p. 138839, Sep. 2021, doi: 10.1016/j.cplett.2021.138839.
- [112] L. Wang, C. Hu, and L. Shao, "The antimicrobial activity of nanoparticles: present situation and prospects for the future," *Int J Nanomedicine*, vol. Volume 12, pp. 1227–1249, Feb. 2017, doi: 10.2147/IJN.S121956.
- [113] R. Singh and D. Singh, "Radiation synthesis of PVP/alginate hydrogel containing nanosilver as wound dressing," *J Mater Sci Mater Med*, vol. 23, no. 11, pp. 2649–2658, Nov. 2012, doi: 10.1007/s10856-012-4730-3.
- [114] K. P. Satriaji, C. V. Garcia, G. H. Kim, G. H. Shin, and J. T. Kim, "Antibacterial bionanocomposite films based on CaSO₄-crosslinked alginate

and zinc oxide nanoparticles,” *Food Packag Shelf Life*, vol. 24, p. 100510, Jun. 2020, doi: 10.1016/j.fpsl.2020.100510.

- [115] A. Turlybekuly *et al.*, “Synthesis, characterization, in vitro biocompatibility and antibacterial properties study of nanocomposite materials based on hydroxyapatite-biphasic ZnO micro- and nanoparticles embedded in Alginate matrix,” *Materials Science and Engineering: C*, vol. 104, p. 109965, Nov. 2019, doi: 10.1016/j.msec.2019.109965.
- [116] Q. Zhang, X. Zhang, W. Cheng, Z. Li, and Q. Li, “In situ-synthesis of calcium alginate nano-silver phosphate hybrid material with high flame retardant and antibacterial properties,” *Int J Biol Macromol*, vol. 165, pp. 1615–1625, Dec. 2020, doi: 10.1016/j.ijbiomac.2020.10.085.