

DAFTAR PUSTAKA

- Aurell Y, Johansson A, Hansson G, Jonsson K. Ultrasound anatomy in the neonatal clubfoot. *Eur Radiol.* 2002;12(10):2509-2517. doi:10.1007/s00330-002-1326-1
- Bor N, Coplan JA, Herzenberg J E. Ponseti treatment for idiopathic clubfoot: minimum 5-year followup. *Clin Orthop Relat Res* 2009; 467(5): 1263–70.
- Colburn M, Williams M. Evaluation of the treatment of idiopathic clubfoot by using the Ponseti method. *J Foot Ankle Surg.* 2003;42(5):259-267. doi:10.1016/s1067-2516(03)00312-0
- Cosma D, Vasilescu DE. A Clinical Evaluation of the Pirani and Dimeglio Idiopathic Clubfoot Classifications. *J Foot Ankle Surg.* 2015;54(4):582-585. doi:10.1053/j.jfas.2014.10.004
- De Mulder T, Prinsen S, Van Campenhout A. Treatment of non-idiopathic clubfeet with the Ponseti method: a systematic review. *J Child Orthop.* 2018;12(6):575-581. doi:10.1302/1863-2548.12.180066
- Dietz FR, Noonan K. Treatment of Clubfoot Using the Ponseti Method. *JBJS Essent Surg Tech.* 2016;6(3):e28. Published 2016 Aug 10. doi:10.2106/JBJS.ST.14.00112
- Dobbs MB, Gurnett CA. Update on clubfoot: etiology and treatment. *Clin Orthop Relat Res.* 2009;467(5):1146-1153. doi:10.1007/s11999-009-0734-9
- Dobbs M B, Rudzki J R, Purcell D B, Walton T, Porter K R, Gurnett C A. Factors predictive of outcome after use of the Ponseti method for the treatment of idiopathic clubfeet. *J Bone Joint Surg Am* 2004; 86-A(1): 22–7.
- Dyer PJ, Davis N. The role of the Pirani scoring system in the management of club foot by the Ponseti method. *J Bone Joint Surg Br.* 2006;88(8):1082-1084. doi:10.1302/0301-620X.88B8.17482
- Farsetti P, De Maio F, Russolillo L, Ippolito E. CT study on the effect of different treatment protocols for clubfoot pathology. *Clin Orthop Relat Res.* 2009;467(5):1243-1249. doi:10.1007/s11999-008-0699-0
- Gao R, Tomlinson M, Walker C. Correlation of Pirani and Dimeglio scores with number of Ponseti casts required for clubfoot correction. *J Pediatr Orthop.* 2014;34(6):639-642. doi:10.1097/BPO.0000000000000182
- Gupta A, Singh S, Patel P, Patel J, Varshney MK. Evaluation of the utility of the Ponseti correction of clubfoot deformity in a developing nation. *Int Orthop.* 75-79. doi:10.1007/s00264-006-0284-7



- Hallaj-Moghaddam M, Moradi A, Ebrahimzadeh MH, Habibzadeh Shojaie SR. Ponseti casting for severe club foot deformity: are clinical outcomes promising?. *Adv Orthop*. 2015;2015:821690. doi:10.1155/2015/821690
- Iltar S, Uysal M, Alemdaroglu K B, Aydogan N H, Kara T, Atlihan D. Treatment of clubfoot with the Ponseti method: should we begin casting in the newborn period or later? *J Foot Ankle Surg* 2010; 49(5): 426–31.
- Jackson T, Jones A, Miller N, Georgopoulos G. Clubfoot and Tethered Cord Syndrome: Results of Treatment With the Ponseti Method. *J Pediatr Orthop*. 2019;39(6):318-321. doi:10.1097/BPO.0000000000000944
- Jain S, Ajmera A, Solanki M, Verma A. Interobserver variability in Pirani clubfoot severity scoring system between the orthopedic surgeons. *Indian J Orthop*. 2017;51(1):81-85. doi:10.4103/0019-5413.197551
- Janicki JA, Narayanan UG, Harvey B, Roy A, Ramseier LE, Wright JG. Treatment of neuromuscular and syndrome-associated (nonidiopathic) clubfeet using the Ponseti method. *J Pediatr Orthop*. 2009;29(4):393-397. doi:10.1097/BPO.0b013e3181a6bf77
- Karami M, Dehghan P, Moshiri F, Shamami M S. Effect of unintentional partial Achilles tenotomy on Ponseti clubfoot management outcomes. *J Pediatr Orthop B* 2015; 24(1): 1–5.
- Kite JH. Nonoperative treatment of congenital clubfoot. *Clin Orthop Relat Res*. 1972;84:29-38. doi:10.1097/00003086-197205000-00007
- Liu YB, Li SJ, Zhao L, Yu B, Zhao DH. Timing for Ponseti clubfoot management: does the age matter? 90 children (131 feet) with a mean follow-up of 5 years. *Acta Orthop*. 2018;89(6):662-667. doi:10.1080/17453674.2018.1526534
- Liu Y, Zhao D, Zhao L, Li H, Yang X. Congenital clubfoot: early recognition and conservative management for preventing late disabilities. *Indian J Pediatr* 2016; 83(11): 1266–74.
- Morcuende JA, Dolan LA, Dietz FR, Ponseti IV. Radical reduction in the rate of extensive corrective surgery for clubfoot using the Ponseti method. *Pediatrics*. 2004;113(2):376-380. doi:10.1542/peds.113.2.376
- Mosca VS. Clubfoot pathoanatomy-biomechanics of deformity correction: a narrative review. *Ann Transl Med*. 2021;9(13):1096. doi:10.21037/atm-20-7491



Costarella L, Pavone P, Sessa G. Congenital idiopathic talipes equinovarus: outcome in infants treated by the Ponseti method. *Eur Rev Med Pharmacol Sci*. 2018;2675-2679.

- Ponseti I V. Congenital clubfoot: fundamentals of treatment. Oxford, New York: Oxford University Press; 1996.
- Pulak S, Swamy M. Treatment of idiopathic clubfoot by ponseti technique of manipulation and serial plaster casting and its critical evaluation. *Ethiop J Health Sci.* 2012;22(2):77-84.
- Radler C. The Ponseti method for the treatment of congenital club foot: review of the current literature and treatment recommendations. *Int Orthop.* 2013;37(9):1747-1753. doi:10.1007/s00264-013-2031-1
- Ramirez N, Flynn J M, Fernandez S, Seda W, Macchiavelli R E. Orthosis noncompliance after the Ponseti method for the treatment of idiopathic clubfeet: a relevant problem that needs reevaluation. *J Pediatr Orthop* 2011; 31(6): 710–15.
- Rasjad C., Kelainan bawaan dan Perkembangan, Dalam Pengantar Ilmu Bedah Ortopedi, Bintang Lamumpatue, Makassar, 2000: 107-137 .
- Rijal R, Shrestha BP, Singh GK, et al. Comparison of Ponseti and Kite's method of treatment for idiopathic clubfoot. *Indian J Orthop.* 2010;44(2):202-207. doi:10.4103/0019-5413.61941
- Roye BD, Hyman J, Roye DP Jr. Congenital idiopathic talipes equinovarus. *Pediatr Rev.* 2004;25(4):124-130. doi:10.1542/pir.25-4-124
- Scher DM. The Ponseti method for treatment of congenital club foot. *Curr Opin Pediatr.* 2006;18(1):22-25. doi:10.1097/01.mop.0000192520.48411.fa
- Segev E, Keret D, Lokiec F, et al. Early experience with the Ponseti method for the treatment of congenital idiopathic clubfoot. *Isr Med Assoc J.* 2005;7(5):307-310.
- Shah A, Aroojis A, Mehta R. The Ponseti method of treatment for neuromuscular and syndromic (non-idiopathic) clubfeet: evaluation of a programme-based approach at a mean follow-up of 5.8 years. *Int Orthop.* 2021;45(1):155-163. doi:10.1007/s00264-020-04677-9
- Siapkara A, Duncan R. Congenital talipes equinovarus: a review of current management. *J Bone Joint Surg Br.* 2007;89(8):995-1000. doi:10.1302/0301-620X.89B8.19008
- Staheli, L. Clubfoot: Ponseti Management, 3th ed. Global Help. 2009.
- Swann M, Lloyd-Roberts GC, Catterall A. The anatomy of uncorrected club feet. A study of rotation deformity. *J Bone Joint Surg Br.* 1969;51(2):263-269.



- i S, Chew FS. Radiographic assessment of pediatric foot alignment: review. *Roentgenol.* 2010;194(6 Suppl):S51-S58. doi:10.2214/AJR.07.7143
- ul correction of the resistant club foot. One-stage posteromedial release with
tion: a preliminary report. *J Bone Joint Surg Am.* 1971;53(3):477-497

- van Bosse HJ. Syndromic Feet: Arthrogryposis and Myelomeningocele. *Foot Ankle Clin.* 2015;20(4):619-644. doi:10.1016/j.fcl.2015.07.010
- Wallander HM. Congenital clubfoot. Aspects on epidemiology, residual deformity and patient reported outcome. *Acta Orthop Suppl.* 2010;81(339):1-25. doi:10.3109/17453671003619045
- Wang H, Barisic I, Loane M, et al. Congenital clubfoot in Europe: A population-based study. *Am J Med Genet A.* 2019;179(4):595-601. doi:10.1002/ajmg.a.61067
- Widmann RF, Do TT, Burke SW. Radical soft-tissue release of the arthrogryptic clubfoot. *J Pediatr Orthop B.* 2005;14(2):111-115. doi:10.1097/01202412-200503000-00010
- Zhang J, Wang N, Lv H, Liu Z. Magnetic Resonance Imaging of Clubfoot Treated With the Ponseti Method: A Short-Term Outcome Study. *Front Pediatr.* 2022;10:924028. Published 2022 Jul 5. doi:10.3389/fped.2022.924028
- Zionts L E, Frost N, Kim R, Ebramzadeh E, Sangiorgio S N. Treatment of idiopathic clubfoot: experience with the Mitchell–Ponseti brace. *J Pediatr Orthop* 2012; 32(7): 706–13.
- Zionts LE, Jew MH, Ebramzadeh E, Sangiorgio SN. The Influence of Sex and Laterality on Clubfoot Severity. *J Pediatr Orthop.* 2017;37(2):e129-e133. doi:10.1097/BPO.0000000000000603

