

DAFTAR PUSTAKA

- Abdel-Sayed, P., Michetti, M., Scaletta, C., Flahaut, M., Hirt-Burri, N., de Buys Roessingh, A., Raffoul, W., Applegate, L.A., 2019. Cell therapies for skin regeneration: an overview of 40 years of experience in burn units. *Swiss Med. Wkly.* 149, w20079. <https://doi.org/10.4414/smw.2019.20079>
- Abraham, J.A., Klagsbrun, M., 1988. Modulation of Wound Repair by Members of the Fibroblast Growth Factor Family, in: *The Molecular and Cellular Biology of Wound Repair*. Springer US, Boston, MA, pp. 195–248. https://doi.org/10.1007/978-1-4899-0185-9_6
- Abu-Humaidan, A.H.A., Ananthoju, N., Mohanty, T., Sonesson, A., Alberius, P., Schmidchen, A., Garred, P., Sørensen, O.E., 2014. The Epidermal Growth Factor Receptor Is a Regulator of Epidermal Complement Component Expression and Complement Activation. *J. Immunol.* 192, 3355 LP – 3364. <https://doi.org/10.4049/jimmunol.1302305>
- Akhundov, K., Pietramaggiori, G., Waselle, L., Darwiche, S., Guerid, S., Scaletta, C., Hirt-Burri, N., Applegate, L.A., Raffoul, W. V, 2012. Development of a cost-effective method for platelet-rich plasma (PRP) preparation for topical wound healing. *Ann. Burns Fire Disasters* 25, 207–213.
- Aleckovic, M., Simon, C., 2008. Is teratoma formation in stem cell research a characterization tool or a window to developmental biology? *Reprod. Biomed. Online* 17, 270–280. [https://doi.org/10.1016/s1472-6483\(10\)60206-4](https://doi.org/10.1016/s1472-6483(10)60206-4)
- ANZBA, 2016. Emergency Management of Severe Burns (EMSB), 18th ed. THE EDUCATION COMMITTEE OF AUSTRALIA AND NEW ZEALAND BURN ASSOCIATION LTD, Albany Creek.
- Baglioni, S., Francalanci, M., Squecco, R., Lombardi, A., Cantini, G., Angeli, R., Gelmini, S., Guasti, D., Benvenuti, S., Annunziato, F., Bani, D., Liotta, F., Francini, F., Perigli, G., Serio, M., Luconi, M., 2009. Characterization of human adult stem-cell populations isolated from visceral and subcutaneous adipose tissue. *FASEB J. Off. Publ. Fed. Am. Soc. Exp. Biol.* 23, 3494–3505. <https://doi.org/10.1096/fj.08-126946>
- Baird, A., 1997. The Regulation of Basic Fibroblast Growth Factor (FGF-2) Through Limited Bioavailability, in: Ziegler, T.R., Pierce, G.F., Herndon, D.N. (Eds.), *Growth Factors and Wound Healing*. Springer New York, New York, NY, pp. 27–36.
- M., Bostancı, M.S., Inanc, F., Yaylali, A., Serin, S., Attar, R., Yildirim, Yildirim, O.K., 2016. Protective Effect of Platelet Rich Plasma on Experimental Ischemia/Reperfusion Injury in Rat Ovary. *Gynecol. Obstet.*



- Invest. 81, 225–231. <https://doi.org/10.1159/000440617>
- Barret-Nerin, J., 2004. Principles and Practice of Burn Surgery. CRC Press. <https://doi.org/10.1201/b21634>
- Benson, A., Dickson, W.A., Boyce, D.E., 2006. ABC of wound healing: Burns. BMJ 333, 609324. <https://doi.org/10.1136/sbmj.0609324>
- Borrione, P., Gianfrancesco, A. Di, Pereira, M.T., Pigozzi, F., 2010. Platelet-rich plasma in muscle healing. Am. J. Phys. Med. Rehabil. 89, 854–861. <https://doi.org/10.1097/PHM.0b013e3181f1c1c7>
- Bourin, P., Bunnell, B.A., Casteilla, L., Dominici, M., Katz, A.J., March, K.L., Redl, H., Rubin, J.P., Yoshimura, K., Gimble, J.M., 2013. Stromal cells from the adipose tissue-derived stromal vascular fraction and culture expanded adipose tissue-derived stromal/stem cells: a joint statement of the International Federation for Adipose Therapeutics and Science (IFATS) and the International So. Cytotherapy 15, 641–648. <https://doi.org/10.1016/j.jcyt.2013.02.006>
- Cerdeira, M.T., Pirraco, R.P., Marques, A.P., 2016. Stem Cells in Skin Wound Healing: Are We There Yet? Adv. Wound Care 5, 164–175. <https://doi.org/10.1089/wound.2014.0607>
- Cervelli, V., De Angelis, B., Lucarini, L., Spallone, D., Balzani, A., Palla, L., Gentile, P., Cerulli, P., 2010. Tissue regeneration in loss of substance on the lower limbs through use of platelet-rich plasma, stem cells from adipose tissue, and hyaluronic acid. Adv. Skin Wound Care 23, 262–272. <https://doi.org/10.1097/01.ASW.0000363551.82058.36>
- Chieregato, K., Castegnaro, S., Madeo, D., Astori, G., Pegoraro, M., Rodeghiero, F., 2011. Epidermal growth factor, basic fibroblast growth factor and platelet-derived growth factor-bb can substitute for fetal bovine serum and compete with human platelet-rich plasma in the ex vivo expansion of mesenchymal stromal cells derived from adipose tiss. Cytotherapy 13, 933–943. <https://doi.org/10.3109/14653249.2011.583232>
- Choi, J., Minn, K.W., Chang, H., 2012. The efficacy and safety of platelet-rich plasma and adipose-derived stem cells: an update. Arch. Plast. Surg. 39, 585–592. <https://doi.org/10.5999/aps.2012.39.6.585>
- Comella, K., Silbert, R., Parlo, M., 2017. Effects of the intradiscal implantation of stromal vascular fraction plus platelet rich plasma in patients with degenerative disc disease. J. Transl. Med. 15, 12. <https://doi.org/10.1186/s12967-016-1109-0>
- .., Ambrosetti, D., Mansukhani, A., Basilico, C., 2005. Mechanisms underlying differential responses to FGF signaling. Cytokine Growth Factor 16, 233–247. <https://doi.org/10.1016/j.cytogfr.2005.01.007>
- s, A., Paskevicius, M., Apanavicius, G., Vilkevicius, G., Labanauskas,



- L., Ichim, T.E., Rimdeika, R., 2017. Stromal vascular fraction cells for the treatment of critical limb ischemia: a pilot study. *J. Transl. Med.* 15, 143. <https://doi.org/10.1186/s12967-017-1243-3>
- Deng, H., Coumans, J.V., Anderson, R., Houle, T.T., Peterfreund, R.A., 2019. Spinal anesthesia for lumbar spine surgery correlates with fewer total medications and less frequent use of vasoactive agents: A single center experience. *PLoS One* 14, 1–19. <https://doi.org/10.1371/journal.pone.0217939>
- Desai, T.J., Cardoso, W. V, 2002. Growth factors in lung development and disease: friends or foe? *Respir. Res.* 3, 2. <https://doi.org/10.1186/rr169>
- El-Sharkawy, H., Kantarci, A., Deady, J., Hasturk, H., Liu, H., Alshahat, M., Van Dyke, T.E., 2007. Platelet-rich plasma: growth factors and pro- and anti-inflammatory properties. *J. Periodontol.* 78, 661–669. <https://doi.org/10.1902/jop.2007.060302>
- Eppley, B.L., Pietrzak, W.S., Blanton, M., 2006. Platelet-rich plasma: a review of biology and applications in plastic surgery. *Plast. Reconstr. Surg.* 118, 147e–159e. <https://doi.org/10.1097/01.prs.0000239606.92676.cf>
- Esquirol Caussa, J., Herrero Vila, E., 2015. Epidermal growth factor, innovation and safety. *Med. Clínica (English Ed.)* 145, 305–312. <https://doi.org/10.1016/j.medcle.2016.02.028>
- Eswarakumar, V.P., Lax, I., Schlessinger, J., 2005. Cellular signaling by fibroblast growth factor receptors. *Cytokine Growth Factor Rev.* 16, 139–149. <https://doi.org/10.1016/j.cytogfr.2005.01.001>
- Eyüboğlu, A.A., Uysal, C.A., Ozgun, G., Coskun, E., Markal Ertas, N., Haberal, M., 2018. The effect of adipose derived stromal vascular fraction on stasis zone in an experimental burn model. *Burns* 44, 386–396. <https://doi.org/10.1016/j.burns.2017.08.016>
- Falanga, V., Eaglstein, W.H., Bucalo, B., Katz, M.H., Harris, B., Carson, P., 1992. Topical use of human recombinant epidermal growth factor (h-EGF) in venous ulcers. *J. Dermatol. Surg. Oncol.* 18, 604–606. <https://doi.org/10.1111/j.1524-4725.1992.tb03514.x>
- Ferraro, G.A., Mizuno, H., Pallua, N., 2016. Adipose Stem Cells: From Bench to Bedside. *Stem Cells Int.* 2016, 6484038. <https://doi.org/10.1155/2016/6484038>
- Finch, P.W., Rubin, J.S., Miki, T., Ron, D., Aaronson, S.A., 1989. Human KGF is EGF-Related with Properties of a Paracrine Effector of Epithelial Cell wth. *Science* (80-.). 245, 752–755.
- A set of four software icons: Word (blue), PDF (green), Excel (yellow), and Powerpoint (red).
- A., Maleki, A., Dolati, S., Aghebati-Maleki, A., Aghebati-Maleki, L., 3. Platelet rich plasma, stromal vascular fraction and autologous litioned serum in treatment of knee osteoarthritis. *Biomed.*

- Pharmacother. 104, 652–660. <https://doi.org/10.1016/j.biopha.2018.05.019>
- Foubert, P., Gonzalez, A.D., Teodosescu, S., Berard, F., Doyle-Eisele, M., Yekkala, K., Tenenhaus, M., Fraser, J.K., 2016. Adipose-derived regenerative cell therapy for burn wound healing: A comparison of two delivery methods. *Adv. Wound Care* 5, 288–298. <https://doi.org/10.1089/wound.2015.0672>
- Fu, Y.-S., Cheng, Y.-C., Lin, M.-Y.A., Cheng, H., Chu, P.-M., Chou, S.-C., Shih, Y.-H., Ko, M.-H., Sung, M.-S., 2006. Conversion of human umbilical cord mesenchymal stem cells in Wharton's jelly to dopaminergic neurons in vitro: potential therapeutic application for Parkinsonism. *Stem Cells* 24, 115–124. <https://doi.org/10.1634/stemcells.2005-0053>
- Gál, P., Toporcer, T., Vidinský, B., Mokrý, M., Novotný, M., Kilík, R., Smetana, K.J., Gál, T., Sabo, J., 2006. Early changes in the tensile strength and morphology of primary sutured skin wounds in rats. *Folia Biol. (Praha)*. 52, 109–115.
- Gentile, P., Scioli, M.G., Bielli, A., Orlandi, A., Cervelli, V., 2017. Concise Review: The Use of Adipose-Derived Stromal Vascular Fraction Cells and Platelet Rich Plasma in Regenerative Plastic Surgery. *Stem Cells* 35, 117–134. <https://doi.org/10.1002/stem.2498>
- Ghadially, R., Halkier-Sorensen, L., Elias, P.M., 1992. Effects of petrolatum on stratum corneum structure and function. *J. Am. Acad. Dermatol.* 26, 387–396. [https://doi.org/https://doi.org/10.1016/0190-9622\(92\)70060-S](https://doi.org/https://doi.org/10.1016/0190-9622(92)70060-S)
- Ghieh, F., Jurjus, R., Ibrahim, A., Geagea, A.G., Daouk, H., El Baba, B., Chams, S., Matar, M., Zein, W., Jurjus, A., 2015. The Use of Stem Cells in Burn Wound Healing: A Review. *Biomed Res. Int.* 2015, 684084. <https://doi.org/10.1155/2015/684084>
- Gillenwater, J., Garner, W.L., 2020. Thermal, Chemical, and Electrical Injuries, in: Kevin C. Chung (Ed.), *Grabb and Smith's Plastic Surgery*. Wolters Kluwer Health, Philadelphia.
- Gimble, J., Guilak, F., 2003. Adipose-derived adult stem cells: isolation, characterization, and differentiation potential. *Cytotherapy* 5, 362–369. <https://doi.org/10.1080/14653240310003026>
- Gimble, J.M., Katz, A.J., Bunnell, B.A., 2007. Adipose-derived stem cells for regenerative medicine. *Circ. Res.* 100, 1249–1260. <https://doi.org/10.1161/01.RES.0000265074.83288.09>
- Goldfarb, M., 2005. Fibroblast growth factor homologous factors: evolution, structure, and function. *Cytokine Growth Factor Rev.* 16, 215–220. <https://doi.org/10.1016/j.cytogfr.2005.02.002>
- T.V., Cozma, C., 2018. Platelet-rich plasma as a site-targeted approach in wound healing: a molecular perspective. *Discoveries* 6, 1–8.



<https://doi.org/10.15190/d.2018.8>

- Guo, H.-F., Ali, R.M., Hamid, R.A., Zaini, A.A., Khaza'ai, H., 2017. A new model for studying deep partial-thickness burns in rats. *Int. J. Burns Trauma* 7, 107–114.
- Gurtner, G., Wong, V.W., 2013. Wound healing: Normal and abnormal, in: Thorne, C.H. (Ed.), *Grabb and Smith's Plastic Surgery*. Lippincott Williams & Wilkins, pp. 13–19.
- Han, J., Koh, Y.J., Moon, H.R., Ryoo, H.G., Cho, C.-H., Kim, I., Koh, G.Y., 2010. Adipose tissue is an extramedullary reservoir for functional hematopoietic stem and progenitor cells. *Blood* 115, 957–964. <https://doi.org/10.1182/blood-2009-05-219923>
- Hardwicke, J., Schmaljohann, D., Boyce, D., Thomas, D., 2008. Epidermal growth factor therapy and wound healing--past, present and future perspectives. *Surgeon* 6, 172–177. [https://doi.org/10.1016/s1479-666x\(08\)80114-x](https://doi.org/10.1016/s1479-666x(08)80114-x)
- Harfouche, G., Vaigot, P., Rachidi, W., Rigaud, O., Moratille, S., Marie, M., Lemaitre, G., Fortunel, N.O., Martin, M.T., 2010. Fibroblast Growth Factor Type 2 Signaling Is Critical for DNA Repair in Human Keratinocyte Stem Cells. *Stem Cells* 28, 1639–1648. <https://doi.org/10.1002/stem.485>
- Harris, R.C., Chung, E., Coffey, R.J., 2003. EGF receptor ligands. *Exp. Cell Res.* 284, 2–13. [https://doi.org/10.1016/s0014-4827\(02\)00105-2](https://doi.org/10.1016/s0014-4827(02)00105-2)
- Harrison, D.A., 2012. The Jak/STAT pathway. *Cold Spring Harb. Perspect. Biol.* 4. <https://doi.org/10.1101/cshperspect.a011205>
- Hausman, G.J., Richardson, R.L., 2004. Adipose tissue angiogenesis^{1,2}. *J. Anim. Sci.* 82, 925–934. <https://doi.org/10.2527/2004.823925x>
- Hayes, M., Curley, G., Ansari, B., Laffey, J.G., 2012. Clinical review: Stem cell therapies for acute lung injury/acute respiratory distress syndrome - hope or hype? *Crit. Care* 16, 205. <https://doi.org/10.1186/cc10570>
- Herndon, D.N., Pierre, E.J., Rose, J.K., Stokes, K.N., Barrow, R.E., 1997. Growth Hormone Therapy in Human Burn Injury, in: Ziegler, T.R., Pierce, G.F., Herndon, D.N. (Eds.), *Growth Factors and Wound Healing*. Springer New York, New York, NY, pp. 231–244.
- Hirase, T., Ruff, E., Surani, S., Ratnani, I., 2018. Topical application of platelet-rich plasma for diabetic foot ulcers: A systematic review. *World J. Diabetes* 9, 172–179. <https://doi.org/10.4239/wjd.v9.i10.172>
- E.C., Varmus, H.E., 1998. Basic fibroblast growth factor induces cell migration and proliferation after glia-specific gene transfer in mice. *Proc. Natl. Acad. Sci. U. S. A.* 95, 1218–1223. <https://doi.org/10.1073/pnas.95.3.1218>



Hombach-Klonisch, S., Panigrahi, S., Rashedi, I., Seifert, A., Alberti, E., Pocar, P., Kurpisz, M., Schulze-Osthoff, K., Mackiewicz, A., Los, M., 2008. Adult stem cells and their trans-differentiation potential--perspectives and therapeutic applications. *J. Mol. Med. (Berl.)*. 86, 1301–1314. <https://doi.org/10.1007/s00109-008-0383-6>

Hosni Ahmed, H., Rashed, L.A., Mahfouz, S., Elsayed Hussein, R., Alkaffas, M., Mostafa, S., Abusree, A., 2017. Can mesenchymal stem cells pretreated with platelet-rich plasma modulate tissue remodeling in a rat with burned skin? *Biochem. Cell Biol.* 95, 537–548. <https://doi.org/10.1139/bcb-2016-0224>

Hu, Z., Peel, S.A.F., Ho, S.K.C., Sándor, G.K.B., Clokie, C.M.L., 2009. Platelet-rich plasma induces mRNA expression of VEGF and PDGF in rat bone marrow stromal cell differentiation. *Oral Surg. Oral Med. Oral Pathol. Oral Radiol. Endod.* 107, 43–48. <https://doi.org/10.1016/j.tripleo.2008.06.023>

IMAI, K., HIRAMATSU, A., FUKUSHIMA, D., PIERSCHBACHER, M.D., OKADA, Y., 1997. Degradation of decorin by matrix metalloproteinases: identification of the cleavage sites, kinetic analyses and transforming growth factor- β 1 release. *Biochem. J.* 322, 809–814. <https://doi.org/10.1042/bj3220809>

Itoh, N., Ornitz, D.M., 2008. Functional evolutionary history of the mouseFgf gene family. *Dev. Dyn.* 237, 18–27. <https://doi.org/10.1002/dvdy.21388>

Itoh, N., Ornitz, D.M., 2004. Evolution of the Fgf and Fgfr gene families. *Trends Genet.* 20, 563–569. <https://doi.org/10.1016/j.tig.2004.08.007>

Josh, F., Kobe, K., Tobita, M., Tanaka, R., Suzuki, K., Ono, K., Hyakusoku, H., Mizuno, H., 2012. Accelerated and safe proliferation of human adipose-derived stem cells in medium supplemented with human serum. *J. Nippon Med. Sch.* 79, 444–452. <https://doi.org/10.1272/jnms.79.444>

Ju, W.D., Schiller, J.T., Kazempour, M.K., Lowy, D.R., 1993. TGF alpha enhances locomotion of cultured human keratinocytes. *J. Invest. Dermatol.* 100, 628–632.

Karina, Samudra, M.F., Rosadi, I., Afifi, I., Widayastuti, T., Sobariah, S., Remelia, M., Puspitasari, R.L., Rosliana, I., Tunggadewi, T.I., 2019. Combination of the stromal vascular fraction and platelet-rich plasma accelerates the wound healing process: pre-clinical study in a Sprague-Dawley rat model. *Stem cell Investig.* 6, 18. <https://doi.org/10.21037/sci.2019.06.08>

Kazakos, K., Lyras, D.N., Verettas, D., Tilkeridis, K., Tryfonidis, M., 2009. The use of autologous PRP gel as an aid in the management of acute trauma ends. *Injury* 40, 801–805. <https://doi.org/10.1016/j.injury.2008.05.002>

Y., Ji, Y.-H., Kim, D.-W., Dhong, E.-S., Yoon, E.-S., 2014. Effects of platelet-rich plasma, adipose-derived stem cells, and stromal vascular fraction on the survival of human transplanted adipose tissue. *J. Korean Med.*



- Sci. 29 Suppl 3, S193–S200. <https://doi.org/10.3346/jkms.2014.29.S3.S193>
- Kirschstein, R., 2001. Stem cells: scientific progress and future directions. Natl. Institutes Heal. 1–222.
- Kolkova, K., Novitskaya, V., Pedersen, N., Berezin, V., Bock, E., 2000. Neural cell adhesion molecule-stimulated neurite outgrowth depends on activation of protein kinase C and the Ras-mitogen-activated protein kinase pathway. J. Neurosci. 20, 2238–2246. <https://doi.org/10.1523/JNEUROSCI.20-06-02238.2000>
- Komi-Kuramochi, A., Kawano, M., Oda, Y., Asada, M., Suzuki, M., Oki, J., Imamura, T., 2005. Expression of fibroblast growth factors and their receptors during full-thickness skin wound healing in young and aged mice. J. Endocrinol. 186, 273–289. <https://doi.org/10.1677/joe.1.06055>
- Kotani, T., Masutani, R., Suzuka, T., Oda, K., Makino, S., Ii, M., 2017. Anti-inflammatory and anti-fibrotic effects of intravenous adipose-derived stem cell transplantation in a mouse model of bleomycin-induced interstitial pneumonia. Sci. Rep. 7, 1–10. <https://doi.org/10.1038/s41598-017-15022-3>
- Lawrence, W.T., 1998. Physiology of the acute wound. Clin. Plast. Surg. 25, 321–340.
- Le, T.M., Morimoto, N., Mitsui, T., Notodihardjo, S.C., Munisso, M.C., Kakudo, N., Kusumoto, K., 2019. The sustained release of basic fibroblast growth factor accelerates angiogenesis and the engraftment of the inactivated dermis by high hydrostatic pressure. PLoS One 14, e0208658. <https://doi.org/10.1371/journal.pone.0208658>
- Li, H., Liu, D., Yu, Y., Wu, T., 2009. [Experimental research of the promotion effect of autogeneic PRP on osteogenic differentiation of human adipose-derived stem cells in vitro]. Zhongguo xi fu chong jian wai ke za zhi = Zhongguo xiufu chongjian waike zazhi = Chinese J. reparative Reconstr. Surg. 23, 732–736.
- Liang, Z.-J., Lu, X., Li, D.-Q., Liang, Y.-D., Zhu, D.-D., Wu, F.-X., Yi, X.-L., He, N., Huang, Y.-Q., Tang, C., Li, H., 2018. Precise Intradermal Injection of Nanofat-Derived Stromal Cells Combined with Platelet-Rich Fibrin Improves the Efficacy of Facial Skin Rejuvenation. Cell. Physiol. Biochem. 47, 316–329. <https://doi.org/10.1159/000489809>
- Lo, B., Parham, L., 2009. Ethical issues in stem cell research. Endocr. Rev. 30, 204–213. <https://doi.org/10.1210/er.2008-0031>
- MacLeod, A.S., Mansbridge, J.N., 2016. The Innate Immune System in Acute and Chronic Wounds. Adv. wound care 5, 65–78. <https://doi.org/10.1089/wound.2014.0608>
- Lo, L., Urwyler, C., Werner, S., 2017. Fibroblast growth factors: key players in regeneration and tissue repair. Development 144, 4047–4060.



<https://doi.org/10.1242/dev.152587>

Mansoub, N.H., Gürdal, M., Karadadas, E., Kabadayi, H., Vatansever, S., Ercan, G., 2018. The role of PRP and adipose tissue-derived keratinocytes on burn wound healing in diabetic rats. *BioImpacts* 8, 5–12. <https://doi.org/10.15171/bi.2018.02>

Marck, R., Middelkoop, M., Breederveld, R., 2018. Considerations on the use of platelet rich plasma, specifically for burn treatment: *Journal of burn care & research* May-Jun 2014;35(3):219-227, in: *On PLATELETS and Burns*. pp. 20–34.

Marikovsky, M., Vogt, P., Eriksson, E., Rubin, J.S., Taylor, W.G., Sasse, J., Klagsbrun, M., 1996. Wound Fluid-Derived Heparin-Binding EGF-Like Growth Factor (HB-EGF) Is Synergistic with Insulin-Like Growth Factor-I For Balb/MK Keratinocyte Proliferation. *J. Invest. Dermatol.* 106, 616–621. <https://doi.org/10.1111/1523-1747.ep12345413>

McGee, G.S., Davidson, J.M., Buckley, A., Sommer, A., Woodward, S.C., Aquino, A.M., Barbour, R., Demetriou, A.A., 1988. Recombinant basic fibroblast growth factor accelerates wound healing. *J. Surg. Res.* 45, 145–153. [https://doi.org/10.1016/0022-4804\(88\)90034-0](https://doi.org/10.1016/0022-4804(88)90034-0)

Miranti, C.K., Brugge, J.S., 2002. Sensing the environment: a historical perspective on integrin signal transduction. *Nat. Cell Biol.* 4, E83–E90. <https://doi.org/10.1038/ncb0402-e83>

Moenadjat, Y., Merlina, M., Surjadi, C.F., Sardjono, C.T., Kusnadi, Y., Sandra, F., 2013. The application of human umbilical cord blood mononuclear cells in the management of deep partial thickness burn. *Med. J. Indones.* 22. <https://doi.org/10.13181/mji.v22i2.534>

Mohammed, M.O., Ali, O.J., Muhamad, S.A., Ibrahim, S.H., Raouf, G.M., Salih, N.A., 2019. Role of Bovine Fetal Platelet-rich Plasma (PRP) on Skin Wound Healing in Mice. *Int. J. Pharmacol.* 16, 18–26. <https://doi.org/10.3923/ijp.2020.18.26>

Motamed, S., Taghiabadi, E., Molaei, H., Sodeifi, N., Hassanpour, S.E., Shafieyan, S., Azargashb, E., Farajzadeh-Vajari, F., Aghdami, N., Bajouri, A., 2017. Cell-based skin substitutes accelerate regeneration of extensive burn wounds in rats. *Am. J. Surg.* 214, 762–769. <https://doi.org/10.1016/j.amjsurg.2017.04.010>

Nauta, A., Seidel, C., Deveza, L., Montoro, D., Grova, M., Ko, S.H., Hyun, J., Gurtner, G.C., Longaker, M.T., Yang, F., 2013. Adipose-derived stromal overexpressing vascular endothelial growth factor accelerate mouse sisional wound healing. *Mol. Ther.* 21, 445–455. <https://doi.org/10.1038/mt.2012.234>

Osman, M.F., Albeshri, H., Abbas, D.B., Angel, C.A., 2019. Wound



- Healing, in: F. Charles Brunicardi, Anderse, D.K., Billiar, T.R., Dunn, D.L., Kao, L.S., Hunter, J.G., Matthews, J.B., Pollock, R.E. (Eds.), Schwartz's Principles of Surgery. McGraw-Hill, New York, pp. 271–304.
- Nexø, E., Jørgensen, P.E., Hansen, M.R., 1992. Human epidermal growth factor—on molecular forms present in urine and blood. *Regul. Pept.* 42, 75–84. [https://doi.org/https://doi.org/10.1016/0167-0115\(92\)90025-P](https://doi.org/https://doi.org/10.1016/0167-0115(92)90025-P)
- Nikolidakis, D., Jansen, J.A., 2008. The biology of platelet-rich plasma and its application in oral surgery: literature review. *Tissue Eng. Part B. Rev.* 14, 249–258. <https://doi.org/10.1089/ten.teb.2008.0062>
- Oryan, A., Alemzadeh, E., Moshiri, A., 2017. Burn wound healing: Present concepts, treatment strategies and future directions. *J. Wound Care* 26, 5–19. <https://doi.org/10.12968/jowc.2017.26.1.5>
- Park, J.W., Hwang, S.R., Yoon, I.-S., 2017. Advanced Growth Factor Delivery Systems in Wound Management and Skin Regeneration. *Molecules* 22, 1259. <https://doi.org/10.3390/molecules22081259>
- Pastar, I., Stojadinovic, O., Yin, N.C., Ramirez, H., Nusbaum, A.G., Sawaya, A., Patel, S.B., Khalid, L., Isseroff, R.R., Tomic-Canic, M., 2014. Epithelialization in Wound Healing: A Comprehensive Review. *Adv. Wound Care* 3, 445–464. <https://doi.org/10.1089/wound.2013.0473>
- Patel, D.P., Redshaw, J.D., Breyer, B.N., Smith, T.G., Erickson, B.A., Majercik, S.D., Gaither, T.W., Craig, J.R., Gardner, S., Presson, A.P., Zhang, C., Hotaling, J.M., Brant, W.O., Myers, J.B., 2015. High-grade renal injuries are often isolated in sports-related trauma. *Injury* 46, 1245–1249. <https://doi.org/10.1016/j.injury.2015.02.008>
- Patel, P., Duttaroy, D., Kacheriwala, S., 2014. Management of renal injuries in blunt abdominal trauma. *J. Res. Med. Dent. Sci.* 2, 38. <https://doi.org/10.5455/jrmds.2014229>
- Pearson, G., Robinson, F., Beers Gibson, T., Xu, B.E., Karandikar, M., Berman, K., Cobb, M.H., 2001. Mitogen-activated protein (MAP) kinase pathways: regulation and physiological functions. *Endocr. Rev.* 22, 153–183. <https://doi.org/10.1210/edrv.22.2.0428>
- Petry, T., Bury, D., Fautz, R., Hauser, M., Huber, B., Markowitz, A., Mishra, S., Rettinger, K., Schuh, W., Teichert, T., 2017. Review of data on the dermal penetration of mineral oils and waxes used in cosmetic applications. *Toxicol. Lett.* 280, 70–78. <https://doi.org/https://doi.org/10.1016/j.toxlet.2017.07.899>
- Plichta, I.K., Radek, K.A., 2012. Sugar-Coating Wound Repair: A Review of α-10 and Dermatan Sulfate in Wound Healing and Their Potential Application in Burn Wounds. *J. Burn Care Res.* 33, 299–310. <https://doi.org/10.1097/BCR.0b013e318240540a>
- C.J., McLeskey, S.W., Wellstein, A., 2000. Fibroblast growth factors,



- their receptors and signaling. *Endocr. Relat. Cancer* 7, 165–197. <https://doi.org/10.1677/erc.0.0070165>
- Raposo, E., Bertozzi, N., Bonomini, S., Bernuzzi, G., Formentini, A., Grignaffini, E., Pio Grieco, M., 2016. Adipose-derived Stem Cells Added to Platelet-rich Plasma for Chronic Skin Ulcer Therapy. *Wounds a Compend. Clin. Res. Pract.* 28, 126–131.
- Rigotti, G., Marchi, A., Sbarbati, A., 2009. Adipose-derived mesenchymal stem cells: past, present, and future. *Aesthetic Plast. Surg.* <https://doi.org/10.1007/s00266-009-9339-7>
- Rodrigues, M., Kosaric, N., Bonham, C.A., Gurtner, G.C., 2019. Wound Healing: A Cellular Perspective. *Physiol. Rev.* 99, 665–706. <https://doi.org/10.1152/physrev.00067.2017>
- Rohovsky, S., D'Amore, P.A., 1997. Growth Factors and Angiogenesis in Wound Healing, in: T.R., Z., G.F., P., D.N., H. (Eds.), *Growth Factors and Wound Healing*. Springer New York, New York, NY, pp. 8–26. https://doi.org/10.1007/978-1-4612-1876-0_2
- Rose, L.F., Chan, R.K., 2016. The Burn Wound Microenvironment. *Adv. Wound Care* 5, 106–118. <https://doi.org/10.1089/wound.2014.0536>
- Rosenstrauch, D., Poglajen, G., Zidar, N., Gregoric, I.D., 2005. Stem celltherapy for ischemic heart failure. *Texas Hear. Inst. J.* 32, 339–347.
- Rumalla, V.K., Borah, G.L., 2001. Cytokines, growth factors, and plastic surgery. *Plast. Reconstr. Surg.* 108, 719–733. <https://doi.org/10.1097/00006534-200109010-00019>
- Said, A., Wahid, F., Bashir, K., Rasheed, H.M., Khan, T., Hussain, Z., Siraj, S., 2019. Sauromatum guttatum extract promotes wound healing and tissue regeneration in a burn mouse model via up-regulation of growth factors. *Pharm. Biol.* 57, 736–743. <https://doi.org/10.1080/13880209.2019.1676266>
- Schöler, H.R., 2016. The Potential of Stem Cells: An Inventory, in: Schipanski, D., Knoepffle, N., S L Sorgner (Eds.), *Humanbiotechnology as Social Challenge An Interdisciplinary Introduction to Bioethics*. Taylor & Francis, London, pp. 1–28.
- Sethi, A., Kaur, T., Malhotra, S.K., Gambhir, M.L., 2016. Moisturizers: The Slippery Road. *Indian J. Dermatol.* 61, 279–287. <https://doi.org/10.4103/0019-5154.182427>
- Seyhan, N., Alhan, D., Ural, A.U., Gunal, A., Avunduk, M.C., Savaci, N., 2015. Effect of Combined Use of Platelet-Rich Plasma and Adipose-Derived Cells on Fat Graft Survival. *Ann. Plast. Surg.* 74, 615–620. <https://doi.org/10.1097/SAP.0000000000000480>
- , A., Butnaru, D., Bezrukov, E.A., Sukhanov, R.B., Atala, A.,



- Burdakovskii, V., Zhang, Y., Timashev, P., 2019. Skin tissue regeneration for burn injury. *Stem Cell Res. Ther.* 10, 1–16. <https://doi.org/10.1186/s13287-019-1203-3>
- Shukla, S.K., Sharma, A.K., Bharti, R., Kulshrestha, V., Kalonia, A., Shaw, P., 2020. Can miRNAs serve as potential markers in thermal burn injury: An in silico approach. *J. Burn Care Res.* 41, 57–64. <https://doi.org/10.1093/jbcr/irz183>
- Singh, V.K., Saini, A., Kalsan, M., Kumar, N., Chandra, R., 2016. Describing the Stem Cell Potency: The Various Methods of Functional Assessment and In silico Diagnostics. *Front. cell Dev. Biol.* 4, 134. <https://doi.org/10.3389/fcell.2016.00134>
- Subramaniam, N., Petrik, J.J., Vickaryous, M.K., 2018. VEGF, FGF-2 and TGF β expression in the normal and regenerating epidermis of geckos: implications for epidermal homeostasis and wound healing in reptiles. *J. Anat.* 232, 768–782. <https://doi.org/10.1111/joa.12784>
- Sun, M., He, Y., Zhou, T., Zhang, P., Gao, J., Lu, F., 2017. Adipose Extracellular Matrix/Stromal Vascular Fraction Gel Secretes Angiogenic Factors and Enhances Skin Wound Healing in a Murine Model. *Biomed Res. Int.* 2017, 1–11. <https://doi.org/10.1155/2017/3105780>
- Tajima, S., Tobita, M., Orbay, H., Hyakusoku, H., Mizuno, H., 2014. Direct and Indirect Effects of a Combination of Adipose-Derived Stem Cells and Platelet-Rich Plasma on Bone Regeneration. *Tissue Eng. Part A* 21. <https://doi.org/10.1089/ten.TEA.2014.0336>
- Tan, S.T., Dosan, R., 2019. Lessons From Epithelialization: The Reason Behind Moist Wound Environment. *Open Dermatol. J.* 13, 34–40. <https://doi.org/10.2174/1874372201913010034>
- Tarnuzzer, R.W., Macauley, S.P., Mast, B.A., Gibson, J.S., Stacey, M.C., Trengrove, N., Moldawer, L.L., Burslem, F., Schultz, G.S., 1997. Epidermal Growth Factor in Wound Healing: A Model for the Molecular Pathogenesis of Chronic Wounds., in: Ziegler, T.R., Pierce, G.F., Herndon, D.N. (Eds.), *Growth Factors and Wound Healing*. Springer New York, New York, NY, pp. 206–228.
- Tavares Pereira, D. dos S., Lima-Ribeiro, M.H.M., de Pontes-Filho, N.T., Carneiro-Leão, A.M. dos A., Correia, M.T. dos S., 2012. Development of Animal Model for Studying Deep Second-Degree Thermal Burns. *J. Biomed. Biotechnol.* 2012, 460841. <https://doi.org/10.1155/2012/460841>
- ., Thisse, C., 2005. Functions and regulations of fibroblast growth factor signaling during embryonic development. *Dev. Biol.* 287, 390–402. <https://doi.org/10.1016/j.ydbio.2005.09.011>
- had, M., Varoga, D., Wruck, C.J., Brandenburg, L.O., Seekamp, A.,

- Shakibaei, M., Sönmez, T.T., Pufe, T., Lippross, S., 2011. Platelet-released growth factors can accelerate tenocyte proliferation and activate the anti-oxidant response element. *Histochem. Cell Biol.* 135, 453–460. <https://doi.org/10.1007/s00418-011-0808-0>
- Toussaint, J., Singer, A.J., 2014. The evaluation and management of thermal injuries: 2014 update. *Clin. Exp. Emerg. Med.* 1, 8–18. <https://doi.org/10.15441/ceem.14.029>
- Tsien, L., 2006. Stem Cell Basics. *Postgrad. Obstet. Gynecol.* 26, 1–6. <https://doi.org/10.1097/00256406-200612310-00001>
- Turner, N., Grose, R., 2010. Fibroblast growth factor signalling: from development to cancer. *Nat. Rev. Cancer* 10, 116–129. <https://doi.org/10.1038/nrc2780>
- Vaghardoost, R., Mousavi Majd, S.G., Tebyanian, H., Babavalian, H., Malaei, L., Niazi, M., Javdani, A., 2018. The Healing Effect of Sesame Oil, Camphor and Honey on Second Degree Burn Wounds in Rat. *World J. Plast. Surg.* 7, 67–71.
- Van Pham, P., Bui, K.H.-T., Ngo, D.Q., Vu, N.B., Truong, N.H., Phan, N.L.-C., Le, D.M., Duong, T.D., Nguyen, T.D., Le, V.T., Phan, N.K., 2013. Activated platelet-rich plasma improves adipose-derived stem cell transplantation efficiency in injured articular cartilage. *Stem Cell Res. Ther.* 4, 91. <https://doi.org/10.1186/scrt277>
- Velnar, T., Bailey, T., Smrkolj, V., 2009. The Wound Healing Process: An Overview of the Cellular and Molecular Mechanisms. *J. Int. Med. Res.* 37, 1528–1542. <https://doi.org/10.1177/147323000903700531>
- Venturi, S., Venturi, M., 2009. Iodine in Evolution of Salivary Glands and in Oral Health. *Nutr. Health* 20, 119–134. <https://doi.org/10.1177/026010600902000204>
- Wang, Y., Beekman, J., Hew, J., Jackson, S., Issler-Fisher, A.C., Parungao, R., Lajevardi, S.S., Li, Z., Maitz, P.K.M., 2018. Burn injury: Challenges and advances in burn wound healing, infection, pain and scarring, *Advanced Drug Delivery Reviews*. Elsevier B.V. <https://doi.org/10.1016/j.addr.2017.09.018>
- Werner, S., Grose, R., 2003. Regulation of wound healing by growth factors and cytokines. *Physiol. Rev.* 83, 835–870. <https://doi.org/10.1152/physrev.2003.83.3.835>
- Widowati, W., Widyanto, R.M., 2013. Sel Punca sebagai Transformasi Alternatif. *pi. Zenit* 2, 1–5.
- Widowati, W., Widyanto, R.M., 2013. Sel Punca sebagai Transformasi Alternatif. *pi. Zenit* 2, 1–5.
- Barbul, A., 1997. General principles of wound healing. *Surg. Clin. N. Am.* 77, 509–528. [https://doi.org/10.1016/s0039-6109\(05\)70566-1](https://doi.org/10.1016/s0039-6109(05)70566-1)



Wobus, A.M., Boheler, K.R., 2005. Embryonic Stem Cells: Prospects for Developmental Biology and Cell Therapy. *Physiol. Rev.* 85, 635–678.
<https://doi.org/10.1152/physrev.00054.2003>

Wong, A., Lamothe, B., Lee, A., Schlessinger, J., Lax, I., 2002. FRS2 alpha attenuates FGF receptor signaling by Grb2-mediated recruitment of the ubiquitin ligase Cbl. Proc. Natl. Acad. Sci. U. S. A. 99, 6684–6689.
<https://doi.org/10.1073/pnas.052138899>

Yun, Y.-R., Won, J.E., Jeon, E., Lee, S., Kang, W., Jo, H., Jang, J.-H., Shin, U.S., Kim, H.-W., 2010. Fibroblast growth factors: biology, function, and application for tissue regeneration. *J. Tissue Eng.* 2010, 218142. <https://doi.org/10.4061/2010/218142>

Zakrzewski, W., Dobrzański, M., Szymonowicz, M., Rybak, Z., 2019. Stem cells: past, present, and future. *Stem Cell Res. Ther.* 10, 68. <https://doi.org/10.1186/s13287-019-1165-5>

Zhang, Y., He, J., Xiao, G., Li, Q., 2011. [Effect of platelet-rich plasma on the proliferation and adipogenic differentiation of human adipose-derived stem cells in vitro]. Nan Fang Yi Ke Da Xue Xue Bao 31, 525–528.

Zuk, P.A., Zhu, M., Ashjian, P., De Ugarte, D.A., Huang, J.I., Mizuno, H., Alfonso, Z.C., Fraser, J.K., Benhaim, P., Hedrick, M.H., 2002. Human adipose tissue is a source of multipotent stem cells. Mol. Biol. Cell 13, 4279–4295. <https://doi.org/10.1091/mbc.e02-02-0105>



Optimized using
trial version
www.balesio.com

Lampiran 1. Rekomendasi Persetujuan Etik

KEMENTERIAN PENDIDIKAN, KEBUDAYAAN, RISET DAN TEKNOLOGI

UNIVERSITAS HASANUDDIN FAKULTAS KEDOKTERAN

KOMITE ETIK PENELITIAN UNIVERSITAS HASANUDDIN

RSPTN UNIVERSITAS HASANUDDIN

RSUP Dr. WAHIDIN SUDIROHUSODO MAKASSAR

Sekretariat : Lantai 2 Gedung Laboratorium Terpadu

JL.PERINTIS KEMERDEKAAN KAMPUS TAMALANREA KM.10 MAKASSAR 90245.

Contact Person: dr. Agussalim Bukhari, M.Med.,Ph.D, Sp.GK TELP. 081241850858, 0411 5780103, Fax : 0411-581431



REKOMENDASI PERSETUJUAN ETIK

Nomor : 542/UN4.6.4.5.31 / PP36/ 2023

Tanggal: 4 Agustus 2023

Dengan ini Menyatakan bahwa Protokol dan Dokumen yang Berhubungan Dengan Protokol berikut ini telah mendapatkan Persetujuan Etik :

No Protokol	UH23070517	No Sponsor	
Peneliti Utama	dr. Andi Fatmawati Mahir	Sponsor	
Judul Peneliti	PERBANDINGAN KADAR SERUM EGF DAN FGF DENGAN HASIL HISTOPATOLOGI EPITELIASI DAN FIBROBLAST TERHADAP AKSELERASI PROSES PENYEMBUHAN LUCA BAKAR DEEP DERMAL DENGAN PENGGUNAAN KOMBINASI PRP DAN SVFS PADA MODEL TIKUS WISTAR		
No Versi Protokol	1	Tanggal Versi	25 Juli 2023
No Versi PSP		Tanggal Versi	
Tempat Penelitian	Laboratorium HUM-RC dan Laboratorium Hewan FKUH Makassar		
Jenis Review	<input type="checkbox"/> Exempted <input checked="" type="checkbox"/> Expedited <input type="checkbox"/> Fullboard Tanggal	Masa Berlaku 4 Agustus 2023 sampai 4 Agustus 2024	Frekuensi review lanjutan
Ketua KEP Universitas Hasanuddin	Nama Prof.Dr.dr. Suryani As'ad, M.Sc.,Sp.GK (K)	Tanda tangan	
Sekretaris KEP Universitas Hasanuddin	Nama dr. Agussalim Bukhari, M.Med.,Ph.D.,Sp.GK (K)	Tanda tangan	

Kewajiban Peneliti Utama:

- Menyerahkan Amandemen Protokol untuk persetujuan sebelum di implementasikan
- Menyerahkan Laporan SAE ke Komisi Etik dalam 24 Jam dan dilengkapi dalam 7 hari dan Lapor SUSAR dalam 72 Jam setelah Peneliti Utama menerima laporan
- Menyerahkan Laporan Kemajuan (progress report) setiap 6 bulan untuk penelitian resiko tinggi dan setiap setahun untuk penelitian resiko rendah

• laporan akhir setelah Penelitian berakhir
• penyimpangan dari protokol yang disetujui (protocol deviation / violation)
• semua peraturan yang ditentukan



Lampiran 2. Biodata Penulis

BIODATA PENULIS



I. DATA PRIBADI

Nama lengkap : dr. Andi Fatmawati Mahir
Tempat/ tanggal lahir : Sengkang, 25 September 1990
Jenis Kelamin : Perempuan
Status kewarganegaraan : Indonesia
Agama : Islam
Alamat Korespondensi : BTN. Bulurokeng Permai F4/11 Makassar
Telepon : 085299087511
E-Mail : andifatmawatimahir@gmail.com

II. RIWAYAT PENDIDIKAN

1996 – 2002 : SDN 2 Maddukkelleng, Kab. Wajo
2002 – 2005 : SMPN 6 Makassar
2005 – 2008 : SMAN 1 Makassar
2009 – 2013 : Program Studi Sarjana Kedokteran Fakultas Kedokteran
Universitas Muslim Indonesia
2013 – 2015 : Program Studi Profesi Dokter Fakultas Kedokteran
Universitas Muslim Indonesia
2019 – 2023 : Program Studi Ilmu Bedah Fakultas Kedokteran Universitas
Hasanuddin



RIWAYAT ORGANISASI

ota IDI

Lampiran 3. Data Penelitian

Hasil Terminasi

Group	Hari Terminasi					
	0	1	4	7	10	14
A (Injeksi Stem Cell & Luka Bakar)	KA1-1	KA2-1	KA3-1	KA4-1	KA5-1	
	0	1	3	3	4	4
	KA1-2	KA2-2	KA3-2	KA4-2	KA5-2	
	0	1	3	4	4	4
	KA1-3	KA2-3	KA3-3	KA4-3	KA5-3	
	0	2	2	3	4	4
	KA1-4	KA2-4	KA3-4	KA4-4	KA5-4	
	0	1	1	3	4	

Group	Hari Terminasi					
	0	1	4	7	10	14
B (Topikal Stem Cell & Luka Bakar)	KB1-1	KB2-1	KB3-1	KB4-1	KB5-1	
	0	0	1	3	3	3
	KB1-2	KB2-2	KB3-2	KB4-2	KB5-2	
	0	1	1	2	2	2
	KB1-3	KB2-3	KB3-3	KB4-3	KB5-3	
	0	1	2	2	3	3
	KB1-4	KB2-4	KB3-4	KB4-4	KB5-4	
	0	1	2	2	3	

Group	Hari Terminasi					
	0	1	4	7	10	14
C (Vaseline Topikal & Luka Bakar)	KC1-1	KC2-1	KC3-1	KC4-1	KC5-1	
	0	2	2	2	3	3
	KC1-2	KC2-2	KC3-2	KC4-2	KC5-2	
	0	1	2	3	3	3
	KC1-3	KC2-3	KC3-3	KC4-3	KC5-3	
	0	1	2	4	4	4
	KC1-4	KC2-4	KC3-4	KC4-4	KC5-4	
	0	1	2	4	4	4



Perbandingan

**Perbandingan Stem Cell injeksi vs Stem
Cell Topikal**

Hari Terminasi	Tikus ke-	Stem Cell Inj	Stem cell Top
hari ke-1	1	0	0
	2	0	0
	3	0	0
	4	0	0
hari ke-4	1	1	0
	2	1	1
	3	2	1
	4	1	1
hari ke-7	1	3	1
	2	3	1
	3	2	2
	4	1	2
hari ke-10	1	3	3
	2	4	2
	3	3	2
	4	3	2
hari ke-14	1	4	3
	2	4	2
	3	4	3
	4	4	3

**Perbandingan Stem Cell injeksi vs Vaseline
Topikal**

Hari Terminasi	Tikus ke-	Stem Cell Inj	Vaseline Top
hari ke-1	1	0	0
	2	0	0
	3	0	0
	4	0	0
hari ke-4	1	1	2
	2	1	1
	3	2	1
	4	1	1
hari ke-7	1	3	2
	2	3	2
	3	2	2
	4	1	2
hari ke-10	1	3	2
	2	4	3
	3	3	4
	4	3	4
hari ke-14	1	4	3
	2	4	3
	3	4	4
	4	4	4



**Perbandingan Stem Cell Topikal vs
Vaselin Topikal**

Hari Terminasi	Tikus ke-	Stem cell Top	Vaselin Top
hari ke-1	1	0	0
	2	0	0
	3	0	0
	4	0	0
hari ke-4	1	0	2
	2	1	1
	3	1	1
	4	1	1
hari ke-7	1	1	2
	2	1	2
	3	2	2
	4	2	2
hari ke-10	1	3	2
	2	2	3
	3	2	4
	4	2	4
hari ke-14	1	3	3
	2	2	3
	3	3	4
	4	3	4

Perbandingan Ketiganya

Hari Terminasi	Tikus ke-	Stem Cell Inj	Stem Cell Top	Vaselin Top
hari ke-1	1	0	0	0
	2	0	0	0
	3	0	0	0
	4	0	0	0
hari ke-4	1	1	0	2
	2	1	1	1
	3	2	1	1
	4	1	1	1
hari ke-7	1	3	1	2
	2	3	1	2
	3	2	2	2
	4	1	2	2
hari ke-10	1	3	3	2
	2	4	2	3
	3	3	2	4
	4	3	2	4
hari ke-14	1	4	3	3
	2	4	2	3
	3	4	3	4
	4	4	3	4



Data EGF

Photometric1

Plate	Well	Group	Type	Wavelength	Abs			Concentration (pg/ml)			Average (ng/ml)
Plate 1	A01	Assay	S1	450	0.6505						
Plate 1	B01	Assay	S2	450	0.4260						
Plate 1	C01	Assay	S3	450	0.3131						
Plate 1	D01	Assay	S4	450	0.2433						
Plate 1	E01	Assay	S5	450	0.1722						
Plate 1	F01	Assay	S6	450	0.1096						
Plate 1	G01	Assay	S7	450	0.0741						
Plate 1	H01	Assay	Blank	450	0.1006						
Plate 1	A02	Assay	KA1.1	450	0.4856	0.4674	0.4697	6799.92	6391.49	6442.31	6.54
Plate 1	B02	Assay	KA1.2	450	0.4843	0.3579	0.4760	6577.03	6423.66	6858.27	6.62
Plate 1	C02	Assay	KA1.3	450	0.5672	0.4655	0.4411	6780.73	6534.97	7482.66	6.93
Plate 1	D02	Assay	KA1.4	450	0.4101	0.2997	0.3454	6419.92	6230.24	6302.36	6.32
Plate 1	E02	Assay	KA2.1	450	0.8706	0.8648	0.8792	7979.78	8056.95	7913.90	7.98
Plate 1	F02	Assay	KA2.2	450	0.4546	0.3626	0.3664	8511.28	8331.84	8338.53	8.39
Plate 1	G02	Assay	KA2.3	450	0.6323	0.5230	0.5684	7961.54	7668.42	7783.90	7.80
Plate 1	H02	Assay	KA2.4	450	0.4418	0.4198	0.4787	8234.12	8249.10	8304.34	8.26
Plate 1	A05	Assay	KA3.1	450	0.6047	0.4428	0.5848	5462.64	5686.22	6027.80	5.73
Plate 1	B05	Assay	KA3.2	450	0.6845	0.4725	0.6675	6119.76	6550.45	6066.94	6.25
Plate 1	C05	Assay	KA3.3	450	1.1776	1.0159	0.5968	6196.03	6199.26	6160.67	6.19
Plate 1	D05	Assay	KA3.4	450	1.0892	1.1255	0.7285	5746.43	5926.96	5262.29	5.65
Plate 1	E05	Assay	KA4.1	450	0.7830	0.8006	0.6650	8350.43	8413.94	7959.28	8.24
Plate 1	F05	Assay	KA4.2	450	0.7103	0.6960	0.8133	8202.32	8156.20	8560.60	8.31
Plate 1	G05	Assay	KA4.3	450	0.7652	0.7430	0.6288	8087.57	8041.09	8451.35	8.19
Plate 1	H05	Assay	KA4.4	450	0.5095	0.4806	0.6559	8635.80	8568.63	8031.61	8.41



Optimized using
trial version
www.balesio.com



Plate 1	A08	Assay	KA5.1	450	0.4322	0.3790	0.5739	10464.22	10361.15	10798.49	10.54
Plate 1	B08	Assay	KA5.2	450	0.5696	0.6448	0.6567	10787.07	10998.35	10034.03	10.61
Plate 1	C08	Assay	KA5.3	450	0.6428	0.4989	0.5878	10992.42	10610.75	10835.96	10.81
Plate 1	D08	Assay	KA5.4	450	0.6603	0.7594	0.7338	11044.94	11367.38	11280.02	11.23
Plate 1	E08	Assay	KB1.1	450	0.5065	0.5158	0.4937	5628.66	5650.93	5598.63	5.63
Plate 1	F08	Assay	KB1.2	450	0.5814	0.6241	0.5903	4818.61	4937.75	4842.79	4.87
Plate 1	G08	Assay	KB1.3	450	0.8761	0.8096	0.6153	5801.56	5546.93	5912.55	5.75
Plate 1	H08	Assay	KB1.4	450	0.5384	0.5176	0.5000	5706.59	5655.28	5613.32	5.66
Plate 1	A11	Assay	KB2.1	450	0.4023	0.6545	0.3369	7404.78	7027.39	7288.26	7.24
Plate 1	B11	Assay	KB2.2	450	0.8980	0.7415	0.5088	6999.61	6916.00	6744.13	6.89
Plate 1	C11	Assay	KB2.3	450	0.5171	0.6043	0.2966	7174.07	7191.52	7197.68	7.19
Plate 1	D11	Assay	KB2.4	450	0.6392	0.7599	0.3036	6981.78	6869.12	6936.04	6.93
Plate 1	E11	Assay	KB3.1	450	0.8847	0.8660	0.4863	3835.89	3761.66	3581.59	3.73
Plate 1	F11	Assay	KB3.2	450	0.6998	0.6822	0.4366	4168.37	4112.54	4473.29	4.25
Plate 1	G11	Assay	KB3.3	450	0.9333	0.8696	0.4870	4135.89	3875.83	3983.19	4.00
Plate 1	H11	Assay	KB3.4	450	0.4554	0.4485	0.3179	3513.00	3498.25	3257.88	3.42
Plate 2	A02	Assay	KB4.1	450	0.4186	0.4705	0.5069	7136.71	7246.00	7329.61	7.24
Plate 2	B02	Assay	KB4.2	450	0.4994	0.3564	0.4036	6621.92	6731.07	6897.29	6.75
Plate 2	C02	Assay	KB4.3	450	0.5123	0.3913	0.4022	6742.50	6753.89	6734.59	6.74
Plate 2	D02	Assay	KB4.4	450	0.2553	0.3042	0.3431	7068.82	7136.94	7198.52	7.13
Plate 2	E02	Assay	KB5.1	450	0.4347	0.4151	0.3710	9469.37	9429.76	9346.71	9.42
Plate 2	F02	Assay	KB5.2	450	0.3241	0.4069	0.3705	9467.62	9613.68	9545.82	9.54
Plate 2	G02	Assay	KB5.3	450	0.5785	0.6174	0.7065	8980.80	8895.54	8796.98	8.89
Plate 2	H02	Assay	KB5.4	450	0.4209	0.3699	0.3884	9441.30	9344.75	9378.47	9.39
Plate 2	A05	Assay	KC1.1	450	0.4651	0.5506	0.5898	1534.09	1437.56	1441.42	1.47
	B05	Assay	KC1.2	450	0.4242	0.3365	0.4567	1347.94	1187.61	1415.81	1.32
	C05	Assay	KC1.3	450	0.3410	0.3576	0.3606	995.02	1023.14	1028.35	1.02
	D05	Assay	KC1.4	450	0.3130	0.3262	0.3684	1450.30	1470.96	1342.08	1.42
	E05	Assay	KC2.1	450	0.2518	0.2447	0.2593	1464.35	1655.42	1774.01	1.63
	F05	Assay	KC2.2	450	0.3491	0.3308	0.5054	1308.60	1278.34	1626.05	1.40

Plate 2	G05	Assay	KC2.3	450	0.4501	0.3697	0.4957	1091.65	1024.39	1103.28	1.07
Plate 2	H05	Assay	KC2.4	450	0.4023	0.2996	0.3702	1404.78	1430.09	1445.28	1.43
Plate 2	A08	Assay	KC3.1	450	0.3971	0.4938	0.5498	2274.84	2568.86	2335.51	2.39
Plate 2	B08	Assay	KC3.2	450	0.5240	0.4992	0.3880	1570.87	1511.45	1377.73	1.49
Plate 2	C08	Assay	KC3.3	450	0.5318	0.4358	0.4107	1090.11	1071.64	1121.09	1.09
Plate 2	D08	Assay	KC3.4	450	0.5259	0.5461	0.4570	1675.53	1726.06	1516.45	1.64
Plate 2	E08	Assay	KC4.1	450	0.3880	0.3851	0.5142	1277.73	1272.35	1347.07	1.30
Plate 2	F08	Assay	KC4.2	450	0.4776	0.4883	0.4333	1461.86	1466.17	1466.48	1.46
Plate 2	G08	Assay	KC4.3	450	0.4416	0.4347	0.4500	1013.70	1019.37	1011.44	1.01
Plate 2	H08	Assay	KC4.4	450	0.3946	0.3010	0.5493	1290.10	1272.17	1234.23	1.27
Plate 2	A11	Assay	KC5.1	450	0.5838	0.6158	0.4744	1375.09	1503.98	1544.69	1.47
Plate 2	D11	Assay	KC5.2	450	0.4814	0.4580	0.6786	1270.44	1318.61	1211.29	1.27
Plate 2	G11	Assay	KC5.3	450	0.5173	0.5732	0.9167	1044.55	1056.63	1066.43	1.06
Plate 2	B12	Assay	KC5.4	450	0.8636	0.8373	0.9718	1122.24	1150.67	1101.58	1.12
Plate 2	E12	Assay	Kontrol Neg 1	450	1.0281			1455.43			1.46
Plate 2	F12	Assay	Kontrol Neg 2	450	0.6830			1115.05			1.12
Plate 2	G12	Assay	Kontrol Neg 3	450	0.7079			1194.52			1.19
Plate 2	H12	Assay	Kontrol Neg 4	450	0.6572			1035.54			1.04



Optimized using
trial version
www.balesio.com

Data FGF

Plate	Well	Group	Type	Sample	Abs			Concentration pg/ml			Average
Plate 1	A02	Assay	Unknown	KA1.1	0.0785	0.0782	0.0823	6.50	6.57	6.79	6.62
Plate 1	B02	Assay	Unknown	KA1.2	0.0975	0.0784	0.0937	6.83	6.64	6.79	6.76
Plate 1	C02	Assay	Unknown	KA1.3	0.0827	0.0804	0.0823	6.13	6.41	6.75	6.43
Plate 1	D02	Assay	Unknown	KA1.4	0.1029	0.0978	0.1561	5.57	5.25	9.22	6.68
Plate 1	E02	Assay	Unknown	KA2.1	0.6325	0.6078	0.5857	6.53	6.43	6.56	6.51
Plate 1	F02	Assay	Unknown	KA2.2	0.0834	0.0847	0.0952	6.66	6.54	6.69	6.63
Plate 1	G02	Assay	Unknown	KA2.3	0.1116	0.1158	0.1210	6.32	6.19	6.30	6.27
Plate 1	H02	Assay	Unknown	KA2.4	0.0700	0.0694	0.0778	6.26	6.35	6.21	6.27
Plate 1	A05	Assay	Unknown	KA3.1	0.0687	0.0699	0.0736	6.07	6.06	6.30	6.14
Plate 1	B05	Assay	Unknown	KA3.2	0.0773	0.0822	0.0814	6.00	6.29	6.25	6.18
Plate 1	C05	Assay	Unknown	KA3.3	0.0696	0.0727	0.0710	5.45	4.73	4.63	4.94
Plate 1	D05	Assay	Unknown	KA3.4	0.0645	0.0661	0.0635	5.58	5.54	6.03	5.72
Plate 1	E05	Assay	Unknown	KA4.1	0.0782	0.0797	0.0828	6.06	6.14	6.33	6.18
Plate 1	F05	Assay	Unknown	KA4.2	0.0744	0.0783	0.0754	5.83	6.06	5.89	5.93
Plate 1	G05	Assay	Unknown	KA4.3	0.0887	0.0855	0.0829	6.69	6.49	6.33	6.50
Plate 1	H05	Assay	Unknown	KA4.4	0.0771	0.0799	0.0913	5.99	6.16	6.85	6.33
Plate 1	A08	Assay	Unknown	KA5.1	0.0732	0.0722	0.0691	6.76	6.87	6.63	6.76
Plate 1	B08	Assay	Unknown	KA5.2	0.1191	0.1178	0.1165	6.63	6.54	6.45	6.54
Plate 1	C08	Assay	Unknown	KA5.3	0.0713	0.0718	0.0780	5.65	5.68	6.04	5.79
	D08	Assay	Unknown	KA5.4	0.0961	0.0967	0.1138	6.14	6.18	7.28	6.53
	E08	Assay	Unknown	KB1.1	0.0764	0.0711	0.0723	6.16	6.10	5.35	5.87
	F08	Assay	Unknown	KB1.2	0.0710	0.0718	0.0688	5.53	5.77	7.32	6.21
	G08	Assay	Unknown	KB1.3	0.0827	0.0783	0.0793	6.67	6.65	5.68	6.34



Optimized using
trial version
www.balesio.com



Plate 1	H08	Assay	Unknown	KB1.4	0.0680	0.0693	0.0740	6.98	6.47	7.00	6.82
Plate 1	A11	Assay	Unknown	KB2.1	0.0863	0.0801	0.0534	6.54	6.17	4.65	5.78
Plate 1	B11	Assay	Unknown	KB2.2	0.1170	0.1219	0.0677	6.48	6.76	5.00	6.08
Plate 1	C11	Assay	Unknown	KB2.3	0.0717	0.0713	0.0540	6.39	6.72	5.57	6.23
Plate 1	D11	Assay	Unknown	KB2.4	0.0769	0.0852	0.0598	5.46	5.54	5.81	5.60
Plate 1	E11	Assay	Unknown	KB3.1	0.2944	0.2293	0.1840	6.14	5.66	5.25	5.68
Plate 1	F11	Assay	Unknown	KB3.2	0.0853	0.0899	0.0599	6.49	6.81	3.44	5.58
Plate 1	G11	Assay	Unknown	KB3.3	0.0667	0.0725	0.0520	6.06	5.94	5.97	5.99
Plate 1	H11	Assay	Unknown	KB3.4	0.0680	0.0712	0.0558	5.46	5.65	4.78	5.30
Plate 2	A02	Assay	Unknown	KB4.1	0.0786	0.0793	0.0712	5.95	5.64	5.71	5.77
Plate 2	B02	Assay	Unknown	KB4.2	0.0862	0.0900	0.1144	5.63	5.68	5.51	5.61
Plate 2	C02	Assay	Unknown	KB4.3	0.0782	0.0763	0.0767	6.32	6.06	6.12	6.17
Plate 2	D02	Assay	Unknown	KB4.4	0.1381	0.1415	0.1412	5.93	6.27	5.45	5.88
Plate 2	E02	Assay	Unknown	KB5.1	0.0960	0.0883	0.0814	6.08	6.12	5.65	5.95
Plate 2	F02	Assay	Unknown	KB5.2	0.1077	0.0870	0.1134	6.88	5.58	7.25	6.57
Plate 2	G02	Assay	Unknown	KB5.3	0.0799	0.0805	0.0896	6.16	6.19	6.74	6.36
Plate 2	H02	Assay	Unknown	KB5.4	0.0905	0.0794	0.0766	6.80	6.13	5.96	6.29
Plate 2	A05	Assay	Unknown	KC1.1	0.0818	0.1018	0.0826	3.27	4.50	3.32	3.70
Plate 2	B05	Assay	Unknown	KC1.2	0.0669	0.0685	0.0649	4.40	4.49	4.29	4.39
Plate 2	C05	Assay	Unknown	KC1.3	0.0716	0.0655	0.0648	3.67	3.32	3.28	3.42
Plate 2	D05	Assay	Unknown	KC1.4	0.0765	0.0658	0.0630	3.95	3.34	3.18	3.49
Plate 2	E05	Assay	Unknown	KC2.1	0.0951	0.0743	0.0672	5.08	3.83	3.42	4.11
	F05	Assay	Unknown	KC2.2	0.0878	0.0744	0.0786	4.63	3.83	4.08	4.18
	G05	Assay	Unknown	KC2.3	0.0731	0.0786	0.1262	3.76	4.08	7.11	4.98
	H05	Assay	Unknown	KC2.4	0.0838	0.0815	0.0828	4.39	4.25	4.33	4.32
	A08	Assay	Unknown	KC3.1	0.0704	0.0710	0.0833	3.60	3.63	4.36	3.86

Plate 2	B08	Assay	Unknown	KC3.2	0.0699	0.0713	0.0684	3.57	3.65	3.48	3.57
Plate 2	C08	Assay	Unknown	KC3.3	0.0679	0.0598	0.0662	3.46	3.00	3.36	3.27
Plate 2	D08	Assay	Unknown	KC3.4	0.0698	0.0657	0.0851	3.57	3.33	4.47	3.79
Plate 2	E08	Assay	Unknown	KC4.1	0.0815	0.0716	0.0751	4.25	3.67	3.87	3.93
Plate 2	F08	Assay	Unknown	KC4.2	0.1057	0.0828	0.0818	5.75	4.33	4.27	4.78
Plate 2	G08	Assay	Unknown	KC4.3	0.1479	0.0936	0.0957	7.62	3.99	4.12	5.24
Plate 2	H08	Assay	Unknown	KC4.4	0.1323	0.1182	0.0803	6.52	5.57	3.18	5.09
Plate 2	A11	Assay	Unknown	KC5.1	0.0727	0.0710	0.0743	3.73	3.63	3.83	3.73
Plate 2	D11	Assay	Unknown	KC5.2	0.0725	0.0697	0.0861	3.72	3.56	4.53	3.94
Plate 2	G11	Assay	Unknown	KC5.3	0.0714	0.0823	0.0782	3.66	4.30	4.06	4.00
Plate 2	B12	Assay	Unknown	KC5.4	0.0768	0.0887	0.1064	3.97	4.69	5.80	4.82
Plate 2	E12	Assay	Unknown	Kontrol Neg 1	0.0773			4.00			1.33
Plate 2	F12	Assay	Unknown	Kontrol Neg 2	0.0946			5.05			1.68
Plate 2	G12	Assay	Unknown	Kontrol Neg 3	0.0881			4.65			1.55
Plate 2	H12	Assay	Unknown	Kontrol Neg 4	0.0806			4.20			1.40



Optimized using
trial version
www.balesio.com