

DAFTAR PUSTAKA

Albanese, G. and Kondo, K., 2010. Pharmacology of Sclerotherapy. *SEMINARS IN INTERVENTIONAL RADIOLOGY*, 27(4).

AlGhamdi, K.M., Ashour, A.E., Rikabi, A.C. and Moussa, N.A., 2014. Phenol as a novel sclerosing agent: A safety and efficacy study on experimental animals. *Saudi Pharmaceutical Journal*, 22(1), pp.71-78.

Albanese, G. and Kondo, K. L. (2010) 'Pharmacology of Sclerotherapy', *Seminars in Interventional Radiology*, 27(4), p. 391. doi: 10.1055/S-0030-1267848.

Beebe-Dimmer JL, Pfeifer JR, Engle JS, Schottenfeld D. The epidemiology of chronic venous insufficiency and varicose veins. *Annals of epidemiology*. 2005 Mar 1;15(3):175-84.

Brittenden, J., Cooper, D., Dimitrova, M., Scotland, G., Cotton, S. C., Elders, A., ... Campbell, M. K. (2019). *Five-Year Outcomes of a Randomized Trial of Treatments for Varicose Veins*. *New England Journal of Medicine*, 381(10), 912–922. doi:10.1056/nejmoa1805186

Boisseau, M. R. (2015) 'A randomized trial comparing treatments for varicose veins', *Angiologie*, 66(4), pp.6061. doi:10.1056/NEJMOA1400781/SUPPL_FILE/NEJMOA1400781_DISCLOSURES.PDF.

Callam M.J., 1994. Epidemiology of varicose veins. *British journal of surgery*, 81(2), pp.167-173.



Cynthia A. Pekow. 2012. Basic Experimental Methods in the Rabbit in The Laboratory Rabbit, Guinea Pig, Hamster, and Other Rodents. Philadelphia: Elsevier. <https://doi.org/10.1016/C2009-0-30495-X>

Connor, D. E. *et al.* (2015) ‘Detergent sclerosants are deactivated and consumed by circulating blood cells’, *European journal of vascular and endovascular surgery: the official journal of the European Society for Vascular Surgery*, 49(4), pp. 426–431. doi: 10.1016/J.EJVS.2014.12.029.

Duffy, D. M. (2010) ‘Sclerosants: A comparative review’, *Dermatologic Surgery*, 36(SUPPL. 2), pp. 1010–1025. doi: 10.1111/j.1524-4725.2009.01469.x.

Eberhardt, R.T. and Raffetto, J.D., 2014. Chronic venous insufficiency. *Circulation*, 130(4), pp.333-346.

Evans, C.J., Fowkes, F.G., Ruckley, C.V., Lee, A.J., 1999. Prevalence of varicose veins and chronic venous insufficiency in men and women in the general population: Edinburgh vein study. *J. Epidemiol. Community Health* 53 (3), 149–153.

Feied CF. 2007. Sclerosing Solutions. Fronek H, ed. The Fundamentals of Phlebology, Venous Disease for Clinicians. 2nd. American College of Phlebology.

Fukaya, E., Flores, A. M., Lindholm, D., Gustafsson, S., Letti, D., Ingelsson, E., & Leeper, N. J. (2018). Clinical Genetic Determinants of Varicose Veins. *Circulation*,



138(25), 2869–2880. doi:10.1161/circulationaha.118.035584

Gibson, K., & Gunderson, K. (2018). Liquid and Foam Sclerotherapy for Spider and Varicose Veins. *Surgical Clinics of North America*, 98(2), 415–429. doi:10.1016/j.suc.2017.11.010

Goldman, M. P., & Guex, J.-J. (2017). Mechanism of Action of Sclerotherapy. *Sclerotherapy*, 173–199. doi:10.1016/b978-0-323-37726-3.00007-1

Goldman, M. P. (1987). *Sclerosing Agents in the Treatment of Telangiectasia. Archives of Dermatology*, 123(9), 1196. doi:10.1001/archderm.1987.01660330107021

Frullini, A. et al. (2014) ‘Prevention of excessive endothelin-1 release in sclerotherapy: in vitro and in vivo studies’, *Dermatologic surgery: official publication for American Society for Dermatologic Surgery* [et al.], 40(7), pp. 769–775. doi: 10.1111/DSU.0000000000000038.

Gloviczki, P. et al. (2011) ‘The care of patients with varicose veins and associated chronic venous diseases: clinical practice guidelines of the Society for Vascular Surgery and the American Venous Forum’, *Journal of vascular surgery*, 53(5 Suppl), pp. 2S-48S. doi: 10.1016/J.JVS.2011.01.079.



H.A. and Mahmoud, N.A., 2020. Effect of foam and lid bleomisin in the management of venous

malformations in head and neck region: a comparative study. *Journal of Plastic, Reconstructive & Aesthetic Surgery*, 73(1), pp.90-97.

Ismail, L., Normahani, P., Standfield, N.J. and Jaffer, U., 2016.

A systematic review and meta-analysis of the risk for development of varicose veins in women with a history of pregnancy. *Journal of Vascular Surgery: Venous and Lymphatic Disorders*, 4(4), pp.518-524.

Jacobs, B. N., Andraska, E. A., Obi, A. T., & Wakefield, T. W. (2017).

Pathophysiology of varicose veins. *Journal of Vascular Surgery: Venous and Lymphatic Disorders*, 5(3), 460–467.
doi:10.1016/j.jvsv.2016.12.014

Khan, D. and Ahmed, D., 2019. A prospective study on etiology and clinical features of varicose veins: A hospital based study. *International Journal of Surgery Science*, 3(4), pp.06-10.

Kremastiotis, J., Jfri, A., Litvinov, I.V., Barolet, D. and Netchiporouk, E., 2020. Treatment Modalities for Varicose Veins of Lower Extremities. *Journal of cutaneous medicine and surgery*, 24(2), pp.203-204.

Kurniawan, B. *et al.* (2022) ‘Effectivity of Polidocanol , Ethanol , and Bleomycin as Sclerosing Agent in Vivo’, 62(06), pp. 1871–1881.

Leach, B. C., Goldman, M. P. and Sadick, N. (2003) ‘Comparative trial between sodium tetradecyl sulfate and glycerin in the treatment of telangiectatic leg veins’, *Dermatologic Surgery*, 29(6), pp. 612–
doi: 10.1046/j.1524-4725.2003.29148.x.



Lurie, F., Passman, M., Meisner, M., Dalsing, M., et al., 2020. The 2020 update of the CEAP classification system and reporting standards. *Journal of Vascular Surgery: Venous and Lymphatic Disorders*, 8(3), pp.342-352.

Mallick, R., Raju, A. and Campbell, C., 2015. Treatment Patterns and Outcomes in Patients with Varicose Veins. *Am Health Drug Benefits*, 9(8), pp.455-465.

MARTIN, D. E., & GOLDMAN, M. P. 1990. A Comparison of Sclerosing Agents: Clinical and Histologic Effects of Intravascular Sodium Tetradecyl Sulfate and Chromated Glycerin in the Dorsal Rabbit Ear Vein. *The Journal of Dermatologic Surgery and Oncology*, 16(1), 18–22. doi:10.1111/j.1524-4725.1990.tb00003.

Li, N. *et al.* (2021) ‘Efficacy and safety of polidocanol in the treatment of varicose veins of lower extremities: A protocol for systematic review and meta-analysis’, *Medicine*, 100(8), p. e24500. doi: 10.1097/MD.00000000000024500.

Mohammad, A., 2019. Study on prevalence, demographic and clinical manifestations of lower limb varicose veins. *International Journal of Surgery*, 3(4), pp.272-274.

McGregor, S., Miceli, A. and Krishnamurthy, K. (2019) ‘Treatment of Facial Telangiectases with Glycerin Sclerotherapy’, *Dermatologic Surgery*, 45(7), pp. 950–953. doi: 10.1097/DSS.0000000000001824.

Nie, F., Xie, H., Wang, G., & An, Y. 2019. Risk Comparison of Filler Embolism Between Polymethyl Methacrylate (PMMA) and hyaluronic Acid (HA). *Aesthetic plastic surgery*, 43(3), 853–860.

[s://doi.org/10.1007/s00266-019-01320-w](https://doi.org/10.1007/s00266-019-01320-w)



Nesbitt, C. *et al.* (2014) ‘Endovenous ablation (radiofrequency and laser) and foam sclerotherapy versus open surgery for great saphenous vein varices’, *The Cochrane database of systematic reviews*, 2014(7). doi: 10.1002/14651858.CD005624.PUB3.

Pedrycz, A. and Budzyńska, B., 2016. Diagnosis of varicose veins of the lower limbs – functional tests. *Arch Physiother Glob Res*, 20(3), pp.29-32.

Paravastu, S. C. V., Horne, M. and Dodd, P. D. F. (2016) ‘Endovenous ablation therapy (laser or radiofrequency) or foam sclerotherapy versus conventional surgical repair for short saphenous varicose veins’, *The Cochrane Database of Systematic Reviews*, 2016(11). doi: 10.1002/14651858.CD010878.PUB2.

Peterson, J. D. *et al.* (2012) ‘Treatment of reticular and telangiectatic leg veins: Double-blind, prospective comparative trial of polidocanol and hypertonic saline’, *Dermatologic Surgery*, 38(8), pp. 1322–1330. doi: 10.1111/j.1524-4725.2012.02422.x.

Piazza, G. (2014) ‘Varicose veins’, *Circulation*, 130(7), pp. 582–587. doi: 10.1161/CIRCULATIONAHA.113.008331.

Raetz, J., Wilson, M. and Collins, K., 2019. Varicose Veins: Diagnosis and Treatment. *Am Fam Physician*, 99(11), pp.682-688.

Roselli, A., Khouri, C., Roustit, M., Blaise, S. and Cracowski, J.L., 2019. Safety profile of sclerosing agents: an analysis from the world health organization pharmacovigilance database Vigibase. *Dermatologic Surgery*, 45(12), pp.1517-1528.

Raetz, J., Wilson, M. and Collins, K. (2019) ‘Varicose Veins: Diagnosis and Treatment’, *American Family Physician*, 99(11), pp. 682–688.

ilable at:



<https://www.aafp.org/pubs/afp/issues/2019/0601/p682.html>

(Accessed: 16 September 2022).

Schwartz, L. and Maxwell, H. (2011) 'Sclerotherapy for lower limb telangiectasias', *The Cochrane database of systematic reviews*, 2011(12). doi: 10.1002/14651858.CD008826.PUB2.

Tisi, P. V., Beverley, C., & Rees, A. (2006). *Injection sclerotherapy for varicose veins. Cochrane Database of Systematic Reviews*. doi:10.1002/14651858.cd001732.pub2

Van Der Vleuten, C.J., Kater, A., Wijnen, M.H., Kool, L.J.S. and Rovers, M.M., 2014. Effectiveness of sclerotherapy, surgery, and laser therapy in patients with venous malformations: a systematic review. *Cardiovascular and interventional radiology*, 37(4), pp.977-989.

Venermo, M., Saarinen, J., Eskelinen, E., Vähäaho, S., Saarinen, E., Railo, M., Uurto, I., Salenius, J., Albäck, A., Suominen, V.P. and Vikatmaa, P., 2016. Randomized clinical trial comparing surgery, endovenous laser ablation and ultrasound-guided foam sclerotherapy for the treatment of great saphenous varicose veins. *The British journal of surgery*, 103(11), p.1438.

Wittens, C., Davies, A.H., Bækgaard, N., Broholm, R., Cavezzi, A., Chastanet, S., de Wolf, M., Eggen, C., Giannoukas, A., Gohel, M. and Kakkos, S., 2015. Editor's choice—management of chronic venous disease: clinical practice guidelines of the European Society for Vascular Surgery (ESVS). *European Journal of Vascular and Endovascular Surgery*, 49(6), pp.678-737.



Yiannakopoulou, E. (2016) 'Safety Concerns for Sclerotherapy of Telangiectases, Reticular and Varicose Veins', *Pharmacology*, 98(1–2), pp. 62–69. doi: 10.1159/000445436.

