

DAFTAR PUSTAKA

1. Ditjen PPM dan PLP Departemen Kesehatan RI. Buku Ajar Diare. Jakarta: Departemen Kesehatan RI, 2019
2. Kementrian Kesehatan Republik Indonesia. 2018. Hasil Utama RISKESDAS 2018. Badan Penelitian dan Pengembangan Kesehatan, Jakarta.
3. Crawford SE, Ramani S, Tate JE, Parashar UD, Svensson L, Hagbom M, et al. Rotavirus infection. *Nature Reviews Disease Primers* 2017;3. doi:10.1038/nrdp.2017.83.
4. Yuniastuti A. PROBIOTIK (Dalam Perspektif Kesehatan). 2014.
5. K Gogineni V, Morrow LE. Probiotics: Mechanisms of action and clinical applications. *Journal of Probiotics & Health* 2013;01. doi:10.4172/2329-8901.1000101.
6. Allen SJ, Martinez EG, Gregorio GV, Dans LF. Probiotics for treating acute infectious diarrhoea. *Cochrane Database of Systematic Reviews* 2010. doi:10.1002/14651858.cd003048.pub3.
7. Bernaola Aponte G, Bada Mancilla CA, Carreazo NY, Rojas Galarza RA. Probiotics for treating persistent diarrhoea in children. *Cochrane Database of Systematic Reviews* 2013. doi:10.1002/14651858.cd007401.pub3.
8. Kusumaningsih T. Peran bakteri probiotik terhadap Innate Immune Cell (The role of probiotic bacteria on Innate Immune Cells). *Oral Biology Journal* 2014;6.
9. Saxelin M, Myllyluoma E, Korpela R. Developing LGG®Extra, a probiotic multispecies combination. *Probiotics and Health Claims* 2010:249–62. doi:10.1002/9781444329384.ch16.
10. Rahmi, D. and Gayatri, P. (2015) ‘Laporan kasus berbasis bukti Manfaat Pemberian Probiotik pada Diare Akut’, *Sari Pediatri*, 17(71), pp. 76–80.
11. Pratiwi Nanda Fauziah, Jetty Nurhajati, C. (2015) ‘Daya Antibakteri Filtrat Asam laktat dan Bakteriosin *Lactobacillus bulgaricus* KS1 dalam Menghambat Pertumbuhan *Klebsiella pneumoniae* Antibacterial Effect of Lactic Acid



Filtrate and Bacteriocins of *Lactobacillus bulgaricus* KS1 on Inhibiting the Growth of', *Majalah Kedokteran Bandung*, 47(1), pp. 35– 41.

12. Özdemir, Ö. (2010) 'Various effects of different probiotic strains in allergic disorders: an update from laboratory and clinical data', *The Journal of Translational Immunology*, 160, pp. 295–304. doi: 10.1111/j.1365-2249.2010.04109.x.
13. McFarland LV, Karakan T, Karatas A. Strain-specific and outcome-specific efficacy of probiotics for the treatment of Irritable Bowel Syndrome: A systematic review and meta-analysis. *EClinicalMedicine* 2021;41:101154. doi:10.1016/j.eclinm.2021.101154.
14. Pais P, Almeida V, Yilmaz M, Teixeira MC. *Saccharomyces boulardii*: What makes it tick as successful probiotic? *Journal of Fungi* 2020;6:78. doi:10.3390/jof6020078.
15. Bambang Subagyo, Nurtjahjo Budi Santoso. Diare, Buku Ajar Gastroenterologi-Hepatologi. UKK IDAI 2009.
16. World Health Organization. Diarrhoea. World Health Organization 2016. <https://www.who.int/health-topics/diarrhoea> (accessed May 27, 2022).
17. George CM, Perin J, Neiswender de Calani KJ, Norman WR, Perry H, Davis TP, et al. Risk factors for diarrhea in children under five years of age residing in peri-urban communities in Cochabamba, Bolivia. *The American Journal of Tropical Medicine and Hygiene* 2014;91:1190–6. doi:10.4269/ajtmh.14-0057.
18. Workie GY, Akalu TY, Baraki AG. Environmental factors affecting childhood diarrheal disease among under-five children in Jamma District, South Wello Zone, northeast Ethiopia. *BMC Infectious Diseases* 2019;19. doi:10.1186/s12879-019-4445-x.
19. Camilleri M, Sellin JH, Barrett KE. Pathophysiology, evaluation, and management of chronic watery diarrhea. *Gastroenterology* 2017;152. doi:10.1053/j.gastro.2016.10.014.



N-L, Lee Y-K. Microflora of the gastrointestinal tract: A Review. *Public h Microbiology*:491–502. doi:10.1385/1-59259-766-1:491.

21. Valdes AM, Walter J, Segal E, Spector TD. Role of the gut microbiota in nutrition and health. *BMJ* 2018. doi:10.1136/bmj.k2179.
22. Wen L, Duffy A. Factors influencing the gut microbiota, inflammation, and type 2 diabetes. *The Journal of Nutrition* 2017;147. doi:10.3945/jn.116.240754.
23. Food and Agriculture Organization and World Health Organization Expert Consultation. Evaluation of health and nutritional properties of powder milk and live lactic acid bacteria. Córdoba, Argentina: Food and Agriculture Organization of the United Nations and World Health Organization; 2001. Available from: ftp://ftp.fao.org/es/esn/food/probio_report_en.pdf. [Google Scholar]
24. Fuller R. History and development of Probiotics. *Probiotics* 1992;1–8. doi:10.1007/978-94-011-2364-8_1.
25. Fijan S. Microorganisms with claimed probiotic properties: An overview of recent literature. *International Journal of Environmental Research and Public Health* 2014;11:4745–67. doi:10.3390/ijerph110504745.
26. Collins MD, Gibson GR. Probiotics, prebiotics, and synbiotics: Approaches for modulating the Microbial Ecology of the gut. *The American Journal of Clinical Nutrition* 1999;69. doi:10.1093/ajcn/69.5.1052s.
27. Toma MM, Pokrotnieks J. Probiotics as functional food: microbiological and medical aspects. *Acta Universitatis Latviensis* 2006;710:117–29.
28. Ohland CL, MacNaughton WK. Probiotic bacteria and intestinal epithelial barrier function. *American Journal of Physiology-Gastrointestinal and Liver Physiology* 2010;298. doi:10.1152/ajpgi.00243.2009.
29. Yan F, Polk DB. Probiotics and immune health. *Current Opinion in Gastroenterology* 2011;27:496–501. doi:10.1097/mog.0b013e32834baa4d.
30. Plaza-Diaz J, Ruiz-Ojeda FJ, Gil-Campos M, Gil A. Mechanisms of action of probiotics. *Advances in Nutrition* 2019;10. doi:10.1093/advances/nmy063.
31. Kusumajaya R, Rosalina I, Rahayuningsih SE. Perbandingan Efek live dan killed probiotic TERHADAP Penyembuhan Diare Akut Nondisentri Pada . *Sari Pediatri* 2016;10:302. doi:10.14238/sp10.5.2009.302-7.



32. Piqué N, Berlanga M, Miñana-Galbís D. Health benefits of heat-killed (tyndallized) probiotics: An overview. *International Journal of Molecular Sciences* 2019;20:2534. doi:10.3390/ijms20102534.
33. Malgoire JY, Bertout S, Renaud F, Bastide JM, Mallié M. Typing of *saccharomyces cerevisiae* clinical strains by using microsatellite sequence polymorphism. *Journal of Clinical Microbiology* 2005;43:1133–7. doi:10.1128/jcm.43.3.1133-1137.2005.
34. Tomićić Z, Zupan J, Matos T, Raspor P. Probiotic yeast *Saccharomyces boulardii* (nom. nud.) modulates adhesive properties of *Candida glabrata*. *Medical Mycology* 2016;54:835–45. doi:10.1093/mmy/myw026.
35. Galdeano CM, de Moreno de LeBlanc A, Vinderola G, Bonet ME, Perdigón G. Proposed model: Mechanisms of immunomodulation induced by probiotic bacteria. *Clinical and Vaccine Immunology* 2007;14:485–92. doi:10.1128/cvi.00406-06.
36. Bull M, Plummer S, Marchesi J, Mahenthiralingam E. The life history of *Lactobacillus acidophilus* as a probiotic: A tale of revisionary taxonomy, Misidentification and commercial success. *FEMS Microbiology Letters* 2013;349:77–87. doi:10.1111/1574-6968.12293.
37. Islam SU. Clinical uses of Probiotics. *Medicine* 2016;95. doi:10.1097/md.0000000000002658.
38. World Gastroenterology Organisation. 2017. World Gastroenterology Organisation Global Guidelines : Probiotics and Prebiotics.
39. Korčok DJ, Tršić-Milanović NA, Ivanović ND, Đorđević BI. Development of probiotic formulation for the treatment of iron deficiency anemia. *Chemical and Pharmaceutical Bulletin* 2018;66:347–52. doi:10.1248/cpb.c17-00634.
40. Hoppe M, Önning G, Berggren A, Hulthén L. Probiotic strain *Lactobacillus plantarum* 299v increases iron absorption from an iron-supplemented fruit drink: A double-isotope cross-over single-blind study in women of reproductive age. *British Journal of Nutrition* 2015;114:1195–202. doi:10.1017/s000711451500241x.



41. Sanders ME, Akkermans LMA, Haller D, Hammerman C, Heimbach JT, Hörmannspurger G, et al. Safety assessment of probiotics for human use. *Gut Microbes* 2010;1:164–85. doi:10.4161/gmic.1.3.12127.
42. World Health Organization. The treatment of diarrhoea: A Manual for physicians and other senior health workers. Geneva, Switzerland: Dept. of Child and Adolescent Health and Development, World Health Organization; 2005.
43. Abbas N. Disentri. Dalam: Diktat gastroenterologi. 2003. Makassar. BIKAFKUNHAS.
44. Huang, Lennox H. 2012. Dehydration. eMedicine. (http://emedicine.medscape.com., diakses 6 Mei 2012)
45. Mackay AD, Taylor MB, Kibbler CC, et al. Lactobacillus endocarditis caused by a probiotic organism. *Clin Microbiol Infect* 1999; 5:290–2
46. Presterl E, Kneifel W, Mayer HK, et al. Endocarditis by Lactobacillus rhamnosus due to yogurt ingestion? *Scand J Infect Dis* 2001; 33:710–4.
47. Masangkay, F. R., Milanez, G. D., Somsak, V., Kotepui, M., Tangpong, J., & Karanis, P. (2020). Multi-spatial contamination of environmental aquatic matrices with Cryptosporidium: a climate, health, and regulatory framework for the Philippines. *Environmental Sciences Europe*, 32(1).
48. Mogharab, V., & Rajput, S. (2022). Factors associated with diarrhea in children under 12 years of age referred to Ostad Motahari hospital of Jahrom in 2020. *Journal of family medicine and primary care*, 11(10), 6170–6176. https://doi.org/10.4103/jfmpe.jfmpe_342_22
49. Huang, R., Xing, H. Y., Liu, H. J., Chen, Z. F., & Tang, B. B. (2021). Efficacy of probiotics in the treatment of acute diarrhea in children: a systematic review and meta-analysis of clinical trials. *Translational pediatrics*, 10(12), 3248–3260. <https://doi.org/10.21037/tp-21-511>
50. Corrêa, N. B., Penna, F. J., Lima, F. M., Nicoli, J. R., & Filho, L. A. (2011). Treatment of acute diarrhea with *Saccharomyces boulardii* in infants. *Journal of pediatric gastroenterology and nutrition*, 53(5), 497–501. [//doi.org/10.1097/MPG.0b013e31822b7ab0](https://doi.org/10.1097/MPG.0b013e31822b7ab0)



51. Mourey, F., Decherf, A., Jeanne, J. F., Clément-Ziza, M., Grisoni, M. L., Machuron, F., Legrain-Raspaud, S., Bourreille, A., & Desreumaux, P. (2022). *Saccharomyces cerevisiae* I-3856 in irritable bowel syndrome with predominant constipation. *World journal of gastroenterology*, 28(22), 2509–2522. <https://doi.org/10.3748/wjg.v28.i22.2509>
52. Dinleyici, E. C., Dalgic, N., Guven, S., Metin, O., Yasa, O., Kurugol, Z., Turel, O., Tanir, G., Yazar, A. S., Arica, V., Sancar, M., Karbuz, A., Eren, M., Ozen, M., Kara, A., & Vandenplas, Y. (2015). *Lactobacillus reuteri* DSM 17938 shortens acute infectious diarrhea in a pediatric outpatient setting. *Jornal de pediatria*, 91(4), 392–396. <https://doi.org/10.1016/j.jped.2014.10.009>
53. Canani, R. B., Cirillo, P., Terrin, G., Cesarano, L., Spagnuolo, M. I., De Vincenzo, A., Albano, F., Passariello, A., De Marco, G., Manguso, F., & Guarino, A. (2007). Probiotics for treatment of acute diarrhoea in children: randomised clinical trial of five different preparations. *BMJ (Clinical research ed.)*, 335(7615), 340. <https://doi.org/10.1136/bmj.39272.581736.55>
54. Li, Z., Zhu, G., Li, C., Lai, H., Liu, X., & Zhang, L. (2021). Which Probiotic Is the Most Effective for Treating Acute Diarrhea in Children? A Bayesian Network Meta-Analysis of Randomized Controlled Trials. *Nutrients*, 13(12), 4319. <https://doi.org/10.3390/nu13124319>
55. Ghosh, A., Sundaram, B., Bhattacharya, P., Mohanty, N., Dheivamani, N., Mane, S., Acharyya, B., Kamale, V., Poddar, S., Khobragade, A., Thomas, W., Prabhudesai, S., Choudhary, A., & Mitra, M. (2021). Effect of *Saccharomyces boulardii* CNCM-I 3799 and *Bacillus subtilis* CU-1 on Acute Watery Diarrhea: A Randomized Double-Blind Placebo-Controlled Study in Indian Children. *Pediatric gastroenterology, hepatology & nutrition*, 24(5), 423–431. <https://doi.org/10.5223/pghn.2021.24.5.423>
56. Shinta K, Hartantyo, Wijahadi N. Pengaruh probiotik pada diare akut: penelitian dengan 3 preparat probiotik. *Sari Pediatri* 2011;13(2):89-95.



ari, G. S., Hussain, Z., & Shahzad, H. (2019). Effect of Zinc supplementation on the Frequency and Consistency of Stool in Children with e Diarrhea. *Cureus*, 11(3), e4217