

## DAFTAR PUSTAKA

1. Hioe AS. Pengukuran Diameter Selubung Nervus Optikus (Optic Nerve Sheath Diameter) Berbasis Ultrasonografi: Metode Pemantauan Tekanan Intrakranial Non-invasif Selanjutnya? Cermin Dunia Kedokt. 2022;49(2):108.
2. Schmidt EA, Despas F, Traon AP Le, Czosnyka Z, Pickard JD, Rahmouni K, et al. Intracranial pressure is a determinant of sympathetic activity. *Front Physiol.* 2018;9(FEB):1–13.
3. Thamrin MH, Airlangga PS. Pengukuran Optical Nerve Sheath Diameter (ONSD) untuk Monitoring Tekanan Intrakranial (TIK) di Intensive Care Unit (ICU). *JAI (Jurnal Anestesiol Indones.* 2019;11(1):28.
4. Colak T, Celik K. The association between cervical collar and intracranial pressure measured by the optic nerve sheath diameter in trauma patients referred to the emergency department. *Signa Vitae.* 2020;16(1):89–95.
5. Sommeng F, Arif SK. Pemantauan Oksigen Otak Dengan Pengukuran Saturasi Oksigen Vena Jugularis (SjvO<sub>2</sub>) Sebelum Ekstubasi Pada Pasien Cedera Otak Traumatis. *Wal'afiat Hosp J.* 2022;03(01):8–12.
6. Montorfano L, Yu Q, Bordes SJ, Sivanushanthan S, Rosenthal RJ, Montorfano M. Mean value of B-mode optic nerve sheath diameter as an indicator of increased intracranial pressure: a systematic review and meta-analysis. *Ultrasound J [Internet].* 2021;13(1). Tersedia pada: <https://doi.org/10.1186/s13089-021-00235-5>
7. Sulistyani S, Danuaji R. Perbedaan Optic Nerve Sheath Diameter (Onsd) Pada Responden Normal Dan Nyeri Kepala. *Biomedika.* 2019;11(2):96–104.
8. Bender M, Lakicevic S, Pravdic N, Schreiber S, Malojcic B. Optic nerve sheath diameter sonography during the acute stage of intracerebral hemorrhage: a potential role in monitoring neurocritical patients. *Ultrasound J [Internet].* 2020;12(1):1–8. Tersedia pada: <https://doi.org/10.1186/s13089-020-00196-1>
9. Lee SH, Yun SJ, Kim DH. Optic nerve sheath diameter measurement for

- predicting raised intracranial pressure in pediatric patients: A systematic review and meta-analysis. Hong Kong J Emerg Med. 2022;29(3):177–86.
10. Canac N, Jalaleddini K, Thorpe SG, Thibeault CM, Hamilton RB. Review: Pathophysiology of intracranial hypertension and noninvasive intracranial pressure monitoring. Fluids Barriers CNS [Internet]. 2020;17(1):1–21. Tersedia pada: <https://doi.org/10.1186/s12987-020-00201-8>
  11. Senapathi TGA, Wiryanan M, Sinardja K, Nada KW, Sutawan IBKJ, Ryalino C, et al. Jugular bulb oxygen saturation correlates with full outline of responsiveness score in severe traumatic brain injury patients. Open Access Emerg Med. 2017;9:69–72.
  12. Kim Y, Kim CK, Jung S, Ko S-B. Brain Oxygen Monitoring via Jugular Venous Oxygen Saturation in a Patient with Fulminant Hepatic Failure. Korean J Crit Care Med. 2016;31(3):251–5.
  13. Altun Ugras G, Yuksel S. Factors Affecting Intracranial Pressure and Nursing Interventions. J J Nurs Care [Internet]. 2015;1(1):1–5. Tersedia pada:  
[http://nursingcare.jacobspublishers.com/images/Nursing/J\\_J\\_Nurs\\_Care\\_1\\_1\\_003.pdf](http://nursingcare.jacobspublishers.com/images/Nursing/J_J_Nurs_Care_1_1_003.pdf)
  14. Tripathy S, Ahmad SR. Raised intracranial pressure syndrome: A stepwise approach. Indian J Crit Care Med. 2019;23(Table 2):S129–35.
  15. Ragland J, Lee K. Critical Care Management and Monitoring of Intracranial Pressure. J Neurocritical Care. 2016;9(2):105–12.
  16. Pinto V, Tadi P, Adeyinka A. Increased Intracranial Pressure. Treasure Island (FL): StatPearls Publishing LLC.; 2022.
  17. Tan TK, Cheng MH, Sim EY. Options for managing raised intracranial pressure. Proc Singapore Healthc. 2015;24(3):156–64.
  18. Cannata G, Pezzato S, Esposito S, Moscatelli A. Optic Nerve Sheath Diameter Ultrasound: A Non-Invasive Approach to Evaluate Increased Intracranial Pressure in Critically Ill Pediatric Patients. Diagnostics. 2022;12(3).
  19. Suasti NWL. Regulation and Intervention of Intracranial Pressure. Biosci

- Med J Biomed Transl Res. 2021;6:49–58.
20. Kayana IBA, Maliawan S, Kawiyana IKS. Teknik Pemantauan Tekanan Intrakranial. Ojs unud. 2013;3(3):395–9.
  21. Dunn LT. Raised intracranial pressure. J Neurol Neurosurg Psychiatry. 2002;73:123–7.
  22. Shirodkar CG, Rao SM, Mutkule DP, Harde YR, Venkategowda PM, Mahesh MU. Optic nerve sheath diameter as a marker for evaluation and prognostication of intracranial pressure in Indian patients: An observational study. Indian J Crit Care Med. 2014;18(11):728–34.
  23. Sitanaya SN, Kamayanti F, Nugroho HA, Prabowo B. Comparing ultrasonographic optic nerve sheath diameter to head computed tomography scan to predict intracranial pressure elevation. SAGE Open Med. 2022;10.
  24. Richter J, Sklienka P, Chatterjee N, Maca J, Zahorec R, Burda M. Elevated jugular venous oxygen saturation after cardiac arrest. Resuscitation [Internet]. 2021;169(September):214–9. Tersedia pada: <https://doi.org/10.1016/j.resuscitation.2021.10.011>
  25. Gómez-Sandoval E, Hernandez-Flores M, Soriano-Orozco R, Gómez-Gonzalez MN, Valdez-Medina MDR. Correlation between cerebral venous-arterial pCO<sub>2</sub> difference with jugular venous oxygen saturation as global cerebral ischemia in severe traumatic brain injury. Intensive Care Med Exp . 2015;3(Suppl 1):6–7.
  26. Ballesteros-flores CG, Jesús-montelongo F De, López-ramírez I, Alarcón-sánchez LL, González-arista J, González-chávez MS. Pacientes Con Trauma Craneoencefálico. Arch Med Urgenc México [Internet]. 2011;3:62–6. Tersedia pada: <https://www.medicgraphic.com/cgi-bin/new/resumen.cgi?IDARTICULO=30468&id2=>
  27. Saboori P, Walker G. Brain Injury and Impact Characteristics. Ann Biomed Eng. 2019 Sep;47(9):1982-1992.
  28. Jain S, Iverson L. Glasgow Coma Scale. StatPearls Publ. 2023;
  29. Chauhan R, Bloria S, Luthra A. Management of postoperative neurosurgical patient. Indian J Neurosurg. 2019

30. The Brain Trauma Foundation. The American Association of Neurological Surgeons. The Joint Section on Neurotrauma and Critical Care. Critical pathway for the treatment of established intracranial hypertension. *J. Neurotrauma* 17, 2000; 537–538
31. Robba, C., Bacigaluppi, S., Cardim, D., Donnelly, J., Bertuccio, A., & Czosnyka, M. (2016). Non-invasive assessment of intracranial pressure. *Acta Neurologica Scandinavica*, 134(1), 4-21.
32. Robba, C., Santori, G., Czosnyka, M., Corradi, F., Bragazzi, N., Padayachy, L., ... & Citerio, G. (2018). Optic nerve sheath diameter measured sonographically as non-invasive estimator of intracranial pressure: a systematic review and meta-analysis. *Intensive care medicine*, 44, 1284-1294.
33. Kimberly, H. H., Shah, S., Marill, K., & Noble, V. (2008). Correlation of optic nerve sheath diameter with direct measurement of intracranial pressure. *Academic Emergency Medicine*, 15(2), 201-204.
34. Elwishi, M., & Dinsmore, J. (2019). Monitoring the brain. *BJA education*, 19(2), 54.
35. Chen, M., Wu, H., Li, Z., Ge, S., Zhao, L., Zhang, X., & Qu, Y. (2022). Intracranial-Pressure-Monitoring-Assisted Management Associated with Favorable Outcomes in Moderate Traumatic Brain Injury Patients with a GCS of 9–11. *Journal of Clinical Medicine*, 11(22), 6661.
36. Geeraerts, T., Velly, L., Abdennour, L., Asehnoune, K., Audibert, G., Bouzat, P., & Groupe francophone de réanimation et d'urgences pédiatriques (GFRUP. (2018). Management of severe traumatic brain injury (first 24 hours). *Anaesthesia Critical Care & Pain Medicine*, 37(2), 171-186.

- 37 Haddad, S., Aldawood, A. S., Alferayan, A., Russell, N. A., Tamim, H. M., & Arabi, Y. M. (2011). Relationship between intracranial pressure monitoring and outcomes in severe traumatic brain injury patients. *Anaesthesia and intensive care*, 39(6), 1043-1050.
- 38 Cormio M, Valadka AB, Robertson CS. Elevated jugular venous oxygen saturation after severe head injury. *J Neurosurg* 1999;91:167-9
- 39 Schell RM, Cole DJ. Cerebral monitoring: jugular venous oximetry. *Anesth Analg* 2000;90:559-66
- 40 Bouma GJ, Muizelaar JP, Choi SC, et al: Cerebral circulation and metabolism after severe traumatic brain injury: the elusive role of ischemia. *J Neurosurg* 75:685-693, 1991
- 41 McLeod AD, Igielman F, Elwell C, et al. Measuring cerebral oxygenation during normobaric hyperoxia: a comparison of tissue microprobes, near-infrared spectroscopy, and jugular venous oximetry in head injury. *Anesth Analg* 2003;97:851-6.
- 42 Andersen BJ, Marmarou A: Post-traumatic selective stimulation of glycolysis. *Brain Res* 585:184-189, 1992