

DAFTAR PUSTAKA

1. Yu Q, Li J, Dai C ling, Li H, Iqbal K, Liu F, et al. Anesthesia with sevoflurane or isoflurane induces severe hypoglycemia in neonatal mice. *PLoS One* [Internet]. 2020;15(4):1–13. Tersedia pada: <http://dx.doi.org/10.1371/journal.pone.0231090>
2. Brown EN, Pavone KJ, Naranjo M. Multimodal general anesthesia: Theory and practice. *Anesth Analg*. 2018;127(5):1246–58.
3. Wildemeersch D, Baeten M, Peeters N, Saldien V, Vercauteren M, Hans G. Pupillary dilation reflex and pupillary pain index evaluation during general anaesthesia: A pilot study. *Rom J Anaesth Intensive Care*. 2018;25(1):19–23.
4. Constant I, Nghe MC, Boudet L, Berniere J, Schrayner S, Seeman R, et al. Reflex pupillary dilatation in response to skin incision and alfentanil in children anaesthetized with sevoflurane: A more sensitive measure of noxious stimulation than the commonly used variables. *Br J Anaesth* [Internet]. 2006;96(5):614–9. Tersedia pada: <http://dx.doi.org/10.1093/bja/ael073>
5. Paulus J, Roquilly A, Beloeil H, Théraud J, Asehnoune K, Lejus C. Pupillary reflex measurement predicts insufficient analgesia before endotracheal suctioning in critically ill patients. *Crit Care*. 2013;17(4).
6. Kim SY, Kim JY, Kim J, Yu S, Lee KH, Lee HS, et al. Comparison of Antinociceptive Properties between Sevoflurane and Desflurane Using Pupillary Dilation Reflex under Equivalent Minimum Alveolar Concentration: A Randomized Controlled Trial. *Anesth Analg*. 2022;135(4):798–806.
7. Ryu K, Song K, Kim J, Kim E, Kim SH. Comparison of the analgesic properties of sevoflurane and desflurane using surgical pleth index at equi-minimum alveolar concentration. *Int J Med Sci*. 2017;14(10):994–1001.
8. Sanders RD, Patel N, Hossain M, Ma D, Maze M. Isoflurane exerts

- antinociceptive and hypnotic properties at all ages in Fischer rats. *Br J Anaesth*. 2005;95(3):393–9.
9. Aksenov DP, Miller MJ, Dixon CJ, Wyrwicz AM. The effect of sevoflurane and isoflurane anesthesia on single unit and local field potentials. *Exp Brain Res* [Internet]. 2019; Tersedia pada: <https://doi.org/10.1007/s00221-019-05528-9>
 10. Inada Y, Funai Y, Yamasaki H, Mori T, Nishikawa K. Effects of sevoflurane and desflurane on the nociceptive responses of substantia gelatinosa neurons in the rat spinal cord dorsal horn: An in vivo patch-clamp analysis. *Mol Pain*. 2020;16:1–5.
 11. Iqbal F, Thompson AJ, Riaz S, Pehar M, Rice T, Syed NI. Anesthetics: From modes of action to unconsciousness and neurotoxicity. *J Neurophysiol*. 2019;122(2):760–87.
 12. Haytural C, Aydn B, Demir B, Bozkurt E, Parlak E, Dişibeyaz S, et al. Comparison of Propofol, Propofol-Remifentanyl, and Propofol-Fentanyl Administrations with Each Other Used for the Sedation of Patients to Undergo ERCP. *Biomed Res Int*. 2015;2015.
 13. Campagna JA, Ph D, Miller KW, Phil D, Forman SA, Ph D. Mechanisms of Actions of Inhaled Anesthetics. *N Engl J Med*. 2003;349(9):909–10.
 14. Shin TJ, Kim PJ, Choi B. How general anesthetics work: from the perspective of reorganized connections within the brain. *Korean J Anesthesiol*. 2022;75(2):124–38.
 15. Koner O, Temur S, Isbir T. Molecular Mechanism of General Anesthesia. *Experimed*. 2020;10(3):140–3.
 16. Jedlicka J, Groene P, Linhart J, Raith E, Mustapha D, Conzen P. Inhalational Anaesthetics: An Update on Mechanisms of Action and Toxicity. *J Exp Neurol*. 2021;2(2):62–9.
 17. Ganjoo P, Kapoor I. *Neuropharmacology* [Internet]. Essentials of Neuroanesthesia. Elsevier; 2017. 103–122 hal. Tersedia pada: <http://dx.doi.org/10.1016/B978-0-12-805299-0.00006-3>
 18. Ganzberg SI, Haas DA. *General Anesthesia* [Internet]. Seventh Edition.

Pharmacology and Therapeutics for Dentistry: Seventh Edition. Elsevier; 2016. 221–240 hal. Tersedia pada: <http://dx.doi.org/10.1016/B978-0-323-39307-2.00015-1>

19. Khan KS, Hayes I, Buggy DJ. Pharmacology of anaesthetic agents II: Inhalation anaesthetic agents. *Contin Educ Anaesthesia, Crit Care Pain*. 2014;14(3):106–11.
20. Manatpon P, Kofke WA. Toxicity of inhaled agents after prolonged administration. *J Clin Monit Comput* [Internet]. 2018;32(4):651–66. Tersedia pada: <http://dx.doi.org/10.1007/s10877-017-0077-0>
21. Aranake A, Mashour GA, Avidan MS. Minimum alveolar concentration: Ongoing relevance and clinical utility. *Anaesthesia*. 2013;68(5):512–22.
22. Murrell JC, Waters D, Johnson CB. Comparative effects of halothane, isoflurane, sevoflurane and desflurane on the electroencephalogram of the rat. *Lab Anim*. 2008;42(2):161–70.
23. Jannu A, Shekar A, Balakrishna R, Sudarshan H, Veena GC, Bhuvaneshwari S. Advantages, Disadvantages, Indications, Contraindications and Surgical Technique of Laryngeal Airway Mask. *Arch Craniofacial Surg*. 2017;18(4):223–9.
24. Qadir S, Bashir S, John R. Saffron-Immunity System. *Saffron Age-Old Panacea a New Light*. 2020;177–92.
25. Abelson K. Acetylcholine in Spinal Pain Modulation : An in vivo Study in the Rat. *Acta Univ Ups Uppsala*. 2005;(January 2005).
26. Lemke KA. Understanding the pathophysiology of perioperative pain. *Can Vet J*. 2004;45(5):405–13.
27. Packiasabapathy S, Rangasamy V, Sadhasivam S. Pupillometry in perioperative medicine: a narrative review. *Can J Anesth* [Internet]. 2021;68(4):566–78. Tersedia pada: <https://doi.org/10.1007/s12630-020-01905-z>
28. Szabadi E. Functional Organization of the Sympathetic Pathways Controlling the Pupil: Light-Inhibited and Light-Stimulated Pathways. *Front Neurol*. 2018;9(December).

29. Nowak S, Rehberg S, Schroeder HWS, Fleck S. Pupillary dilatation associated with volatile anaesthetics: A small case series. *Br J Anaesth* [Internet]. 2017;119(1):169–70. Tersedia pada: <http://dx.doi.org/10.1093/bja/aex183>
30. Bylund D. DB Bylund , University of Nebraska Medical Center, Omaha, NE, USA. *Ref Modul Biomed Sci*. 2016;(March 2015):3–6.
31. Reimer J, McGinley MJ, Liu Y, Rodenkirch C, Wang Q, McCormick DA, et al. Pupil fluctuations track rapid changes in adrenergic and cholinergic activity in cortex. *Nat Commun* [Internet]. 2016;7(May):1–7. Tersedia pada: <http://dx.doi.org/10.1038/ncomms13289>
32. Rudling M, Nyström P, Bölte S, Falck-Ytter T. Larger pupil dilation to nonsocial sounds in infants with subsequent autism diagnosis. *J Child Psychol Psychiatry Allied Discip*. 2022;63(7):793–801.
33. Bektaş N, Arslan R. Ferulik asitin santral antinosiseptif etkisine aracılık eden etki mekanizmaları. *Marmara Pharm J*. 2016;20(3):303–10.
34. Joshi S. Pupillometry: Arousal State or State of Mind? *Curr Biol* [Internet]. 2021;31(1):R32–4. Tersedia pada: <https://doi.org/10.1016/j.cub.2020.11.001>
35. Larsen RS, Waters J. Neuromodulatory correlates of pupil dilation. *Front Neural Circuits*. 2018;12(March):1–9.
36. Einhauser W, Stout J, Koch C, Carter O. Pupil dilation reflects perceptual selection and predicts subsequent stability in perceptual rivalry. *PNAS*. 2008;105(5).
37. Aguilar-Montiel M, Carrillo-Torres O. Remifentanyl and dexmedetomidine as an alternative to regional analgesia in obstetrics. *Rev Médica del Hosp Gen México*. 2017;80(1):67–70.
38. Jang H-L, Kang H. Effect-site Concentration of Alfentanil or Remifentanyl for the Relief of Postoperative Pain in the Intensive Care Unit Patients. *Int J Contents*. 2015;11(2):69–73.
39. Bas SS. Remifentanyl-Propofol versus Fentanyl-Propofol for Circumcision Operations in Pediatric Ambulatory Surgical Patients. *Osmangazi J Med*.

2020;42(1):1–6.

40. Egbuta C, Mason KP. Current state of analgesia and sedation in the pediatric intensive care unit. *J Clin Med*. 2021;10(9).
41. Arikan M, Aslan B, Arikan O, But A, Horasanli E. Comparison of propofol-remifentanyl and propofol-ketamine combination for dilatation and curettage: A randomized double blind prospective trial. *Eur Rev Med Pharmacol Sci*. 2015;19(18):3522–7.
42. Kim JK, Kim DK, Lee MJ. Relationship of bispectral index to minimum alveolar concentration during isoflurane, sevoflurane or desflurane anaesthesia. *J Int Med Res*. 2014;42(1):130–7.
43. Nolan JP. Anaesthesia and neuromuscular block [Internet]. 11 ed. *Clinical Pharmacology: Eleventh Edition*. Elsevier Ltd.; 2012. 295–310 hal. Tersedia pada: <http://dx.doi.org/10.1016/B978-0-7020-4084-9.00058-6>
44. Cesarovic N, Nicholls F, Rettich A, Kronen P, Hässig M, Jirkof P, et al. Isoflurane and sevoflurane provide equally effective anaesthesia in laboratory mice. *Lab Anim*. 2010;44(4):329–36.
45. Somers TJ, Kurakula PC, Criscione-Schreiber L, Keefe FJ, Clowse MEB. Self-efficacy and pain catastrophizing in systemic lupus erythematosus: relationship to pain, stiffness, fatigue, and psychological distress. *Arthritis Care Res*. 2012;64:1334–40
46. M Larson, et al. “Pupillary response to noxious stimulation during isoflurane and propofol anesthesia”. *Anaesthesia and Analgesia* 76.5 (1993): 1072-1078.
47. S Isnardon, et al. “Pupillometry to detect pain response during general anaesthesia following unilateral popliteal sciatic nerve block”. *European Journal of Anaesthesiology* 30.7.
48. Kingery WS, et al. Isoflurane and Nociception: Spinal α_{2A} Adrenoceptors Mediate Antinociception while Supraspinal α_1 Adrenoceptors Mediate Pronociception. *Anesthesiology* 2002; 96:367–74

49. Segawa H, et al. Isoflurane dan Sevoflurane Augment Norepinephrine Respons to Surgical Noxious Stimulation in Humans. *Anesthesiology*, 1998; 89: 1407-13.
50. Nishiyama T. Hemodynamic and catecholamine response to a rapid increase in isoflurane or sevoflurane concentration during a maintenance phase of anesthesia in humans. *J Anesth* (2005) 19:213–217. DOI 10.1007/s00540-005-0318-0.
51. Samuels ER, et al. Functional Neuroanatomy of the Noradrenergic Locus Coeruleus: Its Roles in the Regulation of Arousal and Autonomic Function Part II: Physiological and Pharmacological Manipulations and Pathological Alterations of Locus Coeruleus Activity in Humans. *Current Neuroparmacology*, 2008, 6, 254-285.
52. Ogasawara H. Effects of sevoflurane anesthesia on norepinephrine metabolism in rat brain. Masui. 1992 Jan;41(1):78-85. Department of Anesthesiology, University of Hirosaki School of Medicine.
53. Ajayan N, et al. An Entropy-Based Prospective Randomized Controlled Trial to Evaluate the Analgesic and Hypnotic Effects of Equipotent Doses of Sevoflurane and Isoflurane in Patients Presenting for Spine Surgeries. *J Neurosci Rural Pract* 2022;13:376–381.
54. Sonohata M. Actions of noradrenaline on substantia gelatinosa neurones in the rat spinal cord revealed by in vivo patch recording