

DAFTAR PUSTAKA

- Adre Mayza, Pukovisa Prawiroharjo, Diatri Nari Lastri, 2022. Neurobehavior Dasar dan Pemeriksaannya, in: Aninditha, T., Harris, S., Wiratman, W. (Eds.), BUKU AJAR NEUROLOGI . Departemen Neurologi Fakultas Kedokteran Universitas Indonesia, Jakarta, pp. 1–642.
- Al Rasyid, Mohammad Kurniawan, Taufik Mesiano, Rakhmad Hidayat, Salim Harris, 2022. Stroke Iskemik, in: Aninditha, T., Harris, S., Wiratman, W. (Eds.), BUKU AJAR NEUROLOGI. Departemen Neurologi Fakultas Kedokteran Universitas Indonesia, Jakarta, pp. 167–175.
- Alice Zanin, Malin Reinholdsson, Tamar AbzhandadzeID.2023. Association of cognitive function very early after stroke with subjective cognitive complaints after 3 months, a register-based study. PLOS ONE | <https://doi.org/10.1371/journal.pone.0283667>
- Anam, Yustiani Dikot, 2020. Skala Assessment pada Demensia, in: MANAJEMEN PERAWATAN DEMENSIA. Kelompok Studi Neurobehaviour , Perhimpunan Dokter Spesialis Saraf Indonesia, Jakarta, pp. 127–154.
- Arsidin Mappa, Ashari Bahar, Muhammad Akbar, et al. 2023. Hubungan Kadar Brain- Derived Neurotrophic Factor (BDNF) Serum Dengan Fungsi Kognitif Penderita Stroke Iskemik. Departemen Neurologi FK Unhas. Makassar
- Buonacera, Agata, Benedetta Stancanelli, Michele Colaci, and Lorenzo Malatino. “Neutrophil to Lymphocyte Ratio: An Emerging Marker of the Relationships between the Immune System and Diseases.” *International Journal of Molecular Sciences* 23, no. 7 (2022). <https://doi.org/10.3390/ijms23073636>.
- Bushnell PJ & Driscoll LL. 2015. *Cognitive Function*, Elsevier. United State of America. 1-17. <http://dx.doi.org/10.1016/B978-0-12-801238-3.02206-6>
- American Heart Association/American Stroke Association, 2013. An Updated Definition of Stroke for the 21st Century. *Stroke* 44, 2064–2089.
- Caplan, L., Biller, J., Leary, M., Lo, E., Thomas, A., Yenari, M., 2017. Primer on Cerebrovascular Disease, 2 nd. ed. Elsevier, London.



ebillat, A. S., Pace, C., Gourmaud, S., Ravasi, L., Montagne-Stora, S., Hugueville, S., Hugon, J. (2015). Neuroinflammation and A beta accumulation linked to systemic inflammation are decreased by genetic R down-regulation. *Scientific Reports*, 5, 8489. <https://doi.org/10.1038/srep08489>

- Chamorro, A., Meisel, A., Planas, A., Urra, X., Van de Beek, D., 2012. The immunology of acute stroke. *Nat Rev Neurol* 8, 401–402.
- Chapman, K., Dale, V., Denes, A., Benett, G., Rothwell, N., Allan, S., Mccoll, B., 2009. A rapid and transient peripheral inflammatory response precedes brain inflammation after experimental stroke. *Journal of cerebral blood flow & metabolism* 29, 1764–1768.
- Costantino Iadecola, Marion S. Buckwalter, Josef Anrather. 2020. Immune responses to stroke: mechanisms, modulation, and therapeutic potential. *J Clin Invest.* 2020 Jun 1; 130(6): 2777–2788. doi: 10.1172/JCI135530
- De Meyer, S., Denorme, F., Langhauser, F., Geuss, E., Fluri, F., Kleinschnitz, 2016. Thromboinflammation in Stroke Brain Damage. *Stroke* 47, 1165–1172.
- Diatri Nari Lastri, Adre Mayza, Pukovisa Prawiroharjo, Astuti Pramono, Paulus Anam Ong, 2018. Pemeriksaan Neurobehaviour, in: Estiasari, R., Tunjungsari, D., Samatra, D.P.G.P. (Eds.), *Pemeriksaan Klinis Neurologi Praktis Khusus. Kolegium Neurologi Indonesia, Perhimpunan Dokter Spesialis Saraf Indonesia*, Jakarta, pp. 199–235.
- Divyansh Sharma, Kevin J. Spring, Sonu Menachem Maimonides Bhaskar. 2021. Neutrophil–lymphocyte ratio in acute ischemic stroke: Immunopathology, management, and prognosis. *Acta Neurol Scand.* 2021;00:1–14. DOI: 10.1111/ane.13493
- Dwi Setia N, Abdul Muis, Muhammad Akbar, Firdaus Hamid. 2022. Hubungan Antara Nilai Red Cell Distribution Width (RDW) Dengan Fungsi Kognitif Yang Diukur Dengan Skor MoCA-INA Pada Pasien Stroke Iskemik Akut. Departemen Neurologi Fakultas Kedokteran Universitas Hasanuddin Makassar.
- Fay, W., 2010. Linking inflammation and thrombosis: Role of C-reactive protein. *Baishideng* 2, 365–369.
- Fei Zha, et al. 2022. A High Neutrophil-to-Lymphocyte Ratio Predicts Higher Risk of Poststroke Cognitive Impairment: Development and Validation of a Clinical Prediction Model. *Front. Neurol.* 12:755011. doi: 10.3389/fneur.2021.755011
- Horstmann S, T Rizos, G Rauch, C Arden, et al. 2014. Feasibility of the Montreal Cognitive Assessment in acute stroke patients. *Eur J Neurol.* 2014 Nov;21(11):1387–93. doi: 10.1111/ene.12505. Epub 2014 Jul 12.



et al. (2022) 'Correlation between neutrophil/lymphocyte ratio and cognitive impairment in cerebral small vessel disease patients: A prospective study', *Frontiers in Neurology*, 13. doi: 10.3389/fneur.2022.925218.

- Ignjatovic, V.B. et al. (2015) Cognitive Impairment and Functional Ability in The Acute Phase Of Ischemic Stroke. *European Review for Medical and Pharmacological Science*, 19: 3251-3256
- Ihle-Hansen, H. (2012) *Cognitive impairment after stroke and TIA: Etiology, diagnosis and prevention*. Available at: <https://www.duo.uio.no/handle/10852/34652>.
- Jae-Sung Lim a, Chulho Kim a, Mi Sun Oh a, et al. 2018. Effects of glycemic variability and hyperglycemia in acute ischemic stroke on post-stroke cognitive impairments. <https://doi.org/10.1016/j.jdiacomp.2018.02.006>
- Jin, R., Yang, G. and Li, G. (2010) 'Inflammatory mechanisms in ischemic stroke: role of inflammatory cells', *Journal of Leukocyte Biology*, 87(5), pp. 779–789. doi: 10.1189/jlb.1109766.
- Jing-Hong Liu, You-Jie Zhang, Qing-Hua Ma, Hong-Peng Sun, Yong Xua, Chen-Wei Pan. 2020. Elevated blood neutrophil to lymphocyte ratio in older adults with cognitive impairment. *Archives of Gerontology and Geriatrics*. <https://doi.org/10.1016/j.archger.2020.104041>
- Kara, S. P., Altunan, B. and Unal, A. (2022) 'Investigation of the peripheral inflammation (neutrophil–lymphocyte ratio) in two neurodegenerative diseases of the central nervous system', *Neurological Sciences*, 43(3), pp. 1799–1807. doi: 10.1007/s10072-021-05507-5.
- Khoshnam SE, Winlow W, Farzaneh M, Farbood Y, Moghaddam HF. 2017. Pathogenic mechanisms following ischemic stroke. Vol. 38, *Neurological Sciences*. Springer-Verlag Italia s.r.l. pp 1167-86.
- Kohman, R. A., & Rhodes, J. S. (2013). Neurogenesis, inflammation and behavior. *Brain, Behavior, and Immunity*, 27(1), 22–32. <https://doi.org/10.1016/j.bbi.2012.09.003>.
- Lee, M. et al. (2021) 'High Neutrophil–Lymphocyte Ratio Predicts Post-stroke Cognitive Impairment in Acute Ischemic Stroke Patients', *Frontiers in Neurology*, 12(July), pp. 1–8. doi: 10.3389/fneur.2021.693318.
- Li, J., Wang, J., Wu, B., Xu, H., Wu, X., Zhou, L., Deng, B., 2020. Association Between Early Cognitive Impairment and Midterm Functional Outcomes Among Chinese Acute Ischemic Stroke Patients: A Longitudinal Study. *Front Neurol* 11. <https://doi.org/10.3389/fneur.2020.00020>



Lee, J. J. and Woo, C. W. (2021) 'Post-stroke cognitive impairment: neurophysiological insights into brain disconnectome from advanced neuroimaging analysis techniques', *Journal of Stroke*, 23(3), pp. 297–301. doi: 10.5853/jos.2021.02376.

- Liu, J. H. et al. (2020) 'Elevated blood neutrophil to lymphocyte ratio in older adults with cognitive impairment', *Archives of Gerontology and Geriatrics*, 88. doi: 10.1016/j.archger.2020.104041.
- Min-Su Kim, et al. 2023. Neutrophil-to-Lymphocyte Ratio as a Predictor of Short-Term Functional Outcomes in Acute Ischemic Stroke Patients. *Int. J. Environ. Res. Public Health* 2023, 20, 898. <https://doi.org/10.3390/ijerph20020898>
- Mohammad Kurniawan, Taufik Mesiano, Rakhmad Hidayat, Salim Harris, al Rasyid, 2022. Biomolekuler Stroke, in: Aninditha, T., Harris, S., Wiratman, W. (Eds.), *BUKU AJAR NEUROLOGI*. Departemen Neurologi Fakultas Kedokteran Universitas Indonesia, Jakarta, pp. 122–135.
- Nada El Hussein, Irene L, Natalia S et al. 2023. Cognitive Impairment After Ischemic And Hemorrhagic Stroke: A Scientific Statement From The American Heart Association/ American Stroke Association. *AHA Scientific Statements*. American Heart Association, Inc. Stroke is available at www.ahajournals.org/journal/str
- Natalia S. Rost, Amy Broadtmann, Matthew P. Pase, Susanne J, Alessandro B, Marco Duerig. 2022. Post Stroke Cognitive Impairment and Dementia. American Heart Association, Inc. *Circulation Research* is available at www.ahajournals.org/journal/res
- Offner, H., Subramanian, S., Parker, S., Afentoulis, M., Vandenbark, A., Hurn, P., 2006. Experimental stroke induces massive, rapid activation of the peripheral immune system. *Journal of Cerebral Blood Flow & Metabolism* 26, 654–665.
- Salim Harris, al Rasyid, Mohammad Kurniawan, Taufik Mesiano, Rakhmad Hidayat, 2022. Pengantar Stroke, in: Aninditha, T., Harris, S., Wiratman, W. (Eds.), *BUKU AJAR NEUROLOGI*. Departemen Neurologi Fakultas Kedokteran Universitas Indonesia, Jakarta, pp. 1–642.
- Shang, T. et al. (2022) 'High neutrophil percentage and neutrophil-lymphocyte ratio in acute phase of ischemic stroke predict cognitive impairment: A single-center retrospective study in China', *Frontiers in Neurology*, 13. doi: 10.3389/fneur.2022.907486.



J., Kim, J.S., Ryu, S.Y., Lee, S.B., Lee, S.J., Jeong, D.S., 2009. Are sma homocysteine levels related to neurological severity and ctional outcome after ischemic stroke in the Korean population? evier 60–63.

- Song, S.Y., Zhao, X.X., Rajah, G., Hua, C., Kang, R.J., 2019. Clinical Significance of Baseline Neutrophil-to-Lymphocyte Ratio in Patients With Ischemic Stroke or Hemorrhagic Stroke: An Updated Meta-Analysis. *Frontier* 10, 1032.
- Strecker, J.-K., Schmidt, A., Schabitz, W.R., Minnerup, Jens, 2016. Neutrophil granulocytes in cerebral ischemia e Evolution from killers to key players. *Neuint* 107, 117–126.
- Suda, Satoshi, Kanako Muraga, Akiko Ishiwata, Takuya Nishimura, Junya Aoki, Takuya Kanamaru, Kentaro Suzuki, et al., 2020. “Early Cognitive Assessment Following Acute Stroke: Feasibility and Comparison between Mini-Mental State Examination and Montreal Cognitive Assessment.” *Journal of Stroke and Cerebrovascular Diseases* 29, no. 4 (2020): 104688. <https://doi.org/10.1016/j.jstrokecerebrovasdis.2020.104688>.
- Sun, J. H., Tan, L. and Yu, J. T. (2014) ‘Post-stroke cognitive impairment: Epidemiology, mechanisms and management’, *Annals of Translational Medicine*, 2(8). doi: 10.3978/j.issn.2305-5839.2014.08.05.
- Wang, L. et al. (2019) ‘Neutrophil to lymphocyte ratio predicts poor outcomes after acute ischemic stroke: A cohort study and systematic review’, *Journal of the Neurological Sciences*. Elsevier, 406(August), p. 116445. doi: 10.1016/j.jns.2019.116445.
- Wei Cai, MD, Sanxin Liu, MD, Mengyan Hu, MD, et al. 2020. Functional dynamics of neutrophils after ischemic stroke. *Transl Stroke Res*. 2020 February ; 11(1): 108–121. doi:10.1007/s12975-019-00694-y.
- Yetty Ramli, 2022. Mild Cognitive Impairment, in: Aninditha, T., Harris, S., Wiratman, W. (Eds.), *BUKU AJAR NEUROLOGI*. Departemen Neurologi Fakultas Kedokteran Universitas Indonesia, Jakarta, pp. 545–553.

