

BAB V

PENUTUP

A. Kesimpulan

Berdasarkan rumusan masalah, tujuan penelitian dan hasil penelitian maka kesimpulan dalam penelitian ini yaitu :

1. Pemberian ekstrak daun kelor, jahe merah dan *bee pollen* memiliki efektivitas terhadap *introduction* (pendekatan) dan penunggangan (*climbing*) pada tikus putih (*Rattus Novergicus*) jantan *Wistar*.
2. Pemberian ekstrak jahe merah dan *bee pollen* memiliki efektivitas terhadap *coitus* (kawin) pada tikus putih (*Rattus Novergicus*) jantan *Wistar*.

B. Saran

1. Perlu dilakukan uji kuantitatif untuk mengetahui kadar senyawa yang terkandung dalam daun kelor, jahe merah dan *bee pollen*.
2. Pada uji farmakologis, untuk hasil yang lebih maksimal diharapkan bahan yang digunakan telah terstandarisasi dan ekstrak yang dihasilkan bisa dibuat dalam bentuk suspensi agar mudah larut dan tidak ada partikel yang terbuang/tersisa.
3. Perlu dilakukan percobaan pada larut malam dan dalam keadaan gelap untuk dilakukan pengamatan melalui cctv.

DAFTAR PUSTAKA

- Afzali, A. and Ghalehkandi, J. G. (2018) 'Effect of ginger, Zingiber officinale on sex hormones and certain biochemical parameters of male Wistar rats', *Journal Of Bioscience Biotechnology Research Communications*, 11(1), pp. 181–186. doi: 10.21786/bbrc/11.1/25.
- Akbar, B. (2010) *Tumbuhan dengan Senyawa Aktif yang Berpotensi sebagai Bahan Antifertilitas*, Jakarta: Adabia press. doi: 10.1007/s13398-014-0173-7.2.
- Alhowiriny, T. A. et al. (2013) 'Molecular mechanisms that underlie the sexual stimulant actions of ginger (*Zingiber officinale Roscoe*) and garden rocket (*Eruca sativa L.*)', *Journal of Medicinal Plants Research*, 7(32), pp. 2370–2379. doi: 10.5897/JMPR12.821.
- Almeida-muradian, L. B. et al. (2005) 'Chemical composition and botanical evaluation of dried bee pollen pellets Chemical composition and botanical evaluation of dried bee pollen pellets', *Journal of Food Composition and Analysis*, 18, pp. 105–111. doi: 10.1016/j.jfca.2003.10.008.
- American Psychiatric Association (2000) 'The Diagnostic and Statistical Manual of Mental Disorders, Fifth Edition (DSM-5)', in Nuckols, C. C. (ed.) *American Psychiatric Association*. doi: 10.1176/appi.books.9780890425596.744053.
- Aminah, S., Ramdhan, T. and Yanis, M. (2015) 'Kandungan Nutrisi dan Sifat Fungsional Tanaman Kelor (*Moringa oleifera*)', *Buletin Pertanian Perkotaan*, 5(2), pp. 35–44. Available at: http://jakarta.litbang.pertanian.go.id/ind/artikel_bptp/buletin_nutrisi_kelor_volume_5_o_2_2015.pdf.
- Andini, D. (2014) 'Potential Of Katuk Leaf (*Sauvagesia androgynus L. Merr*) As Aphrodisiac', *Journal of J Majority*, 3(7), pp. 16–21.
- Ariefin, A. P. (2013) 'Uji Efek Seduhan Daun Katuk (*Sauvagesia Androgynus (L.) Merr*) Terhadap Libido Tikus Jantan (*Rattus Novaezealandiae*) Dalam Penggunaannya Sebagai Afrodisiak Dengan Alat Libidometer', *Jurnal Ilmiah Mahasiswa Universitas Surabaya*, 2(1), pp. 1–18.
- Arifien, A. P. (2013) 'Uji Efek Seduhan Daun Katuk (*Sauvagesia androgynus (L.) Merr*) Terhadap Libido Tikus Jantan (*Rattus novaezealandiae*) Dalam Penggunaannya Sebagai Afrodisiak Dengan Alat Libidometer', *Jurnal Ilmiah Mahasiswa Universitas Surabaya*, 2(1), pp. 1–18.
- Barett, K. E. et al. (2010) *Review of Medical Physiology*. New York, San Francisco: MC Graw Hill Lange.
- Beretta, G. et al. (2005) 'Standardization of antioxidant properties of honey

- by a combination of spectrophotometric/fluorimetric assays and chemometrics', *Analytica Chimica Acta*, 533(2), pp. 185–191. doi: 10.1016/j.aca.2004.11.010.
- da Cruz, A. C. et al. (2017) 'The action of herbal medicine on the libido: aspects of nutritional intervention in increasing sexual desire', *Journal Of Nutrire*, 42(29), pp. 1–8. doi: 10.1186/s41110-018-0063-4.
- Dabhadkar, D. K. et al. (2015) 'Review on Natural Aphrodisiac Plants and its Potential to Treat Sexual Dysfunction in Male Albino Rats', *journal Bio Bulletin*, 1(1), pp. 7–11.
- Dafaalla, M. M. et al. (2016) 'Effect of ethanol extract of *Moringa oleifera* leaves on fertility hormone and sperm quality of male Albino rats', *World Journal of Pharmaceutical Research*, 5(1), pp. 1–11. Available at: www.wjpr.net.
- E.A. Dubtsova (2009) 'Structure, biological properties of honey, pollen and royal jelly and their possible use in nutrition therapy', *Journal Of Experimental & Clinical Gastroenterology*, 3, pp. 36–41.
- Elheney, B. A. and El-kholy, K. (2013) 'STIMULATORY EFFECT OF THE BEE POLLEN ADMINISTRATION ON GROWTH AND REPRODUCTIVE PERFORMANCE IN MALE RABBITS', *Egyptian Journal of Rabbit Science*, 23(2), pp. 101–121.
- Eskeland, B., Thom, E. and Svendsen, K. O. B. (1997) 'Sexual desire in men: Effects of oral ingestion of a product derived from fertilized eggs', *Journal of International Medical Research*, 25(2), pp. 62–70. doi: 10.1177/030006059702500202.
- Gopalakrishnan, L., Doriya, K. and Kumar, D. S. (2016a) 'Moringa oleifera: A review on nutritive importance and its medicinal application', *Food Science and Human Wellness*, 5(2), pp. 49–56. doi: 10.1016/j.fshw.2016.04.001.
- Gopalakrishnan, L., Doriya, K. and Kumar, D. S. (2016b) 'Moringa oleifera: A review on nutritive importance and its medicinal application', *Food Science and Human Wellness*. doi: 10.1016/j.fshw.2016.04.001.
- Gull, I. et al. (2016) ' Use of *Moringa oleifera* Flower Pod Extract as Natural Preservative and Development of SCAR Marker for Its DNA Based Identification ', *BioMed Research International*. doi: 10.1155/2016/7584318.
- Guyton, A. C. and Hall, J. E. (2006) *Buku Ajar Fisiologi Kedokteran Edisi 11*. Jakarta.
- Habbib, I. A., Sawad, A. A. and Bakir, Z. (2015) 'EFFECT OF HONEY BEE POLLEN AQUEOUS SUSPENSION ON SPERMATOGENIC ACTIVITY OF MALE RABBITS', *Journal Of Veterinary Research*,

- 14(2), pp. 178–185.
- Hardisman (2014) *Pengantar KEsehatan Reproduksi, Seksologi, dan Embriologi dalam Kajian Ilmu Kedokteran dan Al Qur'an*. Yogyakarta: Pustaka Baru.
- Hatzimouratidis, K. et al. (2010) 'Guidelines on Male Sexual Dysfunction: Erectile Dysfunction and Premature Ejaculation', *European Urology*, 57(5), pp. 804–814. doi: 10.1016/j.eururo.2010.02.020.
- Hull, E. M. and Dominguez, J. M. (2007) 'Department of Psychology and Program in Neurosciences', *Journal of Vacuum Science & Technology A: Vacuum, Surfaces, and Films*, 52(1), pp. 45–55. doi: 10.1016/j.jvhbeh.2007.03.030.
- Ibrahim, A. A. E. M. and Al-Shathly, M. R. (2015) 'Herbal blend of cinnamon, ginger, and clove modulates testicular histopathology, testosterone levels and sperm quality of diabetic rat', *International Journal of Pharmaceutical Sciences Review and Research*, 30(2), pp. 95–103.
- Iskandar, I. et al. (2015) 'Effect of Moringa Oleifera Leaf Extracts Supplementation in Preventing Maternal Anemia and Low-Birth-Weight', *International Journal of Scientific and Research Publications*, 5(2), pp. 376–378. Available at: <http://www.ijrsp.org/e-journal.html>.
- Isnain, W. and Nurhaedah (2017) 'RAGAM MANFAAT TANAMAN KELOR (Moringa oleifera Lamk.) BAGI MASYARAKAT', *jurnal ragam manfaat tanaman kelor (moringa oleifera L) bagi masyarakat*, 14(1), pp. 63–75.
- Jumain, T. A. R. and Asmawati (2019) 'EFEK AFRODISIAK EKSTRAK BUAH TERUNG UNGU (*Solanum melongena L*) TERHADAP HEWAN UJI MENCIT JANTAN (*Mus musculus*)', *Jurnal Media Farmasi Poltekkes Makassar*, 23(3), p. 2019. doi: <https://doi.org/10.32382/mf.v15i1.935>.
- Khaki, A. et al. (2009) 'The Effects of Ginger on Spermatogenesis and Sperm Parameters of Rat', *Journal Of Reproductive BioMedicine Online*, 7(2), pp. 7–12. doi: 10.1016/s1472-6483(12)60133-3.
- Kurniasih (2016) *Khasiat dan Manfaat Daun Kelor Untuk Penyembuhan Berbagai Penyakit*. Yogyakarta: Penerbit Pustaka Baru Press.
- Morakinyo, A. O., Adeniyi, O. S. and Arikawe, A. P. (2008) 'Effects of Zingiber Officinale on reproductive functions in the male rat', *African Journal Biomedical Research*, 11, pp. 329–334.
- Moreira, E. D. et al. (2005) 'A POPULATION SURVEY OF SEXUAL ACTIVITY, SEXUAL DYSFUNCTION AND ASSOCIATED HELP - SEEKING BEHAVIOR IN MIDDLE - AGED AND OLDER ADULTS IN GERMANY', *European Journal Of Medical Research*, 10, pp. 434–443.

- Nandari, R. (2006) *PENGARUH PEMBERIAN EKSTRAK BELIMBING WULUH (Averrhoa Bilimbi L.) TERHADAP KADAR TESTOSTERON BEBAS DAN LIBIDO TIKUS JANTAN GALUR WISTAR.*
- Nchegang, B. et al. (2016) 'Effects of the Aqueous Extract of *Eremomastax speciosa* (Acanthaceae) on Sexual Behavior in Normal Male Rats', *Journal BioMed Research International*, p. 10. doi: 10.1155/2016/9706429.
- Nugroho, Y. A. et al. (2005) 'Toksisitas Akut dan Khasiat Ekstrak Som Jawa (*Talium paniculatum* Gaertn) sebagai Stimulan', *Jurnal ilmu Kefarmasian Indonesia*, 3(1), pp. 17–20.
- Nurlaila, Pramono and Anandita (2012) 'Pengaruh Minyak Atsiri Dan Ekstrak Etanolik Bebas Minyak Atsiri Dari Rimpang Jahe Merah (*Zingiber Officinale Rosc.* Klon Merah) Terhadap Efek Aprodisiaka Pada Tikus Jantan', *Journal Obat Tradisional*, 17(1), pp. 8–14.
- Oboh, G. et al. (2015) 'Phenolic Extract from *Moringa oleifera* Leaves Inhibits Key Enzymes Linked to Erectile Dysfunction and Oxidative Stress in Rats' Penile Tissues', *Biochemistry Research International*. doi: 10.1155/2015/175950.
- Opuwari, C. S. et al. (2020) 'Androgenic effect of aqueous leaf extract of *Moringa oleifera* on Leydig TM3 cells in vitro', *Andrologia*, 52(11), pp. 1–8. doi: 10.1111/and.13825.
- Padmiswari, A. A. I. M., Sukmaningsih, A. A. S. A. and Astuti, K. N. P. A. (2015) 'UJI AKTIVITAS EKSTRAK REBUNG BAMBU TABAH (*Gigantochloa nigrociliata* BUSE-KURZ) TERHADAP PERILAKU KAWIN MENCIT JANTAN (*Mus musculus L.*)', *Jurnal Biologi*, 19(1), pp. 25–29.
- Petrus, A. J. A. (2013) 'Sauropus androgynus (L.) merrill-a potentially nutritive functional leafy-vegetable', *Asian Journal of Chemistry*, 25(17), pp. 9425–9433. doi: 10.14233/ajchem.2013.15405.
- Piekarski, D. J., Place, N. J. and Zucker, I. (2010) 'Facilitation of male sexual behavior in Syrian hamsters by the combined action of dihydrotestosterone and testosterone', *Journal Of PLoS ONE*, 5(9), pp. 1–8. doi: 10.1371/journal.pone.0012749.
- Prabsattroo, T. et al. (2015) 'Moringa oleifera extract enhances sexual performance in stressed rats', *Journal of Zhejiang University-SCIENCE B*, 16(3), pp. 179–190. doi: 10.1631/jzus.b1400197.
- Ramlachan, P. and Campbell, M. M. (2014) 'Male sexual dysfunction', *South African Medical Journal*, 104(6). doi: 10.7196/SAMJ.8376.
- Razis, A. F. A., Ibrahim, M. D. and Kntayya, S. B. (2014) 'Health benefits of *Moringa oleifera*', *Asian Pacific Journal of Cancer Prevention*. doi:

- 10.7314/APJCP.2014.15.20.8571.
- Riaz, H. et al. (2015) 'Antimicrobial property and phytochemical study of ginger found in local area of Punjab , Pakistan', *Journal Of International Current Pharmaceutical*, 4(7), pp. 405–409.
- Rukmana (2000) *USAHA TANI JAHE : Dilengkapi dengan pengolahan jahe segar, Seri Budi Daya*. Yogyakarta: Penerbit Kanisius.
- Rusdi, N. K. et al. (2018) 'Aktivitas Afrodisiaka Fraksi dari Ekstrak Etanol 70 % Daun Katuk (Sauropus androgynus (L). Merr) Pada Tikus Putih Jantan', *Journal Of Pharmaceutical and Research*, 5(3), pp. 123–132.
- Sakr, S. A. and Badawy, G. M. (2011) 'Effect of ginger (*Zingiber officinale* R.) on metiram-inhibited spermatogenesis and induced apoptosis in albino mice', *Journal of Applied Pharmaceutical Science*, 1(4), pp. 131–136.
- Sarapi, V. A., Bodhi, W. and Citraningtyas, G. (2015) 'Uji Efek Afrodisiak Ekstrak Etanol Buah Pare (*Momordica Charantia* L .) Terhadap Libido Tikus Putih Jantan Galur Wistar (*Rattus Norvegicus*)', *jurnal Ilmiah Farmasi*, 4(3), pp. 147–154.
- Selmanoğlu, G. et al. (2009) 'The Effect of Pollen on Some Reproductive Parameters of Male Rats', *Journal Of Pestic. Phytomed*, 24, pp. 59–63.
- Serefoglu, E. C. et al. (2014) 'An Evidence-Based Unified Definition of Lifelong and Acquired Premature Ejaculation: Report of the Second International Society for Sexual Medicine Ad Hoc Committee for the Definition of Premature Ejaculation', *Journal Of Sexual Medicine*, 2, pp. 41–59. doi: 10.1002/sm2.27.
- Shubharani, R., P, R. and Sivara, V. (2013) 'Pollen Morphology of Selected Bee Forage Plants', *Global Journal of Bio-Science and Biotechnology*, 2(1), pp. 82–90. Available at: [http://www.scienceandnature.org/GJBB_Vol2\(1\)2013/GJBB-V2\(1\)2013-15.pdf](http://www.scienceandnature.org/GJBB_Vol2(1)2013/GJBB-V2(1)2013-15.pdf).
- Silva, C. V, Borges, F. M. and Velozo, E. S. (2012) 'Phytochemistry of some Brazilian Plants with Aphrodisiac Activity', *Journal Of Phytochemicals*.
- Silva, M. F. et al. (2014) 'The many health benefits of *Moringa oleifera*', *Journal Of Medical and Pharmaceutical Innovation*, 1(3), pp. 1–4.
- Simpson, G. . (2006) *Plant Systematics*. USA: ElsevierAcademic Press.
- Singh, D. et al. (2014) 'Evaluation of Antioxidant and Hepatoprotective Activities of *Moringa oleifera* Lam. Leaves in Carbon Tetrachloride-Intoxicated Rats', *Journal OF Antioxidants*, 3, pp. 569–591. doi: 10.3390/antiox3030569.

- Smith, B. J. and Soesanto Mangkoewidjojo (1998) *Pemeliharaan Pembibakan dan Penggunaan Hewan Percobaan di Daerah Tropis*. Jakarta: Universitas Indoneisa.
- Suckow, M. A., Steven, H. W. and Craig, L. F. (2006) *The Laboratory Rat*. London: Academic Press.
- Syarifuddin, N. A. et al. (2017) 'Improving libido and sperm quality of bali bulls by supplementation of *Moringa oleifera* leaves', *Media Peternakan*, 40(2), pp. 88–93. doi: 10.5398/medpet.2017.40.2.88.
- Tao, L. and Kendall, K. (2014) *Sinopsis Organ System Sistem Reproduksi*. Tangerang: KARISMA Publishing Group.
- Tejas, G. H. et al. (2012) 'A panoramic view on pharmacognostic, pharmacological, nutritional, therapeutic and prophylactic values of *Moringa oleifera* Lam', *International Research Journal Of Pharmacy*, 3(6), pp. 1–7. Available at: www.irjponline.com.
- Utami, P. (2013) 'The miracle of herbs', *The miracle of herbs*.
- Vergara-Jimenez, M., Almatrafi, M. and Fernandez, M. (2017) 'Bioactive Components in *Moringa Oleifera* Leaves Protect against Chronic Disease', *Journal Of Antioxidants*, 6(91), pp. 1–13. doi: 10.3390/antiox6040091.
- Wahdaningsih, H. S., Sartika, D. and Fajrianty, I. (2012) 'Uji Aktivitas Afrodisiaka Ekstrak Etanol 70% Daun Tapak Liman pada Mencit Putih Jantan Galur BALB/C', pp. 1–22.
- Wardani, I. gusti agung ayu kusuma and Santoso, P. (2017) 'EFEKTIVITAS AFRODISIAKA DARI EKSTRAK ETANOL JAHE MERAH (*Zingiber officinale* ROSCOE) PADA TIKUS (*Rattus norvegicus* L.) PUTIH JANTAN', *Journal Of Medicamento*, 3(1), pp. 22–28.
- WHO (2006) 'Defining sexual health: Report of a technical consultation on sexual health', in *Sexual Health Document Series*. Available at: http://www.who.int/reproductivehealth/publications/sexual_health/defining_sexual_health.pdf.
- WHO (2008) *Primary Health Care - The World Health Report*. switzerland.
- Windhu, S. C. (2009) *Disfungsi Seksual*. Yogyakarta: CV. ANDI OFFSET.
- Wolfensohn, S. E. and Lloyd, M. H. (2013) *Handbook of Laboratory Animal Management and Welfare*, 3rd edition. Oxford: Blackwell Science.
- Wulandari, P. (2015) 'Honey to Prevent Iron Deficiency Anemia in Pregnancy', *Journal Of J Majority*, 4(3), pp. 90–95.
- Yakubu, M. T. and Akanji, M. A. (2011) 'Effect of aqueous extract of *massularia acuminata* stem on sexual behaviour of male wistar rats',

Evidence-based Complementary and Alternative Medicine, p. 10. doi: 10.1155/2011/738103.

Yakubu, M. T., Akanji, M. A. and Oladiji, A. T. (2005) 'Aphrodisiac potentials of the aqueous extract of *Fadogia agrestis* (Schweinf. Ex Hiern) stem in male albino rats', *Asian Journal of Andrology*, 7(4), pp. 399–404. doi: 10.1111/j.1745-7262.2005.00052.x.

Zade, V. S. et al. (2013) 'Effect of Aqueous Extract of *Moringa oleifera* Seed on Sexual Activity of Male Albino Rats', *Biological Forum – An International Journal*, 5(1), pp. 129–140.

Lampiran

Dokumentasi Penelitian



Ekstrak Daun Kelor




Ekstrak Jahe Merah



Bee Pollen



Proses Ekstraksi



Ekstrak yang sudah di larutkan dengan Aquades



Pemberian Ekstrak



Proses Introduction



Proses Climbing



Proses Coitus

MASTER TABEL

Kelompok Uji	INTRODUCTION			CLIMBING				COITUS					
	Hari	Hari	Hari	Total	Hari Ke-1	Hari	Hari	Total	Hari	Hari	Hari		
	Ke-1	Ke-8	Ke-15			Ke-8	Ke-15		Ke-1	Ke-8	Ke-15		
P0	1	5	7	12	24	2	4	6	12	2	0	1	
	1	6	7	11	24	3	5	7	15	1	1	0	
	1	8	9	13	30	5	7	9	21	1	0	1	
	1	7	8	12	27	4	6	8	18	1	2	0	
	1	5	6	12	23	2	4	8	14	0	1	1	
	1	6	8	14	28	4	5	7	16	1	3	0	
	1	7	7	13	27	4	5	7	16	0	2	2	
	1	6	7	15	28	3	6	9	18	2	0	2	
P1	2	9	19	23	51	7	16	21	44	0	2	2	
	2	10	20	25	55	7	17	23	47	1	3	4	
	2	12	18	27	57	9	15	26	50	1	2	1	
	2	10	19	26	55	6	16	25	47	1	1	3	
	2	9	20	28	57	7	15	25	47	2	3	4	
	2	11	22	30	63	9	18	27	54	0	3	3	
	2	10	19	29	58	8	17	27	52	0	4	5	

	2	11	21	31	63	9	17	29	55	1	4	3
P2	3	9	20	31	60	7	18	30	55	0	3	4
	3	8	22	29	59	6	19	28	53	1	3	2
	3	11	20	26	57	9	17	25	51	2	1	4
	3	12	22	29	63	10	16	26	52	0	4	3
	3	10	21	28	59	9	19	28	56	1	4	2
	3	9	20	29	58	7	17	27	51	0	3	5
	3	11	19	31	61	9	16	30	55	2	1	3
	3	12	22	32	66	7	15	30	52	3	2	3
P3	4	10	21	30	61	8	16	28	52	1	4	4
	4	13	21	29	63	11	18	27	56	1	5	7
	4	11	19	27	57	9	17	26	52	0	2	3
	4	11	21	31	63	8	19	30	57	2	4	5
	4	8	22	29	59	7	16	27	50	1	6	7
	4	12	23	30	65	10	17	29	56	1	5	5
	4	11	22	32	65	9	20	30	59	2	4	3
	4	10	24	31	65	7	21	29	57	0	5	8
	5	13	29	39	81	9	26	37	72	1	4	5
	5	11	31	37	79	8	27	35	70	1	1	1
	5	12	30	36	78	10	29	35	74	2	6	7

P4

5	13	28	39	80	12	27	37	76	1	4	4
5	12	27	40	79	10	27	39	76	2	3	3
5	14	30	41	85	9	29	39	77	1	6	7
5	12	29	39	80	10	28	37	75	0	2	2
5	13	32	40	85	11	31	38	80	0	5	5

Total
1
2
2
3
2
4
4
4
4
8
4
5
9
6
9

8
7
6
7
7
7
8
6
8
9
13
5
11
14
11
9
13
10
3
15

9
8
14
4
10

Oneway

Test of Homogeneity of Variances

	Levene Statistic	df1	df2	Sig.
Intro.1	.816	4	35	.523
Intro.8	.605	4	35	.662
Intro.15	1.402	4	35	.253
Intro.Total	.378	4	35	.823
Climb.1	.534	4	35	.712
Climb.8	1.130	4	35	.358
Climb.15	1.150	4	35	.350
Climb.Total	1.231	4	35	.315
Coit.1	.944	4	35	.450
Coit.8	.892	4	35	.479
Coit.15	2.890	4	35	.036
Coit.Total	3.994	4	35	.009

ANOVA

		Sum of Squares	Df	Mean Square	F	Sig.
Intro.1	Between Groups	168.000	4	42.000	28.269	.000
	Within Groups	52.000	35	1.486		
	Total	220.000	39			
Intro.8	Between Groups	2021.650	4	505.412	291.184	.000
	Within Groups	60.750	35	1.736		
	Total	2082.400	39			
Intro.15	Between Groups	2848.100	4	712.025	202.609	.000
	Within Groups	123.000	35	3.514		
	Total	2971.100	39			
Intro.Total	Between Groups	12367.900	4	3091.975	325.961	.000
	Within Groups	332.000	35	9.486		
	Total	12699.900	39			
Climb.1	Between Groups	193.850	4	48.463	30.222	.000
	Within Groups	56.125	35	1.604		
	Total	249.975	39			
Climb.8	Between Groups	2083.650	4	520.912	252.345	.000
	Within Groups	72.250	35	2.064		
	Total	2155.900	39			
Climb.15	Between Groups	3745.850	4	936.463	297.627	.000
	Within Groups	110.125	35	3.146		
	Total	3855.975	39			
Climb.Total	Between Groups	14380.250	4	3595.063	391.680	.000
	Within Groups	321.250	35	9.179		
	Total	14701.500	39			

Coit.1	Between Groups	.600	4	.150	.215	.928
	Within Groups	24.375	35	.696		
	Total	24.975	39			
Coit.8	Between Groups	50.900	4	12.725	7.549	.000
	Within Groups	59.000	35	1.686		
	Total	109.900	39			
Coit.15	Between Groups	84.850	4	21.213	9.027	.000
	Within Groups	82.250	35	2.350		
	Total	167.100	39			
Coit.Total	Between Groups	284.850	4	71.213	10.831	.000
	Within Groups	230.125	35	6.575		
	Total	514.975	39			

Oneway

Test of Homogeneity of Variances

	Levene Statistic	df1	df2	Sig.
TranformCoit.15	1.113	4	32	.368
TranformCoit.Total	3.227	4	35	.063

ANOVA

		Sum of Squares	df	Mean Square	F	Sig.
TranformCoit.15	Between Groups	1.062	4	.265	6.214	.001
	Within Groups	1.367	32	.043		
	Total	2.429	36			
TranformCoit.Total	Between Groups	1.741	4	.435	14.326	.000
	Within Groups	1.063	35	.030		
	Total	2.804	39			

Explore

Kelompok

Case Processing Summary

Kelompok	Cases						
	Valid		Missing		Total		
	N	Percent	N	Percent	N	Percent	
Intro.1	P0 (pakan standar)	5	62.5%	3	37.5%	8	100.0%
	P1 (Daun kelor + jahe merah)	8	100.0%	0	0.0%	8	100.0%
	P2 (Daun kelor + Bee pollen)	8	100.0%	0	0.0%	8	100.0%
	P3 (Jahe merah + Bee Pollen)	8	100.0%	0	0.0%	8	100.0%

	P4 (Daun kelor + Jahe merah + Bee pollen)	8	100.0%	0	0.0%	8	100.0%
Intro.8	P0 (pakan standar)	5	62.5%	3	37.5%	8	100.0%
	P1 (Daun kelor + jahe merah)	8	100.0%	0	0.0%	8	100.0%
	P2 (Daun kelor + Bee pollen)	8	100.0%	0	0.0%	8	100.0%
	P3 (Jahe merah + Bee Pollen)	8	100.0%	0	0.0%	8	100.0%
	P4 (Daun kelor + Jahe merah + Bee pollen)	8	100.0%	0	0.0%	8	100.0%
Intro.15	P0 (pakan standar)	5	62.5%	3	37.5%	8	100.0%
	P1 (Daun kelor + jahe merah)	8	100.0%	0	0.0%	8	100.0%
	P2 (Daun kelor + Bee pollen)	8	100.0%	0	0.0%	8	100.0%
	P3 (Jahe merah + Bee Pollen)	8	100.0%	0	0.0%	8	100.0%
	P4 (Daun kelor + Jahe merah + Bee pollen)	8	100.0%	0	0.0%	8	100.0%
Intro.Total	P0 (pakan standar)	5	62.5%	3	37.5%	8	100.0%
	P1 (Daun kelor + jahe merah)	8	100.0%	0	0.0%	8	100.0%
	P2 (Daun kelor + Bee pollen)	8	100.0%	0	0.0%	8	100.0%
	P3 (Jahe merah + Bee Pollen)	8	100.0%	0	0.0%	8	100.0%
	P4 (Daun kelor + Jahe merah + Bee pollen)	8	100.0%	0	0.0%	8	100.0%
Climb.1	P0 (pakan standar)	5	62.5%	3	37.5%	8	100.0%
	P1 (Daun kelor + jahe merah)	8	100.0%	0	0.0%	8	100.0%
	P2 (Daun kelor + Bee pollen)	8	100.0%	0	0.0%	8	100.0%
	P3 (Jahe merah + Bee Pollen)	8	100.0%	0	0.0%	8	100.0%
	P4 (Daun kelor + Jahe merah + Bee pollen)	8	100.0%	0	0.0%	8	100.0%
Climb.8	P0 (pakan standar)	5	62.5%	3	37.5%	8	100.0%
	P1 (Daun kelor + jahe merah)	8	100.0%	0	0.0%	8	100.0%
	P2 (Daun kelor + Bee pollen)	8	100.0%	0	0.0%	8	100.0%
	P3 (Jahe merah + Bee Pollen)	8	100.0%	0	0.0%	8	100.0%
	P4 (Daun kelor + Jahe merah + Bee pollen)	8	100.0%	0	0.0%	8	100.0%
Climb.15	P0 (pakan standar)	5	62.5%	3	37.5%	8	100.0%
	P1 (Daun kelor + jahe merah)	8	100.0%	0	0.0%	8	100.0%
	P2 (Daun kelor + Bee pollen)	8	100.0%	0	0.0%	8	100.0%
	P3 (Jahe merah + Bee Pollen)	8	100.0%	0	0.0%	8	100.0%
	P4 (Daun kelor + Jahe merah + Bee pollen)	8	100.0%	0	0.0%	8	100.0%
Climb.Total	P0 (pakan standar)	5	62.5%	3	37.5%	8	100.0%
	P1 (Daun kelor + jahe merah)	8	100.0%	0	0.0%	8	100.0%
	P2 (Daun kelor + Bee pollen)	8	100.0%	0	0.0%	8	100.0%

	P3 (Jahe merah + Bee Pollen)	8	100.0%	0	0.0%	8	100.0%
	P4 (Daun kelor + Jahe merah + Bee pollen)	8	100.0%	0	0.0%	8	100.0%
Coit.1	P0 (pakan standar)	5	62.5%	3	37.5%	8	100.0%
	P1 (Daun kelor + jahe merah)	8	100.0%	0	0.0%	8	100.0%
	P2 (Daun kelor + Bee pollen)	8	100.0%	0	0.0%	8	100.0%
	P3 (Jahe merah + Bee Pollen)	8	100.0%	0	0.0%	8	100.0%
	P4 (Daun kelor + Jahe merah + Bee pollen)	8	100.0%	0	0.0%	8	100.0%
Coit.8	P0 (pakan standar)	5	62.5%	3	37.5%	8	100.0%
	P1 (Daun kelor + jahe merah)	8	100.0%	0	0.0%	8	100.0%
	P2 (Daun kelor + Bee pollen)	8	100.0%	0	0.0%	8	100.0%
	P3 (Jahe merah + Bee Pollen)	8	100.0%	0	0.0%	8	100.0%
	P4 (Daun kelor + Jahe merah + Bee pollen)	8	100.0%	0	0.0%	8	100.0%
TranformCoit.15	P0 (pakan standar)	5	62.5%	3	37.5%	8	100.0%
	P1 (Daun kelor + jahe merah)	8	100.0%	0	0.0%	8	100.0%
	P2 (Daun kelor + Bee pollen)	8	100.0%	0	0.0%	8	100.0%
	P3 (Jahe merah + Bee Pollen)	8	100.0%	0	0.0%	8	100.0%
	P4 (Daun kelor + Jahe merah + Bee pollen)	8	100.0%	0	0.0%	8	100.0%
TranformCoit.Total	P0 (pakan standar)	5	62.5%	3	37.5%	8	100.0%
	P1 (Daun kelor + jahe merah)	8	100.0%	0	0.0%	8	100.0%
	P2 (Daun kelor + Bee pollen)	8	100.0%	0	0.0%	8	100.0%
	P3 (Jahe merah + Bee Pollen)	8	100.0%	0	0.0%	8	100.0%
	P4 (Daun kelor + Jahe merah + Bee pollen)	8	100.0%	0	0.0%	8	100.0%

Descriptives

Kelompok		Statistic	Std. Error
Intro.1	P0 (pakan standar)	Mean	.6.20 .583
		95% Confidence Interval for Mean	
		Lower Bound	4.58
		Upper Bound	7.82
		5% Trimmed Mean	6.17
		Median	6.00
		Variance	1.700
		Std. Deviation	1.304
		Minimum	5
		Maximum	8
	Range		3
	Interquartile Range		3

	Skewness	.541	.913
	Kurtosis	-1.488	2.000
P1 (Daun kelor + jahe merah)	Mean	10.25	.366
	95% Confidence Interval for Mean	Lower Bound	9.38
		Upper Bound	11.12
	5% Trimmed Mean	10.22	
	Median	10.00	
	Variance	1.071	
	Std. Deviation	1.035	
	Minimum	9	
	Maximum	12	
	Range	3	
	Interquartile Range	2	
	Skewness	.386	.752
	Kurtosis	-448	1.481
P2 (Daun kelor + Bee pollen)	Mean	10.25	.526
	95% Confidence Interval for Mean	Lower Bound	9.01
		Upper Bound	11.49
	5% Trimmed Mean	10.28	
	Median	10.50	
	Variance	2.214	
	Std. Deviation	1.488	
	Minimum	8	
	Maximum	12	
	Range	4	
	Interquartile Range	3	
	Skewness	-.217	.752
	Kurtosis	-1.410	1.481
P3 (Jahe merah + Bee Pollen)	Mean	10.75	.526
	95% Confidence Interval for Mean	Lower Bound	9.51
		Upper Bound	11.99
	5% Trimmed Mean	10.78	
	Median	11.00	
	Variance	2.214	
	Std. Deviation	1.488	
	Minimum	8	
	Maximum	13	
	Range	5	

		Interquartile Range	2	
		Skewness	-.477	.752
		Kurtosis	1.107	1.481
P4 (Daun kelor + Jahe merah + Bee pollen)	Mean	12.50	.327	
	95% Confidence Interval for Mean	Lower Bound	11.73	
		Upper Bound	13.27	
	5% Trimmed Mean	12.50		
	Median	12.50		
	Variance	.857		
	Std. Deviation	.926		
	Minimum	11		
	Maximum	14		
	Range	3		
	Interquartile Range	1		
	Skewness	.000	.752	
	Kurtosis	.000	1.481	
Intro.8	P0 (pakan standar)	Mean	7.20	.490
	95% Confidence Interval for Mean	Lower Bound	5.84	
		Upper Bound	8.56	
	5% Trimmed Mean	7.17		
	Median	7.00		
	Variance	1.200		
	Std. Deviation	1.095		
	Minimum	6		
	Maximum	9		
	Range	3		
	Interquartile Range	2		
	Skewness	1.293	.913	
	Kurtosis	2.917	2.000	
	P1 (Daun kelor + jahe merah)	Mean	19.75	.453
	95% Confidence Interval for Mean	Lower Bound	18.68	
		Upper Bound	20.82	
	5% Trimmed Mean	19.72		
	Median	19.50		
	Variance	1.643		
	Std. Deviation	1.282		
	Minimum	18		
	Maximum	22		
	Range	4		
	Interquartile Range	2		

	Skewness	.611	.752
	Kurtosis	-.021	1.481
P2 (Daun kelor + Bee pollen)	Mean	20.75	.412
	95% Confidence Interval for Mean	Lower Bound	19.78
		Upper Bound	21.72
	5% Trimmed Mean	20.78	
	Median	20.50	
	Variance	1.357	
	Std. Deviation	1.165	
	Minimum	19	
	Maximum	22	
	Range	3	
	Interquartile Range	2	
	Skewness	-.090	.752
	Kurtosis	-1.613	1.481
P3 (Jahe merah + Bee Pollen)	Mean	21.63	.532
	95% Confidence Interval for Mean	Lower Bound	20.37
		Upper Bound	22.88
	5% Trimmed Mean	21.64	
	Median	21.50	
	Variance	2.268	
	Std. Deviation	1.506	
	Minimum	19	
	Maximum	24	
	Range	5	
	Interquartile Range	2	
	Skewness	-.152	.752
	Kurtosis	.658	1.481
P4 (Daun kelor + Jahe merah + Bee pollen)	Mean	29.50	.567
	95% Confidence Interval for Mean	Lower Bound	28.16
		Upper Bound	30.84
	5% Trimmed Mean	29.50	
	Median	29.50	
	Variance	2.571	
	Std. Deviation	1.604	
	Minimum	27	
	Maximum	32	
	Range	5	
	Interquartile Range	3	
	Skewness	.000	.752
	Kurtosis	-.311	1.481

Intro.15	P0 (pakan standar)	Mean	13.00	.548
		95% Confidence Interval for Mean	Lower Bound	11.48
			Upper Bound	14.52
		5% Trimmed Mean		12.94
		Median		13.00
		Variance		1.500
		Std. Deviation		1.225
		Minimum		12
		Maximum		15
		Range		3
		Interquartile Range		2
		Skewness		1.361
		Kurtosis		2.000
P1 (Daun kelor + jahe merah)	P1 (Daun kelor + jahe merah)	Mean	27.38	.944
		95% Confidence Interval for Mean	Lower Bound	25.14
			Upper Bound	29.61
		5% Trimmed Mean		27.42
		Median		27.50
		Variance		7.125
		Std. Deviation		2.669
		Minimum		23
		Maximum		31
		Range		8
		Interquartile Range		5
		Skewness		-.296
		Kurtosis		1.481
P2 (Daun kelor + Bee pollen)	P2 (Daun kelor + Bee pollen)	Mean	29.38	.680
		95% Confidence Interval for Mean	Lower Bound	27.77
			Upper Bound	30.98
		5% Trimmed Mean		29.42
		Median		29.00
		Variance		3.696
		Std. Deviation		1.923
		Minimum		26
		Maximum		32
		Range		6
		Interquartile Range		3
		Skewness		-.389
		Kurtosis		1.481
P3 (Jahe merah + Bee Pollen)	P3 (Jahe merah + Bee Pollen)	Mean	29.88	.549
		95% Confidence Interval for Mean	Lower Bound	28.58

		Upper Bound	31.17	
		5% Trimmed Mean	29.92	
		Median	30.00	
		Variance	2.411	
		Std. Deviation	1.553	
		Minimum	27	
		Maximum	32	
		Range	5	
		Interquartile Range	2	
		Skewness	-.644	.752
		Kurtosis	.592	1.481
P4 (Daun kelor + Jahe merah + Bee pollen)	Mean		38.88	.581
	95% Confidence Interval for Mean	Lower Bound	37.50	
		Upper Bound	40.25	
		5% Trimmed Mean	38.92	
		Median	39.00	
		Variance	2.696	
		Std. Deviation	1.642	
		Minimum	36	
		Maximum	41	
		Range	5	
		Interquartile Range	3	
		Skewness	-.770	.752
		Kurtosis	.017	1.481
Intro.Total	P0 (pakan standar)	Mean	26.40	1.288
		95% Confidence Interval for Mean	Lower Bound	22.82
			Upper Bound	29.98
		5% Trimmed Mean	26.39	
		Median	27.00	
		Variance	8.300	
		Std. Deviation	2.881	
		Minimum	23	
		Maximum	30	
		Range	7	
		Interquartile Range	6	
		Skewness	-.038	.913
		Kurtosis	-1.804	2.000
P1 (Daun kelor + jahe merah)	Mean		57.38	1.438
	95% Confidence Interval for Mean	Lower Bound	53.97	
		Upper Bound	60.78	
		5% Trimmed Mean	57.42	

	Median	57.00	
	Variance	16.554	
	Std. Deviation	4.069	
	Minimum	51	
	Maximum	63	
	Range	12	
	Interquartile Range	7	
	Skewness	.199	.752
	Kurtosis	-.248	1.481
P2 (Daun kelor + Bee pollen)	Mean	60.38	1.034
	95% Confidence Interval for Mean	Lower Bound	57.93
		Upper Bound	62.82
	5% Trimmed Mean	60.25	
	Median	59.50	
	Variance	8.554	
	Std. Deviation	2.925	
	Minimum	57	
	Maximum	66	
	Range	9	
	Interquartile Range	4	
	Skewness	1.060	.752
	Kurtosis	.805	1.481
P3 (Jahe merah + Bee Pollen)	Mean	62.25	1.065
	95% Confidence Interval for Mean	Lower Bound	59.73
		Upper Bound	64.77
	5% Trimmed Mean	62.39	
	Median	63.00	
	Variance	9.071	
	Std. Deviation	3.012	
	Minimum	57	
	Maximum	65	
	Range	8	
	Interquartile Range	6	
	Skewness	-.821	.752
	Kurtosis	-.542	1.481
P4 (Daun kelor + Jahe merah + Bee pollen)	Mean	80.88	.953
	95% Confidence Interval for Mean	Lower Bound	78.62
		Upper Bound	83.13
	5% Trimmed Mean	80.81	
	Median	80.00	
	Variance	7.268	

		Std. Deviation	2.696	
		Minimum	78	
		Maximum	85	
		Range	7	
		Interquartile Range	5	
		Skewness	.992	.752
		Kurtosis	-.530	1.481
Climb.1	P0 (pakan standar)	Mean	3.20	.583
		95% Confidence Interval for Mean	Lower Bound	1.58
			Upper Bound	4.82
		5% Trimmed Mean	3.17	
		Median	3.00	
		Variance	1.700	
		Std. Deviation	1.304	
		Minimum	2	
		Maximum	5	
		Range	3	
		Interquartile Range	3	
		Skewness	.541	.913
		Kurtosis	-1.488	2.000
P1 (Daun kelor + jahe merah)	Mean	7.75	.412	
		95% Confidence Interval for Mean	Lower Bound	6.78
			Upper Bound	8.72
		5% Trimmed Mean	7.78	
		Median	7.50	
		Variance	1.357	
		Std. Deviation	1.165	
		Minimum	6	
		Maximum	9	
		Range	3	
		Interquartile Range	2	
		Skewness	-.090	.752
		Kurtosis	-1.613	1.481
P2 (Daun kelor + Bee pollen)	Mean	8.00	.500	
		95% Confidence Interval for Mean	Lower Bound	6.82
			Upper Bound	9.18
		5% Trimmed Mean	8.00	
		Median	8.00	
		Variance	2.000	
		Std. Deviation	1.414	
		Minimum	6	

		Maximum	10	
		Range	4	
		Interquartile Range	2	
		Skewness	.000	.752
		Kurtosis	-1.643	1.481
P3 (Jahe merah + Bee Pollen)	Mean	8.63	.498	
	95% Confidence Interval for Mean	Lower Bound	7.45	
		Upper Bound	9.80	
	5% Trimmed Mean	8.58		
	Median	8.50		
	Variance	1.982		
	Std. Deviation	1.408		
	Minimum	7		
	Maximum	11		
	Range	4		
P4 (Daun kelor + Jahe merah + Bee pollen)	Interquartile Range	3		
	Skewness	.480	.752	
	Kurtosis	-.564	1.481	
	Mean	9.88	.441	
	95% Confidence Interval for Mean	Lower Bound	8.83	
		Upper Bound	10.92	
	5% Trimmed Mean	9.86		
	Median	10.00		
	Variance	1.554		
	Std. Deviation	1.246		
Climb.8	Minimum	8		
	Maximum	12		
	Range	4		
	Interquartile Range	2		
	Skewness	.304	.752	
	Kurtosis	.146	1.481	
	P0 (pakan standar)	Mean	5.20	.583
	95% Confidence Interval for Mean	Lower Bound	3.58	
		Upper Bound	6.82	
	5% Trimmed Mean	5.17		

	Interquartile Range	3	
	Skewness	.541	.913
	Kurtosis	-1.488	2.000
P1 (Daun kelor + jahe merah)	Mean	16.38	.375
	95% Confidence Interval for Mean	Lower Bound	15.49
		Upper Bound	17.26
	5% Trimmed Mean	16.36	
	Median	16.50	
	Variance	1.125	
	Std. Deviation	1.061	
	Minimum	15	
	Maximum	18	
	Range	3	
	Interquartile Range	2	
	Skewness	-.045	.752
	Kurtosis	-.940	1.481
P2 (Daun kelor + Bee pollen)	Mean	17.13	.515
	95% Confidence Interval for Mean	Lower Bound	15.91
		Upper Bound	18.34
	5% Trimmed Mean	17.14	
	Median	17.00	
	Variance	2.125	
	Std. Deviation	1.458	
	Minimum	15	
	Maximum	19	
	Range	4	
	Interquartile Range	3	
	Skewness	.086	.752
	Kurtosis	-1.187	1.481
P3 (Jahe merah + Bee Pollen)	Mean	18.00	.655
	95% Confidence Interval for Mean	Lower Bound	16.45
		Upper Bound	19.55
	5% Trimmed Mean	17.94	
	Median	17.50	
	Variance	3.429	
	Std. Deviation	1.852	
	Minimum	16	
	Maximum	21	
	Range	5	
	Interquartile Range	4	
	Skewness	.540	.752

		Kurtosis	-1.050	1.481
P4 (Daun kelor + Jahe merah + Bee pollen)		Mean	28.00	.567
		95% Confidence Interval for Mean	Lower Bound	26.66
			Upper Bound	29.34
		5% Trimmed Mean		27.94
		Median		27.50
		Variance		2.571
		Std. Deviation		1.604
		Minimum		26
		Maximum		31
		Range		5
		Interquartile Range		2
		Skewness		.831 .752
		Kurtosis		.389 1.481
Climb.15	P0 (pakan standar)	Mean	7.80	.583
		95% Confidence Interval for Mean	Lower Bound	6.18
			Upper Bound	9.42
		5% Trimmed Mean		7.83
		Median		8.00
		Variance		1.700
		Std. Deviation		1.304
		Minimum		6
		Maximum		9
		Range		3
		Interquartile Range		3
		Skewness		-.541 .913
		Kurtosis		-1.488 2.000
	P1 (Daun kelor + jahe merah)	Mean	25.38	.885
		95% Confidence Interval for Mean	Lower Bound	23.28
			Upper Bound	27.47
		5% Trimmed Mean		25.42
		Median		25.50
		Variance		6.268
		Std. Deviation		2.504
		Minimum		21
		Maximum		29
		Range		8
		Interquartile Range		4
		Skewness		-.495 .752
		Kurtosis		.205 1.481
	P2 (Daun kelor + Bee pollen)	Mean	28.00	.681

		95% Confidence Interval for Mean	Lower Bound	26.39	
		Upper Bound		29.61	
		5% Trimmed Mean		28.06	
		Median		28.00	
		Variance		3.714	
		Std. Deviation		1.927	
		Minimum		25	
		Maximum		30	
		Range		5	
		Interquartile Range		4	
		Skewness		-.319	.752
		Kurtosis		-1.272	1.481
P3 (Jahe merah + Bee Pollen)	Mean			28.25	.526
	95% Confidence Interval for Mean	Lower Bound		27.01	
	Upper Bound			29.49	
	5% Trimmed Mean			28.28	
	Median			28.50	
	Variance			2.214	
	Std. Deviation			1.488	
	Minimum			26	
	Maximum			30	
	Range			4	
	Interquartile Range			3	
	Skewness			-.217	.752
	Kurtosis			-1.410	1.481
P4 (Daun kelor + Jahe merah + Bee pollen)	Mean			37.13	.549
	95% Confidence Interval for Mean	Lower Bound		35.83	
	Upper Bound			38.42	
	5% Trimmed Mean			37.14	
	Median			37.00	
	Variance			2.411	
	Std. Deviation			1.553	
	Minimum			35	
	Maximum			39	
	Range			4	
	Interquartile Range			3	
	Skewness			-.272	.752
	Kurtosis			-1.001	1.481
Climb.Total	P0 (pakan standar)	Mean		16.20	1.562
	95% Confidence Interval for Mean	Lower Bound		11.86	
	Upper Bound			20.54	

	5% Trimmed Mean	16.17	
	Median	16.00	
	Variance	12.200	
	Std. Deviation	3.493	
	Minimum	12	
	Maximum	21	
	Range	9	
	Interquartile Range	7	
	Skewness	.310	.913
	Kurtosis	-.644	2.000
P1 (Daun kelor + jahe merah)	Mean	49.50	1.376
	95% Confidence Interval for Mean	Lower Bound	46.25
		Upper Bound	52.75
	5% Trimmed Mean	49.50	
	Median	48.50	
	Variance	15.143	
	Std. Deviation	3.891	
	Minimum	44	
	Maximum	55	
	Range	11	
	Interquartile Range	7	
	Skewness	.194	.752
	Kurtosis	-1.317	1.481
P2 (Daun kelor + Bee pollen)	Mean	53.13	.693
	95% Confidence Interval for Mean	Lower Bound	51.49
		Upper Bound	54.76
	5% Trimmed Mean	53.08	
	Median	52.50	
	Variance	3.839	
	Std. Deviation	1.959	
	Minimum	51	
	Maximum	56	
	Range	5	
	Interquartile Range	4	
	Skewness	.377	.752
	Kurtosis	-1.713	1.481
P3 (Jahe merah + Bee Pollen)	Mean	54.88	1.109
	95% Confidence Interval for Mean	Lower Bound	52.25
		Upper Bound	57.50
	5% Trimmed Mean	54.92	
	Median	56.00	

		Variance	9.839	
		Std. Deviation	3.137	
		Minimum	50	
		Maximum	59	
		Range	9	
		Interquartile Range	5	
		Skewness	-.439	.752
		Kurtosis	-1.235	1.481
	P4 (Daun kelor + Jahe merah + Bee pollen)	Mean	75.00	1.086
		95% Confidence Interval for Mean	Lower Bound	72.43
			Upper Bound	77.57
		5% Trimmed Mean	75.00	
		Median	75.50	
		Variance	9.429	
		Std. Deviation	3.071	
		Minimum	70	
		Maximum	80	
		Range	10	
		Interquartile Range	4	
		Skewness	-.118	.752
		Kurtosis	.307	1.481
Coit.1	P0 (pakan standar)	Mean	1.00	.447
		95% Confidence Interval for Mean	Lower Bound	-.24
			Upper Bound	2.24
		5% Trimmed Mean	1.00	
		Median	1.00	
		Variance	1.000	
		Std. Deviation	1.000	
		Minimum	0	
		Maximum	2	
		Range	2	
		Interquartile Range	2	
		Skewness	.000	.913
		Kurtosis	-3.000	2.000
	P1 (Daun kelor + jahe merah)	Mean	.75	.250
		95% Confidence Interval for Mean	Lower Bound	.16
			Upper Bound	1.34
		5% Trimmed Mean	.72	
		Median	1.00	
		Variance	.500	
		Std. Deviation	.707	

	Minimum	0	
	Maximum	2	
	Range	2	
	Interquartile Range	1	
	Skewness	.404	.752
	Kurtosis	-.229	1.481
P2 (Daun kelor + Bee pollen)	Mean	1.13	.398
	95% Confidence Interval for Mean	Lower Bound	.18
		Upper Bound	2.07
	5% Trimmed Mean	1.08	
	Median	1.00	
	Variance	1.268	
	Std. Deviation	1.126	
	Minimum	0	
	Maximum	3	
	Range	3	
	Interquartile Range	2	
	Skewness	.488	.752
	Kurtosis	-.989	1.481
P3 (Jahe merah + Bee Pollen)	Mean	1.00	.267
	95% Confidence Interval for Mean	Lower Bound	.37
		Upper Bound	1.63
	5% Trimmed Mean	1.00	
	Median	1.00	
	Variance	.571	
	Std. Deviation	.756	
	Minimum	0	
	Maximum	2	
	Range	2	
	Interquartile Range	2	
	Skewness	.000	.752
	Kurtosis	-.700	1.481
P4 (Daun kelor + Jahe merah + Bee pollen)	Mean	1.00	.267
	95% Confidence Interval for Mean	Lower Bound	.37
		Upper Bound	1.63
	5% Trimmed Mean	1.00	
	Median	1.00	
	Variance	.571	
	Std. Deviation	.756	
	Minimum	0	
	Maximum	2	

		Range	2	
		Interquartile Range	2	
		Skewness	.000	.752
		Kurtosis	-.700	1.481
Coit.8	P0 (pakan standar)	Mean	.60	.400
		95% Confidence Interval for Mean Lower Bound	-.51	
		Upper Bound	1.71	
		5% Trimmed Mean	.56	
		Median	.00	
		Variance	.800	
		Std. Deviation	.894	
		Minimum	0	
		Maximum	2	
		Range	2	
		Interquartile Range	2	
		Skewness	1.258	.913
		Kurtosis	.312	2.000
		Mean	2.75	.366
		95% Confidence Interval for Mean Lower Bound	1.88	
P1 (Daun kelor + jahe merah)	P1 (Daun kelor + jahe merah)	Upper Bound	3.62	
		5% Trimmed Mean	2.78	
		Median	3.00	
		Variance	1.071	
		Std. Deviation	1.035	
		Minimum	1	
		Maximum	4	
		Range	3	
		Interquartile Range	2	
		Skewness	-.386	.752
		Kurtosis	-.448	1.481
		Mean	2.63	.420
		95% Confidence Interval for Mean Lower Bound	1.63	
		Upper Bound	3.62	
P2 (Daun kelor + Bee pollen)	P2 (Daun kelor + Bee pollen)	5% Trimmed Mean	2.64	
		Median	3.00	
		Variance	1.411	
		Std. Deviation	1.188	
		Minimum	1	
		Maximum	4	
		Range	3	
		Interquartile Range	3	

	Skewness	-.394	.752	
	Kurtosis	-1.229	1.481	
P3 (Jahe merah + Bee Pollen)	Mean	4.38	.420	
	95% Confidence Interval for Mean	Lower Bound	3.38	
		Upper Bound	5.37	
	5% Trimmed Mean	4.42		
	Median	4.50		
	Variance	1.411		
	Std. Deviation	1.188		
	Minimum	2		
	Maximum	6		
	Range	4		
	Interquartile Range	1		
	Skewness	-.970	.752	
	Kurtosis	1.872	1.481	
P4 (Daun kelor + Jahe merah + Bee pollen)	Mean	3.88	.639	
	95% Confidence Interval for Mean	Lower Bound	2.36	
		Upper Bound	5.39	
	5% Trimmed Mean	3.92		
	Median	4.00		
	Variance	3.268		
	Std. Deviation	1.808		
	Minimum	1		
	Maximum	6		
	Range	5		
	Interquartile Range	4		
	Skewness	-.336	.752	
	Kurtosis	-.930	1.481	
TranformCoit.15	P0 (pakan standar)	Mean	.1204	.07374
	95% Confidence Interval for Mean	Lower Bound	-.0843	
		Upper Bound	.3251	
	5% Trimmed Mean	.1171		
	Median	.0000		
	Variance	.027		
	Std. Deviation	.16488		
	Minimum	.00		
	Maximum	.30		
	Range	.30		
	Interquartile Range	.30		
	Skewness	.609	.913	
	Kurtosis	-3.333	2.000	

P1 (Daun kelor + jahe merah)	Mean	.4544	.07734
	95% Confidence Interval for Mean	Lower Bound	.2716
		Upper Bound	.6373
	5% Trimmed Mean	.4661	
	Median	.4771	
	Variance	.048	
	Std. Deviation	.21875	
	Minimum	.00	
	Maximum	.70	
	Range	.70	
	Interquartile Range	.26	
	Skewness	-1.390	.752
	Kurtosis	2.246	1.481
P2 (Daun kelor + Bee pollen)	Mean	.4921	.05012
	95% Confidence Interval for Mean	Lower Bound	.3736
		Upper Bound	.6106
	5% Trimmed Mean	.4912	
	Median	.4771	
	Variance	.020	
	Std. Deviation	.14176	
	Minimum	.30	
	Maximum	.70	
	Range	.40	
	Interquartile Range	.26	
	Skewness	-1.163	.752
	Kurtosis	-.834	1.481
P3 (Jahe merah + Bee Pollen)	Mean	.6934	.05855
	95% Confidence Interval for Mean	Lower Bound	.5550
		Upper Bound	.8319
	5% Trimmed Mean	.6938	
	Median	.6990	
	Variance	.027	
	Std. Deviation	.16560	
	Minimum	.48	
	Maximum	.90	
	Range	.43	
	Interquartile Range	.34	
	Skewness	-.202	.752
	Kurtosis	-1.508	1.481
P4 (Daun kelor + Jahe merah + Bee pollen)	Mean	.5585	.10268
	95% Confidence Interval for Mean	Lower Bound	.3157

		Upper Bound	.8014	
		5% Trimmed Mean	.5737	
		Median	.6505	
		Variance	.084	
		Std. Deviation	.29044	
		Minimum	.00	
		Maximum	.85	
		Range	.85	
		Interquartile Range	.46	
		Skewness	-1.082	.752
		Kurtosis	.691	1.481
TranformCoit.Total	P0 (pakan standar)	Mean	.3612	.11264
		95% Confidence Interval for Mean Lower Bound	.0485	
		Upper Bound	.6740	
		5% Trimmed Mean	.3679	
		Median	.3010	
		Variance	.063	
		Std. Deviation	.25186	
		Minimum	.00	
		Maximum	.60	
		Range	.60	
		Interquartile Range	.45	
		Skewness	-.512	.913
		Kurtosis	-.612	2.000
P1 (Daun kelor + jahe merah)		Mean	.7995	.05310
		95% Confidence Interval for Mean Lower Bound	.6739	
		Upper Bound	.9250	
		5% Trimmed Mean	.8019	
		Median	.8406	
		Variance	.023	
		Std. Deviation	.15018	
		Minimum	.60	
		Maximum	.95	
		Range	.35	
		Interquartile Range	.32	
		Skewness	-.381	.752
		Kurtosis	-1.855	1.481
P2 (Daun kelor + Bee pollen)		Mean	.8429	.01672
		95% Confidence Interval for Mean Lower Bound	.8033	

		Upper Bound	.8824
	5% Trimmed Mean		.8431
	Median		.8451
	Variance		.002
	Std. Deviation		.04728
	Minimum		.78
	Maximum		.90
	Range		.12
	Interquartile Range		.09
	Skewness		-.189 .752
	Kurtosis		-.689 1.481
P3 (Jahe merah + Bee Pollen)	Mean		1.0080 .05089
	95% Confidence Interval for Mean	Lower Bound	.8877
		Upper Bound	1.1284
	5% Trimmed Mean		1.0175
	Median		1.0414
	Variance		.021
	Std. Deviation		.14394
	Minimum		.70
	Maximum		1.15
	Range		.45
	Interquartile Range		.16
	Skewness		-.1581 .752
	Kurtosis		2.894 1.481
P4 (Daun kelor + Jahe merah + Bee pollen)	Mean		.9073 .08731
	95% Confidence Interval for Mean	Lower Bound	.7009
		Upper Bound	1.1138
	5% Trimmed Mean		.9163
	Median		.9771
	Variance		.061
	Std. Deviation		.24696
	Minimum		.48
	Maximum		1.18
	Range		.70
	Interquartile Range		.43
	Skewness		-.928 .752
	Kurtosis		-.147 1.481

Tests of Normality

Kelompok	Kolmogorov-Smirnov ^a			Shapiro-Wilk			
	Statistic	df	Sig.	Statistic	df	Sig.	
Intro.1	P0 (pakan standar)	.221	5	.200*	.902	5	.421
	P1 (Daun kelor + jahe merah)	.220	8	.200*	.917	8	.408
	P2 (Daun kelor + Bee pollen)	.193	8	.200*	.920	8	.428
	P3 (Jahe merah + Bee Pollen)	.192	8	.200*	.948	8	.690
	P4 (Daun kelor + Jahe merah + Bee pollen)	.205	8	.200*	.931	8	.522
Intro.8	P0 (pakan standar)	.372	5	.022	.828	5	.135
	P1 (Daun kelor + jahe merah)	.221	8	.200*	.938	8	.592
	P2 (Daun kelor + Bee pollen)	.240	8	.195	.858	8	.114
	P3 (Jahe merah + Bee Pollen)	.214	8	.200*	.953	8	.741
	P4 (Daun kelor + Jahe merah + Bee pollen)	.128	8	.200*	.983	8	.975
Intro.15	P0 (pakan standar)	.300	5	.161	.833	5	.146
	P1 (Daun kelor + jahe merah)	.104	8	.200*	.984	8	.978
	P2 (Daun kelor + Bee pollen)	.202	8	.200*	.939	8	.603
	P3 (Jahe merah + Bee Pollen)	.162	8	.200*	.952	8	.731
	P4 (Daun kelor + Jahe merah + Bee pollen)	.280	8	.064	.912	8	.369
Intro.Total	P0 (pakan standar)	.198	5	.200*	.951	5	.742
	P1 (Daun kelor + jahe merah)	.189	8	.200*	.918	8	.418
	P2 (Daun kelor + Bee pollen)	.181	8	.200*	.923	8	.454
	P3 (Jahe merah + Bee Pollen)	.223	8	.200*	.871	8	.156
	P4 (Daun kelor + Jahe merah + Bee pollen)	.252	8	.143	.826	8	.054
Climb.1	P0 (pakan standar)	.221	5	.200*	.902	5	.421
	P1 (Daun kelor + jahe merah)	.240	8	.195	.858	8	.114
	P2 (Daun kelor + Bee pollen)	.260	8	.118	.883	8	.201
	P3 (Jahe merah + Bee Pollen)	.171	8	.200*	.934	8	.557
	P4 (Daun kelor + Jahe merah + Bee pollen)	.210	8	.200*	.958	8	.792
Climb.8	P0 (pakan standar)	.221	5	.200*	.902	5	.421
	P1 (Daun kelor + jahe merah)	.222	8	.200*	.912	8	.366
	P2 (Daun kelor + Bee pollen)	.159	8	.200*	.930	8	.516
	P3 (Jahe merah + Bee Pollen)	.205	8	.200*	.919	8	.424
	P4 (Daun kelor + Jahe merah + Bee pollen)	.234	8	.200*	.918	8	.413
Climb.15	P0 (pakan standar)	.221	5	.200*	.902	5	.421
	P1 (Daun kelor + jahe merah)	.190	8	.200*	.967	8	.870

	P2 (Daun kelor + Bee pollen)	.225	8	.200*	.892	8	.244
	P3 (Jahe merah + Bee Pollen)	.193	8	.200*	.920	8	.428
	P4 (Daun kelor + Jahe merah + Bee pollen)	.218	8	.200*	.883	8	.202
Climb.Total	P0 (pakan standar)	.136	5	.200*	.989	5	.976
	P1 (Daun kelor + jahe merah)	.240	8	.197	.927	8	.493
	P2 (Daun kelor + Bee pollen)	.217	8	.200*	.883	8	.203
	P3 (Jahe merah + Bee Pollen)	.265	8	.103	.907	8	.332
	P4 (Daun kelor + Jahe merah + Bee pollen)	.132	8	.200*	.979	8	.958
Coit.1	P0 (pakan standar)	.241	5	.200*	.821	5	.119
	P1 (Daun kelor + jahe merah)	.263	8	.109	.827	8	.056
	P2 (Daun kelor + Bee pollen)	.216	8	.200*	.882	8	.197
	P3 (Jahe merah + Bee Pollen)	.250	8	.150	.849	8	.093
	P4 (Daun kelor + Jahe merah + Bee pollen)	.250	8	.150	.849	8	.093
Coit.8	P0 (pakan standar)	.349	5	.046	.771	5	.060
	P1 (Daun kelor + jahe merah)	.220	8	.200*	.917	8	.408
	P2 (Daun kelor + Bee pollen)	.249	8	.155	.875	8	.168
	P3 (Jahe merah + Bee Pollen)	.251	8	.147	.892	8	.245
	P4 (Daun kelor + Jahe merah + Bee pollen)	.153	8	.200*	.941	8	.626
TranformCoit.15	P0 (pakan standar)	.367	5	.026	.684	5	.065
	P1 (Daun kelor + jahe merah)	.291	8	.044	.871	8	.153
	P2 (Daun kelor + Bee pollen)	.208	8	.200*	.910	8	.357
	P3 (Jahe merah + Bee Pollen)	.195	8	.200*	.905	8	.317
	P4 (Daun kelor + Jahe merah + Bee pollen)	.186	8	.200*	.897	8	.271
TranformCoit.Total	P0 (pakan standar)	.231	5	.200*	.881	5	.314
	P1 (Daun kelor + jahe merah)	.255	8	.135	.854	8	.106
	P2 (Daun kelor + Bee pollen)	.269	8	.092	.847	8	.088
	P3 (Jahe merah + Bee Pollen)	.229	8	.200*	.840	8	.075
	P4 (Daun kelor + Jahe merah + Bee pollen)	.243	8	.181	.885	8	.209

*. This is a lower bound of the true significance.

a. Lilliefors Significance Correction

Oneway

ANOVA

		Sum of Squares	df	Mean Square	F	Sig.
Intro.1	Between Groups	168.000	4	42.000	28.269	.000
	Within Groups	52.000	35	1.486		
	Total	220.000	39			
Intro.8	Between Groups	2021.650	4	505.412	291.184	.000
	Within Groups	60.750	35	1.736		
	Total	2082.400	39			
Intro.15	Between Groups	2848.100	4	712.025	202.609	.000
	Within Groups	123.000	35	3.514		
	Total	2971.100	39			
Intro.Total	Between Groups	12367.900	4	3091.975	325.961	.000
	Within Groups	332.000	35	9.486		
	Total	12699.900	39			
Climb.1	Between Groups	193.850	4	48.463	30.222	.000
	Within Groups	56.125	35	1.604		
	Total	249.975	39			
Climb.8	Between Groups	2083.650	4	520.912	252.345	.000
	Within Groups	72.250	35	2.064		
	Total	2155.900	39			
Climb.15	Between Groups	3745.850	4	936.463	297.627	.000
	Within Groups	110.125	35	3.146		
	Total	3855.975	39			
Climb.Total	Between Groups	14380.250	4	3595.063	391.680	.000
	Within Groups	321.250	35	9.179		
	Total	14701.500	39			
Coit.8	Between Groups	50.900	4	12.725	7.549	.000
	Within Groups	59.000	35	1.686		
	Total	109.900	39			
TranformCoit.15	Between Groups	1.062	4	.265	6.214	.001
	Within Groups	1.367	32	.043		
	Total	2.429	36			
TranformCoit.Total	Between Groups	1.741	4	.435	14.326	.000
	Within Groups	1.063	35	.030		
	Total	2.804	39			

Post Hoc Tests

Multiple Comparisons

LSD

Dependent Variable	(I) Kelompok	(J) Kelompok	Mean Difference (I-J)	Std. Error	Sig.	95% Confidence Interval	
						Lower Bound	Upper Bound
Intro.1	P0 (pakan standar)	P1 (Daun kelor + jahe merah)	-4.000*	.609	.000	-5.24	-2.76
		P2 (Daun kelor + Bee pollen)	-4.000*	.609	.000	-5.24	-2.76
		P3 (Jahe merah + Bee Pollen)	-4.500*	.609	.000	-5.74	-3.26
		P4 (Daun kelor + Jahe merah + Bee pollen)	-6.250*	.609	.000	-7.49	-5.01
	P1 (Daun kelor + jahe merah)	P0 (pakan standar)	4.000*	.609	.000	2.76	5.24
		P2 (Daun kelor + Bee pollen)	.000	.609	1.000	-1.24	1.24
		P3 (Jahe merah + Bee Pollen)	-.500	.609	.418	-1.74	.74
		P4 (Daun kelor + Jahe merah + Bee pollen)	-2.250*	.609	.001	-3.49	-1.01
	P2 (Daun kelor + Bee pollen)	P0 (pakan standar)	4.000*	.609	.000	2.76	5.24
		P1 (Daun kelor + jahe merah)	.000	.609	1.000	-1.24	1.24
		P3 (Jahe merah + Bee Pollen)	-.500	.609	.418	-1.74	.74
		P4 (Daun kelor + Jahe merah + Bee pollen)	-2.250*	.609	.001	-3.49	-1.01
	P3 (Jahe merah + Bee Pollen)	P0 (pakan standar)	4.500*	.609	.000	3.26	5.74
		P1 (Daun kelor + jahe merah)	.500	.609	.418	-.74	1.74
		P2 (Daun kelor + Bee pollen)	.500	.609	.418	-.74	1.74
		P4 (Daun kelor + Jahe merah + Bee pollen)	-1.750*	.609	.007	-2.99	-.51
	P4 (Daun kelor + Jahe merah + Bee pollen)	P0 (pakan standar)	6.250*	.609	.000	5.01	7.49
		P1 (Daun kelor + jahe merah)	2.250*	.609	.001	1.01	3.49
		P2 (Daun kelor + Bee pollen)	2.250*	.609	.001	1.01	3.49
		P3 (Jahe merah + Bee Pollen)	1.750*	.609	.007	.51	2.99

Intro.8	P0 (pakan standar)	P1 (Daun kelor + jahe merah)	-12.375*	.659	.000	-13.71	-11.04
		P2 (Daun kelor + Bee pollen)	-13.375*	.659	.000	-14.71	-12.04
		P3 (Jahe merah + Bee Pollen)	-14.250*	.659	.000	-15.59	-12.91
		P4 (Daun kelor + Jahe merah + Bee pollen)	-22.125*	.659	.000	-23.46	-20.79
		P0 (pakan standar)	12.375*	.659	.000	11.04	13.71
merah)		P2 (Daun kelor + Bee pollen)	-1.000	.659	.138	-2.34	.34
		P3 (Jahe merah + Bee Pollen)	-1.875*	.659	.007	-3.21	-.54
		P4 (Daun kelor + Jahe merah + Bee pollen)	-9.750*	.659	.000	-11.09	-8.41
		P0 (pakan standar)	13.375*	.659	.000	12.04	14.71
		P1 (Daun kelor + jahe merah)	1.000	.659	.138	-.34	2.34
Pollen)		P3 (Jahe merah + Bee Pollen)	-.875	.659	.193	-2.21	.46
		P4 (Daun kelor + Jahe merah + Bee pollen)	-8.750*	.659	.000	-10.09	-7.41
		P0 (pakan standar)	14.250*	.659	.000	12.91	15.59
		P1 (Daun kelor + jahe merah)	1.875*	.659	.007	.54	3.21
		P2 (Daun kelor + Bee pollen)	.875	.659	.193	-.46	2.21
P4 (Daun kelor + Jahe merah + Bee pollen)		P4 (Daun kelor + Jahe merah + Bee pollen)	-7.875*	.659	.000	-9.21	-6.54
		P0 (pakan standar)	22.125*	.659	.000	20.79	23.46
		P1 (Daun kelor + jahe merah)	9.750*	.659	.000	8.41	11.09
		P2 (Daun kelor + Bee pollen)	8.750*	.659	.000	7.41	10.09
		P3 (Jahe merah + Bee Pollen)	7.875*	.659	.000	6.54	9.21
Intro.15	P0 (pakan standar)	P1 (Daun kelor + jahe merah)	-14.625*	.937	.000	-16.53	-12.72
		P2 (Daun kelor + Bee pollen)	-16.625*	.937	.000	-18.53	-14.72
		P3 (Jahe merah + Bee Pollen)	-17.125*	.937	.000	-19.03	-15.22

	P4 (Daun kelor + Jahe merah + Bee pollen)	-26.125*	.937	.000	-28.03	-24.22	
P1 (Daun kelor + jahe merah)	P0 (pakan standar)	14.625*	.937	.000	12.72	16.53	
	P2 (Daun kelor + Bee pollen)	-2.000*	.937	.040	-3.90	-.10	
	P3 (Jahe merah + Bee Pollen)	-2.500*	.937	.012	-4.40	-.60	
	P4 (Daun kelor + Jahe merah + Bee pollen)	-11.500*	.937	.000	-13.40	-9.60	
P2 (Daun kelor + Bee pollen)	P0 (pakan standar)	16.625*	.937	.000	14.72	18.53	
	P1 (Daun kelor + jahe merah)	2.000*	.937	.040	.10	3.90	
	P3 (Jahe merah + Bee Pollen)	-.500	.937	.597	-2.40	1.40	
	P4 (Daun kelor + Jahe merah + Bee pollen)	-9.500*	.937	.000	-11.40	-7.60	
P3 (Jahe merah + Bee Pollen)	P0 (pakan standar)	17.125*	.937	.000	15.22	19.03	
	P1 (Daun kelor + jahe merah)	2.500*	.937	.012	.60	4.40	
	P2 (Daun kelor + Bee pollen)	.500	.937	.597	-1.40	2.40	
	P4 (Daun kelor + Jahe merah + Bee pollen)	-9.000*	.937	.000	-10.90	-7.10	
P4 (Daun kelor + Jahe merah + Bee pollen)	P0 (pakan standar)	26.125*	.937	.000	24.22	28.03	
	P1 (Daun kelor + jahe merah)	11.500*	.937	.000	9.60	13.40	
	P2 (Daun kelor + Bee pollen)	9.500*	.937	.000	7.60	11.40	
	P3 (Jahe merah + Bee Pollen)	9.000*	.937	.000	7.10	10.90	
Intro.Total	P0 (pakan standar)	P1 (Daun kelor + jahe merah)	-31.000*	1.540	.000	-34.13	-27.87
	P2 (Daun kelor + Bee pollen)	-34.000*	1.540	.000	-37.13	-30.87	
	P3 (Jahe merah + Bee Pollen)	-35.875*	1.540	.000	-39.00	-32.75	
	P4 (Daun kelor + Jahe merah + Bee pollen)	-54.500*	1.540	.000	-57.63	-51.37	
	P1 (Daun kelor + jahe merah)	P0 (pakan standar)	31.000*	1.540	.000	27.87	34.13
	P2 (Daun kelor + Bee pollen)	-3.000	1.540	.059	-6.13	.13	

	P3 (Jahe merah + Bee Pollen)	-4.875*	1.540	.003	-8.00	-1.75
	P4 (Daun kelor + Jahe merah + Bee pollen)	-23.500*	1.540	.000	-26.63	-20.37
P2 (Daun kelor + Bee pollen)	P0 (pakan standar)	34.000*	1.540	.000	30.87	37.13
	P1 (Daun kelor + jahe merah)	3.000	1.540	.059	-.13	6.13
	P3 (Jahe merah + Bee Pollen)	-1.875	1.540	.232	-5.00	1.25
	P4 (Daun kelor + Jahe merah + Bee pollen)	-20.500*	1.540	.000	-23.63	-17.37
P3 (Jahe merah + Bee Pollen)	P0 (pakan standar)	35.875*	1.540	.000	32.75	39.00
	P1 (Daun kelor + jahe merah)	4.875*	1.540	.003	1.75	8.00
	P2 (Daun kelor + Bee pollen)	1.875	1.540	.232	-1.25	5.00
	P4 (Daun kelor + Jahe merah + Bee pollen)	-18.625*	1.540	.000	-21.75	-15.50
P4 (Daun kelor + Jahe merah + Bee pollen)	P0 (pakan standar)	54.500*	1.540	.000	51.37	57.63
	P1 (Daun kelor + jahe merah)	23.500*	1.540	.000	20.37	26.63
	P2 (Daun kelor + Bee pollen)	20.500*	1.540	.000	17.37	23.63
	P3 (Jahe merah + Bee Pollen)	18.625*	1.540	.000	15.50	21.75
Climb.1	P0 (pakan standar)	P1 (Daun kelor + jahe merah)	-4.375*	.633	.000	-5.66
		P2 (Daun kelor + Bee pollen)	-4.625*	.633	.000	-5.91
		P3 (Jahe merah + Bee Pollen)	-5.250*	.633	.000	-6.54
		P4 (Daun kelor + Jahe merah + Bee pollen)	-6.500*	.633	.000	-7.79
P1 (Daun kelor + jahe merah)	P0 (pakan standar)	4.375*	.633	.000	3.09	5.66
		P2 (Daun kelor + Bee pollen)	-.250	.633	.695	-1.54
		P3 (Jahe merah + Bee Pollen)	-.875	.633	.176	-2.16
		P4 (Daun kelor + Jahe merah + Bee pollen)	-2.125*	.633	.002	-3.41
P2 (Daun kelor + Bee	P0 (pakan standar)	4.625*	.633	.000	3.34	5.91

		P1 (Daun kelor + jahe merah)	.250	.633	.695	-1.04	1.54
		P3 (Jahe merah + Bee Pollen)	-.625	.633	.330	-1.91	.66
		P4 (Daun kelor + Jahe merah + Bee pollen)	-1.875*	.633	.005	-3.16	-.59
	P3 (Jahe merah + Bee Pollen)	P0 (pakan standar)	5.250*	.633	.000	3.96	6.54
		P1 (Daun kelor + jahe merah)	.875	.633	.176	-.41	2.16
		P2 (Daun kelor + Bee pollen)	.625	.633	.330	-.66	1.91
		P4 (Daun kelor + Jahe merah + Bee pollen)	-1.250	.633	.056	-2.54	.04
	P4 (Daun kelor + Jahe merah + Bee pollen)	P0 (pakan standar)	6.500*	.633	.000	5.21	7.79
		P1 (Daun kelor + jahe merah)	2.125*	.633	.002	.84	3.41
		P2 (Daun kelor + Bee pollen)	1.875*	.633	.005	.59	3.16
		P3 (Jahe merah + Bee Pollen)	1.250	.633	.056	-.04	2.54
Climb.8	P0 (pakan standar)	P1 (Daun kelor + jahe merah)	-11.125*	.718	.000	-12.58	-9.67
		P2 (Daun kelor + Bee pollen)	-11.875*	.718	.000	-13.33	-10.42
		P3 (Jahe merah + Bee Pollen)	-12.750*	.718	.000	-14.21	-11.29
		P4 (Daun kelor + Jahe merah + Bee pollen)	-22.750*	.718	.000	-24.21	-21.29
	P1 (Daun kelor + jahe merah)	P0 (pakan standar)	11.125*	.718	.000	9.67	12.58
		P2 (Daun kelor + Bee pollen)	-.750	.718	.304	-2.21	.71
		P3 (Jahe merah + Bee Pollen)	-1.625*	.718	.030	-3.08	-.17
		P4 (Daun kelor + Jahe merah + Bee pollen)	-11.625*	.718	.000	-13.08	-10.17
	P2 (Daun kelor + Bee pollen)	P0 (pakan standar)	11.875*	.718	.000	10.42	13.33
		P1 (Daun kelor + jahe merah)	.750	.718	.304	-.71	2.21
		P3 (Jahe merah + Bee Pollen)	-.875	.718	.231	-2.33	.58
		P4 (Daun kelor + Jahe merah + Bee pollen)	-10.875*	.718	.000	-12.33	-9.42

	P3 (Jahe merah + Bee Pollen)	P0 (pakan standar)	12.750*	.718	.000	11.29	14.21
		P1 (Daun kelor + jahe merah)	1.625*	.718	.030	.17	3.08
		P2 (Daun kelor + Bee pollen)	.875	.718	.231	-.58	2.33
		P4 (Daun kelor + Jahe merah + Bee pollen)	-10.000*	.718	.000	-11.46	-8.54
	P4 (Daun kelor + Jahe merah + Bee pollen)	P0 (pakan standar)	22.750*	.718	.000	21.29	24.21
		P1 (Daun kelor + jahe merah)	11.625*	.718	.000	10.17	13.08
		P2 (Daun kelor + Bee pollen)	10.875*	.718	.000	9.42	12.33
		P3 (Jahe merah + Bee Pollen)	10.000*	.718	.000	8.54	11.46
Climb.15	P0 (pakan standar)	P1 (Daun kelor + jahe merah)	-17.750*	.887	.000	-19.55	-15.95
		P2 (Daun kelor + Bee pollen)	-20.375*	.887	.000	-22.18	-18.57
		P3 (Jahe merah + Bee Pollen)	-20.625*	.887	.000	-22.43	-18.82
		P4 (Daun kelor + Jahe merah + Bee pollen)	-29.500*	.887	.000	-31.30	-27.70
	P1 (Daun kelor + jahe merah)	P0 (pakan standar)	17.750*	.887	.000	15.95	19.55
		P2 (Daun kelor + Bee pollen)	-2.625*	.887	.005	-4.43	-.82
		P3 (Jahe merah + Bee Pollen)	-2.875*	.887	.003	-4.68	-1.07
		P4 (Daun kelor + Jahe merah + Bee pollen)	-11.750*	.887	.000	-13.55	-9.95
	P2 (Daun kelor + Bee pollen)	P0 (pakan standar)	20.375*	.887	.000	18.57	22.18
		P1 (Daun kelor + jahe merah)	2.625*	.887	.005	.82	4.43
		P3 (Jahe merah + Bee Pollen)	-.250	.887	.780	-2.05	1.55
		P4 (Daun kelor + Jahe merah + Bee pollen)	-9.125*	.887	.000	-10.93	-7.32
	P3 (Jahe merah + Bee Pollen)	P0 (pakan standar)	20.625*	.887	.000	18.82	22.43
		P1 (Daun kelor + jahe merah)	2.875*	.887	.003	1.07	4.68
		P2 (Daun kelor + Bee pollen)	.250	.887	.780	-1.55	2.05

	P4 (Daun kelor + Jahe merah + Bee pollen)	-8.875*	.887	.000	-10.68	-7.07
P4 (Daun kelor + Jahe merah + Bee pollen)	P0 (pakan standar)	29.500*	.887	.000	27.70	31.30
	P1 (Daun kelor + jahe merah)	11.750*	.887	.000	9.95	13.55
	P2 (Daun kelor + Bee pollen)	9.125*	.887	.000	7.32	10.93
	P3 (Jahe merah + Bee Pollen)	8.875*	.887	.000	7.07	10.68
Climb.Total	P0 (pakan standar)	P1 (Daun kelor + jahe merah)	-33.250*	1.515	.000	-36.33
	P2 (Daun kelor + Bee pollen)	-36.875*	1.515	.000	-39.95	-33.80
	P3 (Jahe merah + Bee Pollen)	-38.625*	1.515	.000	-41.70	-35.55
	P4 (Daun kelor + Jahe merah + Bee pollen)	-58.750*	1.515	.000	-61.83	-55.67
P1 (Daun kelor + jahe merah)	P0 (pakan standar)	33.250*	1.515	.000	30.17	36.33
	P2 (Daun kelor + Bee pollen)	-3.625*	1.515	.022	-6.70	-.55
	P3 (Jahe merah + Bee Pollen)	-5.375*	1.515	.001	-8.45	-2.30
	P4 (Daun kelor + Jahe merah + Bee pollen)	-25.500*	1.515	.000	-28.58	-22.42
P2 (Daun kelor + Bee pollen)	P0 (pakan standar)	36.875*	1.515	.000	33.80	39.95
	P1 (Daun kelor + jahe merah)	3.625*	1.515	.022	.55	6.70
	P3 (Jahe merah + Bee Pollen)	-1.750	1.515	.256	-4.83	1.33
	P4 (Daun kelor + Jahe merah + Bee pollen)	-21.875*	1.515	.000	-24.95	-18.80
P3 (Jahe merah + Bee Pollen)	P0 (pakan standar)	38.625*	1.515	.000	35.55	41.70
	P1 (Daun kelor + jahe merah)	5.375*	1.515	.001	2.30	8.45
	P2 (Daun kelor + Bee pollen)	1.750	1.515	.256	-1.33	4.83
	P4 (Daun kelor + Jahe merah + Bee pollen)	-20.125*	1.515	.000	-23.20	-17.05
P4 (Daun kelor + Jahe merah + Bee pollen)	P0 (pakan standar)	58.750*	1.515	.000	55.67	61.83
	P1 (Daun kelor + jahe merah)	25.500*	1.515	.000	22.42	28.58

		P2 (Daun kelor + Bee pollen)	21.875*	1.515	.000	18.80	24.95
		P3 (Jahe merah + Bee Pollen)	20.125*	1.515	.000	17.05	23.20
Coit.8	P0 (pakan standar)	P1 (Daun kelor + jahe merah)	-1.625*	.649	.017	-2.94	-.31
		P2 (Daun kelor + Bee pollen)	-1.500*	.649	.027	-2.82	-.18
		P3 (Jahe merah + Bee Pollen)	-3.250*	.649	.000	-4.57	-1.93
		P4 (Daun kelor + Jahe merah + Bee pollen)	-2.750*	.649	.000	-4.07	-1.43
	P1 (Daun kelor + jahe merah)	P0 (pakan standar)	1.625*	.649	.017	.31	2.94
		P2 (Daun kelor + Bee pollen)	.125	.649	.848	-1.19	1.44
		P3 (Jahe merah + Bee Pollen)	-1.625*	.649	.017	-2.94	-.31
		P4 (Daun kelor + Jahe merah + Bee pollen)	-1.125	.649	.092	-2.44	.19
	P2 (Daun kelor + Bee pollen)	P0 (pakan standar)	1.500*	.649	.027	.18	2.82
		P1 (Daun kelor + jahe merah)	-.125	.649	.848	-1.44	1.19
		P3 (Jahe merah + Bee Pollen)	-1.750*	.649	.011	-3.07	-.43
		P4 (Daun kelor + Jahe merah + Bee pollen)	-1.250	.649	.062	-2.57	.07
	P3 (Jahe merah + Bee Pollen)	P0 (pakan standar)	3.250*	.649	.000	1.93	4.57
		P1 (Daun kelor + jahe merah)	1.625*	.649	.017	.31	2.94
		P2 (Daun kelor + Bee pollen)	1.750*	.649	.011	.43	3.07
		P4 (Daun kelor + Jahe merah + Bee pollen)	.500	.649	.446	-.82	1.82
	P4 (Daun kelor + Jahe merah + Bee pollen)	P0 (pakan standar)	2.750*	.649	.000	1.43	4.07
		P1 (Daun kelor + jahe merah)	1.125	.649	.092	-.19	2.44
		P2 (Daun kelor + Bee pollen)	1.250	.649	.062	-.07	2.57
		P3 (Jahe merah + Bee Pollen)	-.500	.649	.446	-1.82	.82
TranformCoit.15	P0 (pakan standar)	P1 (Daun kelor + jahe merah)	-.33402*	.11782	.008	-.5740	-.0940

	P2 (Daun kelor + Bee pollen)	-.37165*	.11782	.003	-.6116	-.1317
	P3 (Jahe merah + Bee Pollen)	-.57303*	.11782	.000	-.8130	-.3330
	P4 (Daun kelor + Jahe merah + Bee pollen)	-.43813*	.11782	.001	-.6781	-.1981
P1 (Daun kelor + jahe merah)	P0 (pakan standar)	.33402*	.11782	.008	.0940	.5740
	P2 (Daun kelor + Bee pollen)	-.03763	.10334	.718	-.2481	.1729
	P3 (Jahe merah + Bee Pollen)	-.23901*	.10334	.027	-.4495	-.0285
	P4 (Daun kelor + Jahe merah + Bee pollen)	-.10411	.10334	.321	-.3146	.1064
P2 (Daun kelor + Bee pollen)	P0 (pakan standar)	.37165*	.11782	.003	.1317	.6116
	P1 (Daun kelor + jahe merah)	.03763	.10334	.718	-.1729	.2481
	P3 (Jahe merah + Bee Pollen)	-.20138	.10334	.060	-.4119	.0091
	P4 (Daun kelor + Jahe merah + Bee pollen)	-.06648	.10334	.525	-.2770	.1440
P3 (Jahe merah + Bee Pollen)	P0 (pakan standar)	.57303*	.11782	.000	.3330	.8130
	P1 (Daun kelor + jahe merah)	.23901*	.10334	.027	.0285	.4495
	P2 (Daun kelor + Bee pollen)	.20138	.10334	.060	-.0091	.4119
	P4 (Daun kelor + Jahe merah + Bee pollen)	.13490	.10334	.201	-.0756	.3454
P4 (Daun kelor + Jahe merah + Bee pollen)	P0 (pakan standar)	.43813*	.11782	.001	.1981	.6781
	P1 (Daun kelor + jahe merah)	.10411	.10334	.321	-.1064	.3146
	P2 (Daun kelor + Bee pollen)	.06648	.10334	.525	-.1440	.2770
	P3 (Jahe merah + Bee Pollen)	-.13490	.10334	.201	-.3454	.0756
TranformCoit.Total	P0 (pakan standar)					
	P1 (Daun kelor + jahe merah)	-.40119*	.08715	.000	-.5781	-.2243
	P2 (Daun kelor + Bee pollen)	-.44456*	.08715	.000	-.6215	-.2676
	P3 (Jahe merah + Bee Pollen)	-.60973*	.08715	.000	-.7867	-.4328

	P4 (Daun kelor + Jahe merah + Bee pollen)	-.50904*	.08715	.000	-.6860	-.3321
P1 (Daun kelor + jahe merah)	P0 (pakan standar)	.40119*	.08715	.000	.2243	.5781
	P2 (Daun kelor + Bee pollen)	-.04337	.08715	.622	-.2203	.1335
	P3 (Jahe merah + Bee Pollen)	-.20854*	.08715	.022	-.3855	-.0316
	P4 (Daun kelor + Jahe merah + Bee pollen)	-.10785	.08715	.224	-.2848	.0691
P2 (Daun kelor + Bee pollen)	P0 (pakan standar)	.44456*	.08715	.000	.2676	.6215
	P1 (Daun kelor + jahe merah)	.04337	.08715	.622	-.1335	.2203
	P3 (Jahe merah + Bee Pollen)	-.16517	.08715	.066	-.3421	.0117
	P4 (Daun kelor + Jahe merah + Bee pollen)	-.06448	.08715	.464	-.2414	.1124
P3 (Jahe merah + Bee Pollen)	P0 (pakan standar)	.60973*	.08715	.000	.4328	.7867
	P1 (Daun kelor + jahe merah)	.20854*	.08715	.022	.0316	.3855
	P2 (Daun kelor + Bee pollen)	.16517	.08715	.066	-.0117	.3421
	P4 (Daun kelor + Jahe merah + Bee pollen)	.10069	.08715	.256	-.0762	.2776
P4 (Daun kelor + Jahe merah + Bee pollen)	P0 (pakan standar)	.50904*	.08715	.000	.3321	.6860
	P1 (Daun kelor + jahe merah)	.10785	.08715	.224	-.0691	.2848
	P2 (Daun kelor + Bee pollen)	.06448	.08715	.464	-.1124	.2414
	P3 (Jahe merah + Bee Pollen)	-.10069	.08715	.256	-.2776	.0762

*. The mean difference is significant at the 0.05 level.

T-Test

One-Sample Statistics

Kelompok		N	Mean	Std. Deviation	Std. Error Mean
P0 (pakan standar)	Intro.1	8	6.25	1.035	.366
	Intro.8	8	7.38	.916	.324
	Intro.15	8	12.75	1.282	.453
	Intro.Total	8	26.38	2.446	.865
P1 (Daun kelor + jahe merah)	Intro.1	8	10.25	1.035	.366
	Intro.8	8	19.75	1.282	.453
	Intro.15	8	27.38	2.669	.944
	Intro.Total	8	57.38	4.069	1.438
P2 (Daun kelor + Bee pollen)	Intro.1	8	10.25	1.488	.526
	Intro.8	8	20.75	1.165	.412
	Intro.15	8	29.38	1.923	.680
	Intro.Total	8	60.38	2.925	1.034
P3 (Jahe merah + Bee Pollen)	Intro.1	8	10.75	1.488	.526
	Intro.8	8	21.63	1.506	.532
	Intro.15	8	29.88	1.553	.549
	Intro.Total	8	62.25	3.012	1.065
P4 (Daun kelor + Jahe merah + Bee pollen)	Intro.1	8	12.50	.926	.327
	Intro.8	8	29.50	1.604	.567
	Intro.15	8	38.88	1.642	.581
	Intro.Total	8	80.88	2.696	.953

One-Sample Test

Kelompok		Test Value = 0			
		t	df	Sig. (2-tailed)	Mean Difference
P0 (pakan standar)	Intro.1	17.078	7	.000	6.250
	Intro.8	22.769	7	.000	7.375
	Intro.15	28.136	7	.000	12.750
	Intro.Total	30.501	7	.000	26.375
P1 (Daun kelor + jahe merah)	Intro.1	28.008	7	.000	10.250
	Intro.8	43.583	7	.000	19.750
	Intro.15	29.007	7	.000	27.375
	Intro.Total	39.886	7	.000	57.375
P2 (Daun kelor + Bee pollen)	Intro.1	19.483	7	.000	10.250
	Intro.8	50.379	7	.000	20.750
	Intro.15	43.215	7	.000	29.375
	Intro.Total	58.389	7	.000	60.375
P3 (Jahe merah + Bee Pollen)	Intro.1	20.433	7	.000	10.750

	Intro.8	40.616	7	.000	21.625
	Intro.15	54.423	7	.000	29.875
	Intro.Total	58.458	7	.000	62.250
P4 (Daun kelor + Jahe merah + Bee pollen)	Intro.1	38.188	7	.000	12.500
	Intro.8	52.033	7	.000	29.500
	Intro.15	66.961	7	.000	38.875
	Intro.Total	84.851	7	.000	80.875

One-Sample Test

Kelompok	Test Value = 0		
	95% Confidence Interval of the Difference		
	Lower	Upper	
P0 (pakan standar)	Intro.1	5.38	7.12
	Intro.8	6.61	8.14
	Intro.15	11.68	13.82
	Intro.Total	24.33	28.42
P1 (Daun kelor + jahe merah)	Intro.1	9.38	11.12
	Intro.8	18.68	20.82
	Intro.15	25.14	29.61
	Intro.Total	53.97	60.78
P2 (Daun kelor + Bee pollen)	Intro.1	9.01	11.49
	Intro.8	19.78	21.72
	Intro.15	27.77	30.98
	Intro.Total	57.93	62.82
P3 (Jahe merah + Bee Pollen)	Intro.1	9.51	11.99
	Intro.8	20.37	22.88
	Intro.15	28.58	31.17
	Intro.Total	59.73	64.77
P4 (Daun kelor + Jahe merah + Bee pollen)	Intro.1	11.73	13.27
	Intro.8	28.16	30.84
	Intro.15	37.50	40.25
	Intro.Total	78.62	83.13

T-Test

One-Sample Statistics

Kelompok	N	Mean	Std. Deviation	Std. Error Mean
P0 (pakan standar)	Climb.1	8	3.38	1.061
	Climb.8	8	5.25	.366

	Climb.15	8	7.63	1.061	.375
	Climb.Total	8	16.25	2.765	.977
P1 (Daun kelor + jahe merah)	Climb.1	8	7.75	1.165	.412
	Climb.8	8	16.38	1.061	.375
	Climb.15	8	25.38	2.504	.885
	Climb.Total	8	49.50	3.891	1.376
P2 (Daun kelor + Bee pollen)	Climb.1	8	8.00	1.414	.500
	Climb.8	8	17.13	1.458	.515
	Climb.15	8	28.00	1.927	.681
	Climb.Total	8	53.13	1.959	.693
P3 (Jahe merah + Bee Pollen)	Climb.1	8	8.63	1.408	.498
	Climb.8	8	18.00	1.852	.655
	Climb.15	8	28.25	1.488	.526
	Climb.Total	8	54.88	3.137	1.109
P4 (Daun kelor + Jahe merah + Bee pollen)	Climb.1	8	9.88	1.246	.441
	Climb.8	8	28.00	1.604	.567
	Climb.15	8	37.13	1.553	.549
	Climb.Total	8	75.00	3.071	1.086

One-Sample Test

Kelompok	Test Value = 0				
	t	df	Sig. (2-tailed)	Mean Difference	
P0 (pakan standar)	Climb.1	9.000	7	.000	3.375
	Climb.8	14.346	7	.000	5.250
	Climb.15	20.333	7	.000	7.625
	Climb.Total	16.625	7	.000	16.250
P1 (Daun kelor + jahe merah)	Climb.1	18.816	7	.000	7.750
	Climb.8	43.667	7	.000	16.375
	Climb.15	28.668	7	.000	25.375
	Climb.Total	35.979	7	.000	49.500
P2 (Daun kelor + Bee pollen)	Climb.1	16.000	7	.000	8.000
	Climb.8	33.227	7	.000	17.125
	Climb.15	41.093	7	.000	28.000
	Climb.Total	76.686	7	.000	53.125
P3 (Jahe merah + Bee Pollen)	Climb.1	17.328	7	.000	8.625
	Climb.8	27.495	7	.000	18.000
	Climb.15	53.697	7	.000	28.250
	Climb.Total	49.481	7	.000	54.875
P4 (Daun kelor + Jahe merah + Bee	Climb.1	22.409	7	.000	9.875

pollen)	Climb.8	49.387	7	.000	28.000
	Climb.15	67.630	7	.000	37.125
	Climb.Total	69.085	7	.000	75.000

One-Sample Test

Kelompok	Test Value = 0		
	95% Confidence Interval of the Difference		
	Lower	Upper	
P0 (pakan standar)	Climb.1	2.49	4.26
	Climb.8	4.38	6.12
	Climb.15	6.74	8.51
	Climb.Total	13.94	18.56
P1 (Daun kelor + jahe merah)	Climb.1	6.78	8.72
	Climb.8	15.49	17.26
	Climb.15	23.28	27.47
	Climb.Total	46.25	52.75
P2 (Daun kelor + Bee pollen)	Climb.1	6.82	9.18
	Climb.8	15.91	18.34
	Climb.15	26.39	29.61
	Climb.Total	51.49	54.76
P3 (Jahe merah + Bee Pollen)	Climb.1	7.45	9.80
	Climb.8	16.45	19.55
	Climb.15	27.01	29.49
	Climb.Total	52.25	57.50
P4 (Daun kelor + Jahe merah + Bee pollen)	Climb.1	8.83	10.92
	Climb.8	26.66	29.34
	Climb.15	35.83	38.42
	Climb.Total	72.43	77.57

T-Test

One-Sample Statistics

Kelompok	N	Mean	Std. Deviation	Std. Error Mean
P0 (pakan standar)	Coit.1	8	1.00	.756
	Coit.8	8	1.13	1.126
	Coit.15	8	.88	.835
	Coit.Total	8	2.75	1.165
P1 (Daun kelor + jahe merah)	Coit.1	8	.75	.707
	Coit.8	8	2.75	1.035
	Coit.15	8	3.13	1.246
	Coit.Total	8	6.63	2.134

P2 (Daun kelor + Bee pollen)	Coit.1	8	1.13	1.126	.398
	Coit.8	8	2.63	1.188	.420
	Coit.15	8	3.25	1.035	.366
	Coit.Total	8	7.00	.756	.267
P3 (Jahe merah + Bee Pollen)	Coit.1	8	1.00	.756	.267
	Coit.8	8	4.38	1.188	.420
	Coit.15	8	5.25	1.909	.675
	Coit.Total	8	10.63	2.925	1.034
P4 (Daun kelor + Jahe merah + Bee pollen)	Coit.1	8	1.00	.756	.267
	Coit.8	8	3.88	1.808	.639
	Coit.15	8	4.25	2.188	.773
	Coit.Total	8	9.13	4.224	1.493

One-Sample Test

Kelompok	Test Value = 0			
	t	df	Sig. (2-tailed)	Mean Difference
P0 (pakan standar)	Coit.1	3.742	7	.007
	Coit.8	2.826	7	.026
	Coit.15	2.966	7	.021
	Coit.Total	6.677	7	.000
P1 (Daun kelor + jahe merah)	Coit.1	3.000	7	.020
	Coit.8	7.514	7	.000
	Coit.15	7.091	7	.000
	Coit.Total	8.781	7	.000
P2 (Daun kelor + Bee pollen)	Coit.1	2.826	7	.026
	Coit.8	6.251	7	.000
	Coit.15	8.881	7	.000
	Coit.Total	26.192	7	.000
P3 (Jahe merah + Bee Pollen)	Coit.1	3.742	7	.007
	Coit.8	10.418	7	.000
	Coit.15	7.780	7	.000
	Coit.Total	10.275	7	.000
P4 (Daun kelor + Jahe merah + Bee pollen)	Coit.1	3.742	7	.007
	Coit.8	6.063	7	.001
	Coit.15	5.495	7	.001
	Coit.Total	6.111	7	.000

One-Sample Test

Kelompok	Test Value = 0		
	95% Confidence Interval of the Difference		
	Lower	Upper	
P0 (pakan standar)	Coit.1	.37	1.63
	Coit.8	.18	2.07
	Coit.15	.18	1.57
	Coit.Total	1.78	3.72
P1 (Daun kelor + jahe merah)	Coit.1	.16	1.34
	Coit.8	1.88	3.62
	Coit.15	2.08	4.17
	Coit.Total	4.84	8.41
P2 (Daun kelor + Bee pollen)	Coit.1	.18	2.07
	Coit.8	1.63	3.62
	Coit.15	2.38	4.12
	Coit.Total	6.37	7.63
P3 (Jahe merah + Bee Pollen)	Coit.1	.37	1.63
	Coit.8	3.38	5.37
	Coit.15	3.65	6.85
	Coit.Total	8.18	13.07
P4 (Daun kelor + Jahe merah + Bee pollen)	Coit.1	.37	1.63
	Coit.8	2.36	5.39
	Coit.15	2.42	6.08
	Coit.Total	5.59	12.66