

DAFTAR PUSTAKA

- Alexandrino-Junior, F., Silva, K.G.D.H.E., Freire, M.C.L.C., Lione, V.D.O.F., Cardoso, E.A., Marcelino, H.R., Genre, J., Oliveira, A.G.D., Egito, E.S.T.D., 2019. A Functional Wound Dressing as a Potential Treatment for Cutaneous Leishmaniasis. *Pharmaceutics* 11, 200. <https://doi.org/10.3390/pharmaceutics11050200>
- Alfuraydi, R., Alminderej, F., Mohamed, N., 2022. Evaluation of Antimicrobial and Anti-Biofilm Formation Activities of Novel Poly(vinyl alcohol) Hydrogels Reinforced with Crosslinked Chitosan and Silver Nano-Particles. *Polymers* 14, 1619. <https://doi.org/10.3390/polym14081619>
- Ananda, P.W.R., Elim, D., Zaman, H.S., Muslimin, W., Tunggeng, M.G.R., Permana, A.D., 2021. Combination of transdermal patches and solid microneedles for improved transdermal delivery of primaquine. *International Journal of Pharmaceutics* 609, 121204. <https://doi.org/10.1016/j.ijpharm.2021.121204>
- Bahr, M.N., Modi, D., Patel, S., Campbell, G., Stockdale, G., 2019. Understanding the Role of Sodium Lauryl Sulfate on the Biorelevant Solubility of a Combination of Poorly Water-Soluble Drugs Using High Throughput Experimentation and Mechanistic Absorption Modeling. *J Pharm Pharm Sci* 22, 221–246. <https://doi.org/10.18433/jpps30347>
- Bursali, E.A., Coskun, S., Kizil, M., Yurdakoc, M., 2011. Synthesis, characterization and in vitro antimicrobial activities of boron/starch/polyvinyl alcohol hydrogels. *Carbohydrate Polymers* 83, 1377–1383. <https://doi.org/10.1016/j.carbpol.2010.09.056>
- Corradini, V., Pajewski, L., Di Censo, D., Alecci, M., Galante, A., 2022. Characterization of a Novel Packaged Hydrogel Wound Dressing by 2.35 T Magnetic Resonance Imaging. *Electronics* 12, 188. <https://doi.org/10.3390/electronics12010188>
- De Campos, B.A., Da Silva, N.C.B., Moda, L.S., Vidinha, P., Maia-Obi, L.P., 2023. pH-Sensitive Degradable Oxalic Acid Crosslinked Hyperbranched Polyglycerol Hydrogel for Controlled Drug Release. *Polymers* 15, 1795. <https://doi.org/10.3390/polym15071795>
- Do Amaral Sobral, P.J., Gebremariam, G., Drudi, F., De Aguiar Saldanha Pinheiro, A.C., Romani, S., Rocculi, P., Dalla Rosa, M., 2022. Rheological and Viscoelastic Properties of Chitosan Solutions Prepared with Different Acetic Acid Concentrations. *Foods* 11, 2692. <https://doi.org/10.3390/foods11172692>
- Hamad, A.D.M., 2018. Synthesis, structural, thermal, optical and properties of chitosan biopolymer; influence of PVP and α -Fe₂O₃. *Polym Res* 25, 175. <https://doi.org/10.1007/s10965-018-1571-x>



Elhabal, S.F., Ghaffar, S.A., Hager, R., Elzohairy, N.A., Khalifa, M.M., Mohie, P.M., Gad, R.A., Omar, N.N., Elkomy, M.H., Khasawneh, M.A., Abdelaal, N., 2023. RETRACTED: Development of thermosensitive hydrogel of Amphotericin-B and Lactoferrin combination-loaded PLGA-PEG-PEI nanoparticles for potential eradication of ocular fungal infections: In-vitro, ex-vivo and in-vivo studies. International Journal of Pharmaceutics: X 5, 100174. <https://doi.org/10.1016/j.ijpx.2023.100174>

Elim, D., Fitri, A.M.N., Mahfud, M.A.S., Afika, N., Sultan, N.A.F., Hijrah, Asri, R.M., Permana, A.D., 2023. Hydrogel forming microneedle-mediated transdermal delivery of sildenafil citrate from polyethylene glycol reservoir: An ex vivo proof of concept study. Colloids and Surfaces B: Biointerfaces 222, 113018. <https://doi.org/10.1016/j.colsurfb.2022.113018>

Firlar, I., Altunbek, M., McCarthy, C., Ramalingam, M., Camci-Unal, G., 2022. Functional Hydrogels for Treatment of Chronic Wounds. Gels 8, 127. <https://doi.org/10.3390/gels8020127>

Fletes-Vargas, G., Espinosa-Andrews, H., Cervantes-Uc, J.M., Limón-Rocha, I., Luna-Bárcenas, G., Vázquez-Lepe, M., Morales-Hernández, N., Jiménez-Ávalos, J.A., Mejía-Torres, D.G., Ramos-Martínez, P., Rodríguez-Rodríguez, R., 2023. Porous Chitosan Hydrogels Produced by Physical Crosslinking: Physicochemical, Structural, and Cytotoxic Properties. Polymers 15, 2203. <https://doi.org/10.3390/polym15092203>

Gohil, J.M., Ray, P., 2009. Studies on Oxalic Acid as a Crosslinker of Polyvinyl Alcohol. Polymers and Polymer Composites 17, 403–410. <https://doi.org/10.1177/096739110901700702>

Gökmeşe, F., Uslu, İ., Aytımur, A., 2013. Preparation and Characterization of PVA/PVP Nanofibers as Promising Materials for Wound Dressing. Polymer-Plastics Technology and Engineering 52, 1259–1265. <https://doi.org/10.1080/03602559.2013.814144>

Gounden, V., Singh, M., 2024. Hydrogels and Wound Healing: Current and Future Prospects. Gels 10, 43. <https://doi.org/10.3390/gels10010043>

Hamidine, M., Heuzey, M.-C., Bégin, A., 2006. Viscoelastic properties of phosphoric and oxalic acid-based chitosan hydrogels. Rheol Acta 45, 659–675. <https://doi.org/10.1007/s00397-005-0024-8>

Haminiuk, C.W.I., Maciel, G.M., Plata-Oviedo, M.S.V., Quenehenn, A., Scheer, A.P., of the Rheological Parameters of Honey Using the Mitschka International Journal of Food Engineering 5. <https://doi.org/10.2202/1556-3758.1572>



Pengaruh Kitosan Terhadap Karakterisasi Hidrogel Film PVA Sifat Lokasi Pembalut Luka. technolog 22, 123. <https://doi.org/10.30595/techno.v22i2.11593>

- Hate, S.S., Thompson, S.A., Singaraju, A.B., 2025. Impact of sink conditions on drug release behavior of controlled-release formulations. *Journal of Pharmaceutical Sciences* 114, 520–529. <https://doi.org/10.1016/j.xphs.2024.10.032>
- Herculano, R.D., dos Reis, C.E., de Souza, S.M.B., Pegorin Brasil, G.S., Scontri, M., Kawakita, S., Carvalho, B.G., Bebber, C.C., Su, Y., de Sousa Abreu, A.P., Mecwan, M.M., Mandal, K., Fusco Almeida, A.M., Mendes Giannini, M.J.S., Guerra, N.B., Mussagy, C.U., Bosculo, M.R.M., Gemeinder, J.L.P., de Almeida, B.F.M., Floriano, J.F., Farhadi, N., Monirizad, M., Khorsandi, D., Nguyen, H.T., Gomez, A., Tirpáková, Z., Peirsman, A., da Silva Sasaki, J.C., He, S., Forster, S., Burd, B.S., Dokmeci, M.R., Terra-Garcia, M., Junqueira, J.C., de Mendonça, R.J., Cardoso, M.R., dos Santos, L.S., Silva, G.R., Barros, N.R., Jucaud, V., Li, B., 2024. Amphotericin B-loaded natural latex dressing for treating *Candida albicans* wound infections using *Galleria mellonella* model. *Journal of Controlled Release* 365, 744–758. <https://doi.org/10.1016/j.jconrel.2023.12.010>
- Himawan, A., Anjani, Q.K., Detamornrat, U., Vora, L.K., Permana, A.D., Ghanma, R., Naser, Y., Rahmawanty, D., Scott, C.J., Donnelly, R.F., 2023. Multifunctional low temperature-cured PVA/PVP/citric acid-based hydrogel forming microarray patches: Physicochemical characteristics and hydrophilic drug interaction. *European Polymer Journal* 186, 111836. <https://doi.org/10.1016/j.eurpolymj.2023.111836>
- Jain, N., Sharma, P., Verma, A., Gupta, J., 2024. Enhancement of thermo-mechanical, creep-recovery, and anti-microbial properties in PVA-based biodegradable films through cross-linking with oxalic acid: implications for packaging application. *Biomass Conv. Bioref.* 14, 26215–26224. <https://doi.org/10.1007/s13399-023-04748-y>
- Karoyo, A.H., Wilson, L.D., 2021. A Review on the Design and Hydration Properties of Natural Polymer-Based Hydrogels. *Materials* 14, 1095. <https://doi.org/10.3390/ma14051095>
- Kopač, T., Abrami, M., Grassi, M., Ručigaj, A., Krajnc, M., 2022. Polysaccharide-based hydrogels crosslink density equation: A rheological and LF-NMR study of polymer-polymer interactions. *Carbohydrate Polymers* 277, 118895. <https://doi.org/10.1016/j.carbpol.2021.118895>
- Korinth, G., Wellner, T., Schaller, K.H., Drexler, H., 2012. Potential of the octanol-water partition coefficient ($\log P$) to predict the dermal penetration behaviour of organic compounds in aqueous solutions. *Toxicology Letters* 215, 49–55. <https://doi.org/10.1016/j.toxlet.2012.09.013>
- Šulc, M., 2022. Rheological and Film-Forming Properties of Poly(ethylene Oxide)-Poly(acrylic Acid) Composites. *IJMS* 23, 8763. <https://doi.org/10.3390/ijms23158763>



- Liu, Y., Lang, C., Ding, Y., Sun, S., Sun, G., 2023. Chitosan with enhanced deprotonation for accelerated thermosensitive gelation with β -glycerophosphate. European Polymer Journal 196, 112229. <https://doi.org/10.1016/j.eurpolymj.2023.112229>
- Lu, J.X., Tupper, C., Gutierrez, A.V., Murray, J., 2024. Biochemistry, Dissolution and Solubility, in: StatPearls. StatPearls Publishing, Treasure Island (FL).
- Moghadas, B., Solouk, A., Sadeghi, D., 2021. Development of chitosan membrane using non-toxic crosslinkers for potential wound dressing applications. Polym. Bull. 78, 4919–4929. <https://doi.org/10.1007/s00289-020-03352-8>
- Mualim, E., Hukman, S.A.F., Siagian, J.R., Mantong, T.A., Dahlan, R.M., Permana, A.D., 2024. UV–Vis spectrophotometry for rapid and specific quantification of amphotericin B: analytical method validation for ex vivo and in vivo studies in the development of nanoemulsion-incorporated thermosensitive gel. ANAL. SCI. 40, 615–631. <https://doi.org/10.1007/s44211-023-00493-4>
- Nandiyanto, A.B.D., Ragadhita, R., Fiandini, M., 2022. Interpretation of Fourier Transform Infrared Spectra (FTIR): A Practical Approach in the Polymer/Plastic Thermal Decomposition. Indonesian J. Sci. Technol 8, 113–126. <https://doi.org/10.17509/ijost.v8i1.53297>
- Pérez-Calderón, J., Santos, M.V., Zaritzky, N., 2020. Synthesis, characterization and application of cross-linked chitosan/oxalic acid hydrogels to improve azo dye (Reactive Red 195) adsorption. Reactive and Functional Polymers 155, 104699. <https://doi.org/10.1016/j.reactfunctpolym.2020.104699>
- Phillips, D.J., Pygall, S.R., Cooper, V.B., Mann, J.C., 2012. Overcoming sink limitations in dissolution testing: a review of traditional methods and the potential utility of biphasic systems. Journal of Pharmacy and Pharmacology 64, 1549–1559. <https://doi.org/10.1111/j.2042-7158.2012.01523.x>
- Popescu, I., Constantin, M., Pelin, I.M., Suflet, D.M., Ichim, D.L., Daraba, O.M., Fundueanu, G., 2022. Eco-Friendly Synthesized PVA/Chitosan/Oxalic Acid Nanocomposite Hydrogels Embedding Silver Nanoparticles as Antibacterial Materials. Gels 8, 268. <https://doi.org/10.3390/gels8050268>
- Pruskowski, K.A., Mitchell, T.A., Kiley, J.L., Wellington, T., Britton, G.W., Cancio, L.C., 2021. Diagnosis and Management of Invasive Fungal Wound Infections in Burn Patients. European Burn Journal 2, 168–183. <https://doi.org/10.3390/ebj2040013>



R.P., Krishnan, L.K., Krishnan, K.V., 2017. In-Vitro Release Antimicrobial Property Evaluation of Ofloxacin Loaded Poly (2-Methacrylate) / Poly (Caprolactone) / Poly (Ethylene Glycol) system for Burn Wound Management. J. Drug Delivery Ther. 7, 13–[i.org/10.22270/jddt.v7i1.1351](https://doi.org/10.22270/jddt.v7i1.1351)

- Ribeiro, A.S., Costa, S.M., Ferreira, D.P., Calhelha, R.C., Barros, L., Stojković, D., Soković, M., Ferreira, I.C.F.R., Fangueiro, R., 2021. Chitosan/nanocellulose electrospun fibers with enhanced antibacterial and antifungal activity for wound dressing applications. *Reactive and Functional Polymers* 159, 104808. <https://doi.org/10.1016/j.reactfunctpolym.2020.104808>
- Safaraliyeva, S., Taghiyev, D., Zeynalov, N., 2024. Exploring Swelling Behaviour of Chitosan-Based Hydrogels in Diverse Environmental Conditions. *ajc* 36, 1067–1071. <https://doi.org/10.14233/ajchem.2024.31293>
- Sánchez-Cid, P., Jiménez-Rosado, M., Romero, A., Pérez-Puyana, V., 2022. Novel Trends in Hydrogel Development for Biomedical Applications: A Review. *Polymers* 14, 3023. <https://doi.org/10.3390/polym14153023>
- Schober, P., Boer, C., Schwarte, L.A., 2018. Correlation Coefficients: Appropriate Use and Interpretation. *Anesthesia & Analgesia* 126, 1763–1768. <https://doi.org/10.1213/ANE.0000000000002864>
- Siepmann, J., Siepmann, F., 2020. Sink conditions do not guarantee the absence of saturation effects. *International Journal of Pharmaceutics* 577, 119009. <https://doi.org/10.1016/j.ijpharm.2019.119009>
- Singh, A., Sharma, S., Yadagiri, G., Parvez, S., Gupta, R., Singhal, N.K., Koratkar, N., Singh, O.P., Sundar, S., Shanmugam, V., Mudavath, S.L., 2020. Sensible graphene oxide differentiates macrophages and *Leishmania*: a bio-nano interplay in attenuating intracellular parasite. *RSC Adv.* 10, 27502–27511. <https://doi.org/10.1039/D0RA04266H>
- Singh, B., Pal, L., 2012. Sterculia crosslinked PVA and PVA-poly(AAm) hydrogel wound dressings for slow drug delivery: Mechanical, mucoadhesive, biocompatible and permeability properties. *Journal of the Mechanical Behavior of Biomedical Materials* 9, 9–21. <https://doi.org/10.1016/j.jmbbm.2012.01.021>
- Siqueira, E.C.D., França, J.A.A.D., Souza, R.F.M.D., Leotério, D.M.D.S., Cordeiro, J.N., Doboszewski, B., 2023. Mechanisms of the chemical crosslinking to obtain the hydrogels: Synthesis, conditions of crosslinking and biopharmaceutical applications. *RSD* 12, e18312943072. <https://doi.org/10.33448/rsd-v12i8.43072>
- Soto, R., Patel, P., Albadarin, A.B., Diniz, M.O., Hudson, S.P., 2022. Solubility, aggregation and stability of Amphotericin B drug in pure organic solvents: Kinetic analysis and solid form characterization. *Journal of Solid State Science* 366, 120276. <https://doi.org/10.1016/j.molliq.2022.120276>
- va, T., Inoue, T., 1999. Preparation of new membranes by formation of itaconic acid-acrylamide copolymer with N-vinyl pyrrolidone: studies on gelation mechanism by light scattering. *Journal of Membrane Science* 157, 85–96. [https://doi.org/10.1016/S0376-7388\(98\)00122-7](https://doi.org/10.1016/S0376-7388(98)00122-7)



- Varma, R., Vasudevan, S., 2020. Extraction, Characterization, and Antimicrobial Activity of Chitosan from Horse Mussel *Modiolus modiolus*. ACS Omega 5, 20224–20230. <https://doi.org/10.1021/acsomega.0c01903>
- Wang, X., Mohammad, I.S., Fan, L., Zhao, Z., Nurunnabi, M., Sallam, M.A., Wu, J., Chen, Z., Yin, L., He, W., 2021a. Delivery strategies of amphotericin B for invasive fungal infections. Acta Pharmaceutica Sinica B 11, 2585–2604. <https://doi.org/10.1016/j.apsb.2021.04.010>
- Wang, X., Mohammad, I.S., Fan, L., Zhao, Z., Nurunnabi, M., Sallam, M.A., Wu, J., Chen, Z., Yin, L., He, W., 2021b. Delivery strategies of amphotericin B for invasive fungal infections. Acta Pharmaceutica Sinica B 11, 2585–2604. <https://doi.org/10.1016/j.apsb.2021.04.010>
- Yenny Harlantika, Noval, 2021. Formulasi dan Evaluasi Hidrogel Ekstrak Etanol Daun Gaharu (*Aquilaria malaccensis* Lamk.) dengan Kombinasi Basis Karbopol 940 dan HPMC K4M. Pharmasci 6, 37–46. <https://doi.org/10.53342/pharmasci.v6i1.208>
- Zagórska-Dziok, M., Sobczak, M., 2020. Hydrogel-Based Active Substance Release Systems for Cosmetology and Dermatology Application: A Review. Pharmaceutics 12, 396. <https://doi.org/10.3390/pharmaceutics12050396>



Optimized using
trial version
www.balesio.com