

DAFTAR PUSTAKA

- Aditya, P. E., Utami, M. N., & Multazam, A. (2022). Penatalaksanaan fisioterapi pada non hemorrhagic stroke: studi kasus. *Physiotherapy Health Science (PhysioHS)*, 4(1), 27–30.
- Anggraini, M., Yaslina, Y., & Triveni, T. (2022). Faktor Dukungan Keluarga Dan Jenis Kelamin Yang Berhubungan Dengan Perilaku Pasien Pasca Stroke Dalam Kunjungan Ulang. *Jurnal Kesehatan Tambusai*, 3(2), 260-266.
- Aras, D., Tammasse, J., Talib, N. A., & Bachtiar, F (2018). The Comparison of Sensorimotor Integration Effects Towards the Change in Standing Balance Level Between Hemiparesis Post Non-Hemorrhagic and Hemorrhagic Stroke Patients. *International Journal of Sciences: Basic and Applied Research (IJSBAR)* Volume 42, No 2, hal 87-94
- Aras, D. (2017). *Proses Dan Pengukuran Fisioterapi*. Makassar: CV. Physio Sakti.
- Beckers, D., & Buck, M. (2021). *PNF In Practice*. Limburg, The Netherland: AN Illustrated Guide.
- Byun, Y. (2020). The Effect of Otago Exercise Program on Physical Function and Fall Prevention in Disabled Elderly. *Journal of the Korea Academia-Industrial cooperation Society*, 21(2), 345-352.
- Cayco, C. S., Gorgon, E. J. R., & Lazaro, R. T. (2017). Effects of proprioceptive neuromuscular facilitation on balance, strength, and mobility of an older adult with chronic stroke: A case report. *Journal of bodywork and movement therapies*, 21(4), 767-774.
- Christou, V., Arjmand, A., Dimopoulos, D., Varvarousis, D., Tsoulos, I., Tzallas, A. T., ... & Giannakeas, N. (2022). Automatic hemiplegia type detection (right or left) using the Levenberg-Marquardt backpropagation method. *Information*, 13(2), 101.
- Dahlan, M. S. (2011). *Statistik untuk kedokteran dan kesehatan*. Penerbit Salemba.
- Daulay, N. M., & Tanjung, W. W. (2020). Pengaruh Bridging Exercise Terhadap Keseimbangan Pasien Pasca Stroke. *Jurnal Education and Development*, Vol.8, No.4, Hal : 532-535.
- Dravé, A., Napon, C., Dabilgou, A. A., Ouedraogo, S., & Kaboré, J. B. (2019). Clinical and Etiological Characteristics of Hemiplegia at the University Regional Hospital Center Ouahigouya. *World Journal of Neuroscience*, 10(1), 22-28.
- Dwi Purnomo Adi, I. H. (2023). Fisioterapi Untuk Meningkatkan Keseimbangan Pasien Hemiparese Pasca Stroke Non Haemoragic. *Journal Of Innovation Research and Knowledge*, 3371-3377.
- Hamzah, A., Fauziah, E., & Maulina, L. (2021). Core Stability Exercise With Ball Meningkatkan Keseimbangan pada Pasien Stroke di Klinik Karmel. *Jurnal.polanka.ac.id/index.php/JKIKT*, Vol 3 No.1, Hal 18-22.

- Jehaman, I., Asiyah, N., Berampu, S., Sihaan, T., & Tantangan, R. (2021). Pengaruh Otago Exercise dan Gaze Stability Exercise Terhadap Keseimbangan pada Lanjut Usia. *Jurnal Keperawatan dan Fisioterapi (JKF)*, Vol.4, No.1, Hal 47-56.
- Kartija, D. R., Komalasari, D. R., & Nasuka, M. (2023). Manajemen Fisioterapi Pada Kasus Hemiparese Sinistra e.c Stroke Non Hemoragic. *Journal Of Innovation Research and Knowledge*, vol.3, No.1, Hal 4677-4686.
- Kusumawati, H., Astrid, M., & Adyatmaka, A. (2020). Effectiveness Of Proprioceptive Neuromuscular Facilitation (Pnf) And Kinesiotaping Towards Changes In Muscle Strength And Adl Pasien Stroke. *INDONESIAN NURSING JOURNAL OF EDUCATION AND CLINIC (INJEC)*, 41(1), 103-117.
- Lijang, H. D., Sabri, R., & Yuliharni, S. (2019). Gambaran Risiko Jatuh Lansia Menggunakan Time Up and Go Test. *Jurnal Endurance : Kajian Ilmiah Problema Kesehatan*, Vol 8 (3) Hal 511-519.
- Mauni, W., Paliyama, M. J., Sanaky, M., & Titaley, C. R. (2020). Penurunan Risiko Jatuh pada Pasien Stroke Non Hemoragik dengan Latihan Keseimbangan di Paralel Bar. *Willy Pattimura Medical Review*, 2(April)
- Maydinar, D. D., Effendi, S., & Sonalia, E. (2017). Hipertensi, Usia, Jenis Kelamin Dan Kejadian Stroke di Ruang Rawat Inap Stroke RSUD dr. M. YUNUS BENGKULU. *Jurnal Sains Kesehatan Vol*, 24(2).
- Mohammadhossini, S. (2024). Comparison the Effect of Core Stability Exercises with Otago Exercises on the Balance of Patients Suffering from Brain Stroke. *Heliyon : Department of Nursing, School of Nursing, Yasuj University of Medical Sciences*, 1-20.
- Nasrulloh, A., Apriyanto, K. D., & Prasetyo, Y. (2021). *Pengukuran dan Metode Latihan Kebugaran*. Yogyakarta: UNY Press.
- Perdani, Z. P., & Rahayu, E. S. (2021). Efektivitas Proprioceptive Neuromuscular Facilitation pada Pasien Stroke. *Health Sciences and Pharmacy Journal*, Vol.5, No.1, Hal 17-23.
- Pirayesh, F., Karimi, Z., Ghatee, M. A., Yazdanpanah, P., Razmeh, S., & Mohammad Hossini, S. (2021). Comparison of the effect of core stability exercises and otago exercises on quality of life in patients with stroke. *Journal of Clinical Care and Skills*, 2(2), 51-56.
- Pradesti, A. and Indriyani, P. (2020) 'Pengaruh Latihan Range Of Motion Terhadap Kekuatan Otot Pada Lansia Dengan Stroke', *Journal of Nursing and Health*. doi: 10.52488/jnh.v5i2.122.
- Quinn, G., Comber, L., McGuigan, C., Galvin, R., & Coote, S. (2019). Discriminative ability and clinical utility of the Timed Up and Go (TUG) in identifying falls risk in people with multiple sclerosis: a prospective cohort study. *Clinical rehabilitation*, 33(2), 317-326.
- Rahayu, E. S., Nuraini, N. (2020). Pengaruh Latihan Range Of Motion (ROM) Pasif Terhadap Peningkatan Kekuatan Otot Pada Pasien Stroke Non Hemoragik Di Ruang Rawat Inap Di RSUD Kota Tangerang. *Jurnal Ilmiah Keperawatan Indonesia*, Vol 3, No 2

- Riskesdas. (2018). *Hasil Utama Riskesdas 2018 Kementerian Kesehatan. Badan Penelitian Dan Pengembangan Kesehatan*
- Segita, R., Febriani, Y., & Adenikheir, A. (2021). Pengaruh Pemberian Otago Exercise Programme Terhadap Keseimbangan Dinamis pada Lansia. *Jurnal Endurance : Kajian Ilmiah Problema Kesehatan*, Vol 6(2), Hal 337-348.
- Septi, A. D., Agustiana, P. D., & Aktifah, N. (2019). Gambaran Tingkat Keseimbangan Berdiri pada Pasien Pasca Stroke di Puskesmas Wonopringgo Kabupaten Pekalongan. *University Research Colloquium*, Hal.1039-1043.
- Setiawan, P. A. (2021). Diagnosa dan Tatalaksana Stroke Hemoragik. *Jurnal Medika Utama*, Vol 03 No.01, Hal 1660-1665.
- Song, H. S., & Yun, T. W. (2016). Clinical feasibility of Otago exercise program to improve the balance and gait ability: In chronic stroke patient, randomized controlled trial. *Journal of The Korean Society of Physical Medicine*, 11(2), 63-70.
- Sudaryanto. (2018). Beda Pengaruh Antara Proprioceptive Neuromuscular Facilitation Terhadap Perubahan Keseimbangan Dinamis pada Penderita Hemiparese. *Global Health Science*, 17-22.
- Suryani, I. (2023). Pengaruh Bridging Exercise terhadap Keseimbangan Duduk Pasien Stroke. *Jurnal Kesehatan Pertiwi*, 5(2), 25-31.
- Valiv, A. S., & Bhore, V (2022). Effectiveness of Otago Exercise Versus Task Oriented Progressive Resistance Strength Training on Balance and Functional Performance in Stroke Patients. *Internasional Journal of Health Sciences and Research*, Vol 2, 239-254
- Viani, I. R., Hasmar, W., & Sari, I. P. (2021). Penatalaksanaan Fisioterapi pada Kasus Post Stroke Hemiparese Sinistra dengan modalitas Stimulasi Taktil dan Pelvic Tilting untuk Meningkatkan Keseimbangan. *Jurnal.polanka.ac.id/index.php/JKIKT*, Vol 3 No.2, Hal 17-24.
- Widiani, G. A. R., & Yasa, I. M. M. (2023). Korelasi tingkat pengetahuan terhadap kemampuan deteksi dini gejala stroke dengan sikap keluarga terhadap penanganan pre hospital. *Bina Generasi : Jurnal Kesehatan*, 14(2), 25-30
- Widyantari, D. P. (2024). Studi Perbandingan Otago Exercise dan Star Excursion Balance Exercise dalam Meningkatkan Keseimbangan Dinamis Lansia. *Majalah Ilmiah Fisioterapi Indonesia*, Vol 12, 64-70.