

DAFTAR PUSTAKA

- Abang, A. F., Nanga, S. N., Kuate, A. F., Kouebou, C., Suh, C., Masso, C., Saethre, M. G., & Mokpokpo Fiaboe, K. K. (2021). Natural enemies of fall armyworm *Spodoptera frugiperda* (Lepidoptera: Noctuidae) in different agro-ecologies. *Insects*, 12(6), 1–23. <https://doi.org/10.3390/insects12060509>
- Abrahams, A. P., Bateman, M., Beale, T., Clottey, V., Cock, M., Colmenarez, Y., Corniani, N., Day, R., Early, R., Godwin, J., Gomez, J., Moreno, P. G., Murphy, S. T., Oppong-mensah, B., Phiri, N., Pratt, C., Richards, G., Silvestri, S., & Witt, A. (2017). Fall Armyworm: Impacts and Implications for Africa. *Outlooks on Pest Management*, 5(28), 196–201.
- Ahmad, S. C., Aprilia, D., Djulian, D., Azzahra, H. E., Ayuningtias, K., Azzahra, L. P., & Arsi, A. (2021). Inventarisasi Arthropoda Predator, Agens Pengendali Serangga *Spodoptera frugiperda* (Lepidoptera: Noctuidae) pada Pertanaman Jagung (*Zea mays*). *Prosiding Seminar Nasional Lahan Suboptimal*, 1(1), 329–337.
- Anandhi, S., Saminathan, V. R., Yasodha, P., Roseleen, S. S. J., Sharavanan, P. T., & Rajanbabu, V. (2020). Variability of *Fusarium verticillioides* Isolates causing Maize Post Flowering Stalk Rot with Respect to Growth Parameters on Culture Media. *International Journal of Current Microbiology and Applied Sciences*, 9(8), 1213–1218. <https://doi.org/10.20546/ijcmas.2020.908.135>
- Apriani, D., Supeno, B., & Haryanto, H. (2021). Uji Preferensi Inang Hama *Spodoptera frugiperda* Pada Beberapa Tanaman Pangan. *Prosiding Saintek* 3(November 2020), 9–10.
- Ardyanty, P., Widiana, A., & Kinasih, I. (2023). Keanekaragaman beserta Karakteristik Habitat Famili Panorpidae (Ordo: Mecoptera) di Taman Hutan Raya Ir. H. Djuanda Bandung. *Jurnal Entomologi Indonesia*, 20(3), 213–222.
- Arfan, If'all, Jumardin, Noer, H., & Sumarni. (2020). Populasi dan Tingkat Serangan *Spodoptera frugiperda* pada Tanaman Jagung di Desa Tulo Kabupaten Sigi. *Journal of Agrotech*, 10(2), 66–68.
- Asfiya, W., Subagyo, V. N. O., Dharmayanthi, A. B., & Rachmatiyah, R. (2020). Intensitas Serangan *Spodoptera frugiperda* J. E. Smith (Lepidoptera: Noctuidae) pada Pertanaman Jagung di Kabupaten Garut dan Tasikmalaya, Jawa Barat. *Jurnal Entomologi Indonesia*, 17(3), 163–167. <https://doi.org/10.5994/jei.17.3.163>
- Assefa, Y. (2019). Molecular Identification of the Invasive Strain of *Spodoptera frugiperda* (JE smith) (Lepidoptera: Noctuidae) in Swaziland. *International Journal of Tropical Insect Science*, 39(1), 73–78. <https://doi.org/10.1007/s42690-019-00018-5>
- Awmack, C. S., & Leather, S. R. (2002). Host plant quality and fecundity in herbivorous insects. *Annual Review of Entomology*, 47(February 2002), 817–844. <https://doi.org/10.1146/annurev.ento.47.091201.145300>
- Baudron, F., Zaman-Allah, M. A., Chaipa, I., Chari, N., & Chinwada, P. (2019). Understanding The Factors Influencing Fall Armyworm (*Spodoptera frugiperda* J.E. Smith) Damage In African Smallholder Maize Fields And Quantifying Its Impact On Yield. A Case Study In Eastern Zimbabwe. *Crop Protection*, 120, 141–150. <https://doi.org/10.1016/j.cropro.2019.01.028>
- Bhusal, S., & Chapagain, E. (2020). Threats of fall armyworm (*Spodoptera frugiperda*) incidence in Nepal and it's integrated management. *A review*. 3(1), 345–359.

- Borrer, D.J., Triplehorn C.A; Johnson, N. F. (1992). *Pengenalan Pelajaran Serangga* (M. . Soetiyono Partosoedjono dan Brotowidjoyo (ed.)). Gadjah Mada University Press, Yogyakarta. <https://lib.ui.ac.id/detail?id=10349&lokasi=lokal>
- CABI, & FAO. (2019). *Community-Based Fall Armyworm (Spodoptera frugiperda) Monitoring, Early Warning and Management Training of Trainers Manual. Training of Trainers Manual First Edition. US AID from the American People. FAO, Rome. (First Edit). the Food and Agriculture Organization of the United Nations and CAB International.* <https://www.cabi.org/wp-content/uploads/ToT-manual.pdf>
- CABI. (2017). Fall armyworm: Impacts and Implications for Africa, Evidence Note (Summary Version), September 2017. In *Outlooks on Pest Management*. https://doi.org/DOI: 10.1564/v28_oct_02
- Capinera, J. . (2000). Fall Armyworm, *Spodoptera frugiperda* (J.E. Smith) (Insecta: Lepidoptera:Noctuidae). In *University Of Florida*. https://doi.org/10.1007/978-981-15-8075-8_8
- Chimweta, M., Nyakudya, I. W., Jimu, L., & Bray Mashingaidze, A. (2020). Fall Armyworm [*Spodoptera frugiperda* (J.E. Smith)] Damage In Maize: Management Options For Flood-Recession Cropping Smallholder Farmers. *International Journal of Pest Management*, 66(2), 142–154. <https://doi.org/10.1080/09670874.2019.1577514>
- da Silva, D. M., Bueno, A. de F., Andrade, K., Stecca, C. dos S., Neves, P. M. O. J., & de Oliveira, M. C. N. (2017a). Biology and Nutrition of *Spodoptera frugiperda* (Lepidoptera: Noctuidae) Fed on Different Food Sources. *Scientia Agricola*, 74(1), 18–31. <https://doi.org/10.1590/1678-992x-2015-0160>
- da Silva, D. M., Bueno, A. de F., Andrade, K., Stecca, C. dos S., Neves, P. M. O. J., & de Oliveira, M. C. N. (2017b). Biology and nutrition of *Spodoptera frugiperda* (Lepidoptera: Noctuidae) fed on different food sources. *Scientia Agricola*, 74(1), 18–31. <https://doi.org/10.1590/1678-992x-2015-0160>
- Daly, A. J., Baetens, J. M., & De Baets, B. (2018). Ecological diversity: Measuring the unmeasurable. *Mathematics*, 6(7). <https://doi.org/10.3390/math6070119>
- Damayanti, D. R., Megasari, D., & Khoiri, S. (2023). Serangan *Spodoptera frugiperda* (Lepidoptera: Noctuidae) pada Pertanaman Jagung di Kabupaten Lamongan. *Agropross: National Conference Proceedings of Agriculture*, 274–280. <https://doi.org/10.25047/agropross.2023.468>
- De De Almeida, G. S. S., Loíacono, M. S., Margaría, C. B., & Monteiro, R. F. (2015). A New Species of *Telenomus haliday* (Hymenoptera: Platygasteridae) Egg Parasitoid of *Parides ascanius* (Cramer) (Lepidoptera: Papilionidae), A Threatened Species From Brazil. *Zootaxa*, 3986(3), 387–392. <https://doi.org/10.11646/zootaxa.3986.3.7>
- De Groote, H., Kimenju, S. C., Munyua, B., Palmas, S., Kassie, M., & Bruce, A. (2020). Spread and Impact Of Fall Armyworm (*Spodoptera frugiperda* J.E. Smith) in Maize Production Areas of Kenya. *Agriculture, Ecosystems and Environment*, 292(July 2019), 106804. <https://doi.org/10.1016/j.agee.2019.106804>
- De Queiroz, A. P., Favetti, B. M., Luski, P. G. G., Gonçalves, J., Neves, P. M. O. J., & De Freitas Bueno, A. (2019). *Telenomus remus* (Hymenoptera: Platygasteridae) Parasitism on *Spodoptera frugiperda* (Lepidoptera: Noctuidae) eggs: Different Parasitoid and Host Egg Ages. *Semina: Ciencias Agrarias*, 40(6), 2933–2945. <https://doi.org/10.5433/1679-0359.2019v40n6Supl2p2933>

- Dhar, T., Bhattacharya, S., Chatterjee, H., Senapati, S., Bhattacharya, P., Poddar, P., Ashika, T., & Venkatesan, T. (2019). Occurrence of Fall Armyworm *Spodoptera frugiperda* (J. E. Smith) (Lepidoptera: Noctuidae) on Maize in West Bengal, India and its Field Life Table Studies. *Journal of Entomology and Zoology Studies*, 7(4), 869–875. www.boldsystems.org
- Dharmayanthi, A. B., Subagyo, V. N. O., Taufiq Purna Nugraha, R., Rahmini, Rahmadi, C., Darmawan, & Sutrisno, H. (2022). Genetic Characteristics and StrainTypes of the Invasive Fall Armyworm *Spodoptera frugiperda* (J.E. Smith) (Lepidoptera:Noctuidae) in Indonesia. *Biodiversitas*, 23(8), 3928–3935. <https://doi.org/10.13057/biodiv/d230809>
- Djaya, L., Anastasya, J. O., & Sianipar, M. S. (2022). Diversity of Predators and Parasitoids of Ciplukan Plant Pest Insects (*Physalis peruviana* L.) Generative Phase in Kadakajaya Village, Tanjungsari District, Sumedang Regency. *Agrikultura*, 33(2), 115.
- Dumas, P., Legeai, F., Lemaitre, C., Scaon, E., Orsucci, M., Labadie, K., Gimenez, S., Clamens, A. L., Henri, H., Vavre, F., Aury, J. M., Fournier, P., Kergoat, G. J., & d'Alençon, E. (2015). *Spodoptera frugiperda* (Lepidoptera: Noctuidae) Host-Plant Variants: Two Host Strains or Two Distinct Species? *Genetica*, 143(3), 305–316. <https://doi.org/10.1007/s10709-015-9829-2>
- Fahmi, F., Kusumah, R. Y. M., & Buchori, D. (2023). Genetic Variation of Pest Fall Armyworm *Spodoptera frugiperda* (J.E. Smith) (Lepidoptera: Noctuidae) in Different Landscapes in Bogor. *Jurnal Entomologi Indonesia*, 20(1), 1–9. <https://jurnal.pei-pusat.org/index.php/jei/article/view/747>
- Firake, D. M., & Behere, G. T. (2020). Natural Mortality of Invasive Fall Armyworm, *Spodoptera frugiperda* (J. E. Smith) (Lepidoptera:Noctuidae) in Maize Agroecosystems of Northeast India. *Biological Control*, 148(May), 104303. <https://doi.org/10.1016/j.biocontrol.2020.104303>
- Firmansyah, E., & R. Arif Malik Ramadhan. (2021). Tingkat serangan *Spodoptera frugiperda* J.E. Smith pada Pertanaman Jagung di Kota Tasikmalaya dan Perkembangannya di Laboratorium. *Agrovigor: Jurnal Agroekoteknologi*, 14(2), 87–90. <https://doi.org/10.21107/agrovivor.v14i2.9517>
- Gabriela Murúa, M., Molina-Ochoa, J., & Fidalgo, P. (2009). Natural Distribution of Parasitoids of Larvae of the Fall Armyworm, *Spodoptera frugiperda* , in Argentina. *Journal of Insect Science*, 9, 1–17. <https://doi.org/10.1673/031.009.2001>
- Goergen, G., Kumar, P. L., Sankung, S. B., Togola, A., & Tamò, M. (2016). First Report of Outbreaks of The Fall Armyworm *Spodoptera frugiperda* (J E Smith) (Lepidoptera:Noctuidae), A New Alien Invasive Pest in West and Central Africa. *PLoS ONE*, 11(10), 1–9. <https://doi.org/10.1371/journal.pone.0165632>
- Hannalene Du Plessis, Schlemmer, M.-L., & Berg, J. Van den. (2020). The Effect of Temperature on the Development of *Spodoptera frugiperda* (Lepidoptera: Noctuidae). *MDPI: Insects*, 11(228), 1–11.
- Harrison, R. D., Thierfelder, C., Baudron, F., Chinwada, P., Midega, C., Schaffner, U., & van den Berg, J. (2019). Agro-ecological Options for Fall Armyworm (*Spodoptera frugiperda* JE Smith) Management: Providing Low-Cost, Smallholder Friendly Solutions to an Invasive Pest. *Journal of Environmental Management*, 243 (March), 318–330. <https://doi.org/10.1016/j.jenvman.2019.05.011>
- Herlinda, S., Suharjo, R., Elbi Sinaga, M., Fawwazi, F., & Suwandi, S. (2022). First Report of Occurrence of Corn and Rice Strains of Fall Armyworm, *Spodoptera*

- frugiperda* in South Sumatra, Indonesia and its Damage in Maize. *Journal of the Saudi Society of Agricultural Sciences*, 21(6), 412–419. <https://doi.org/10.1016/j.jssas.2021.11.003>
- Hidayanti, Y., & Mahanani, T. A. (2013). Pertumbuhan Ulat Grayak *Spodoptera litura* (Lepidoptera: Noctuidae) pada Pakan Alami dan Pakan Buatan dengan Sumber Protein Berbeda. *Jurnal LenteraBio*, 8(1), 44–49.
- Hosang, M. L. A. (2010). Ketahanan Lapang Empat Aksesori Kelapa Genjah Kopyor Terhadap Hama *Oryctes rhinoceros* di Kabupaten Pati, Jawa Tengah. *Buletin Palma*, 38, 33–42.
- Hruska, A. J. (2019). Fall armyworm (*Spodoptera frugiperda*) Management by Smallholders. *CAB Reviews: Perspectives in Agriculture, Veterinary Science, Nutrition and Natural Resources*, 14, 043. <https://doi.org/10.1079/PAVSNNR201914043>
- Hutagalung, R. P. S., Sitepu, S. F., & Marheni. (2021). Biologi Fall Armyworm (*Spodoptera frugiperda* J. E. Smith) (Lepidoptera: Noctuidae) di Laboratorium. *Jurnal Pertanian Tropik*, 8(1), 1–10. <https://doi.org/10.32734/jpt.v8i1.5584>
- Hutasoit, R. T., Kalqutny, S. H., & Widiarta, I. N. (2020). Spatial Distribution Pattern, Bionomic, and Demographic Parameters of A New Invasive Species of Armyworm *Spodoptera frugiperda* (Lepidoptera; noctuidae) in Maize of South Sumatra, Indonesia. *Biodiversitas*, 21(8), 3576–3582. <https://doi.org/10.13057/biodiv/d210821>
- J. Srikanth, N., Geetha, B. Singaravelu, T; Ramasubramanian, P. M., L. Saravanan, K. P., Salin, N. C., & Muthukumar., M. (2019). *First Report of Occurrence of Fall Armyworm Spodoptera frugiperda in Sugarcane from Tamil Nadu, India*. 8(2), 195–202. <https://www.researchgate.net/publication/333130230>
- Jannah, M., Supeno, B., & Windarningsih, M. (2021). Keragaman Predator Ulat Grayak Jagung (*Spodoptera frugiperda*) selama Pertumbuhan Tanaman Jagung (*Zea mays* L) di Desa Ireng Lombok Barat. *Seminar Nasional Dalam Rangka Dies Natalis Ke-45 UNS Tahun 2021*, 5(1), 1134–1152.
- Januarisya, M. A., Rahardjo, B. T., & Syamsulhadi, M. (2023). Keanekaragaman Hama dan Musuh Alami pada Budidaya Cabai Rawit Monokultur dan Polikultur dengan Memanfaatkan Tanaman Perangkap Baby Blue dan Yellow Sticky Trap. *Jurnal Hama Dan Penyakit Tumbuhan*, 11(4), 201–216. <https://doi.org/10.21776/ub.jurnalhpt.2023.011.4.4>
- Jeger, M., Bragard, C., Caffier, D., Candresse, T., Chatzivassiliou, E., Dehnen-Schmutz, K., Gilioli, G., Grégoire, J. C., Jaques Miret, J. A., Navarro, M. N., Niere, B., Parnell, S., Potting, R., Rafoss, T., Rossi, V., Urek, G., Van Bruggen, A., Van der Werf, W., West, J., MacLeod, A. (2018). Pest risk assessment of *Spodoptera frugiperda* for The European Union. *EFSA Journal*, 16(8), 1–120. <https://doi.org/10.2903/j.efsa.2018.5351>
- JIA, H. ru, Guo, J. long, Wu, Q. lin, Hu, C. xing, Li, X. kang, Zhou, X. yong, Wu, K. ming. (2021). Migration of Invasive *Spodoptera frugiperda* (Lepidoptera: Noctuidae) Across the Bohai Sea in Northern China. *Journal of Integrative Agriculture*, 20(3), 685–693. [https://doi.org/10.1016/S2095-3119\(20\)63281-6](https://doi.org/10.1016/S2095-3119(20)63281-6)
- Jing, D. P., Guo, J. F., Jiang, Y. Y., Zhao, J. Z., Sethi, A., He, K. L., & Wang, Z. Y. (2020). Initial Detections and Spread of Invasive *Spodoptera frugiperda* in China and Comparisons with Other Noctuid Larvae in Cornfields Using Molecular Techniques. *Insect Science*, 27(4), 780–790. <https://doi.org/10.1111/1744-7917.12700>

- Karundeng, A., Mamahit, J. M. E., & Kandowangko, D. S. (2024). Predators and Parasitoids Species of *Spodoptera frugiperda* J. E. Smith on Corn Plant in North Minahasa Regency. *Jurnal Agroekoteknologi Terapan*, 5(1), 6–12. <https://doi.org/10.35791/jat.v5i1.46261>
- Kenis, M., du Plessis, H., Van den Berg, J., Ba, M. N., Goergen, G., Kwadjo, K. E., Baoua, I., Tefera, T., Buddie, A., Cafà, G., Offord, L., Rwomushana, I., & Polaszek, A. (2019). *Telenomus remus*, a Candidate Parasitoid for The Biological Control of *Spodoptera frugiperda* in Africa, is Already Present on The Continent. *Insects*, 10(4). <https://doi.org/10.3390/Insects10040092>
- Khasanah, K. (2022). Musuh Alami Larva *Spodoptera frugiperda* (Lepidoptera: Noctuidae) Pada Jagung Di Desa Sekoto, Kecamatan Badas, Kabupaten Kediri. Skripsi. Institut Pertanian Bogor, Bogor.
- Kumar, R. M., Gadratagi, B. G., Paramesh, V., Kumar, P., Madivalar, Y., Narayanappa, N., & Ullah, F. (2022). Sustainable Management of Invasive Fall Armyworm, *Spodoptera frugiperda*. *Agronomy*, 12(9), 1–17. <https://doi.org/10.3390/agronomy12092150>
- Kurniawan, B., & Soesilohadi, R. H. (2020). Diversity and Abundance of Insect in Conventional Apple (*Malus sylvestris* (L.) Mill) Plantation at Kota Batu, East Java. *Biotropika: Journal of Tropical Biology*, 8(3), 194–201. <https://doi.org/10.21776/ub.biotropika.2020.008.03.08>
- Lestari, Puji, Budiarti, A., Fitriana, Y., Susilo, F., Swibawa, I. G., Sudarsono, H., Suharjo, R., Hariri, A. M., Purnomo, Nuryasin, Solikhin, Wibowo, L., Jumari, & Hartaman, M. (2020). Identification and Genetic Diversity of *Spodoptera frugiperda* in Lampung Province, Indonesia. *Biodiversitas*, 21(4), 1670–1677. <https://doi.org/10.13057/biodiv/d210448>
- Lestari, Puji, Fitriana, Y., Suharjo, R., Swibawa, I. G., Utomo, S. D., & Andrianto, E. (2024). New parasitoids of *Spodoptera frugiperda* in Lampung Province, Indonesia. *Journal of Asia-Pacific Biodiversity*, 17(4), 631–643. <https://doi.org/10.1016/j.japb.2024.02.005>
- Levy, H. C., Maruniak, A. G., & Maruniak, J. E. (2002). (Lepidoptera:Noctuidae) Insects and Cell Line: Pcr-Rflp of *Cytochrome Oxidase C* Subunit I Gene. *Florida Entomologist*, 85(March), 186–190.
- Li, H., Jiang, S. shan, Zhang, H. wen, Geng, T., Wyckhuys, K. A. G., & Wu, K. ming. (2021). Two-way Predation Between Immature Stages of The Hoverfly *Eupeodes Corollae* and The Invasive Fall Armyworm (*Spodoptera frugiperda* J. E. Smith). *Journal of Integrative Agriculture*, 20(3), 829–839. [https://doi.org/10.1016/S2095-3119\(20\)63291-9](https://doi.org/10.1016/S2095-3119(20)63291-9)
- Listyawati, P. S., Wijaya, I. N., Widaningsih, D., & Supartha, I. W. (2022). Distribusi dan Kemampuan Adaptasi *Spodoptera frugiperda* (J. E Smith) (Lepidoptera: Noctuidae) terhadap Tanaman Inang pada Beberapa Ketinggian Tempat di Bali. *Agrotrop: Journal on Agriculture Science*, 12(1), 110. <https://doi.org/10.24843/ajoas.2022.v12.i01.p10>
- Liu, T., Wang, J., Hu, X., & Feng, J. (2020). Land-use Change Drives Present and Future Distributions of Fall armyworm, *Spodoptera frugiperda* (J.E. Smith) (Lepidoptera: Noctuidae). *Science of The Total Environment*, 706(1), 135872.
- Lubis, A. A. N., Anwar, R., Soekarno, B. P., Istiaji, B., Sartiami, D., Irmansyah, & Herawati, D. (2020). Serangan Ulat Grayak Jagung (*Spodoptera frugiperda*) pada Tanaman Jagung di Desa Petir , Kecamatan Darmaga , Kabupaten Bogor dan Potensi Pengendaliannya menggunakan *Metarizhium Rileyi*. *Jurnal Pusat Inovasi Masyarakat*, 2(6), 931–939.

- Magurran, A. E. (1998). Measuring Biological Diversity. In *Blackwell Publishing*. <https://doi.org/10.2307/4126959>
- Maharani, Yani, Puspitaningrum, D., Istifadah, N., Hidayat, S., & Ismail, A. (2021). Biology and Life Table of Fall Armyworm, *Spodoptera frugiperda* (J.E. Smith) (Lepidoptera: Noctuidae) on Maize and Rice. *Serangga*, 26(4), 161–174.
- Maharani, Yani, Rauf, A., Sartiami, D., & Anwar, R. (2016). Biology and Life Table of Papaya Mealybug *Paracoccus marginatus* Williams & Granara de Willink (Hemiptera : Pseudococcidae) on three host plant species. *J. HPT Tropika.*, 16(March), 1–9.
- Maharani, Yani, Dewi, V. K., Puspasari, L. T., Rizkie, L., Hidayat, Y., & Dono, D. (2019). Cases of Fall Army Worm *Spodoptera frugiperda* J . E . Smith (Lepidoptera : Noctuidae) Attack on Maize in Bandung , Garut and Sumedang District. *Cropsaver*, 2(1), 38–46. <https://doi.org/doi:https://doi.org/10.24198/cropsaver.v2i1.23013>.
- Malekera, M. J., Mamba, D. M., Bushabu, G. B., Murhula, J. C., Hwang, H. S., & Lee, K. Y. (2023). Genetic Diversity of the Fall Armyworm *Spodoptera frugiperda* (J.E. Smith) in the Democratic Republic of the Congo. *Agronomy*, 13(8), 1–18. <https://doi.org/10.3390/agronomy13082175>
- Martinelli, S., Clark, P. L., Zucchi, M. I., Silva-Filho, M. C., Foster, J. E., & Omoto, C. (2007). Genetic Structure and Molecular Variability of *Spodoptera frugiperda* (Lepidoptera: Noctuidae) Collected in Maize and Cotton Fields in Brazil. *Bulletin of Entomological Research*. <https://doi.org/10.1017/S0007485307004944>
- Midega, C. A. O., Pittchar, J. O., Pickett, J. A., Hailu, G. W., & Khan, Z. R. (2018). A Climate-adapted Push-pull System Effectively Controls Fall armyworm, *Spodoptera frugiperda* (J E Smith), in maize in East Africa. *Crop Protection*, 105 (November 2017), 10–15. <https://doi.org/10.1016/j.cropro.2017.11.003>
- Mirth, C. K., Nogueira Alves, A., & Piper, M. D. (2019). Turning Food into Eggs: Insights from Nutritional Biology and Developmental Physiology of *Drosophila*. *Current Opinion in Insect Science*, 31, 49–57. <https://doi.org/10.1016/j.cois.2018.08.006>
- Monnerat, R., Martins, E., Queiroz, P., Ordúz, S., Jaramillo, G., Benintende, G., Cozzi, J., Real, M. D., Martinez-Ramirez, A., Rausell, C., Cerón, J., Ibarra, J. E., Del Rincon-Castro, M. C., Espinoza, A. M., Meza-Basso, L., Cabrera, L., Sánchez, J., Soberon, M., & Bravo, A. (2006). Genetic Variability of *Spodoptera frugiperda* Smith (Lepidoptera: Noctuidae) Populations from Latin America is Associated with Variations in Susceptibility to *Bacillus thuringiensis* Cry Toxins. *Applied and Environmental Microbiology*, 72(11), 7029–7035. <https://doi.org/10.1128/AEM.01454-06>
- Montezano, D. G., Specht, A., Sosa-Gómez, D. R., Roque-Specht, V. F., Sousa-Silva, J. C., Paula-Moraes, S. V., Peterson, J. A., & Hunt, T. E. (2018). Host Plants of *Spodoptera frugiperda* (Lepidoptera: Noctuidae) in the Americas. *African Entomology*, 26(2), 286–300. <https://doi.org/10.4001/003.026.0286>
- Mukkun, L., Kleden, Y. L., & Simamora, A. V. (2021). Detection of *Spodoptera frugiperda* (J.E. Smith) (Lepidoptera: Noctuidae) in Maize Field in East Flores District, East Nusa Tenggara Province, Indonesia. *International Journal of Tropical Drylands*, 5(1), 20–26. <https://doi.org/10.13057/tropdrylands/t050104>
- Mursyidin, A. H., Suana, I. W., Ubaidillah, R., & Sutrisno, H. (2024). Keanekaragaman dan Potensi Parasitoid sebagai Pengendali Alami Ulat grayak *Spodoptera frugiperda* (Smith) (Lepidoptera:Noctuidae) pada Pertanaman Jagung Lahan Kering. *Jurnal Entomologi*, 21(3), 200–212.

- Murúa, G., & Virla, E. (2022). Population Parameters of *Spodoptera frugiperda* (Smith) (Lep.: Noctuidae) Fed on Corn and Two Predominant Grasses in Tucuman (Argentina). *Acta Zoológica Mexicana* (N.S.), 20(1), 199–210. <https://doi.org/10.21829/azm.2004.2012533>
- Nagoshi, R., Htain, N. N., Boughton, D., Zhang, L., Xiao, Y., Nagoshi, B. Y., & Mota-Sanchez, D. (2020). Southeastern Asia Fall armyworms are Closely Related to Populations in Africa and India, Consistent with Common Origin and Recent Migration. *Scientific Reports*, 10(1), 1–10. <https://doi.org/10.1038/s41598-020-58249-3>
- Nagoshi, R. N., Goergen, G., Tounou, K. A., Agboka, K., Koffi, D., & Meagher, R. L. (2018). Analysis of Strain Distribution, Migratory Potential, and Invasion History of Fall Armyworm Populations in Northern Sub-Saharan Africa. *Scientific Reports*, 8(1), 1–10. <https://doi.org/10.1038/s41598-018-21954-1>
- Nagoshi, R.N., Fleischer, S., & Meagher, R. L. (2017). Demonstration and Quantification of Restricted Mating between Fall Armyworm Host Strains in Field Collections by SNP Comparisons. *Journal of Economic Entomology*, 110(6), 2568–2575. <https://doi.org/10.1093/jee/tox229>
- Nagoshi, R.N., Meagher, R. L., & Hay-Roe, M. (2012). Inferring the Annual Migration Patterns of Fall armyworm (Lepidoptera: Noctuidae) in the United States from Mitochondrial Haplotypes. *Ecology and Evolution*, 2(7), 1458–1467. <https://doi.org/10.1002/ece3.268>
- Nagoshi, R.N. (2010). The Fall armyworm *Triose phosphate isomerase* (*Tpi*) Gene as a Marker of Strain Identity and Interstrain Mating. *Annals of the Entomological Society of America*, 103(2), 283–292. <https://doi.org/10.1603/AN09046>
- Nagoshi, R. N., Silvie, P., Meagher, R. L., & Lopez, J. (n.d.). Identification and Comparison of Fall Armyworm (Lepidoptera : Noctuidae) Host Strains in Brazil, Texas, and Florida. *Annals of The Entomological Society of America*, 100(3), 394–402.
- Nagoshi, Rodney N., Koffi, D., Agboka, K., Tounou, K. A., Banerjee, R., Jurat-Fuentes, J. L., & Meagher, R. L. (2017). Comparative Molecular Analyses of Invasive Fall armyworm in Togo Reveal Strong Similarities to Populations from the Eastern United States and the Greater Antilles. *PLoS ONE*, 12(7), 1–15. <https://doi.org/10.1371/journal.pone.0181982>
- Navik, O., Shylesha, A. N., Patil, J., Venkatesan, T., Lalitha, Y., & Ashika, T. R. (2021). Damage, Distribution and Natural Enemies of Invasive Fall armyworm *Spodoptera frugiperda* (J. E. smith) Under Rainfed Maize in Karnataka, India. *Crop Protection*, 143(January), 105536. <https://doi.org/10.1016/j.cropro.2021.105536>
- Nboyine, J. A., Kusi, F., Abudulai, M., Badii, B. K., Zakaria, M., Adu, G. B., Haruna, A., Seidu, A., Osei, V., Alhassan, S., & Yahaya, A. (2020). A new pest, *Spodoptera frugiperda* (J.E. Smith), in tropical Africa: Its Seasonal Dynamics and Damage in Maize Fields in Northern Ghana. *Crop Protection*, 127(September 2019), 104960. <https://doi.org/10.1016/j.cropro.2019.104960>
- Nègre, V., Hôtelier, T., Volkoff, A. N., Gimenez, S., Cousserans, F., Mita, K., Sabau, X., Rocher, J., López-Ferber, M., d'Alençon, E., Audant, P., Sabourault, C., Bidegainberry, V., Hilliou, F., & Fournier, P. (2006). SPODOBASE: An EST Database for the Lepidopteran Crop Pest *Spodoptera*. *BMC Bioinformatics*. <https://doi.org/10.1186/1471-2105-7-322>

- Nelly, N., Hamid, H., Lina, E. C., & Yunisman. (2021). Distribution and Genetic Diversity of *Spodoptera frugiperda* j. E. smith (noctuidae: Lepidoptera) on Maize in West Sumatra, Indonesia. *Biodiversitas*, 22(5), 2504–2511. <https://doi.org/10.13057/biodiv/d220507>
- Nonci, N., Kalgutny, Hary, S., Mirsam, H., Muis, A., Azrai, M., & Aqil, M. (2019). Pengenalan Fall Armyworm (*Spodoptera frugiperda* J.E. Smith) Hama Baru pada Tanaman Jagung Di Indonesia. In *Badan Penelitian dan Pengembangan Pertanian Balai Penelitian Tanaman Serealia* (Vol. 73).
- Novita, D., Supeno, B., & Haryanto, H. (2020). Uji Preferensi Hama *Spodoptera frugiperda* pada Tiga Varietas Tanaman Jagung (*Zea mays* L). *Jurnal Agroekoteknologi Tropika Lembab*, 2(2), 130–134.
- Nurzannah, S. E., Girsang, S. S., Girsang, M. A., & Effendi, R. (2020). Impact of Climate Change to Fall Armyworm Attack on Maize in Karo District, North Sumatera. *IOP Conference Series: Earth and Environmental Science*, 484(1), 1–7. <https://doi.org/10.1088/1755-1315/484/1/012111>
- Odum, E. (1993). Dasar-Dasar Ekologi. In *Dasar-Dasar Ekologi. Edisi Ketiga*. Gadjah Mada University Press.
- Oka, I. N. (1995). *Pengendalian Hama Terpadu dan Implementasinya di Indonesias*. Gadjah Mada University Press, Yogyakarta.
- Omoto, C., Bernardi, O., Salmeron, E., Sorgatto, R. J., Dourado, P. M., Crivellari, A., Carvalho, R. A., Willse, A., Martinelli, S., & Head, G. P. (2016). Field-evolved resistance to Cry1Ab maize by *Spodoptera frugiperda* in Brazil. *Pest Management Science*, 72(9), 1727–1736. <https://doi.org/10.1002/ps.4201>
- Otim, M. H., Aropet, S. A., Opio, M., Kanyesigye, D., & Opolot, H. N. (2021). *Spodoptera frugiperda* (Lepidoptera : Noctuidae) in Different Maize Producing Regions of Uganda. *Insects MDPI*, 12(121), 1–18.
- Pathania, M., Verma, A., Singh, M., Arora, P. K., & Kaur, N. (2020). Influence of Abiotic Factors on the Infestation Dynamics of Whitefly, *Bemisia tabaci* (Gennadius 1889) in Cotton and its Management Strategies in North-Western India. *International Journal of Tropical Insect Science*, 40(4), 969–981. <https://doi.org/10.1007/s42690-020-00155-2>
- Perez, A., & Wang, Q. (2004). Effect of Body Weight on Reproductive Performance in *Cnephiasia jactatana* (Lepidoptera: Tortricidae). *Journal of Insect Behavior*, 17, 511–522. <https://doi.org/DOI:10.1023/B:JOIR.0000042538.19559.09>
- Pinto, J. R. L., Torres, A. F., Truzzi, C. C., Vieira, N. F., Vacari, A. M., & De Bortoli, S. A. (2019). Artificial Corn-Based Diet for Rearing *Spodoptera frugiperda* (Lepidoptera:Noctuidae). *Journal of Insect Science*, 19(4), 1–8. <https://doi.org/10.1093/jisesa/iez052>
- Prasanna, B. M., Huesing, J. E., Eddy, R., & Peschke, V. M. (2018). *Fall armyworm in Africa: A gudie for Integrated Pest Management* (B. Prasanna, J. E. Huesing, R. Eddy, & V. M. Peschke (eds.); 1st ed.). USAID; CIMMYT; Oakside Editorial Services. <https://repository.cimmyt.org/bitstream/handle/10883/19204/59133.pdf?sequence=1&isAllowed=y>
- Prasetyo, D. A. (2013). *Komunitas Staphylinidae (Coleoptera) di Kebun Ubi Jalar*. Institut Pertanian Bogor.Bogor.
- Price, P. (2000). Host Plant Resource Quality, Insect Herbivores and Biocontrol. *Proceedings of the X International Symposium on Biological Control of Weeds*, 590(July 1999), 583–590. http://www.invasive.org/proceedings/pdfs/10_583-

590.pdf

- Price, P. W. (1997). *Insect Ecology*. (J. W. & Sons (ed.); 3rd Editio).
- Pu'u, Y. M., & Mutiara, C. (2021). Invasive Pest Attacks *Spodoptera frugiperda* (J. E. Smith) (Lepidoptera: Noctuidae) in Corn Plant in Ende District Flores, Indonesia. *Jurnal Entomologi Indonesia*, 18(2), 151–156. <https://doi.org/10.5994/jei.18.2>.
- Puspitasari, A., Sudarso, & Dhiani, B. A. (2009). Aktivitas Antijamur Ekstrak Metanol Soxhletasi dan Maserasi Daun Mimba (*Azadirachta indica*) terhadap *Candida albicans*. *Pharmacy*, 06(02), 6–13. <https://www.mendeley.com/catalogue/aktivitas-antijamur-ekstrak-metanol-soxhletasi-dan-maserasi-daun-mimba-azadirachta-indica-terhadap-c/>
- Putra Irawan, F., Afifah, L., Surjana, T., Irfan, B., Priyo Prabowo, D., & Bagus Widiawan, A. (2022). Morfologi dan Aktifitas Makan Larva *Spodoptera frugiperda* J.E Smith (Lepidoptera:Noctuidae) pada Beberapa Inang Tanaman Pangan dan Hortikultura. Firman. *Oktober*, 9(2), 170–182.
- Rachmawati, R., Buchori, D., Hidayat, P., Hem, S., & FAHMI, M. R. (2015). Perkembangan dan Kandungan Nutrisi Larva ***Hermetia illucens*** (Linnaeus) (Diptera: Stratiomyidae) pada Bungkil Kelapa Sawit. *Jurnal Entomologi Indonesia*, 7(1), 28. <https://doi.org/10.5994/jei.7.1.28>
- Riyanto, R., Herlinda, S., Irsan, C., & Umayah, A. (2011). Kelimpahan Dan Keanekaragaman Spesies Serangga Predator dSan Parasitoid *Aphis gossypii* di Sumatera Selatan. *Jurnal Hama Dan Penyakit Tumbuhan Tropika*, 11(1), 57–68. <https://doi.org/10.23960/j.hptt.11157-68>
- Sands, D. P. A., & Bakker, P. (1993). *Cotesia erionotae* (Wilkinson) (Hymenoptera : Braconidae), for Biological Control of Banana Skipper, *Erionota thrax* (L) (Lepidoptera : Hesperidae) in Papua New Guinea origin, became established in Papua New Guinea (PNG) in 1983 . It subsequen. *Micronesica*, 4(1989), 99–105.
- Sanjaya, Y., & Dibiyantoro, A. L. H. (2012). Keragaman Serangga pada Tanaman Cabai (*Capsicum annum*) yang diberi Pestisida Sintetis versus Biopestisida Racun Laba-Laba (*Nephila* Sp.). *Jurnal Hama dan Penyakit Tumbuhan Tropika*, 12(2), 192–199. <https://doi.org/10.23960/j.hptt.212192-199>
- Saragih, M. D. S., Bakti, D., & Safni, I. (2018). Uji Preferensi *Spodoptera litura* (Lepidoptera:Noctuidae) terhadap Beberapa Tanaman Leguminosa dan Palmae. *Jurnal Pertanian Tropika*, 5(2), 237–246. <http://dx.doi.org/10.1016/j.gde.2016.09.008><http://dx.doi.org/10.1007/s00412-015-0543-8><http://dx.doi.org/10.1038/nature08473><http://dx.doi.org/10.1016/j.jmb.2009.01.007><http://dx.doi.org/10.1016/j.jmb.2012.10.008><http://dx.doi.org/10.1038/s4159>
- Sari, A., Buchori, D., & Nurkomar, I. (2020). The Potential of *Telenomus remus* Nixon (Hymenoptera: Scelinoidae) as Biocontrol Agent for the New Fall Armyworm *S. frugiperda* (Lepidoptera: Noctuidae) in Indonesia. *Planta Tropika: Jurnal Agrosains (Journal of Agro Science)*, 8(2), 69–74. <https://doi.org/10.18196/pt.2020.116.69-74>
- Sartiami, D., Dadang, Harahap, I. S., Kusumah, Y. M., & Anwar, R. (2020). First Record of Fall Armyworm (*Spodoptera frugiperda*) in Indonesia and its Occurence in Three Provinces. *IOP Conference Series: Earth and Environmental Science*, 468(1). <https://doi.org/10.1088/1755-1315/468/1/012021>

- Sharanabasappa, Kalleshwaraswamy, C. M., Maruthi, M. S., & Pavithra, H. B. (2018a). Biology of Invasive Fall Armyworm *Spodoptera frugiperda* (J.E. Smith) (Lepidoptera: Noctuidae) on Maize . *Indian Journal of Entomology*, 80(3), 540. <https://doi.org/10.5958/0974-8172.2018.00238.9>
- Sharanabasappa, Kalleshwaraswamy, C. M., Maruthi, M. S., & Pavithra, H. B. (2018b). Biology of Invasive Fall Armyworm *Spodoptera frugiperda* (J.E. Smith) (Lepidoptera: Noctuidae) on Maize. *Indian Journal of Entomology*, 80(3), 540. <https://doi.org/10.5958/0974-8172.2018.00238.9>
- Sharanabasappa, Kalleshwaraswamy, C. M., Poorani, J., Maruthi, M. S., & Pavithra, H. B. (2019). Natural Enemies of *Spodoptera frugiperda* (J. E. Smith) (Lepidoptera: Noctuidae), a Recent Invasive Pest on Maize in South India. *Florida Entomologist*, 102(2), 619–623. <https://doi.org/10.1653/024.102.0335>
- Shylesha, A. N., Jalali, S. K., Gupta, A., Varshney, R., Venkatesan, T., Shetty, P., Ojha, R., Ganiger, P. C., Navik, O., Subaharan, K., Bakthavatsalam, N., Ballal, C. R., & A., R. (2018). Studies on New Invasive Pest *Spodoptera frugiperda* (J. E. Smith) (Lepidoptera: Noctuidae) and its Natural Enemies. *Journal of Biological Control*, 32(3), 145–151. <https://doi.org/10.18311/jbc/2018/21707>
- Sisay, B., Simiyu, J., Malusi, P., Likhayo, P., Mendesil, E., Elibariki, N., Wakgari, M., Ayalew, G., & Tefera, T. (2018). First Report of the Fall Armyworm, *Spodoptera frugiperda* (Lepidoptera: Noctuidae), Natural Enemies From Africa. *Journal of Applied Entomology*, 142(8), 800–804. <https://doi.org/10.1111/jen.12534>
- Sisay, B., Simiyu, J., Mendesil, E., Likhayo, P., Ayalew, G., Mohamed, S., Subramanian, S., & Tefera, T. (2019). Fall armyworm, *Spodoptera frugiperda* Infestations in East Africa: Assessment of Damage and Parasitism. *Insects*, 10(7), 1–10. <https://doi.org/10.3390/insects10070195>
- Siwi, S. S. (1991). *Kunci Determinasi Serangga*. Kanisius Yogyakarta. file:///D:/E-Learning/Taksonomi Tumbuhan/Textbook/DAFTAR ISI.htm (2 of 4)5/8/2007 3:37:00 PM
- Subiono, T. (2019). Preferensi *Spodoptera frugiperda* (Lepidoptera: Noctuidae) pada Beberapa sumber Pakan. *Jurnal Agroekoteknologi Tropika Lembab*, 2(2), 130. <https://doi.org/10.35941/jatl.2.2.2020.2813.130-134>
- Suby, S. B., Soujanya, P. L., Yadava, P., Patil, J., Subaharan, K., Prasad, G. S., Babu, K. S., Jat, S. L., Yathish, K. R., Vadassery, J., Kalia, V. K., Bakthavatsalam, N., Shekhar, J. C., & Rakshit, S. (2020). Invasion of Fall armyworm (*Spodoptera frugiperda*) in India: Nature, Distribution, Management and Potential Impact. *Current Science*, 119(1), 44–51. <https://doi.org/10.18520/cs/v119/i1/44-51>
- Sugiyono, Soekarto, S. T., Hariyadi, P., & Supriadi, A. (2004). Kajian Optimasi Teknologi Pengolahan Beras Jagung Instan. *Jurnal Teknologi dan Industri Pangan*, 15(2), 119–128.
- Suherman, Y. D. P. (2021). *Perilaku Imago dan Penetasan Telur Spodoptera Frugiperda* (J.E. Smith) (Lepidoptera: Noctuidae). Institut Pertanian Bogor. Bogor.
- Sumaryati, B., Sartiami, D., & Santoso, S. (2023). Biologi dan Neraca Kehidupan Ulat Grayak Jagung, *Spodoptera frugiperda* Smith (Lepidoptera: Noctuidae) pada Tongkol Jagung Muda (*Zea mays* Linn.) sebagai Pakan Alternatif. *Jurnal Entomologi Indonesia*, 20(2), 188–202. <https://doi.org/10.5994/jei.20.2.188>
- Sun, X. Xu, Hu, C. Xing, Jia, H. Ru, Wu, Q. Lin, Shen, X. Jing, Zhao, S. Yuan, Jiang, Y. Ying, & Wu, K. Ming. (2021). Case Study on the First Immigration of Fall Armyworm, *Spodoptera frugiperda* Invading into China. *Journal of Integrative*

- Agriculture*, 20(3), 664–672. [https://doi.org/10.1016/S2095-3119\(19\)62839-X](https://doi.org/10.1016/S2095-3119(19)62839-X)
- Supartha, I. W., Susila, I. W., Sunari, A. A. A. S., Mahaputra, I. G. F., Yudha, I. K. W., & Wiradana, P. A. (2021). Damage Characteristics and Distribution Patterns of Invasive Pest, *Spodoptera frugiperda* (J.E. Smith) (Lepidoptera: Noctuidae) on Maize Crop in Bali, Indonesia. *Biodiversitas*, 22(6), 3378–3389. <https://doi.org/10.13057/BIODIV/D220645>
- Susiawan, E., & Yuliarti, N. (2017). Distribusi dan Kelimpahan Parasitoid Telur, *Telenomus* spp. di Sumatera Barat: Status dan Potensinya sebagai Agens Pengendali Hayati. *Jurnal Entomologi Indonesia*, 3(2), 104. <https://doi.org/10.5994/jei.3.2.104>
- Sutiharni, S., & Afifah, L. (2024). *Dasar-Dasar Perlindungan Tanaman* (Issue June 2022).
- Swamy, H. M. M., Asokan, R., Kalleshwaraswamy, C. M., Sharanabasappa, Prasad, Y. G., Maruthi, M. S., Shashank, P. R., Devi, N. I., Surakasula, A., Adarsha, S., Srinivas, A., Rao, S., Vidyasekhar, Raju, M. S., Reddy, G. S. S., & Nagesh, S. N. (2018). Prevalence of “R” strain and Molecular Diversity of Fall Armyworm *Spodoptera frugiperda* (J.E. Smith) (Lepidoptera: Noctuidae) in India. *Indian Journal of Entomology*, 80(3), 544. <https://doi.org/10.5958/0974-8172.2018.00239.0>
- Syafriansyah, M. G., Setyawati, T. R., & Yanti, A. H. (2016). Karakter Morfologi Laba-Laba yang Ditemukan di Area Hutan Bukit Tanjung Datok Kabupaten Sambas. *Jurnal Protobiont*, 5(3), 19–27.
- Tambo, J. A., Day, R. K., Lamontagne-Godwin, J., Silvestri, S., Besheh, P. K., Oppong-Mensah, B., Phiri, N. A., & Matimelo, M. (2020). Tackling Fall Armyworm (*Spodoptera frugiperda*) outbreak in Africa: an Analysis of Farmers’ Control Actions. *International Journal of Pest Management*, 66(4), 298–310. <https://doi.org/10.1080/09670874.2019.1646942>
- Tamura, K., Stecher, G., & Kumar, S. (2021). MEGA11: Molecular Evolutionary Genetics Analysis Version 11. *Molecular Biology and Evolution*, 38(7), 3022–3027. <https://doi.org/10.1093/molbev/msab120>
- Tavares, W. de S., Cruz, I., Petacci, F., de Assis Júnior, S. L., de Sousa Freitas, S., Zanuncio, J. C., & Serrão, J. E. (2009). Potential use of Asteraceae extracts to control *Spodoptera frugiperda* (Lepidoptera: Noctuidae) and Selectivity to their Parasitoids *Trichogramma pretiosum* (Hymenoptera: Trichogrammatidae) and *Telenomus remus* (Hymenoptera: Scelionidae). *Industrial Crops and Products*, 30(3), 384–388. <https://doi.org/10.1016/j.indcrop.2009.07.007>
- Tendeng, E., Labou, B., Diatte, M., Djiba, S., & Diarra, K. (2019). The Fall Armyworm *Spodoptera frugiperda* (J.E. Smith), a New Pest of Maize in Africa: Biology and First Native Natural Enemies Detected. *International Journal of Biological and Chemical Sciences*, 13(2), 1011. <https://doi.org/10.4314/ijbcs.v13i2.35>
- Tobing, M. C., & Nasution, D. B. (2007). Biologi Predator *Cheilomenes sexmaculata* (Fabr.) (Coleoptera : Coccinellidae) pada Kutu Daun *Macrosiphoniella sanborni* Gilleto (Homoptera: Aphididae). *Agrotrop*, 26(3), 99–104.
- Trisyono, Y., Suputa, S., Aryuwandari, V., Hartaman, M., & Jumari, J. (2019). Occurrence of Heavy Infestation by the Fall Armyworm *Spodoptera frugiperda*, a New Alien Invasive Pest, in Corn Lampung Indonesia. *Perlindungan Tanaman Indonesia*, 23, 156–160.
- Wahyuningsih, E., Faridah, En., Budiadi, & A, S. (2019). Komposisi dan Keanekaragaman Tumbuhan pada Habitat Ketak di Pulau Lombok. *Jurnal Hutan Tropis*, 7(2), 1–13.

- Wan, J., Huang, C., Li, C. You., Zhou, H. Xu., Ren, Y. Lin., Li, Z. Yuan., Xing, L. Sheng., Zhang, B., Qiao, X., Liu, B., Liu, C. Hui., Xi, Y., Liu, W. Xue., Wang, W. Kai., Qian, W. Qiang., Mckirdy, S., & Wan, F. Hao. (2021). Biology, Invasion and Management of the Agricultural Invader: Fall armyworm, *Spodoptera frugiperda* (Lepidoptera: Noctuidae). *Journal of Integrative Agriculture*, 20(3), 646–663. [https://doi.org/10.1016/S2095-3119\(20\)63367-6](https://doi.org/10.1016/S2095-3119(20)63367-6)
- Widhayasa, B., & Suryadarma, E. (2021). Peranan Faktor Cuaca terhadap Serangan Ulat Grayak *Spodoptera frugiperda* (Lepidoptera: Noctuidae) pada Tanaman Jagung di Kabupaten Berau, Kalimantan Timur. *Journal of Tropical AgriFood*, 4(2), 93–98. <https://doi.org/10.35941/jatl.4.2.2022.6999.93-98>
- Wu, L. Hong, Zhou, C., Long, G. Yun, Yang, X. Bin, Wei, Z. Yan, Liao, Y. Jiang, Yang, H., & Hu, C. Xing. (2021). Fitness of Fall Armyworm, *Spodoptera frugiperda* to Three Solanaceous Vegetables. *Journal of Integrative Agriculture*, 20(3), 755–763. [https://doi.org/10.1016/S2095-3119\(20\)63476-1](https://doi.org/10.1016/S2095-3119(20)63476-1)
- Wu, P., Wu, F., Fan, J., & Zhang, R. (2021). Potential Economic Impact of Invasive Fall Armyworm on Mainly Affected Crops in China. *Journal of Pest Science*, 94(4), 1065–1073. <https://doi.org/10.1007/s10340-021-01336-9>
- Wyckhuys, K. A. G., & O'Neil, R. J. (2006). Population Dynamics of *Spodoptera frugiperda* Smith (Lepidoptera: Noctuidae) and Associated Arthropoda Natural Enemies in Honduran Subsistence Maize. *Crop Protection*, 25(11), 1180–1190. <https://doi.org/10.1016/j.cropro.2006.03.003>
- Wyckhuys, K., Wongtiem, P., Rauf, A., Thancharoen, A., Heimpel, G., Le, N., Fanani, M. Z., Gurr, G., Lundgren, J., Burra, D. D., Palao, L., Hyman, G., Graziosi, I., Xuan, V. L., Cock, M., Tschamntke, T., Wratten, S., Nguyen, L. V., You, M., Neuenschwander, P. (2018). Continental-Scale Suppression of an Invasive Pest by a Host-specific Parasitoid Heralds a New Era for Arthropod Biological Control. *PeerJ PrePrints*. https://www.proquest.com/scholarly-journals/continental-scale-suppression-invasive-pest-host/docview/2061260953/se-2?accountid=32819%0Ahttps://media.proquest.com/media/hms/PFT/1/jlBz5?_a=ChgyMDIzMDYxNjA0MjIwNTc4ODo5MDI0MDYSBTc2MDQzGgpPTkVfU0VBukNIIlg4xMDMu
- Xiao, Y. tao. (2021). Research on the Invasive Pest of Fall Armyworm (*Spodoptera frugiperda*) in China. *Journal of Integrative Agriculture*, 20(3), 633–636. [https://doi.org/10.1016/S2095-3119\(21\)63623-7](https://doi.org/10.1016/S2095-3119(21)63623-7)
- Yang, X., Wyckhuys, K. A. G. ., Jia, X., Nie, F., & Wu, K. (2021). Fall armyworm Invasion Heightens Pesticide Expenditure among Chinese Smallholder Farmers. *Journal of Environmental Management*, 282(January), 111949. <https://doi.org/10.1016/j.jenvman.2021.111949>
- Zarkani, A., Ginting, S., Wibowo, R. H., & Sipriyadi. (2020). New Invasive Pest, *Spodoptera frugiperda* (J. E. Smith) (Lepidoptera: Noctuidae) Attacking Corn In Bengkulu, Indonesia. *Serangga*, 25(1), 105–117.
- Zhang, D. Dan, Zhao, S. Yuan, Wu, Q. Lin, Li, Y. Yan, & Wu, K. Ming. (2021). Cold Hardiness of the Invasive Fall Armyworm, *Spodoptera frugiperda* in China. *Journal of Integrative Agriculture*, 20(3), 764–771. [https://doi.org/10.1016/S2095-3119\(20\)63288-9](https://doi.org/10.1016/S2095-3119(20)63288-9)
- Zhang, Q., Zhang, Y., Zhang, K., Liu, H., Gou, Y., & Li, C. (2024). Molecular Characterization Analysis and Adaptive Responses of *Spodoptera frugiperda* (Lepidoptera: Noctuidae) to Nutritional and Enzymatic Variabilities in Various Maize Cultivars. *Plants*, 13(597), 1–19.

Zhou, X. Yong, Wu, Q. Lin, Jia, H. Ru, & Wu, K. Ming. (2021). Searchlight Trapping Reveals Seasonal Cross-ocean Migration of Fall armyworm over the South China Sea. *Journal of Integrative Agriculture*, 20(3), 673–684. [https://doi.org/10.1016/S2095-3119\(20\)63588-2](https://doi.org/10.1016/S2095-3119(20)63588-2)