

## DAFTAR PUSTAKA

- Ahmed, G., Acharya, S., Kawale, H., Singh, A., Kishore, N., & Pal, S. (2020). Thermochemical conversion of *Polyalthia longifolia* leaves at different temperatures and characterization of their products. *Fuel*, 280, 118574. <https://doi.org/10.1016/j.fuel.2020.118574>
- Apriwandi, A., Taer, E., Farna, R., Setiadi, R. N., & Amiruddin, E. (2021). A facile approach of micro-mesopores structure binder-free coin/monolith solid design activated carbon for electrode supercapacitor. *Journal of Energy Storage*, 40, 102823. <https://doi.org/10.1016/j.est.2021.102823>
- Armynah, B., Nairanti, D., Agustino, A., Taer, E., & Tahir, D. (2024a). Discarded *Persea americana* leaf-derived natural O, Mg, and Ca self-doped activated carbon and its applications as electrode materials for high-performance symmetric supercapacitors. *Diamond and Related Materials*, 143, 110879. <https://doi.org/10.1016/j.diamond.2024.110879>
- Armynah, B., Nairanti, D., Agustino, A., Taer, E., & Tahir, D. (2024b). Discarded *Persea americana* leaf-derived natural O, Mg, and Ca self-doped activated carbon and its applications as electrode materials for high-performance symmetric supercapacitors. *Diamond and Related Materials*, 143. <https://doi.org/10.1016/j.diamond.2024.110879>
- Armynah, B., Nairanti, D., Agustino, A., Taer, E., & Tahir, D. (2024c). Discarded *Persea americana* leaf-derived natural O, Mg, and Ca self-doped activated carbon and its applications as electrode materials for high-performance symmetric supercapacitors. *Diamond and Related Materials*, 143, 110879. <https://doi.org/10.1016/j.diamond.2024.110879>
- Bisht, S., Sharma, V., & Kumari, N. (2022). Biosynthesized magnetite nanoparticles from *Polyalthia longifolia* leaves improve photosynthetic performance and yield of *Trigonella foenum-graecum* under drought stress. *Plant Stress*, 5, 100090. <https://doi.org/10.1016/j.stress.2022.100090>
- Dar, M. A., Majid, S. R., Satgunam, M., Siva, C., Ansari, S., Arularasan, P., & Rafi Ahamed, S. (2024). Advancements in Supercapacitor electrodes and perspectives for future energy storage technologies. *International Journal of Hydrogen Energy*, 70, 10–28. <https://doi.org/10.1016/j.ijhydene.2024.05.191>
- Fan, Y. F., Yi, Z. L., Zhou, Y., Xie, L. J., Sun, G. H., Wang, Z. B., Huang, X. H., Su, F. Y., & Chen, C. M. (2024). The relationship between the high-frequency performance of supercapacitors and the type of doped nitrogen in the carbon electrode. *Xinxing Tan Cailiao/New Carbon Materials*, 39(5), 1015–1026. [https://doi.org/10.1016/S1872-5805\(24\)60849-8](https://doi.org/10.1016/S1872-5805(24)60849-8)

- Fan, Y., Yi, Z., Zhou, Y., Xie, L., Sun, G., Wang, Z., Huang, X., Su, F., & Chen, C. (2024). The relationship between the high-frequency performance of supercapacitors and the type of doped nitrogen in the carbon electrode. *New Carbon Materials*, 39(5), 1015–1026. [https://doi.org/10.1016/S1872-5805\(24\)60849-8](https://doi.org/10.1016/S1872-5805(24)60849-8)
- Forouzandeh, P., Kumaravel, V., & Pillai, S. C. (2020). Electrode materials for supercapacitors: A review of recent advances. In *Catalysts* (Vol. 10, Issue 9, pp. 1–73). MDPI. <https://doi.org/10.3390/catal10090969>
- Gupta, J., Ahmed, A. S., Pushpendra, & Azam, A. (2025). Comparative study of NiO based core-shell nanocomposites to high performance supercapacitor electrode materials. *Physica E: Low-Dimensional Systems and Nanostructures*, 165, 116121. <https://doi.org/10.1016/j.physe.2024.116121>
- Gupta, S., Kawale, H. D., Ahmed, G., Acharya, S., & Kishore, N. (2021). Effect of temperature on catalytic pyrolysis of Polyalthia Longifolia leaves solid waste and characterization of their products. *Current Research in Green and Sustainable Chemistry*, 4, 100062. <https://doi.org/10.1016/j.crgsc.2021.100062>
- Ha, Y., & Jeon, J. (2024). Thermogravimetric analysis and pyrolysis characterization of expanded – polystyrene and polyurethane – foam insulation materials. *Case Studies in Thermal Engineering*, 54(January). <https://doi.org/https://doi.org/10.1016/j.csite.2024.104002>
- Hao, J., Wang, B., Xu, H., Du, J., Wu, C., Qin, W., & Wu, X. (2024). Interfacial regulation of biomass-derived carbon towards high-performance supercapacitor. *Journal of Energy Storage*, 86, 111301. <https://doi.org/10.1016/j.est.2024.111301>
- Hegde, S. S., & Bhat, B. R. (2024). Sustainable energy storage: *Mangifera indica* leaf waste-derived activated carbon for long-life, high-performance supercapacitors. *RSC Advances*, 14(12), 8028–8038. <https://doi.org/10.1039/D3RA08910J>
- Inayat, A., Albalawi, K., Rehman, A., Adnan, Saad, A. Y., Saleh, E. A. M., Alamri, M. A., El-Zahhar, A. A., Haider, A., & Abbas, S. M. (2023). Tunable synthesis of carbon quantum dots from the biomass of spent tea leaves as supercapacitor electrode. *Materials Today Communications*, 34, 105479. <https://doi.org/10.1016/j.mtcomm.2023.105479>
- Kachroo, H., Verma, V. K., Doddapaneni, T. R. K. C., Kaushal, P., & Jain, R. (2024). Organic/metallic component analysis of lignocellulosic biomass: A thermochemical-perspective-based study on rice and bamboo waste. *Bioresource Technology*, 403(May). <https://doi.org/10.1016/j.biortech.2024.130835>
- Li, Y., & Qi, B. (2023). Secondary utilization of jujube shell bio-waste into biomass carbon for supercapacitor electrode materials study. *Electrochemistry Communications*, 152, 107512. <https://doi.org/10.1016/j.elecom.2023.107512>

- Marina, D., & Kurniawan, W. B. (2021). Karakteristik Karbon Aktif Limbah Kulit Lada (Piper Nigrum L) sebagai Elektroda Superkapasitor. *Jurnal Riset Fisika Indonesia*, 2(1), 7–14. <https://doi.org/10.33019/jrfi.v2i1.3171>
- Natalia, K., & Taer, E. (2019). PENGARUH SUHU AKTIVASI TERHADAP SIFAT FISIS DAN ELEKTROKIMIA ELEKTRODA SUPERKAPASITOR DARI LIMBAH DAUN AKASIA (Acacia mangium Wild). *Komunikasi Fisika Indonesia*, 16(2), 81. <https://doi.org/10.31258/jkfi.16.2.81-86>
- Nath, B., Chen, G., Bowtell, L., & Graham, E. (2024). An investigation of thermal decomposition behavior and combustion parameter of pellets from wheat straw and additive blends by thermogravimetric analysis. *International Journal of Thermofluids*, 22(April). <https://doi.org/10.1016/j.ijft.2024.100660>
- Novitra, R., Aziz, H., & Taer, E. (2022). Supercapactors based on active carbon from spent arabica coffee ground using NaOH activators. *Journal of Aceh Physics Society*, 11(1), 33–40. <https://doi.org/10.24815/jacps.v11i1.22227>
- Ojewuyi, O. B. (2014). Proximate composition, phytochemical and mineral contents of young and mature Polyalthia longifolia Sonn.leaves. *Fountain Journal of Natural and Applied Sciences*, 3(1). <https://doi.org/10.53704/fujnas.v3i1.20>
- Rajivgandhi, P., Mariappan, A., Manivannan, M., Kumar Dharman, R., Hwan Oh, T., & Sekar, A. (2024). Biomass waste derived from cassia fistula into value-added porous carbon electrode for aqueous symmetric supercapacitors. *Inorganic Chemistry Communications*, 165, 112552. <https://doi.org/10.1016/j.inoche.2024.112552>
- Sahani, S., Mahajan, H., & Han, S. S. (2024). Unveiling the hybrid era: Advancement in electrode materials for the high-performance supercapacitor: A comprehensive review. *Journal of Energy Storage*, 90, 111808. <https://doi.org/10.1016/j.est.2024.111808>
- Shokry, A., Karim, M., Khalil, M., Ebrahim, S., & El Nady, J. (2022). Supercapacitor based on polymeric binary composite of polythiophene and single-walled carbon nanotubes. *Scientific Reports*, 12(1), 11278. <https://doi.org/10.1038/s41598-022-15477-z>
- Sielicki, K., Maślana, K., & Mijowska, E. (2024). Fallen autumn leaves – The source of highly porous carbon for Zn-ion hybrid supercapacitors. *Diamond and Related Materials*, 144, 111021. <https://doi.org/10.1016/j.diamond.2024.111021>
- Srinivasan, R., Elaiyappillai, E., Pandian, H. P., Vengudusamy, R., Johnson, P. M., Chen, S.-M., & Karvembu, R. (2019). Sustainable porous activated carbon from Polyalthia longifolia seeds as electrode material for supercapacitor application. *Journal of Electroanalytical Chemistry*, 849, 113382. <https://doi.org/10.1016/j.jelechem.2019.113382>

- Sun, R., Chen, Y., Gao, X., Xie, G., Yang, R., Yang, C., Shi, Y., & Yi, Y. (2024). Sodium lignosulfonate-derived hierarchical porous carbon electrode materials for supercapacitor applications. *Journal of Energy Storage*, 91, 112025. <https://doi.org/10.1016/j.est.2024.112025>
- Taer, E., Apriwandi, A., Dalimunthe, B. K. L., & Taslim, R. (2021). A rod-like mesoporous carbon derived from agro-industrial cassava petiole waste for supercapacitor application. *Journal of Chemical Technology and Biotechnology*, 96(3), 662–671. <https://doi.org/10.1002/jctb.6579>
- Taer, E., Apriwandi, A., Rusdi, H., Ismardi, A., & Taslim, R. (2023). Improving volumetric supercapacitors performance with additive-free solid cylinder design of O, Zn, and Cl multi-doped biomass-based carbon source. *Bioresource Technology Reports*, 24, 101631. <https://doi.org/10.1016/j.biteb.2023.101631>
- Taer, E., Apriwandi, A., Taslim, R., Agutino, A., & Yusra, D. A. (2020a). Conversion Syzygium oleana leaves biomass waste to porous activated carbon nanosheet for boosting supercapacitor performances. *Journal of Materials Research and Technology*, 9(6), 13332–13340. <https://doi.org/10.1016/j.jmrt.2020.09.049>
- Taer, E., Apriwandi, A., Taslim, R., Agutino, A., & Yusra, D. A. (2020b). Conversion Syzygium oleana leaves biomass waste to porous activated carbon nanosheet for boosting supercapacitor performances. *Journal of Materials Research and Technology*, 9(6), 13332–13340. <https://doi.org/10.1016/j.jmrt.2020.09.049>
- Taer, E., Apriwandi, A., Taslim, R., Malik, U., & Usman, Z. (2019). Single Step Carbonization-Activation of Durian Shells for Producing Activated Carbon Monolith Electrodes. *International Journal of Electrochemical Science*, 14(2), 1318–1330. <https://doi.org/10.20964/2019.02.67>
- Taer, E., Sukmawati, Apriwandi, A., & Taslim, R. (2023). 3D meso-macroporous carbon derived spruce leaf biomass for excellent electrochemical symmetrical supercapacitor. *Materials Today: Proceedings*, 87, 32–40. <https://doi.org/10.1016/j.matpr.2023.01.371>
- Taslim, R., Apriwandi, A., & Taer, E. (2022). Novel *Moringa oleifera* Leaves 3D Porous Carbon-Based Electrode Material as a High-Performance EDLC Supercapacitor. *ACS Omega*, 7(41), 36489–36502. <https://doi.org/10.1021/acsomega.2c04301>
- Xu, C., Ye, J., Gong, D., Chen, X., Zhao, X., & Fu, Q. (2025). Supercapacitor performance evaluation with changes of microstructure in carbon electrode from perylene diimide derivative. *Diamond and Related Materials*, 151, 111816. <https://doi.org/10.1016/j.diamond.2024.111816>
- Zhai, Z., Wang, S., Xu, Y., Zhang, L., Wang, X., Yu, H., & Ren, B. (2024). Starch-based carbon aerogels prepared by an innovative KOH activation method for

supercapacitors. *International Journal of Biological Macromolecules*, 257, 128587. <https://doi.org/10.1016/j.ijbiomac.2023.128587>

Zhang, D., Zhang, Y., Liu, H., Xu, Y., Wu, J., & Li, P. (2023). Effect of pyrolysis temperature on carbon materials derived from reed residue waste biomass for use in supercapacitor electrodes. *Journal of Physics and Chemistry of Solids*, 178, 111318. <https://doi.org/10.1016/j.jpccs.2023.111318>

Zhang, Y., Li, X., Li, Z., & Yang, F. (2024). Evaluation of electrochemical performance of supercapacitors from equivalent circuits through cyclic voltammetry and galvanostatic charge/discharge. *Journal of Energy Storage*, 86, 111122. <https://doi.org/10.1016/j.est.2024.111122>