

DAFTAR PUSTAKA

1. George C, Leslie SW, Minter DA. Hyperuricemia. 2024;
2. Putra IMR, Putra TR. Korelasi antara konsumsi alkohol dan fractional uric acid clearance (Fuac) pada populasi suku bali di Desa Penglipuran, Kubu, Bangli. *J Intern Med.* 2010;11(3):164–70.
3. Brucato A, Cianci F, Carnovale C. Management of hyperuricemia in asymptomatic patients: A critical appraisal. *Eur J Intern Med.* 2020;74(October 2019):8–17.
4. Choi ST, Song JS, Kim SJ, Kim CH, Moon SJ. The utility of the random urine uric acid-to-creatinine ratio for patients with gout who need uricosuric agents: Retrospective cross-sectional study. *J Korean Med Sci.* 2020;35(13).
5. Yamanaka H, Kamatani N. Familial juvenile gouty nephropathy. *Ryoikibetsu Shokogun Shirizu.* 1998;01(18 Pt 1):481–3.
6. Ichida K, Matsuo H, Takada T, Nakayama A, Murakami K, Shimizu T, et al. Decreased extra-renal urate excretion is a common cause of hyperuricemia. *Nat Commun.* 2012;3:4–6.
7. Baan A, Girik Allo MD, Patak AA. The cultural attitudes of a funeral ritual discourse in the indigenous Torajan, Indonesia. *Heliyon.* 2022;8(2):e08925.
8. Riskiyani S, Jannah M, Rahman A. ASPEK SOSIAL BUDAYA PADA KONSUMSI MINUMAN BERALKOHOL (TUAK) DI KABUPATEN TORAJA UTARA The Social Culture Aspect of Alcohol (Tuak) Used in North Toraja. *Jurnal MKMI.* 2015;76–85.
9. Maiuolo J, Oppedisano F, Gratteri S, Muscoli C, Mollace V. Regulation of uric acid metabolism and excretion. *Int J Cardiol.* 2016;213:8–14.
10. Benn CL, Dua P, Gurrell R, Loudon P, Pike A, Ian Storer R, et al. Physiology of hyperuricemia and urate-lowering treatments. *Front Med (Lausanne).* 2018;5(MAY):1–28.
11. V. J. Caiozzo, F. Haddad, S. Lee, M. Baker WP and KMB, Burkhardt H, Ph RO, Vogiatzis G, Hernández C, Priese L, et al. No Title. Society. 2019;2(1):1–19.
12. AW Sudoyo; B Setiyohadi; I Alwi; M Simadibrata; S Setiati. Buku Ajar Ilmu Penyakit Dalam Edisi IV jilid III. Buku Ajar Ilmu Penyakit Dalam Edisi IV jilid III, 0 148 Ilmu penyakit dalam AW Sudoyo, B Setiyohadi, I Alwi, M Simadibrata, S Setiati Edisi 5, 161–162, 2006. 2018;2089.
13. Choi ST, Song JS, Kim SJ, Kim CH, Moon SJ. The utility of the random urine uric acid-to-creatinine ratio for patients with gout who need uricosuric agents: Retrospective cross-sectional study. *J Korean Med Sci.* 2020;35(13):1–8.
14. Nur M, Anggunan A, Wulandari PDWD. Hubungan Kadar Asam Urat dengan Kadar Kreatinin pada Pasien Gagal Ginjal Kronik yang Menjalani hemodialisa di Rumah Sakit Pertamina Bintang Amin Bandar Lampung tahun 2016. *Jurnal Ilmu Kedokteran dan Kesehatan.* 2019;5(4).
15. Dav S, Bhosale M, Sattigeri B, Vimal S. Pharmacological overview for therapy of gout and hyperuricemia. *Int J Health Sci (Qassim).* 2022;6(March):7772–85.



16. Haydar Y. Prognosis and Complications of Hyperuricemia Patients Undergoing Isolated Coronary Artery Bypass Surgery. *Journal of Cardiothoracic Surgery and Therapeutics*. 2020;4(1):61–5.
17. Doghramji PP, Wortmann RL. Hyperuricemia and gout: New concepts in diagnosis and management. *Postgrad Med*. 2012;124(6):98–109.
18. Zhao J, Wei K, Jiang P, Chang C, Xu L, Xu L, et al. Inflammatory Response to Regulated Cell Death in Gout and Its Functional Implications. Vol. 13, *Frontiers in Immunology*. 2022.
19. Yanai H, Adachi H, Hakoshima M, Katsuyama H. Molecular biological and clinical understanding of the pathophysiology and treatments of hyperuricemia and its association with metabolic syndrome, cardiovascular diseases and chronic kidney disease. Vol. 22, *International Journal of Molecular Sciences*. 2021.
20. Qi H, Sun M, Terkeltaub R, Xue X, Li X, Cui L, et al. Response to febuxostat according to clinical subtypes of hyperuricemia: a prospective cohort study in primary gout. *Arthritis Res Ther*. 2023;25(1).
21. Yanai K, Hirai K, Kaneko S, Mutsuyoshi Y, Kitano T, Miyazawa H, et al. The Efficacy and Safety of Dotinurad on Uric Acid and Renal Function in Patients with Hyperuricemia and Advanced Chronic Kidney Disease: A Single Center, Retrospective Analysis. *Drug Des Devel Ther*. 2023;17.
22. Ichida K, Matsuo H, Takada T, Nakayama A, Murakami K, Shimizu T, et al. Decreased extra-renal urate excretion is a common cause of hyperuricemia. *Nat Commun*. 2012;3.
23. Stiburkova B, Miyata H, Závada J, Tomčík M, Pavelka K, Storkanova G, et al. Novel dysfunctional variant in ABCG2 as a cause of severe tophaceous gout: Biochemical, molecular genetics and functional analysis. Vol. 55, *Rheumatology (United Kingdom)*. 2016.
24. FitzGerald JD, Dalbeth N, Mikuls T, Brignardello-Petersen R, Guyatt G, Abeles AM, et al. 2020 American College of Rheumatology Guideline for the Management of Gout. *Arthritis Care Res (Hoboken)*. 2020;72(6).
25. Yadav S, Bhosale M, Sattigeri B, Vimal S. Pharmacological overview for therapy of gout and hyperuricemia. *Int J Health Sci (Qassim)*. 2022;
26. Piao W, Zhao L, Yang Y, Fang H, Ju L, Cai S, et al. The Prevalence of Hyperuricemia and Its Correlates among Adults in China: Results from CNHS 2015–2017. *Nutrients*. 2022;14(19).
27. Pui K, Gow PJ, Dalbeth N. Efficacy and tolerability of probenecid as urate-lowering therapy in gout; Clinical experience in high-prevalence population. *Journal of Rheumatology*. 2013;40(6).
28. Bredemeier M, Lopes LM, Eisenreich MA, Hickmann S, Bongiorno GK, d'Avila R, et al. Xanthine oxidase inhibitors for prevention of cardiovascular events: A systematic review and meta-analysis of randomized controlled trials. *BMC Cardiovasc Disord*. 2018;18(1).
29. Putriana AE, Martianto D, Riyadi H. Analysis of feeding pattern and health practices in child 6-24 months nutritional status in Makassar, Bugis and raja tribes. *AcTion: Aceh Nutrition Journal*. 2019;4(2).
- S, N. S. Uric acid in Parkinson's disease. *Movement Disorders*. 08;23(12).



31. Wu Y, Shin D. Association between alcoholic beverage intake and hyperuricemia in Chinese adults: Findings from the China Health and Nutrition Survey. Medicine (United States). 2023;102(22).
32. Cicerello E, Merlo F, Maccatrazzo L. Urinary alkalization for the treatment of uric acid nephrolithiasis. Vol. 82, Archivio Italiano di Urologia e Andrologia. 2010.
33. Ko YL. Genetics of hyperuricemia and gout: Insights from recent genome-wide association studies and Mendelian randomization studies. Vol. 34, Tzu Chi Medical Journal. 2022.
34. Kawamoto R, Kikuchi A, Akase T, Ninomiya D, Tokumoto Y, Kumagi T. Alcohol consumption and serum uric acid are synergistically associated with renal dysfunction among community-dwelling persons. J Clin Lab Anal. 2021;35(6).
35. Nakashima A, Ichida K, Ohkido I, Yokoyama K, Matsuo H, Ohashi Y, et al. Dysfunctional ABCG2 gene polymorphisms are associated with serum uric acid levels and all-cause mortality in hemodialysis patients. Hum Cell. 2020;33(3).
36. Shin DH. To treat or not to treat asymptomatic hyperuricemia in chronic kidney disease. Kidney Res Clin Pract. 2019;38(3).
37. Lee TH, Chen JJ, Wu CY, Yang CW, Yang HY. Hyperuricemia and progression of chronic kidney disease: A review from physiology and pathogenesis to the role of urate-lowering therapy. Vol. 11, Diagnostics. 2021.

