

## DAFTAR PUSTAKA

- Arturson, G. (1996) 'Pathophysiology pharmacological lecture, 1995\*', *Bu*, 22(4), pp. 255–274.
- Benson, A., Dickson, W. A. and Boyce, D. E. (2006) 'ABC of wound healing: Burns', *British Medical Journal*, 332(7542), pp. 649–652. doi: 10.1136/sbmj.0609324.
- Evers, L. H., Bhavsar, D. and Mailänder, P. (2010) 'The biology of burn injury', *Experimental Dermatology*, 19(9), pp. 777–783. doi: 10.1111/j.1600-0625.2010.01105.x.
- Garner, W. (2005) *Principles and Practice of Burn Surgery*, *Annals of Plastic Surgery*. doi: 10.1097/01.sap.0000168694.45920.b9.
- Hettiaratchy, S. and Papini, R. (2004) 'Initial management of a major burn: II—assessment and resuscitation', *Bmj*, 329(7457), pp. 101–103. doi: 10.1136/bmj.329.7457.101.
- Lin, Z.-Q. *et al.* (2003) 'Essential involvement of IL-6 in the skin wound-healing process as evidenced by delayed wound healing in IL-6-deficient mice', *Journal of Leukocyte Biology*, 73(6), pp. 713–721. doi: 10.1189/jlb.0802397.
- Marck, R. E. *et al.* (2019) 'Activation, function and content of platelets in burn patients', *Platelets*. Taylor & Francis, 30(3), pp. 396–402. doi: 10.1080/09537104.2018.1448379
- Moss, L. S. (2010) 'Treatment of the burn patient in primary care.', *Advances in skin & wound care*, 23(11), pp. 517–524. doi: 10.1097/01.npr.0000387099.02066.07.
- Rowan, M. P. *et al.* (2015) 'Burn wound healing and treatment: Review and advancements', *Critical Care*. Critical Care, 19(1), pp. 1–12. doi: 10.1186/s13054-015-0961-2.
- Singh, V. *et al.* (2007) 'The pathogenesis of burn wound conversion', *Annals of*

*Plastic Surgery*, 59(1), pp. 109–115. doi: 10.1097/01.sap.0000252065.90759.e6.

Tiwari, V. K. (2012) ‘Burn wound: How it differs from other wounds’, *Indian Journal of Plastic Surgery*, 45(2), pp. 364–373. doi: 10.4103/0970-0358.101319

Chicharro-Alcántara, D. *et al.* (2018) ‘Platelet rich plasma: New insights for cutaneous wound healing management’, *Journal of Functional Biomaterials*, 9(1). doi: 10.3390/jfb9010010.

Moenadjat *et al.*, “The safety and efficacy of feracrylum as compared to silver sulfadiazine in the management of deep partial thickness burn : A clinical study report”, *Medical Journal of Indonesia* Vol 17 No 4 (2008) : October – December, doi : 10.13181/mji.v17i4.329

Meenakshi *et al.*, “Feracrylum : An effective and safe topical haemostatic agent”, *World Journal of Pharmaceutical Research* 2017, Vol 6, Issue 10, 319-325,

Bhagwat AM, Save S, Burli S, Karki SG. A Study to Evaluate the Antimicrobial Activity of Feracrylum and its Comparison with Povidone Iodine. *Indian J Pathol Microbial*, 2001; 44: 431-433

Sharma, R. K. and John, J. R. (2012) ‘Role of stem cells in the management of chronic wounds’, *Indian Journal of Plastic Surgery*, 45(2), pp. 237–243. doi: 10.4103/0970-0358.101286.

S.Guo, L.A. DiPietro, *Factors Affecting Wound Healing*, SAGE Journals, February 2010, doi : 10.1177/0022034509359125

Garner, W. (2005) *Principles and Practice of Burn Surgery*, *Annals of Plastic Surgery*. doi: 10.1097/01.sap.0000168694.45920.b9.

Ozcelik, U. *et al.* (2016) ‘Effect of topical platelet-rich plasma on burn healing after partial-thickness burn injury’, *Medical Science Monitor*, 22, pp. 1903–1909. doi: 10.12659/MSM.895395.

Sevgi, M., Toklu, A., Vecchio, D. & Hamblin ,M.R. 2013. Topical antimicrobials for burn infections-An update, *Recent Patents on Anti-Infective*

*Drug Discovery*, 8, 161-197

Demling RH, DeSanti L (2001) The role of silver in wound healing, Part 1 :  
Effects of Silver on Wound Management. *Wounds* 13(1) : SupplA3-A15

Schwarz K, Dulchavsky S., Burn Wound Infections.

Website:[www.emedicine.com/MED/topic258.htm](http://www.emedicine.com/MED/topic258.htm).

Lilley ,L and Aucker ,R (1999) *Pharmacology and The Nursing Process*. Second  
Edi. United States of America: Mosby. Available at : [www.mosby.com](http://www.mosby.com)

Adhya, Jayanta Bain, Healing of burn wounds by topical treatment: A  
randomized controlled comparison between silver sulfadiazine and nano-  
crystalline silver, website : [www.ncbi.nlm.nih.gov](http://www.ncbi.nlm.nih.gov)

Li-Wu Qian et al. *J Burn Care Res*. Jan/Feb 2017, Silver Sulfadiazine Retards  
Wound Healing and Increase Hypertrophic Scarring in a Rabbit Ear Excisional  
Wound Model, [pubmed.ncbi.nlm.nih.gov](http://pubmed.ncbi.nlm.nih.gov)

Hathial MD. Feracrylum : A therapeutic profile. *Indian Pract*. 2000 ; 267-9

[Google Scholar]

Suchitra Chari, M.S.M.Sc. Medindia, Feracrylum – Drug Information, May  
2018

George Han & Roger Ceilley, *Chronic Wound Healing : A Review of Current  
Managements and Treatments*, 2017, doi : 10.1007/s12325-017-0478-y

## LAMPIRAN

### A. DATA SPSS MAKROSKOPIS

#### DESKRIPTIF

		<b>Descriptives</b>				
	Perlakuan		Statistic	Std. Error		
Penyembuhan Hari Ke-5	Kasa Lembab	Mean	4.9600	.43261		
		95% Confidence Interval for	Lower Bound	3.9624		
		Mean	Upper Bound	5.9576		
		5% Trimmed Mean		4.8500		
		Median		4.3300		
		Variance		1.684		
		Std. Deviation		1.29784		
		Minimum		4.20		
		Maximum		7.70		
		Range		3.50		
		Interquartile Range		1.45		
		Skewness		1.732	.717	
		Kurtosis		1.717	1.400	
		Feracrylum 1%		Mean	34.1567	.35129
				95% Confidence Interval for	Lower Bound	33.3466
Mean	Upper Bound			34.9667		
5% Trimmed Mean				34.0969		
Median				33.5800		
Variance				1.111		
Std. Deviation				1.05387		
Minimum				33.28		
Maximum				36.11		
Range				2.83		
Interquartile Range				1.76		
Skewness				.970	.717	
Kurtosis				-.409	1.400	
Silver Sulfadiazine				Mean	11.6522	.32957
				95% Confidence Interval for	Lower Bound	10.8922
		Mean	Upper Bound	12.4122		
		5% Trimmed Mean		11.5614		
		Median		11.2500		
		Variance		.978		

		Std. Deviation	.98870		
		Minimum	10.83		
		Maximum	14.11		
		Range	3.28		
		Interquartile Range	.76		
		Skewness	2.312	.717	
		Kurtosis	5.848	1.400	
Penyembuhan Hari Ke-10	Kasa Lembab	Mean	20.5867	.41251	
		95% Confidence Interval for	Lower Bound	19.6354	
		Mean	Upper Bound	21.5379	
		5% Trimmed Mean	20.5507		
		Median	20.9100		
		Variance	1.531		
		Std. Deviation	1.23754		
		Minimum	19.10		
		Maximum	22.72		
		Range	3.62		
		Interquartile Range	2.11		
		Skewness	.067	.717	
		Kurtosis	-.546	1.400	
			Feracrylum 1%	Mean	59.3856
		95% Confidence Interval for	Lower Bound	58.5559	
		Mean	Upper Bound	60.2152	
		5% Trimmed Mean	59.3245		
		Median	59.0500		
		Variance	1.165		
		Std. Deviation	1.07939		
		Minimum	58.30		
		Maximum	61.57		
		Range	3.27		
		Interquartile Range	1.50		
		Skewness	1.240	.717	
		Kurtosis	.851	1.400	
	Silver Sulfadiazine	Mean	31.8133	.64484	
		95% Confidence Interval for	Lower Bound	30.3263	
		Mean	Upper Bound	33.3003	
		5% Trimmed Mean	31.6737		
		Median	31.6800		
		Variance	3.742		
		Std. Deviation	1.93452		
		Minimum	29.67		

		Maximum	36.47	
		Range	6.80	
		Interquartile Range	1.52	
		Skewness	1.917	.717
		Kurtosis	4.960	1.400
Penyembuhan Hari Ke-14	Kasa Lembab	Mean	44.7489	.27485
		95% Confidence Interval for	Lower Bound	44.1151
		Mean	Upper Bound	45.3827
		5% Trimmed Mean	44.7015	
		Median	44.1400	
		Variance	.680	
		Std. Deviation	.82455	
		Minimum	44.10	
		Maximum	46.25	
		Range	2.15	
		Interquartile Range	1.41	
		Skewness	.880	.717
		Kurtosis	-.749	1.400
		Feracrylum 1%		Mean
95% Confidence Interval for	Lower Bound			86.4279
Mean	Upper Bound			87.3010
5% Trimmed Mean	86.8588			
Median	86.8700			
Variance	.323			
Std. Deviation	.56796			
Minimum	86.17			
Maximum	87.66			
Range	1.49			
Interquartile Range	1.19			
Skewness	-.087			.717
Kurtosis	-1.552			1.400
Silver Sulfadiazine				Mean
		95% Confidence Interval for	Lower Bound	48.8275
		Mean	Upper Bound	50.1637
		5% Trimmed Mean	49.4723	
		Median	49.2900	
		Variance	.755	
		Std. Deviation	.86917	
		Minimum	48.47	
		Maximum	50.94	

Range	2.47	
Interquartile Range	1.48	
Skewness	.848	.717
Kurtosis	-.530	1.400

### Descriptives

	Perlakuan		Statistic	Std. Error	
Granulasi Hari Ke-14	Kasa Lembab	Mean	1.2222	.14699	
		95% Confidence Interval for	Lower Bound	.8833	
		Mean	Upper Bound	1.5612	
		5% Trimmed Mean		1.1914	
		Median		1.0000	
		Variance		.194	
		Std. Deviation		.44096	
		Minimum		1.00	
		Maximum		2.00	
		Range		1.00	
		Interquartile Range		.50	
		Skewness		1.620	.717
		Kurtosis		.735	1.400
		Feracrylum 1%		Mean	2.6667
95% Confidence Interval for	Lower Bound			2.2823	
Mean	Upper Bound			3.0510	
5% Trimmed Mean				2.6852	
Median				3.0000	
Variance				.250	
Std. Deviation				.50000	
Minimum				2.00	
Maximum				3.00	
Range				1.00	
Interquartile Range				1.00	
Skewness				-.857	.717
Kurtosis				-1.714	1.400
Silver Sulfadiazine				Mean	1.8889
		95% Confidence Interval for	Lower Bound	1.4270	
		Mean	Upper Bound	2.3508	
		5% Trimmed Mean		1.8765	
		Median		2.0000	
		Variance		.361	
		Std. Deviation		.60093	

		Minimum	1.00	
		Maximum	3.00	
		Range	2.00	
		Interquartile Range	.50	
		Skewness	-.018	.717
		Kurtosis	1.126	1.400
Epitel Hari Ke-14	Kasa Lembab	Mean	1.2222	.14699
		95% Confidence Interval for	Lower Bound	.8833
		Mean	Upper Bound	1.5612
		5% Trimmed Mean	1.1914	
		Median	1.0000	
		Variance	.194	
		Std. Deviation	.44096	
		Minimum	1.00	
		Maximum	2.00	
		Range	1.00	
		Interquartile Range	.50	
		Skewness	1.620	.717
		Kurtosis	.735	1.400
	Feracrylum 1%	Mean	2.8889	.11111
		95% Confidence Interval for	Lower Bound	2.6327
		Mean	Upper Bound	3.1451
		5% Trimmed Mean	2.9321	
		Median	3.0000	
		Variance	.111	
		Std. Deviation	.33333	
		Minimum	2.00	
		Maximum	3.00	
		Range	1.00	
		Interquartile Range	.00	
		Skewness	-3.000	.717
		Kurtosis	9.000	1.400
	Silver Sulfadiazine	Mean	1.7778	.14699
		95% Confidence Interval for	Lower Bound	1.4388
		Mean	Upper Bound	2.1167
		5% Trimmed Mean	1.8086	
		Median	2.0000	
		Variance	.194	
		Std. Deviation	.44096	
		Minimum	1.00	
		Maximum	2.00	



		Range	1.00		
		Interquartile Range	.50		
		Skewness	-1.620	.717	
		Kurtosis	.735	1.400	
Neovaskularisasi	Kasa Lembab	Mean	1.2222	.14699	
		95% Confidence Interval for	Lower Bound	.8833	
		Mean	Upper Bound	1.5612	
		5% Trimmed Mean		1.1914	
		Median		1.0000	
		Variance		.194	
		Std. Deviation		.44096	
		Minimum		1.00	
		Maximum		2.00	
		Range		1.00	
		Interquartile Range		.50	
		Skewness		1.620	.717
		Kurtosis		.735	1.400
			Feracrylum 1%	Mean	2.8889
			95% Confidence Interval for	Lower Bound	2.6327
			Mean	Upper Bound	3.1451
			5% Trimmed Mean		2.9321
			Median		3.0000
			Variance		.111
			Std. Deviation		.33333
		Minimum		2.00	
		Maximum		3.00	
		Range		1.00	
		Interquartile Range		.00	
		Skewness		-3.000	.717
		Kurtosis		9.000	1.400
	Silver Sulfadiazine	Mean	1.7778	.14699	
		95% Confidence Interval for	Lower Bound	1.4388	
		Mean	Upper Bound	2.1167	
		5% Trimmed Mean		1.8086	
		Median		2.0000	
		Variance		.194	
		Std. Deviation		.44096	
		Minimum		1.00	
		Maximum		2.00	
		Range		1.00	

Interquartile Range	.50	
Skewness	-1.620	.717
Kurtosis	.735	1.400

## UJI NORMALITAS DAN HOMOGENITAS SYARAT UJI ONE-WAY ANOVA (PERSENTASE PENYEMBUHAN LUKA)

### Tests of Normality

	Perlakuan	Kolmogorov-Smirnov <sup>a</sup>			Shapiro-Wilk		
		Statistic	df	Sig.	Statistic	df	Sig.
Penyembuhan Hari Ke-5	Kasa Lembab	.372	9	.001	.653	9	.000
	Feracrylum 1%	.263	9	.072	.827	9	.041
	Silver Sulfadiazine	.279	9	.042	.712	9	.002
Penyembuhan Hari Ke-10	Kasa Lembab	.238	9	.149	.866	9	.112
	Feracrylum 1%	.210	9	.200*	.870	9	.122
	Silver Sulfadiazine	.322	9	.008	.794	9	.018
Penyembuhan Hari Ke-14	Kasa Lembab	.325	9	.007	.794	9	.018
	Feracrylum 1%	.209	9	.200*	.897	9	.236
	Silver Sulfadiazine	.242	9	.136	.890	9	.200

\*. This is a lower bound of the true significance.

a. Lilliefors Significance Correction

### Test of Homogeneity of Variances

		Levene Statistic	df1	df2	Sig.
Penyembuhan Hari Ke-5	Based on Mean	.579	2	24	.568
	Based on Median	.153	2	24	.859
	Based on Median and with adjusted df	.153	2	21.522	.859
	Based on trimmed mean	.442	2	24	.648
Penyembuhan Hari Ke-10	Based on Mean	.248	2	24	.782
	Based on Median	.234	2	24	.793
	Based on Median and with adjusted df	.234	2	17.101	.794
	Based on trimmed mean	.221	2	24	.804
Penyembuhan Hari Ke-14	Based on Mean	1.225	2	24	.311
	Based on Median	.269	2	24	.767

Based on Median and with adjusted df	.269	2	17.262	.767
Based on trimmed mean	1.098	2	24	.350

### UJI KRUSKAL – WALLIS PERSENTASI PENYEMBUHAN LUKA HARI KE-5, 10 DAN 14

Ranks			
	Perlakuan	N	Mean Rank
Penyembuhan Hari Ke-5	Kasa Lembab	9	5.00
	Feracrylum 1%	9	23.00
	Silver Sulfadiazine	9	14.00
	Total	27	
Penyembuhan Hari Ke-10	Kasa Lembab	9	5.00
	Feracrylum 1%	9	23.00
	Silver Sulfadiazine	9	14.00
	Total	27	
Penyembuhan Hari Ke-14	Kasa Lembab	9	5.00
	Feracrylum 1%	9	23.00
	Silver Sulfadiazine	9	14.00
	Total	27	

Test Statistics <sup>a,b</sup>			
	Penyembuhan Hari Ke-5	Penyembuhan Hari Ke-10	Penyembuhan Hari Ke-14
Kruskal-Wallis H	23.157	23.150	23.157
df	2	2	2
Asymp. Sig.	.000	.000	.000

a. Kruskal Wallis Test

b. Grouping Variable: Perlakuan

### MANN WHITNEY TEST: COMPARISON FERACRYLUM 1% VS SILVER SULFADIAZINE PENYEMBUHAN HARI KE-5, 10, 14

Ranks				
	Perlakuan	N	Mean Rank	Sum of Ranks

Penyembuhan Hari Ke-5	Feracrylum 1%	9	14.00	126.00
	Silver Sulfadiazine	9	5.00	45.00
	Total	18		
Penyembuhan Hari Ke-10	Feracrylum 1%	9	14.00	126.00
	Silver Sulfadiazine	9	5.00	45.00
	Total	18		
Penyembuhan Hari Ke-14	Feracrylum 1%	9	14.00	126.00
	Silver Sulfadiazine	9	5.00	45.00
	Total	18		

### Test Statistics<sup>a</sup>

	Penyembuhan Hari Ke-5	Penyembuhan Hari Ke-10	Penyembuhan Hari Ke-14
Mann-Whitney U	.000	.000	.000
Wilcoxon W	45.000	45.000	45.000
Z	-3.578	-3.576	-3.576
Asymp. Sig. (2-tailed)	.000	.000	.000
Exact Sig. [2*(1-tailed Sig.)]	.000 <sup>b</sup>	.000 <sup>b</sup>	.000 <sup>b</sup>

a. Grouping Variable: Perlakuan

b. Not corrected for ties.

## B. DATA SPSS MIKROSKOPIS

### DESKRIPTIF

		<b>Descriptives</b>			
	Perlakuan		Statistic	Std. Error	
Granulasi Hari Ke-14	Kasa Lembab	Mean	281.7778	1.57919	
		95% Confidence Interval for Mean	Lower Bound	278.1362	
			Upper Bound	285.4194	
		5% Trimmed Mean		281.5864	
		Median		280.0000	
		Variance		22.444	
		Std. Deviation		4.73756	
		Minimum		277.00	
		Maximum		290.00	
		Range		13.00	
		Interquartile Range		8.50	
		Skewness		.885	.717
		Kurtosis		-.756	1.400
		Feracrylum 1%		Mean	148.4444
95% Confidence Interval for Mean	Lower Bound			144.8780	
	Upper Bound			152.0109	
5% Trimmed Mean				148.3827	
Median				147.0000	
Variance				21.528	
Std. Deviation				4.63980	
Minimum				143.00	
Maximum				155.00	
Range				12.00	
Interquartile Range				9.00	
Skewness				.350	.717
Kurtosis				-1.803	1.400
Silver Sulfadiazine				Mean	173.6667
		95% Confidence Interval for Mean	Lower Bound	171.6330	
			Upper Bound	175.7004	
		5% Trimmed Mean		173.7407	
		Median		174.0000	
		Variance		7.000	

		Std. Deviation	2.64575			
		Minimum	169.00			
		Maximum	177.00			
		Range	8.00			
		Interquartile Range	4.00			
		Skewness	-.839	.717		
		Kurtosis	-.118	1.400		
Epitel Hari Ke-14	Kasa Lembab	Mean	20.5556	.94444		
		95% Confidence Interval for Mean	Lower Bound	18.3777		
			Upper Bound	22.7334		
		5% Trimmed Mean	20.5617			
		Median	20.0000			
		Variance	8.028			
		Std. Deviation	2.83333			
		Minimum	16.00			
		Maximum	25.00			
		Range	9.00			
		Interquartile Range	4.50			
		Skewness	.116	.717		
		Kurtosis	-.354	1.400		
			Feracrylum 1%	Mean	40.7778	.77778
				95% Confidence Interval for Mean	Lower Bound	38.9842
					Upper Bound	42.5713
				5% Trimmed Mean	40.7531	
				Median	41.0000	
				Variance	5.444	
Std. Deviation	2.33333					
Minimum	38.00					
Maximum	44.00					
Range	6.00					
Interquartile Range	4.50					
Skewness	.040			.717		
Kurtosis	-1.880			1.400		
	Silver Sulfadiazine			Mean	26.4444	.72860
				95% Confidence Interval for Mean	Lower Bound	24.7643
					Upper Bound	28.1246
				5% Trimmed Mean	26.4383	
				Median	27.0000	
				Variance	4.778	
		Std. Deviation	2.18581			
		Minimum	23.00			

		Maximum	30.00			
		Range	7.00			
		Interquartile Range	3.50			
		Skewness	-.089	.717		
		Kurtosis	-.434	1.400		
Neovaskularisasi	Kasa Lembab	Mean	14.4444	.44444		
		95% Confidence Interval for	Lower Bound	13.4196		
		Mean	Upper Bound	15.4693		
		5% Trimmed Mean		14.3827		
		Median		14.0000		
		Variance		1.778		
		Std. Deviation		1.33333		
		Minimum		13.00		
		Maximum		17.00		
		Range		4.00		
		Interquartile Range		2.00		
		Skewness		.966	.717	
		Kurtosis		.299	1.400	
			Feracrylum 1%	Mean	9.5556	.44444
				95% Confidence Interval for	Lower Bound	8.5307
Mean	Upper Bound			10.5804		
5% Trimmed Mean				9.5062		
Median				9.0000		
Variance				1.778		
Std. Deviation				1.33333		
Minimum				8.00		
Maximum				12.00		
Range				4.00		
Interquartile Range				2.00		
Skewness				.661	.717	
Kurtosis				-.153	1.400	
	Silver Sulfadiazine			Mean	11.6667	.33333
				95% Confidence Interval for	Lower Bound	10.8980
		Mean	Upper Bound	12.4353		
		5% Trimmed Mean		11.6852		
		Median		12.0000		
		Variance		1.000		
		Std. Deviation		1.00000		
		Minimum		10.00		
		Maximum		13.00		

Range	3.00	
Interquartile Range	1.50	
Skewness	-.107	.717
Kurtosis	-.643	1.400

## NORMALITAS

		Tests of Normality					
		Kolmogorov-Smirnov <sup>a</sup>			Shapiro-Wilk		
	Perlakuan	Statistic	df	Sig.	Statistic	df	Sig.
Granulasi Hari Ke-14	Kasa Lembab	.232	9	.178	.866	9	.11
	Feracrylum 1%	.216	9	.200*	.888	9	.19
	Silver Sulfadiazine	.217	9	.200*	.912	9	.33
Epitel Hari Ke-14	Kasa Lembab	.133	9	.200*	.980	9	.96
	Feracrylum 1%	.221	9	.200*	.892	9	.20
	Silver Sulfadiazine	.156	9	.200*	.976	9	.94
Neovaskularisasi	Kasa Lembab	.297	9	.021	.874	9	.13
	Feracrylum 1%	.217	9	.200*	.922	9	.40
	Silver Sulfadiazine	.192	9	.200*	.917	9	.36

\*. This is a lower bound of the true significance.

a. Lilliefors Significance Correction

## HOMOGENITAS

		Levene Statistic	df1	df2	Sig.
Granulasi Hari Ke-14	Based on Mean	3.337	2	24	.053
	Based on Median	1.425	2	24	.260
	Based on Median and with adjusted df	1.425	2	19.361	.265
	Based on trimmed mean	3.086	2	24	.064
Epitel Hari Ke-14	Based on Mean	.278	2	24	.759
	Based on Median	.227	2	24	.799
	Based on Median and with adjusted df	.227	2	19.863	.799
	Based on trimmed mean	.280	2	24	.758



Neovaskularisasi	Based on Mean	.375	2	24	.691
	Based on Median	.130	2	24	.878
	Based on Median and with adjusted df	.130	2	21.482	.878
	Based on trimmed mean	.328	2	24	.723

## ANOVA

		ANOVA				
		Sum of Squares	df	Mean Square	F	Sig.
Granulasi Hari Ke-14	Between Groups	90305.852	2	45152.926	2657.502	.000
	Within Groups	407.778	24	16.991		
	Total	90713.630	26			
Epitel Hari Ke-14	Between Groups	1947.185	2	973.593	160.043	.000
	Within Groups	146.000	24	6.083		
	Total	2093.185	26			
Neovaskularisasi	Between Groups	108.222	2	54.111	35.634	.000
	Within Groups	36.444	24	1.519		
	Total	144.667	26			

## ANTAR VARIABEL

### Multiple Comparisons

#### LSD

Dependent Variable	(I) Perlakuan	(J) Perlakuan	Mean Difference (I-J)	Std. Error	Sig.
Granulasi Hari Ke-14	Kasa Lembab	Feracrylum 1%	133.33333*	1.94312	.000
		Silver Sulfadiazine	108.11111*	1.94312	.000
	Feracrylum 1%	Kasa Lembab	-133.33333*	1.94312	.000
		Silver Sulfadiazine	-25.22222*	1.94312	.000
	Silver Sulfadiazine	Kasa Lembab	-108.11111*	1.94312	.000
		Feracrylum 1%	25.22222*	1.94312	.000
Epitel Hari Ke-14	Kasa Lembab	Feracrylum 1%	-20.22222*	1.16269	.000
		Silver Sulfadiazine	-5.88889*	1.16269	.000
	Feracrylum 1%	Kasa Lembab	20.22222*	1.16269	.000
		Silver Sulfadiazine	14.33333*	1.16269	.000
	Silver Sulfadiazine	Kasa Lembab	5.88889*	1.16269	.000

		Feracrylum 1%	-14.33333*	1.16269	.000
Neovaskularisasi	Kasa Lembab	Feracrylum 1%	4.88889*	.58090	.000
		Silver Sulfadiazine	2.77778*	.58090	.000
	Feracrylum 1%	Kasa Lembab	-4.88889*	.58090	.000
		Silver Sulfadiazine	-2.11111*	.58090	.001
	Silver Sulfadiazine	Kasa Lembab	-2.77778*	.58090	.000
		Feracrylum 1%	2.11111*	.58090	.001

\*. The mean difference is significant at the 0.05 level.