

DAFTAR PUSTAKA

Abdo WF, Broerse CI, Grady BP, et al. Prolonged unconsciousness following severe COVID-19. Neurology. 2020.

Amit M, Sorkin A, Chen J, Cohen B, Karol D, Tsur AM, et al. Clinical course and outcomes of severe covid-19: A national scale study. J Clin Med. 2020;9:2282.

Andrias, Hanafie A, Wijaya DW. Perbandingan validitas sistem penilaian APACHE II, SOFA, dan CSOFA sebagai prediktor mortalitas pasien yang dirawat di instalasi rawat intensif RSUP H.Adam Malik Medan. JAP. 2017;5(1):17-23.

APACHE II. [diunduh 7 September 2020]. Tersedia dari: http://en.wikipedia.org/wiki/APACHE_II.

Arabi YM, Arifi AA, Balkhy HH, et al. Clinical course and outcomes of critically ill patients with Middle East respiratory syndrome coronavirus infection. Ann Intern Med. 2014;160:389-97.

Armiati H, Arifin J, Saktini F, Nugroho TE, Purwoko Y. Hubungan APACHE II score dengan angka kematian di ICU RSUP dr.Kariadi Semarang. Jurnal Media Medika Muda. FK Undip. 2014.

Bérangère S. Joly, et al. Understanding pathophysiology of hemostasis disorders in critically ill patients with COVID-19. Intensive Care Med. 2020;1-4.

Brahmi NH, Soesilowati D, Pujo JL. Validitas skor APACHE II, MSofa, dan SAPS 3 terhadap mortalitas pasien non bedah di perawatan intensif dewasa RSUP Dr.Kariadi Semarang. JAI. 2016;8(3):164-77.

Burhan E, Isbaniah F, et al. Pneumonia Covid-19 diagnosis dan penatalaksanaan di Indonesia. J Indon Med Assoc. 2020;70(4):88-90.

Burton-Papp HC, Jackson AIR, Beecham R, Ferrari M, Nasim-Mohi M, Grocott MPW, et al. Conscious prone positioning during non-invasive ventilation in COVID-19 patients: experience from a single centre. F1000 research. 2020;9:859.

Cascella M, Rajnik M, et al. Features, evaluation and treatment Coronavirus (COVID-19) [Updated 2020 Apr 6]. In: StatPearls [Internet]. Treasure Island (FL): StatPearls Publishing;

2020. Available from:
<https://www.ncbi.nlm.nih.gov/books/NBK554776>.

Chen N, Zhou M, Dong X, et al. Epidemiological and clinical characteristics of 99 cases of 2019 novel coronavirus pneumonia in Wuhan, China: A descriptive study. Lancet. 2020;395:507-13.

Chen Y, Chan KH, et al. A highly specific rapid antigen detection assay for on-site diagnosis of MERS. J Infect. 2016;73:82–84.

Chiavone PA, Sens YAS. Evaluation of APACHE II system among intensive care patients at hospital. Sao Paulo Med J. 2003;121:53-7.

COVID-19 Coronavirus pandemic. [diunduh 16 Februari 2021]. Tersedia dari: <https://www.worldometers.info/coronavirus>.

Faxén J, Xu H, Evans M et al. Potassium levels and risk of in-hospital arrhythmias and mortality in patients admitted with suspected acute coronary syndrome. Int J Cardiol. 2019;274:52-8.

Ferrando C, Sipmann FS, Artigas RM, Hernandez M, Gea A, Arruti E, et al. Clinical features, ventilatory management, and outcome of ARDS caused by COVID-19 are similar to other causes of ARDS. Intensive Care Med. 2020;1-12.

Fowler RA, Lapinsky SE, Hallett D, et al. Toronto SARS Critical Care Group: Critically ill patients with severe acute respiratory syndrome. JAMA. 2003;290:367-73.

Fu L, Wang B, Yuan T, Chen X, Ao Y, Fitzpatrick T, et al. Clinical characteristic of coronavirus disease 2019 (COVID-2019) in China: A systematic review and meta-analysis. J Infect. 2020;80:656-65.

Gralinski LE, Menachery VD. Return of the coronavirus: 2019-nCoV. Viruses. 2020;12:135.

Gregoire G, Russell JA. Assessment of severity of illness. Dalam: Principles of critical care. 2nd Ed. New York: McGraw-Hill; 1998.p.57-67.

Halim DA, Murni TW, Redjeki IS. Comparison of APACHE II, SOFA, and modified SOFA scores in predicting mortality of surgical patients in intensive care unit at Dr. Hasan Sadikin General Hospital. Crit Care Shock. 2009;12(4):157-69.

Handayani D, Arief N, Swidarmoko B, Astowo P, Dahlan MS. Sistem skor APACHE II sebagai prediksi mortalitas pasien rawat instalasi perawatan intensif. *J Respir Indo*. 2014;34(1):36-45.

Harapan H, Itoh N, Yufika A, Winardi W, Keam S, Te H, et al. Coronavirus disease 2019 (COVID 2019): A literature review. *J Infect Public Heal*. 2020;13:667-73.

Helms J, Kremer S, Merdji H, et al. Delirium and encephalopathy in severe COVID-19: a cohort analysis of ICU patients. *Crit Care*. 2020;24:491.

Huang C, Wang Y, Li X, Ren L, Zhao J, Hu Y, et al. Clinical features of patients infected with 2019 novel coronavirus in Wuhan, China. *Lancet*. 2020;395:497-506.

Hundt MA, Deng Y, Ciarleglio MM, Nathanson MH, Lim JK. Abnormal liver test in COVID-19: A retrospective observational cohort study of 1827 patients in a major US hospital network. *Hepatology*. 2020; [diunduh 15 September 2020]. Tersedia dari: <https://doi.org/10.1002/hep.31487>.

Jin Y, Yang H, et al. Virology, epidemiology, pathogenesis, and control of COVID-19: A review. *Viruses*. 2020;12(372):3-10.

King CS, Sahjawani D, Brown AW, Feroz S, Cameron P, Osborn E. Outcomes of mechanically ventilated patients with COVID-19 associated respiratory failure. 2020; [diunduh 15 September 2020]. Tersedia dari: <https://doi.org/10.1101/2020.07.16.20155580>.

Knaus WA, Draper EA, Wagner DP, Zimmerman JE. APACHE II: a severity of disease classification system. *Crit Care Med*. 1985;13:818-29.

Knaus WA, Wagner DP, Draper EA, Zimmerman JE, Bergner M, Bastos PG, et al. The APACHE III prognostic system: risk prediction of hospital mortality for critically ill hospitalized adults. *Chest*. 1991;100:1619-36.

Knaus WA, Zimmerman JE, Wagner DP, Draper EA, Lawrence DE. APACHE-acute physiology and chronic health evaluation: a physiologically based classification system. *Crit Care Med*. 1981; 9:591-7.

Kochi AN, Tagliari AP, Forleo GB, Fassini GM, Tondo C. Cardiac and arrhythmic complications in patients with COVID-19. *J Cardiovasc*

Electrophysiol. 2020;31(5):1003–8.

Liu S, Zhang L, Weng H, et al. Association between average plasma potassium levels and 30-day mortality during hospitalization in patients with COVID-19 in Wuhan, China. Int J Med Sci. 2021;18(3):736-43.

Mahida RY, Chotalia M, Alderman J, Patel C, Hayden A, Desai R. Characterization and outcomes of ARDS secondary to pneumonia in patients with and without SARS-CoV-2: A single center experience. Research square. 2020; [diunduh 15 September 2020]. Tersedia dari: <https://doi.org/10.21203/rs.3.rs-49674/v1>.

Markgraf R, Deutschinoff G, Pientka L, Scholten T. Comparison of APACHE II and III and SAPS II: a prospective cohort study evaluating these methods to predict outcome in a German interdisciplinary intensive care unit. Crit Care Med. 2000;28(1):26-33.

McMahon GM, Mendu ML, Gibbons FK, Christopher KB. Association between hyperkalemia at critical care initiation and mortality. Intensive Care Med. 2012;38(11):1834-42.

Michelozzi P, de'Donato F, Schortichini M, De Sario M, Noccioli F, Rossi P, et al. Mortality impacts of the coronavirus disease (COVID-19) outbreak by sex and age: rapid mortality surveillance system. 2020.

Mustikawati SR, Wisudarti CFR, Suryono B. Prediksi kematian berdasarkan SAPS II di ICU RS Dr.Sardjito. JKA. 2016;4(1):27-34.

Naved SA, Siddiqui S, Khan FH. APACHE II score correlation with mortality and length of stay in an intensive care unit. J Coll Physici. 2011;21(1):4-8.

Nicin L, Abplanalp WT, Mellentin H, et al. Cell type-specific expression of the putative SARS-CoV-2 receptor ACE2 in human hearts. Eur Heart J. 2020;41(19):1804–6.

Pan Y, Zhang D, et al. Viral load of SARS-CoV-2 in clinical samples. Lancet Infect Dis. 2020;20(4):411-12.

Parry AH, Wani AH, Yaseen M. Neurological dysfunction in Coronavirus Disease-19 (COVID-19). Academic Radiology. 2020; 27(9):1329-30.

Patel RB, Tannenbaum S, Viana-Tejedor A et al. Serum potassium levels,

- cardiac arrhythmias, and mortality following non-ST-elevation myocardial infarction or unstable angina: insights from MERLIN-TIMI 36. *Eur Heart J Acute Cardiovasc Care*. 2017;6(1):18-25.
- Qiao Q, Lu G, Li M, Shen Y, Xu D. Prediction of outcome in critically ill elderly patients using APACHE II and SOFA scores. *J Int Med Res*. 2012;40:1114-21.
- Quah P, Li A, Phua J. Mortality rates of patients with COVID-19 in the intensive care unit: a systematic review of the emerging literature. *Crit Care*. 2020;24:285.
- Richards G, Levy H, Laterre PF, et al. CURB-65, PSI, and APACHE II to assess mortality risk in patients with severe sepsis and community acquired pneumonia in PROWESS. *J Intensive Care Med*. 2011;26:34-40.
- Richardson S, Hirsch JS, Narasimhan M, Crawford JM, McGinn T, Davidson KW, et al. Presenting characteristics, comorbidities, and outcomes among 5700 patients hospitalized with COVID-19 in the New York City area. *JAMA*. 2020.
- Romano TG, Correia MDT, Mendes PV et al. Metabolic acid-base adaptation triggered by acute persistent hypercapnia in mechanically ventilated patients with acute respiratory distress syndrome. *Rev Bras Ter Intensiva*. 2016;28(1):19-26.
- Ruan Q, Yang K, Wang W, et al. Clinical predictors of mortality due to COVID-19 based on an analysis of data of 150 patients from Wuhan, China. *Intensive Care Med*. 2020.
- Seymour CW, Kennedy JN, et al. Derivation, validation, and potential treatment implications of novel clinical phenotypes for Sepsis. *JAMA*. 2019;321(20):2003-17.
- Singer M, Deutschman CS, et al. The third international consensus definitions for sepsis and septic shock (Sepsis-3). *JAMA*. 2016;315(8):801-10.
- Sugiman T. Sistem Skor di Intensive Care Unit. *Perdici*. 2011;1(2):76-88.
- Sun D, Ding H, Zhao C, et al: Value of SOFA, APACHE IV and SAPS II scoring systems in predicting short-term mortality in patients with acute myocarditis. *Oncotarget*. 2017;8:63073-83.
- Sunaryo A, Redjeki IS, Bisri T. Perbandingan validasi APACHE II dan

SOFA score untuk memperkirakan mortalitas pasien yang dirawat di ruang perawatan intensif. Perdici. 2012;2(1):11-20.

Tang Y, Schmitz J, et al. Laboratory diagnosis of COVID-19: current issues and challenges. J Clin Microbiol. 2020;58(6):1-9.

Taofik S, Senapathi TGA, Wiryana M. Perbandingan validitas sistem skoring APACHE II, SOFA, dan CSOFA untuk memperkirakan mortalitas pasien non bedah yang dirawat di ruang perawatan intensif. JAI. 2015;7(2):102-13.

Terpos E, Stathopoulos IN, et al. Hematological findings and complications of COVID-19. Am J Hematol. 2020;1-14.

To KK, Tsang OT, et al. Consistent detection of 2019 novel coronavirus in saliva. Clin Infect Dis. 2020;20(20):1-3.

Wan Y, Shang J, et al. Receptor recognition by novel coronavirus from Wuhan: An analysis based on decade-long structural studies of SARS. J. Virol. ASM: 2020;94(7):1-9.

Wang D, Hu B, Hu C, et al. Clinical characteristics of 138 hospitalized patients with 2019 novel coronavirus infected pneumonia in Wuhan, China. JAMA. 2020;323:1061-9.

Wang Y, Lu X, Chen H, Chen T, Su N, Huang F, et al. Clinical course and outcomes of 344 intensive care patients with COVID-19. Am J Respir Crit Care Med. 2020;261(11):1430-4.

Wang Z, Qiang W, Ke Hu. A handbook of 2019-nCoV pneumonia control and prevention. China: Hubei Science and Technology Press; 2020.p.33-40.

Wentao Ni, W., Yang, X., Yang, D. et al. Role of angiotensin-converting enzyme 2 (ACE2) in COVID-19. Crit Care 2020;24:422.

Wibowo P, Sugiman T, Tampubolon OE. Validasi Sistem Skor APACHE II dan SAPS II di ICU RS Cipto Mangunkusumo. Perdici. 2011;1(2):65-9.

Wu C, Chen X, Cai Y, et al. Risk factors associated with acute respiratory distress syndrome and death in patients with coronavirus disease 2019 pneumonia in Wuhan, China. JAMA Intern Med. 2020.

Wu F, Zhao S, Yu B, et al. A new coronavirus associated with human respiratory disease in China. Nature. 2020;579:265-9.

- Wu Z, McGoogan JM. Characteristics of and important lessons from the Coronavirus Disease 2019 (COVID-19) outbreak in China: summary of a report of 72314 cases from the Chinese Center for Disease Control and Prevention. *JAMA*. 2020;33(13):1239-42.
- Xie X, Chen J, Wang X, Zhang F, Liu Y. Age- and gender-related difference of ACE2 expression in rat lung. *Life Sci*. 2006;78(19):2166-71.
- Xu H, Zhong L, et al. High expression of ACE2 receptor of 2019-nCoV on the epithelial cells of oral mucosa. *Int J Oral Sci*. 2020;12(1):8.
- Yang X, Yu Y, Xu J, Shu H, Xia J, Liu H, et al. Clinical course and outcomes of critically ill patients with SARS-CoV-2 pneumonia in Wuhan, China: A singlecentered, retrospective, observational study. *Lancet Respir Med*. 2020;8:475-81.
- Yu CM, Wong RS, Wu EB, et al. Cardiovascular complications of severe acute respiratory syndrome. *Postgrad Med J*. 2006;82(964):140-4.
- Yuki K, Fujiogi M, et al. COVID-19 pathophysiology: A review. *J Clin Immun*. 2020; 215:1-3.
- Zhang B, Zhou X, Qiu Y, Song Y, Feng F, Feng J, et al. Clinical characteristics of 82 cases of death from COVID-19. *PLoS ONE*. 2020;15(7):e0235458.
- Zhao Z, Chen A, Hou W, Graham JM, Li H, Richman PS, et al. Prediction model and risk scores of ICU admission and mortality in COVID-19. *PLoS ONE*. 2020;15(7):e0236618.
- Zhu N, Zhang D, Wang W, et al. China novel coronavirus investigating and research team: A novel coronavirus from patients with pneumonia in China 2019. *N Engl J Med*. 2020;382:727-33.
- Zhou F, Yu T, Du R, Fan G, Liu Y, Liu Z, et al. Clinical course and risk factors for mortality of adult inpatients with COVID-19 in Wuhan, China: A retrospective cohort study. *Lancet*. 2020;395:1054-62.
- Zimmerman JE, Kramer AA, McNair DS, Malila FM. Acute physiology and chronic health evaluation (APACHE) IV: hospital mortality assessment for today's critically ill patients. *Crit Care Med*. 2006;34:1297-310.
- Zou L, Ruan F, et al. SARS-CoV-2 viral load in upper respiratory

specimens of infected patients. N Engl J Med. 2020; 382(12):1-3.

Zou X, Li S, Fang M, Hu M, Bian Y, Ling J, et al. Acute physiology and chronic health evaluation II score as a predictor of hospital mortality in patients of corona virus disease 2019. Crit Care Med J. 2020;48(8):657-65.