

## DAFTAR PUSTAKA

- Liu SS, McDonald SB. Current Issues in Spinal Anesthesia. *Anesthesiology*. 2001 May;94(5):888–906.
- White PF, Sacan O, Nuangchamnong N, Sun T, Eng MR. The relationship between patient risk factors and early versus late postoperative emetic symptoms. *Anesth Analg*. 2008 Aug;107(2):459–63.
- Butterworth JF, Mackey DC, Wasnick JD. Hypotensive Agents. In: Morgan & Mikhail's Clinical Anesthesiology. 5th ed. New York, N.Y.: McGraw-Hill Education; 2013. p. 255–62.
- Carpenter RL, Caplan RA, Brown DL, Stephenson C, Wu R. Incidence and risk factors for side effects of spinal anesthesia. *Anesthesiology*. 1992 Jun;76(6):906–16.
- Aviado DM, Aviado DG. The Bezold-Jarisch Reflex. *Ann N Y Acad Sci*. 2001;940(1):48–58.
- Warltier DC, Campagna JA, Carter C. Clinical Relevance of the Bezold–Jarisch Reflex. *Anesthesiology*. 2003 May;108(5):1250–60.
- Yamano M, Ito H, Kamato T, Miyata K. Characteristics of inhibitory effects of serotonin (5-HT)3-receptor antagonists, YM060 and YM114 (KAE-393), on the von Bezold-Jarisch reflex induced by 2-Methyl-5-HT, veratridine and electrical stimulation of vagus nerves in anesthetized rats. *Jpn J Pharmacol*. 1995 Dec;69(4):351–6.
- Owczuk R, Wenski W, Polak-Krzeminska A, Twardowski P, Arszułowicz R, Dylczyk-Sommer A, et al. Ondansetron given intravenously attenuates arterial blood pressure drop due to spinal anesthesia: a double-blind, placebo-controlled study. *Reg Anesth Pain Med*. 2008 Aug;33(4):332–9.
- Sahoo T, SenDasgupta C, Goswami A, Hazra A. Reduction in spinal-induced hypotension with ondansetron in parturients undergoing caesarean section: a double-blind randomised, placebo-controlled study. *Int J Obstet Anesth*. 2012 Jan;21(1):24–8.
- Khalifa OS. A comparative study of prophylactic intravenous granisetron, ondansetron, and ephedrine in attenuating hypotension and its effect on motor and sensory block in elective cesarean section under spinal anesthesia. *Ain-Shams J Anaesthesiol*. 2015 Apr;18(2):166–72.
- Bhat M, Buchh V, Gurcoo S, Nazir I, Qazi S. Comparison between phenylephrine and ephedrine in preventing hypotension during spinal anesthesia for cesarean section. *J Obstet Anaesth Crit Care*. 2012;2(2):92.

- Lonkar DSS, Khatavkar DSS, Thatte DWS, Santhi DN. Comparison Between Phenylephrine, Ephedrine And Mephentermine In Preventing Hypotension During Spinal Anesthesia For Caesarean Section And Their Effect On Fetal Outcome. *IOSR J Dent Med Sci.* 2016 Sep;15(09):52–8.
- Pires JG, Silva SR, Ramage AG, Futuro-Neto HA. Evidence that 5-HT3 receptors in the nucleus tractus solitarius and other brainstem areas modulate the vagal bradycardia evoked by activation of the von Bezold-Jarisch reflex in the anesthetized rat. *Brain Res.* 1998 Apr 27;791(1–2):229–34.
- Klöhr S, Roth R, Hofmann T, Rossaint R, Heesen M. Definitions of hypotension after spinal anaesthesia for caesarean section: literature search and application to parturients. *Acta Anaesthesiol Scand.* 2010 Sep;54(8):909–21.
- Ngan Kee WD. Prevention of maternal hypotension after regional anaesthesia for caesarean section. *Curr Opin Anaesthesiol.* 2010 Jun;23(3):304–9.
- Gyermek L. Pharmacology of serotonin as related to anesthesia. *J Clin Anesth.* 1996 Aug;8(5):402–25.
- Pollard JB. Cardiac arrest during spinal anesthesia: common mechanisms and strategies for prevention. *Anesth Analg.* 2001 Jan;92(1):252–6.
- Mohammadi SS, Mehrpoor S, Saliminia A. Efficacy of Granisetron on Attenuation of Hemodynamic Responses of Parturients Undergoing Elective Cesarean Delivery under Spinal Anesthesia. *Arch Anesthesiol Crit Care.* 2017 Oct 28;3(4):373–7.
- Ortiz-Gómez JR, Palacio-Abizanda FJ, Morillas-Ramirez F, Fornet-Ruiz I, Lorenzo-Jiménez A, Bermejo-Albares ML. The Effect of Intravenous Ondansetron on Maternal Hemodynamics During Elective Cesarean Delivery Under Spinal Anesthesia: A Double-blind, Randomized, Placebo-controlled Trial. *Obstet Anesth Dig.* 2015 Jun;35(2):109–110.
- Gupta S, Choudhary RK. A Comparative Clinical Study Of Prevention Of Post-Operative Nausea And Vomiting Using Granisetron And Ondansetron In Laparoscopic Surgeries. *Internet J Anesthesiol [Internet].* 2009 Dec 31 [cited 2020 Sep 9];26(1). Available from: <http://ispub.com/IJA/26/1/4231>
- Nikam SU, Khandelwal PN, Gawali UB. Evaluation of granisetron as an antiemetic in patients undergoing abdominal hysterectomy under spinal anaesthesia. *Int J Res Med Sci.* 2017 Mar 28;5(4):1331.
- Kaumann AJ, Levy FO. 5-hydroxytryptamine receptors in the human cardiovascular system. *Pharmacol Ther.* 2006 Sep;111(3):674–706.

- Zimmerman J, Cahalan M. Vasopressors and Inotropes. In: Pharmacology and Physiology for Anesthesia. 1st ed. Philadelphia: Elsevier Saunders; 2013. p. 390–402.
- Ralston DH, Shnider SM, DeLorimier AA. Effects of equipotent ephedrine, metaraminol, mephentermine, and methoxamine on uterine blood flow in the pregnant ewe. *Anesthesiology*. 1974 Apr;40(4):354–70.
- Cooper DW, Carpenter M, Mowbray P, Desira WR, Ryall DM, Kokri MS. Fetal and maternal effects of phenylephrine and ephedrine during spinal anesthesia for cesarean delivery. *Anesthesiology*. 2002 Dec;97(6):1582–90.
- Whelan R, Apfel CC. Pharmacology of Postoperative Nausea and Vomiting. In: Pharmacology and Physiology for Anesthesia. 1st ed. Philadelphia: Elsevier Saunders; 2013. p. 501–19.
- Koren G. Is ondansetron safe for use during pregnancy? *Can Fam Physician*. 2012 Oct;58(10):1092–3.
- Butterworth JF, Mackey DC, Wasnick JD. Spinal, Epidural, & Caudal Blocks. In: Morgan & Mikhail's Clinical Anesthesiology. 5th ed. New York, N.Y.: McGraw-Hill Education; 2007. p. 958–63.
- Wong CA. Physiologic effects of neuraxial anesthesia in spinal and epidural anesthesia. In: Spinal and Epidural Anesthesia. 1st ed. New York, N.Y.: McGraw-Hill Companies; 2007. p. 119–37.
- Tamilselvan P, Fernando R, Bray J, Sodhi M, Columb M. The effects of crystalloid and colloid preload on cardiac output in the parturient undergoing planned cesarean delivery under spinal anesthesia: a randomized trial. *Anesth Analg*. 2009 Dec;109(6):1916–21.
- Kinsella SM, Tuckey JP. Perioperative bradycardia and asystole: relationship to vasovagal syncope and the Bezold-Jarisch reflex. *Br J Anaesth*. 2001 Jun;86(6):859–68.
- Peacock WF, Soto KM. Current techniques of fluid status assessment. *Contrib Nephrol*. 2010;164:128–42.
- Marciniak A, Owczuk R, Wujtewicz M, Preis K, Majdyło K. The influence of intravenous ondansetron on maternal blood haemodynamics after spinal anaesthesia for caesarean section: a double-blind, placebo-controlled study. *Ginekol Pol*. 2015 Jun;86(6):461–7.