

DAFTAR PUSTAKA

- Adisa, R., Fakeye, T. O., & Fasanmade, A. (2011). Medication adherence among ambulatory patients with type 2 diabetes in a tertiary healthcare setting in southwestern Nigeria. *Pharmacy Practice*, 9(2), 72–81. <https://doi.org/10.4321/s1886-36552011000200003>
- Adu, M. D., Malabu, U. H., Malau-Aduli, A. E. O., & Malau-Aduli, B. S. (2019). Enablers and barriers to effective diabetes self-management: A multi-national investigation. *PloS One*, 14(6), e0217771. <https://doi.org/10.1371/journal.pone.0217771>
- Agema, P., & Sherifali, D. (2012). Determining the impact of an intervention to increase problem-solving skills in diabetes self-management: The diabetes problem-solving passport pilot study. *Canadian Journal of Diabetes*, 36(4), 199–203. <https://doi.org/10.1016/j.jcjd.2012.07.004>
- Ahrén, B. (2013). Avoiding hypoglycemia: a key to success for glucose-lowering therapy in type 2 diabetes. *Vascular Health and Risk Management*, 9, 155–163. <https://doi.org/10.2147/VHRM.S33934>
- Aklima, Charuwan Kritpracha, P. T. (2012). Development of Family-Based Dietary Self-Management Support Program on Dietary Behaviors in Patients with Type 2 Diabetes Mellitus in Indonesia A Literature Review. *Nurse Media: Journal of Nursing*, 2(2), 357–370. <https://doi.org/10.14710/nmjn.v2i2.3969>
- Alejandro, E. U., Mamerto, T. P., Chung, G., Villavieja, A., Gaus, N. L., Morgan, E., & Pineda-Cortel, M. R. B. (2020). Gestational Diabetes Mellitus: A Harbinger of the Vicious Cycle of Diabetes. *International Journal of Molecular Sciences*, 21(14). <https://doi.org/10.3390/ijms21145003>
- Alterovitz, S. S. R., & Mendelsohn, G. A. (2013). Relationship goals of middle-aged, young-old, and old-old Internet daters: an analysis of online personal ads. *Journal of Aging Studies*, 27(2), 159–165. <https://doi.org/10.1016/j.jaging.2012.12.006>
- American Diabetes Association. (2009). Diagnosis and classification of autoimmune diabetes mellitus. *Diabetes Care*, 32. <https://doi.org/10.1016/j.autrev.2014.01.020>
- American Diabetes Association. (2012). Standards of medical care in diabetes--2012. *Diabetes Care*, 35 Suppl 1(Suppl 1), S11-63. <https://doi.org/10.2337/dc12-s011>
- American Diabetes Association. (2013). Standards of medical care in diabetes--2013. *Diabetes Care*, 36 Suppl 1(Suppl 1), S11-66. <https://doi.org/10.2337/dc13-S011>
- American Diabetes Association. (2016). 1. Strategies for improving care. *Diabetes Care*, 39(January), S6–S12. <https://doi.org/10.2337/dc16-S004>

- American Diabetes Association. (2020). 15. Diabetes Care in the Hospital: Standards of Medical Care in Diabetes-2020. *Diabetes Care*, 43(January), S193–S202. <https://doi.org/10.2337/dc20-S015>
- Ansari, N. M., Hosseinzadeh, R. M., Harris, H. &, & Zwar, M. A. (2017). Conceptual Model of Diabetes Self-Management for Middle-Aged Population of Rural Area of Pakistan. *This Journal Article Is Available at Research International Journal of Diabetes Research*, 6(3), 68–72. <https://doi.org/10.5923/j.diabetes.20170603.04>
- Arksey, H., & O'Malley, L. (2005). Scoping studies: towards a methodological framework. *International Journal of Social Research Methodology*, 8(1), 19–32. <https://doi.org/10.1080/1364557032000119616>
- Atif, M., Saleem, Q., Asghar, S., Malik, I., & Ahmad, N. (2019). Extent and Predictors of Poor Glycaemic Control among Elderly Pakistani Patients with Type 2 Diabetes Mellitus: A Multi-Centre Cross-Sectional Study. *Medicina (Kaunas, Lithuania)*, 55(1), 21. <https://doi.org/10.3390/medicina55010021>
- Azami, G., Soh, K. L., Sazlina, S. G., Salmiah, M. S., Aazami, S., Mozafari, M., & Taghinejad, H. (2018). Effect of a Nurse-Led Diabetes Self-Management Education Program on Glycosylated Hemoglobin among Adults with Type 2 Diabetes. *Journal of Diabetes Research*, 2018, 4930157. <https://doi.org/10.1155/2018/4930157>
- Baptista, D. R., Wiens, A., Pontarolo, R., Regis, L., Reis, W. C. T., & Correr, C. J. (2016). The chronic care model for type 2 diabetes: a systematic review. *Diabetology & Metabolic Syndrome*, 8(1), 7. <https://doi.org/10.1186/s13098-015-0119-z>
- Basu, S., & Poole, J. (2016). The Brief Illness Perception Questionnaire. *Occupational Medicine (Oxford, England)*, 66(5), 419–420. <https://doi.org/10.1093/occmed/kqv203>
- Bernier, M. (2019). *Mindfulness may moderate the relationship between intrinsic motivation and physical activity: A cross-sectional study*. 6.
- Bhatt, H., Saklani, S., & Upadhayay, K. (2016). Anti-oxidant and anti-diabetic activities of ethanolic extract of *Primula Denticulata* Flowers. *Indonesian Journal of Pharmacy*, 27(2), 74–79. <https://doi.org/10.14499/indonesianjpharm27iss2pp74>
- Blok, A. C. (2017). A Middle-Range Explanatory Theory of Self-Management Behavior for Collaborative Research and Practice. *Nursing Forum*, 52(2), 138–146. <https://doi.org/10.1111/nuf.12169>
- Bollyky, J. B., Bravata, D., Yang, J., Williamson, M., & Schneider, J. (2018). Remote Lifestyle Coaching Plus a Connected Glucose Meter with Certified Diabetes Educator Support Improves Glucose and Weight Loss for People with Type 2 Diabetes. *Journal of Diabetes Research*, 2018, 3961730. <https://doi.org/10.1155/2018/3961730>

- Captieux, M., Pearce, G., Parke, H. L., Epiphaniou, E., Wild, S., Taylor, S. J. C., & Pinnock, H. (2018). Supported self-management for people with type 2 diabetes: A meta-review of quantitative systematic reviews. *BMJ Open*, *8*(12), 1–11. <https://doi.org/10.1136/bmjopen-2018-024262>
- Carpenter, R., DiChiacchio, T., & Barker, K. (2019). Interventions for self-management of type 2 diabetes: An integrative review. *International Journal of Nursing Sciences*, *6*(1), 70–91. <https://doi.org/10.1016/j.ijnss.2018.12.002>
- Chen, R.-Y., Huang, L.-C., Su, C.-T., Chang, Y.-T., Chu, C.-L., Chang, C.-L., & Lin, C.-L. (2019). Effectiveness of Short-Term Health Coaching on Diabetes Control and Self-Management Efficacy: A Quasi-Experimental Trial. *Frontiers in Public Health*, *7*, 314. <https://doi.org/10.3389/fpubh.2019.00314>
- Chiang, J. L., Maahs, D. M., Garvey, K. C., Hood, K. K., Laffel, L. M., Weinzimer, S. A., Wolfsdorf, J. I., & Schatz, D. (2018). Type 1 Diabetes in Children and Adolescents: A Position Statement by the American Diabetes Association. *Diabetes Care*, *41*(9), 2026–2044. <https://doi.org/10.2337/dci18-0023>
- Clar, C., Barnard, K., Cummins, E., Royle, P., & Waugh, N. (2011). Self-monitoring of blood glucose in type 2 diabetes: Systematic review. *Health Technology Assessment*, *14*(12), 1–140. <https://doi.org/10.3310/hta14120>
- Colberg, S. R., Sigal, R. J., Fernhall, B., Regensteiner, J. G., Blissmer, B. J., Rubin, R. R., Chasan-Taber, L., Albright, A. L., & Braun, B. (2010). Exercise and Type 2 Diabetes. *Diabetes Care*, *33*(12), 2692 LP – 2696. <https://doi.org/10.2337/dc10-1548>
- Coleman, K., Austin, B. T., Brach, C., & Wagner, E. H. (2009). Evidence on the Chronic Care Model in the new millennium. *Health Affairs (Project Hope)*, *28*(1), 75–85. <https://doi.org/10.1377/hlthaff.28.1.75>
- Connor, U., Kessler, L., de Groot, M., Mac Neill, R., & Sandy, R. (2019). Implementing person-centered communication in diabetes care: a new tool for diabetes care professionals. *Patient Preference and Adherence*, *13*, 1443–1450. <https://doi.org/10.2147/PPA.S214092>
- Cooper, S., Cant, R., Kelly, M., Levett-jones, T., McKenna, L., Seaton, P., & Bogossian, F. (2019). An evidence-based checklist for improving scoping review quality. *Clinical Nursing Research*, *0*(00), 1–24. <https://doi.org/10.1177/1054773819846024>
- Coulter, A., Entwistle, V. A., Eccles, A., Ryan, S., Shepperd, S., & Perera, R. (2013). Personalised care planning for adults with chronic or long-term health conditions. *Cochrane Database of Systematic Reviews*, *2013*(5). <https://doi.org/10.1002/14651858.CD010523>
- Danielle Levac, H. C., & Kelly K O'Brien. (2010). Scoping studies: advancing the methodology. *Representing and Intervening*, 1–18. <https://doi.org/10.1017/cbo9780511814563.003>

- Dehghan, H., Charkazi, A., Kouchaki, G. M., Zadeh, B. P., Dehghan, B. A., Matlabi, M., Mansourian, M., Qorbani, M., Safari, O., Pashaei, T., & Mehr, B. R. (2017). General self-efficacy and diabetes management self-efficacy of diabetic patients referred to diabetes clinic of Aq Qala, North of Iran. *Journal of Diabetes and Metabolic Disorders, 16*, 8. <https://doi.org/10.1186/s40200-016-0285-z>
- Desi Deswita, Sefrizon Anita, Mirawati, Z. Y. A. D. Y. H. (2019). Empowerment Strategies Through Coaching Interventions On Controlling Blood Sugar Levels The Elderly. *Indonesian Journal of Global Health Research, 2*(4), 65–72. <https://doi.org/10.37287/ijghr.v2i4.250>
- Dicky Endrian Kurniawan. (2017). Penyelesaian Masalah Etik dan Legal dalam Penelitian Keperawatan. *Jurnal Ilmiah Kesehatan Rustida, 3*(9), 1689–1699. <https://doi.org/10.1017/CBO9781107415324.004>
- DiMeglio, L. A., Acerini, C. L., Codner, E., Craig, M. E., Hofer, S. E., Pillay, K., & Maahs, D. M. (2018). ISPAD Clinical Practice Consensus Guidelines 2018: Glycemic control targets and glucose monitoring for children, adolescents, and young adults with diabetes. *Pediatric Diabetes, 19* Suppl 2, 105–114. <https://doi.org/10.1111/pedi.12737>
- Dobson, R., Whittaker, R., Jiang, Y., McNamara, C., Shepherd, M., Maddison, R., Cutfield, R., Khanolkar, M., & Murphy, R. (2020). Long-term follow-up of a randomized controlled trial of a text-message diabetes self-management support programme, SMS4BG. *Diabetic Medicine : A Journal of the British Diabetic Association, 37*(2), 311–318. <https://doi.org/10.1111/dme.14182>
- Dobson, Rosie, Whittaker, R., Jiang, Y., Maddison, R., Shepherd, M., McNamara, C., Cutfield, R., Khanolkar, M., & Murphy, R. (2018). Effectiveness of text message based, diabetes self management support programme (SMS4BG): Two arm, parallel randomised controlled trial. *BMJ (Online), 361*, 1–10. <https://doi.org/10.1136/bmj.k1959>
- Egede, L. E., Williams, J. S., Voronca, D. C., Gebregziabher, M., & Lynch, C. P. (2017a). Telephone-Delivered Behavioral Skills Intervention for African American Adults with Type 2 Diabetes: A Randomized Controlled Trial. *Journal of General Internal Medicine, 32*(7), 775–782. <https://doi.org/10.1007/s11606-017-4023-0>
- Egede, L. E., Williams, J. S., Voronca, D. C., Gebregziabher, M., & Lynch, C. P. (2017b). Telephone-Delivered Behavioral Skills Intervention for African American Adults with Type 2 Diabetes: A Randomized Controlled Trial. *Journal of General Internal Medicine, 32*(7), 775–782. <https://doi.org/10.1007/s11606-017-4023-0>
- Essais, O., Sandi, M., Ziadi, M., Yahyaoui, R., Machghoul, S., & Zidi, B. (2004). [HbA1c in the monitoring of type 1 diabetic patients]. *La Tunisie medicale, 82*(5), 420–424.
- Ezenwaka, C., & Eckel, J. (2011). Prevention of diabetes complications in

- developing countries: time to intensify self-management education. *Archives of Physiology and Biochemistry*, 117(5), 251–253. <https://doi.org/10.3109/13813455.2011.602692>
- Fan, L., & Sidani, S. (2009). Effectiveness of Diabetes Self-management Education Intervention Elements: A Meta-analysis. *Canadian Journal of Diabetes*, 33(1), 18–26. [https://doi.org/10.1016/S1499-2671\(09\)31005-9](https://doi.org/10.1016/S1499-2671(09)31005-9)
- Fawcett, J. (2012). Thoughts on concept analysis: Multiple approaches, one result. *Nursing Science Quarterly*, 25(3), 285–287. <https://doi.org/10.1177/0894318412447545>
- Fisher, L., Glasgow, R. E., Mullan, J. T., Skaff, M. M., & Polonsky, W. H. (2008). Development of a Brief Diabetes Distress Screening Instrument. *The Annals of Family Medicine*, 6(3), 246 LP – 252. <https://doi.org/10.1370/afm.842>
- G. Kisokanth, S. Prathapan, Indrakumar, J. (2013). Factors influencing self-management of Diabetes Mellitus ; a review article *Journal of Diabetology*, October, 3–7.
- Goyena, R., & Fallis, A. . (2019). Self-Efficacy Dalam Pelaksanaan Manajemen Diri (Self-Management) Pada Pasien Diabetes Mellitus. *Journal of Chemical Information and Modeling*, 53(9), 1689–1699. <https://doi.org/10.1017/CBO9781107415324.004>
- Grady, P. A., & Gough, L. L. (2015). [Self-management: a comprehensive approach to management of chronic conditions]. *Revista panamericana de salud publica = Pan American journal of public health*, 37(3), 187–194.
- Grandy, S., & Fox, K. M. (2008). EQ-5D visual analog scale and utility index values in individuals with diabetes and at risk for diabetes: Findings from the Study to Help Improve Early evaluation and management of risk factors Leading to Diabetes (SHIELD). *Health and Quality of Life Outcomes*, 6, 18. <https://doi.org/10.1186/1477-7525-6-18>
- Greenwood, D. A., Gee, P. M., Fatkin, K. J., & Peeples, M. (2017). A Systematic Review of Reviews Evaluating Technology-Enabled Diabetes Self-Management Education and Support. *Journal of Diabetes Science and Technology*, 11(5), 1015–1027. <https://doi.org/10.1177/1932296817713506>
- Gregory, J. M., Moore, D. J., & Simmons, J. H. (2013). Type 1 diabetes mellitus. *Pediatrics in Review*, 34(5), 203–215. <https://doi.org/10.1542/pir.34-5-203>
- Group, U. K. P. D. S. (1998). Tight blood pressure control and risk of macrovascular and microvascular complications in type 2 diabetes: UKPDS 38. UK Prospective Diabetes Study Group. *BMJ (Clinical Research Ed.)*, 317(7160), 703–713.
- Gunarsa, S. D. (2011). *Konseling dan psikoterapi*. Libri.
- Gunawardena, K. C., Jackson, R., Robinett, I., Dhaniska, L., Jayamanne, S.,

- Kalpani, S., & Muthukuda, D. (2019). The Influence of the Smart Glucose Manager Mobile Application on Diabetes Management. *Journal of Diabetes Science and Technology*, 13(1), 75–81. <https://doi.org/10.1177/1932296818804522>
- Gunggu, A., Thon, C. C., & Whye Lian, C. (2016). Predictors of Diabetes Self-Management among Type 2 Diabetes Patients. *Journal of Diabetes Research*, 2016, 9158943. <https://doi.org/10.1155/2016/9158943>
- Haas, L., Maryniuk, M., Beck, J., Cox, C. E., Duker, P., Edwards, L., Fisher, E. B., Hanson, L., Kent, D., Kolb, L., McLaughlin, S., Orzeck, E., Piette, J. D., Rhinehart, A. S., Rothman, R., Sklaroff, S., Tomky, D., & Youssef, G. (2012). National standards for diabetes self-management education and support. *Diabetes Care*, 35(11), 2393–2401. <https://doi.org/10.2337/dc12-1707>
- Hailu, F. B., Hjortdahl, P., & Moen, A. (2018). Nurse-Led Diabetes Self-Management Education Improves Clinical Parameters in Ethiopia. *Frontiers in Public Health*, 6, 302. <https://doi.org/10.3389/fpubh.2018.00302>
- Hailu, F. B., Moen, A., & Hjortdahl, P. (2019). Diabetes Self-Management Education (DSME) - Effect on Knowledge, Self-Care Behavior, and Self-Efficacy Among Type 2 Diabetes Patients in Ethiopia: A Controlled Clinical Trial. *Diabetes, Metabolic Syndrome and Obesity : Targets and Therapy*, 12, 2489–2499. <https://doi.org/10.2147/DMSO.S223123>
- Hannan, M. (2013). Analisis faktor yang mempengaruhi kepatuhan minum obat pada pasien diabetes mellitus di puskesmas bluto sumenep. *Garuda Jurnal, kepatuhan minum obat*, 47–55.
- Hermanns, N., Schmitt, A., Gahr, A., Herder, C., Nowotny, B., Roden, M., Ohmann, C., Kruse, J., Haak, T., & Kulzer, B. (2015). The effect of a Diabetes-Specific Cognitive Behavioral Treatment Program (DIAMOS) for patients with diabetes and subclinical depression: results of a randomized controlled trial. *Diabetes Care*, 38(4), 551–560. <https://doi.org/10.2337/dc14-1416>
- Hsu, C.-C., Lee, C.-H., Wahlqvist, M. L., Huang, H.-L., Chang, H.-Y., Chen, L., Shih, S.-F., Shin, S.-J., Tsai, W.-C., Chen, T., Huang, C.-T., & Cheng, J.-S. (2012). Poverty increases type 2 diabetes incidence and inequality of care despite universal health coverage. *Diabetes Care*, 35(11), 2286–2292. <https://doi.org/10.2337/dc11-2052>
- Hu, Y., Bhupathiraju, S. N., de Koning, L., & Hu, F. B. (2014). Duration of obesity and overweight and risk of type 2 diabetes among US women. *Obesity*, 22(10), 2267–2273. <https://doi.org/https://doi.org/10.1002/oby.20851>
- IDF. (2020). *International Diabetes Federation - Epidemiology & research*.
- International Diabetes Federation. (2019). International Diabetes Federation. In *The Lancet* (Vol. 266, Issue 6881). [https://doi.org/10.1016/S0140-6736\(55\)92135-8](https://doi.org/10.1016/S0140-6736(55)92135-8)

- Jakhmola, V., & Tangri, P. (2012). *Diabetes Mellitus A Silent Killer : Role of DPP4 Inhibitors in Treatment*. 2(2), 49–53.
- Joanna Briggs Institute. (2015). *2015 Joanna Briggs Institute Review Manual. Methodology for the JBI Scope Review*.
- John, R., Pise, S., Chaudhari, L., & Deshpande, P. R. (2019). Evaluation of Quality of Life in Type 2 Diabetes Mellitus Patients Using Quality of Life Instrument for Indian Diabetic Patients: A Cross-Sectional Study. *Journal of Mid-Life Health*, 10(2), 81–88. https://doi.org/10.4103/jmh.JMH_32_18
- Kamuhabwa, A. R., & Charles, E. (2014). Predictors of poor glycemic control in type 2 diabetic patients attending public hospitals in Dar es Salaam. *Drug, Healthcare and Patient Safety*, 6, 155–165. <https://doi.org/10.2147/DHPS.S68786>
- Kanter, J. E., & Bornfeldt, K. E. (2016). Impact of Diabetes Mellitus. *Arteriosclerosis, Thrombosis, and Vascular Biology*, 36(6), 1049–1053. <https://doi.org/10.1161/ATVBAHA.116.307302>
- Kirkman, M. S., Briscoe, V. J., Clark, N., Florez, H., Haas, L. B., Halter, J. B., Huang, E. S., Korytkowski, M. T., Munshi, M. N., Odegaard, P. S., Pratley, R. E., & Swift, C. S. (2012). Diabetes in older adults. *Diabetes Care*, 35(12), 2650–2664. <https://doi.org/10.2337/dc12-1801>
- Knowler, W. C., Fowler, S. E., Hamman, R. F., Christophi, C. A., Hoffman, H. J., Brenneman, A. T., Brown-Friday, J. O., Goldberg, R., Venditti, E., & Nathan, D. M. (2009). 10-year follow-up of diabetes incidence and weight loss in the Diabetes Prevention Program Outcomes Study. *Lancet (London, England)*, 374(9702), 1677–1686. [https://doi.org/10.1016/S0140-6736\(09\)61457-4](https://doi.org/10.1016/S0140-6736(09)61457-4)
- Kong, J.-X., Zhu, L., Wang, H.-M., Li, Y., Guo, A.-Y., Gao, C., Miao, Y.-Y., Wang, T., Lu, X.-Y., Zhu, H.-H., & Patrick, D. L. (2019). Effectiveness of the Chronic Care Model in Type 2 Diabetes Management in a Community Health Service Center in China: A Group Randomized Experimental Study. *Journal of Diabetes Research*, 2019, 6516581. <https://doi.org/10.1155/2019/6516581>
- Kreider, K. E. (2017). Diabetes Distress or Major Depressive Disorder? A Practical Approach to Diagnosing and Treating Psychological Comorbidities of Diabetes. *Diabetes Therapy : Research, Treatment and Education of Diabetes and Related Disorders*, 8(1), 1–7. <https://doi.org/10.1007/s13300-017-0231-1>
- Kurniawan, T., Sari, C. W. M., & Aisyah, I. (2020). Self Management Pasien Diabetes Melitus dengan Komplikasi Kardiovaskular dan Implikasinya terhadap Indikator Klinik. *Jurnal Pendidikan Keperawatan Indonesia*, 6(1). <https://doi.org/10.17509/jpki.v6i1.18256>
- Lee, J. (2018). *Implementation of a Nurse-Led Diabetes Self- Management Education (DSME) Program in Primary Care*.
- Lewington, S., Clarke, R., Qizilbash, N., Peto, R., & R. Collins. (2002). Age-

specific relevance of usual blood pressure to vascular mortality : a meta-analysis of individual data for one million adults in 61 prospective studies. *Lancet*, 360, 1903–1913.

Li-Geng, T., Kilham, J., & McLeod, K. M. (2020). Cultural Influences on Dietary Self-Management of Type 2 Diabetes in East Asian Americans: A Mixed-Methods Systematic Review. *Health Equity*, 4(1), 31–42. <https://doi.org/10.1089/hec.2019.0087>

Ligita, T., Wicking, K., Francis, K., Harvey, N., & Nurjannah, I. (2019). How people living with diabetes in Indonesia learn about their disease: A grounded theory study. *PLOS ONE*, 14(2), e0212019. <https://doi.org/10.1371/journal.pone.0212019>

Lin, J., Li, X., Jiang, S., Ma, X., Yang, Y., & Zhou, Z. (2020). *Utilizing Technology-Enabled Intervention to Improve Blood Glucose Self-Management Outcome in Type 2 Diabetic Patients Initiated on Insulin Therapy : A Retrospective Real-World Study. 2020.*

Lockwood, C., dos Santos, K. B., & Pap, R. (2019). Practical Guidance for Knowledge Synthesis: Scoping Review Methods. *Asian Nursing Research*, 13(5), 287–294. <https://doi.org/10.1016/j.anr.2019.11.002>

Lorig, K. R., Ritter, P. L., Laurent, D. D., & Plant, K. (2006). Internet-Based Chronic Disease Self-Management: A Randomized Trial. *Medical Care*, 44(11).

M., R., B., J., & J., C. (2013). Socio-Ecological Approach to Self-Management of Type 2 Diabetes: Physical Activity and Dietary Intervention. *Type 2 Diabetes*. <https://doi.org/10.5772/56512>

Malini, H., Yeni, F., Pratiwi, C. A., & Lenggogeni, D. P. (2020). Associated Factors For Self Management In Type 2 Diabetes Mellitus Patients. *Jurnal Keperawatan Sudirman*, 15(2), 24–30.

Marina Trento, B. S., Passera, P., Borgo, E., Tomalino, Marco, Bajardi, M., Cavallo, F., & Porta, M. (2004). A 5-Year Randomized Controlled Study of Learning , Problem Solving Ability , and Quality of Life Modifications in People With Type 2 Diabetes Managed by Group Care. *Clinical Care*, September 2003.

Marques, M. B., Coutinho, J. F. V., Martins, M. C., de Oliveira Lopes, M. V., Maia, J. C., & da Silva, M. J. (2019). Educational intervention to promote self-care in older adults with diabetes mellitus. *Revista Da Escola de Enfermagem*, 53, 1–7. <https://doi.org/10.1590/S1980-220X2018026703517>

McElfish, P. A., Long, C. R., Kohler, P. O., Yeary, K. H. K., Bursac, Z., Narcisse, M.-R., Felix, H. C., Rowland, B., Hudson, J. S., & Goulden, P. A. (2019). Comparative Effectiveness and Maintenance of Diabetes Self-Management Education Interventions for Marshallese Patients With Type 2 Diabetes: A Randomized Controlled Trial. *Diabetes Care*, 42(5), 849 LP – 858.

<https://doi.org/10.2337/dc18-1985>

- Meichenbaum, D. (1977). Cognitive Behaviour Modification. *Scandinavian Journal of Behaviour Therapy*, 6(4), 185–192. <https://doi.org/10.1080/16506073.1977.9626708>
- Mikhael, E. M., Hassali, M. A., Hussain, S. A., & Shawky, N. (2019). Self-management knowledge and practice of type 2 diabetes mellitus patients in Baghdad, Iraq: A qualitative study. *Diabetes, Metabolic Syndrome and Obesity: Targets and Therapy*, 12, 1–17. <https://doi.org/10.2147/DMSO.S183776>
- Misra, R., & Fitch, C. (2020). A model exploring the relationship between nutrition knowledge, behavior, diabetes self-management and outcomes from the dining with diabetes program. *Preventive Medicine*, 141, 106296. <https://doi.org/10.1016/j.ypmed.2020.106296>
- Mulyani, N. S. (2016). Hubungan Self Management Pasien Diabetes Mellitus Tipe Ii Dengan Kadar Gula Darah Di Rumah Sakit Kota Banda Aceh. *SEL Vol. 3 No. 2*, 3(2), 56–63.
- Munn, Z., Peters, M. D. J., Stern, C., Tufanaru, C., McArthur, A., & Aromataris, E. (2018). Systematic review or scoping review? Guidance for authors when choosing between a systematic or scoping review approach. *BMC Medical Research Methodology*, 18(1), 1–7. <https://doi.org/10.1186/s12874-018-0611-x>
- Murray, E., Sweeting, M., Dack, C., Pal, K., Modrow, K., Hudda, M., Li, J., Ross, J., Alkhalidi, G., Barnard, M., Farmer, A., Michie, S., Yardley, L., May, C., Parrott, S., Stevenson, F., Knox, M., & Patterson, D. (2017). Web-based self-management support for people with type 2 diabetes (HeLP-Diabetes): randomised controlled trial in English primary care. *BMJ Open*, 7(9), e016009–e016009. <https://doi.org/10.1136/bmjopen-2017-016009>
- Mvogo, C. E., & Mandengue, S. H. (2013). *Micro and macrovascular complications of diabetes mellitus in Cameroon: risk factors and effect of diabetic check-up - a monocentric observational study*. 8688, 1–10. <https://doi.org/10.11604/pamj.2013.15.141.2104>
- Nicholas, J., Charlton, J., Dregan, A., & Gulliford, M. C. (2013). Recent HbA1c Values and Mortality Risk in Type 2 Diabetes. Population-Based Case-Control Study. *PLOS ONE*, 8(7), e68008. <https://doi.org/10.1371/journal.pone.0068008>
- Nugroho, Septyan Adi, Purwanti, O. S. (2013). Hubungan Antara Tingkat Stres Dengan Kadar Darah Pada Pasien Diabetes Melitus Di Wilayah Kerja Puskesmas Sukoharjo I Kabupaten Sukoharjo. *Hubungan Antara Tingkat Stres Dengan Kadar Gula Darah Pada Pasien Diabetes Melitus Di Wilayah Kerja Puskesmas Sukoharjo I Kabupaten Sukoharjo*, 43–51.
- Pamungkas, R. A., & Chamroonsawasdi, K. (2020a). Self-management based

coaching program to improve diabetes mellitus self-management practice and metabolic markers among uncontrolled type 2 diabetes mellitus in Indonesia: A quasi-experimental study. *Diabetes & Metabolic Syndrome*, 14(1), 53–61. <https://doi.org/10.1016/j.dsx.2019.12.002>

Pamungkas, R. A., & Chamroonsawasdi, K. (2020b). Self-management based coaching program to improve diabetes mellitus self-management practice and metabolic markers among uncontrolled type 2 diabetes mellitus in Indonesia: A quasi-experimental study. *Diabetes and Metabolic Syndrome: Clinical Research and Reviews*, 14(1), 53–61. <https://doi.org/10.1016/j.dsx.2019.12.002>

Pamungkas, R. A., Chamroonsawasdi, K., Vatanasomboon, P., & Charupoonphol, P. (2019). Barriers to Effective Diabetes Mellitus Self-Management (DMSM) Practice for Glycemic Uncontrolled Type 2 Diabetes Mellitus (T2DM): A Socio Cultural Context of Indonesian Communities in West Sulawesi. *Eur. J. Investig. Health Psychol. Educ*, 10(1), 250–261. <https://doi.org/doi:10.3390/ejihpe10010020>

Pamungkas, R. A., Chinnawong, T., & Kritpracha, C. (2015). The Effect of Dietary and Exercise Self-Management Support Program on Dietary Behavior Exercise Behavior and Clinical Outcomes in Muslim Patients with Poorly Controlled Type 2 DM in a Community Setting in Indonesia. *Nurse Media Journal of Nursing*, 5(1), 1–14. <https://doi.org/https://doi.org/10.14710/nmjn.v5i1.10186>

Perkeni. (2015). Konsensus Pengelolaan Dan Pencegahan Diabetes Melitus Tipe2 Di Indonesia 2015. In *Perkeni*. <https://www.google.com/url?sa=t&source=web&rct=j&url=https://pbperkeni.or.id/wp-content/uploads/2019/01/4.-Konsensus-Pengelolaan-dan-Pencegahan-Diabetes-melitus-tipe-2-di-Indonesia-PERKENI-2015.pdf&ved=2ahUKEwjy8KOs8cfoAhXCb30KHQb1Ck0QFjADegQIBhAB&usg=AOv>

Peterson, J., Pearce, P. F., Ferguson, L. A., & Langford, C. A. (2017). Understanding scoping reviews: Definition, purpose, and process. *Journal of the American Association of Nurse Practitioners*, 29(1), 12–16. <https://doi.org/10.1002/2327-6924.12380>

Pinchera, B., Delloiacono, D., & Lawless, C. A. (2018). Best practices for patient self-management: Implications for nurse educators, patient educators, and program developers. *Journal of Continuing Education in Nursing*, 49(9), 432–440. <https://doi.org/10.3928/00220124-20180813-09>

Pretorius, W., & Steel, R. (2015). *a psychosocial perspective*. 18(2).

Qi, L., Feng, L., Tang, W., Ma, X., Ding, X., Mao, D., Li, J., Wang, Y., & Xiong, H. (2014). A community-based comprehensive intervention program for 7200 patients with type 2 diabetes mellitus in Chongqing (China). *International Journal of Environmental Research and Public Health*, 11(11), 11450–11463.

<https://doi.org/10.3390/ijerph111111450>

- Quinn, C. C., Shardell, M. D., Terrin, M. L., Barr, E. A., Ballew, S. H., & Gruber-Baldini, A. L. (2011). Cluster-randomized trial of a mobile phone personalized behavioral intervention for blood glucose control. *Diabetes Care*, *34*(9), 1934–1942. <https://doi.org/10.2337/dc11-0366>
- Racic, M., Biljana Katic, B. N. J., & Joksimovic, and V. R. (2015). Impact of Motivational Interviewing on Treatment Outcomes in Patients with Diabetes Type 2: A Randomized Controlled Trial. *Journal of Family Medicine*. <https://doi.org/10.2196/15709>
- Reyes, J., Tripp-Reimer, T., Parker, E., Muller, B., & Laroche, H. (2017). Factors Influencing Diabetes Self-Management Among Medically Underserved Patients With Type II Diabetes. *Global Qualitative Nursing Research*, *4*, 2333393617713097. <https://doi.org/10.1177/2333393617713097>
- Ria Afnenda Naibaho, N. S. D. (2020). Assessment of Stress in Patients With Diabetes Mellitus. *Ilmu Keperawatan Jiwa*, *3*, 1–8.
- Saeedi, P., Petersohn, I., Salpea, P., Malanda, B., Karuranga, S., Unwin, N., Colagiuri, S., Guariguata, L., Motala, A. A., Ogurtsova, K., Shaw, J. E., Bright, D., & Williams, R. (2019). Global and regional diabetes prevalence estimates for 2019 and projections for 2030 and 2045: Results from the International Diabetes Federation Diabetes Atlas, 9th edition. *Diabetes Research and Clinical Practice*, *157*, 107843. <https://doi.org/10.1016/j.diabres.2019.107843>
- Saffari, M., Ghanizadeh, G., & Koenig, H. G. (2014). Health education via mobile text messaging for glycemic control in adults with type 2 diabetes: a systematic review and meta-analysis. *Primary Care Diabetes*, *8*(4), 275–285. <https://doi.org/10.1016/j.pcd.2014.03.004>
- Scain, S. F., Friedman, R., & Gross, J. L. (2009). A Structured Educational Program Improves Metabolic Control in Patients With Type 2 Diabetes. *The Diabetes Educator*, *35*(4), 603–611. <https://doi.org/10.1177/0145721709336299>
- Schmitt, A., Gahr, A., Hermanns, N., Kulzer, B., Huber, J., & Haak, T. (2013). The Diabetes Self-Management Questionnaire (DSMQ): development and evaluation of an instrument to assess diabetes self-care activities associated with glycaemic control. *Health and Quality of Life Outcomes*, *11*(1), 138. <https://doi.org/10.1186/1477-7525-11-138>
- Song, S. J., & Wong, T. Y. (2014). Current concepts in diabetic retinopathy. *Diabetes & Metabolism Journal*, *38*(6), 416–425. <https://doi.org/10.4093/dmj.2014.38.6.416>
- Stratton, I. M., Adler, A. I., Neil, H. A., Matthews, D. R., Manley, S. E., Cull, C. A., Hadden, D., Turner, R. C., & Holman, R. R. (2000). Association of glycaemia with macrovascular and microvascular complications of type 2 diabetes (UKPDS 35): prospective observational study. *BMJ (Clinical*

- Suastika, K., Dwipayana, P., Siswadi, M., & Tuty, R. A. (2012). Age is an Important Risk Factor for Type 2 Diabetes Mellitus and Cardiovascular Diseases. *Glucose Tolerance, August*. <https://doi.org/10.5772/52397>
- Sudirman, A. A. (2018). *Diabetes Mellitus, Diabetes Self Management Education (DSME), and Self Care Diabetik*. <https://doi.org/10.31227/osf.io/8kgpr>
- Suhl, E. B. P. (2006). Diabetes Self-Management Education for Older Adults : Diabetes Self-Management Education for Older Adults : *Diabetes Spectrum, 19(4)*, 234–240. <http://spectrum.diabetesjournals.org/content/19/4/234>
- Suksomboon, N., Poolsup, N., & Nge, Y. L. (2014). Impact of Phone Call Intervention on Glycemic Control in Diabetes Patients: A Systematic Review and Meta-Analysis of Randomized, Controlled Trials. *PLOS ONE, 9(2)*, e89207. <https://doi.org/10.1371/journal.pone.0089207>
- Suwankruhasn, N., Pothiban, L., Panuthai, S., & Boonchuang, P. (2013). Effects of a Self-management Support Program for Thai People Diagnosed with Metabolic Syndrome. *Pacific Rim Int J Nurs, 17(4)*, 371–383.
- Thom, D. H., Ghorob, A., Hessler, D., De Vore, D., Chen, E., & Bodenheimer, T. A. (2013). Impact of peer health coaching on glycemic control in low-income patients with diabetes: a randomized controlled trial. *Annals of Family Medicine, 11(2)*, 137–144. <https://doi.org/10.1370/afm.1443>
- Toobert, D. J., Hampson, S. E., & Glasgouw, U. E. (2000). The Summary of Diabetes Self-Care. *Epidemiology/Health Service/ Psychosocial Research, 23(7)*, 943–950.
- Tricco, A. C., Lillie, E., Zarin, W., O'Brien, K. K., Colquhoun, H., Levac, D., Moher, D., Peters, M. D. J., Horsley, T., Weeks, L., Hempel, S., Akl, E. A., Chang, C., McGowan, J., Stewart, L., Hartling, L., Aldcroft, A., Wilson, M. G., Garrity, C., ... Straus, S. E. (2018). PRISMA extension for scoping reviews (PRISMA-ScR): Checklist and explanation. *Annals of Internal Medicine, 169(7)*, 467–473. <https://doi.org/10.7326/M18-0850>
- Trikkalinou, A., Papazafiropoulou, A. K., & Melidonis, A. (2017). Type 2 diabetes and quality of life. *World Journal of Diabetes, 8(4)*, 120–129. <https://doi.org/10.4239/wjd.v8.i4.120>
- Trouilloud, D., & Regnier, J. (2013). Therapeutic education among adults with type 2 diabetes: Effects of a three-day intervention on perceived competence, self-management behaviours and glycaemic control. *Global Health Promotion, 20(February 2012)*, 94–98. <https://doi.org/10.1177/1757975913483331>
- Von Storch, K., Graaf, E., Wunderlich, M., Rietz, C., Polidori, M. C., & Wopen, C. (2019). Telemedicine-Assisted Self-Management Program for Type 2 Diabetes Patients. *Diabetes Technology and Therapeutics, 21(9)*, 514–521.

<https://doi.org/10.1089/dia.2019.0056>

- Wadden, T. A., Webb, V. L., Moran, C. H., & Bailer, B. A. (2012). Lifestyle Modification for Obesity. *Circulation*, *125*(9), 1157–1170. <https://doi.org/10.1161/circulationaha.111.039453>
- Waki, K., Fujita, H., Uchimura, Y., Omae, K., Aramaki, E., Kato, S., Lee, H., Kobayashi, H., Kadowaki, T., & Ohe, K. (2014). DialBetics: A Novel Smartphone-based Self-management Support System for Type 2 Diabetes Patients. *Journal of Diabetes Science and Technology*, *8*(2), 209–215. <https://doi.org/10.1177/1932296814526495>
- Wang, C. M. B., Inouye, J., Davis, J., & Wang, C.-Y. (2013). Diabetes knowledge and self-management effects on physiological outcomes in type 2 diabetes. *Nursing Forum*, *48*(4), 240–247. <https://doi.org/10.1111/nuf.12037>
- Weller, S. C., Baer, R., Nash, A., & Perez, N. (2017). Discovering successful strategies for diabetic self-management: a qualitative comparative study. *BMJ Open Diabetes Research & Care*, *5*(1), e000349. <https://doi.org/10.1136/bmjdr-2016-000349>
- Whittemore, R., Chao, A., Jang, M., Minges, K. E., & Park, C. (2014). Methods for knowledge synthesis: an overview. *Heart & Lung: The Journal of Critical Care*, *43*(5), 453–461. <https://doi.org/10.1016/j.hrtlng.2014.05.014>
- WHO. (2020). *a vital investment*.
- Wieland, M. L., Njeru, J. W., Hanza, M. M., Boehm, D. H., Singh, D., Yawn, B. P., Patten, C. A., Clark, M. M., Weis, J. A., Osman, A., Goodson, M., Porráz Capetillo, M. D., Hared, A., Hasley, R., Guzman-Corrales, L., Sandler, R., Hernandez, V., Novotny, P. J., Sloan, J. A., & Sia, I. G. (2017). Pilot Feasibility Study of a Digital Storytelling Intervention for Immigrant and Refugee Adults With Diabetes. *Diabetes Educator*, *43*(4), 349–359. <https://doi.org/10.1177/0145721717713317>
- Wildeveur, S. E., & Simonse, L. W. L. (2015). Information and communication technology-enabled person-centered care for the “big five” chronic conditions: scoping review. *Journal of Medical Internet Research*, *17*(3), e77. <https://doi.org/10.2196/jmir.3687>
- Yang, Y., Lee, E. Y., Kim, H.-S., Lee, S.-H., Yoon, K.-H., & Cho, J.-H. (2020). Effect of a Mobile Phone-Based Glucose-Monitoring and Feedback System for Type 2 Diabetes Management in Multiple Primary Care Clinic Settings: Cluster Randomized Controlled Trial. *JMIR MHealth and UHealth*, *8*(2), e16266. <https://doi.org/10.2196/16266>
- Yavari, A., Hajjiyev, A. M., & Naghizadeh, F. (2010). The effect of aerobic exercise on glycosylated hemoglobin values in type 2 diabetes patients. *The Journal of Sports Medicine and Physical Fitness*, *50*(4), 501–505.
- Zawacki-Richter, O., Kerres, M., Bedenlier, S., Bond, M., & Buntins, K. (2020).

Systematic Reviews in Educational Research (Issue September).
<https://doi.org/10.1007/978-3-658-27602-7>

Zhai, Y.-K., Zhu, W.-J., Cai, Y.-L., Sun, D.-X., & Zhao, J. (2014). Clinical- and cost-effectiveness of telemedicine in type 2 diabetes mellitus: a systematic review and meta-analysis. *Medicine*, 93(28), e312.
<https://doi.org/10.1097/MD.0000000000000312>

Zhang, L., He, X., Shen, Y., Yu, H., Pan, J., Zhu, W., Zhou, J., & Bao, Y. (2019). Effectiveness of smartphone app-based interactive management on glycemic control in Chinese patients with poorly controlled diabetes: Randomized controlled trial. *Journal of Medical Internet Research*, 21(12), 1–10.
<https://doi.org/10.2196/15401>

Zhang, Y., & Chu, L. (2018). Effectiveness of Systematic Health Education Model for Type 2 Diabetes Patients. *International Journal of Endocrinology*, 2018, 6530607. <https://doi.org/10.1155/2018/6530607>

Zheng, F., Liu, S., Liu, Y., & Deng, L. (2019). Effects of an Outpatient Diabetes Self-Management Education on Patients with Type 2 Diabetes in China: A Randomized Controlled Trial. *Journal of Diabetes Research*, 2019, 1073131. <https://doi.org/10.1155/2019/1073131>

LAMPIRAN

Lampiran 1 PRISMA Checklist ScR

Preferred Reporting Items for Systematic reviews and Meta-Analyses extension for Scoping Reviews (PRISMA-ScR) Checklist

SECTION	ITEM	PRISMA-ScR CHECKLIST ITEM	REPORTED ON PAGE #
TITLE			
Title	1	Identify the report as a scoping review.	Cover Line 2
ABSTRACT			
Structured summary	2	Provide a structured summary that includes (as applicable): background, objectives, eligibility criteria, sources of evidence, charting methods, results, and conclusions that relate to the review questions and objectives.	xi
INTRODUCTION			
Rationale	3	Describe the rationale for the review in the context of what is already known. Explain why the review questions/objectives lend themselves to a scoping review approach.	6-7
Objectives	4	Provide an explicit statement of the questions and objectives being addressed with reference to their key elements (e.g., population or participants, concepts, and context) or other relevant key elements used to conceptualize the review questions and/or objectives.	6
METHODS			
Protocol and registration	5	Indicate whether a review protocol exists; state if and where it can be accessed (e.g., a Web address); and if available, provide registration information, including the registration number.	32-34
Eligibility criteria	6	Specify characteristics of the sources of evidence used as eligibility criteria (e.g., years considered, language, and	32

SECTION	ITEM	PRISMA-ScR CHECKLIST ITEM	REPORTED ON PAGE #
		publication status), and provide a rationale.	
Information sources*	7	Describe all information sources in the search (e.g., databases with dates of coverage and contact with authors to identify additional sources), as well as the date the most recent search was executed.	33-34
Search	8	Present the full electronic search strategy for at least 1 database, including any limits used, such that it could be repeated.	35-39
Selection of sources of evidence†	9	State the process for selecting sources of evidence (i.e., screening and eligibility) included in the scoping review.	35
Data charting process‡	10	Describe the methods of charting data from the included sources of evidence (e.g., calibrated forms or forms that have been tested by the team before their use, and whether data charting was done independently or in duplicate) and any processes for obtaining and confirming data from investigators.	42
Data items	11	List and define all variables for which data were sought and any assumptions and simplifications made.	35
Critical appraisal of individual sources of evidence§	12	If done, provide a rationale for conducting a critical appraisal of included sources of evidence; describe the methods used and how this information was used in any data synthesis (if appropriate).	-
Synthesis of results	13	Describe the methods of handling and summarizing the data that were charted.	43-73
RESULTS			
Selection of sources of evidence	14	Give numbers of sources of evidence screened, assessed for eligibility, and included in the review, with reasons for exclusions at each stage, ideally using a flow diagram.	42

SECTION	ITEM	PRISMA-ScR CHECKLIST ITEM	REPORTED ON PAGE #
Characteristics of sources of evidence	15	For each source of evidence, present characteristics for which data were charted and provide the citations.	74
Critical appraisal within sources of evidence	16	If done, present data on critical appraisal of included sources of evidence (see item 12).	-
Results of individual sources of evidence	17	For each included source of evidence, present the relevant data that were charted that relate to the review questions and objectives.	74-93
Synthesis of results	18	Summarize and/or present the charting results as they relate to the review questions and objectives.	43-73
DISCUSSION			
Summary of evidence	19	Summarize the main results (including an overview of concepts, themes, and types of evidence available), link to the review questions and objectives, and consider the relevance to key groups.	94
Limitations	20	Discuss the limitations of the scoping review process.	114
Conclusions	21	Provide a general interpretation of the results with respect to the review questions and objectives, as well as potential implications and/or next steps.	115
FUNDING			
Funding	22	Describe sources of funding for the included sources of evidence, as well as sources of funding for the scoping review. Describe the role of the funders of the scoping review.	-

JBI = Joanna Briggs Institute; PRISMA-ScR = Preferred Reporting Items for Systematic reviews and Meta-Analyses extension for Scoping Reviews.

* Where *sources of evidence* (see second footnote) are compiled from, such as bibliographic databases, social media platforms, and Web sites.

† A more inclusive/heterogeneous term used to account for the different types of evidence or data sources (e.g., quantitative and/or qualitative research, expert opinion, and policy documents) that may be eligible in a scoping review as opposed to only studies. This is not to be confused with *information sources* (see first footnote).

‡ The frameworks by Arksey and O'Malley (6) and Levac and colleagues (7) and the JBI guidance (4, 5) refer to the process of data extraction in a scoping review as data charting.

§ The process of systematically examining research evidence to assess its validity, results, and relevance before using it to inform a decision. This term is used for items 12 and 19 instead of "risk of bias" (which is more applicable to systematic reviews of interventions) to include and acknowledge the various sources of evidence that may be used in a scoping review (e.g., quantitative and/or qualitative research, expert opinion, and policy document).