

## DAFTAR PUSTAKA

- Alberts, B.W. 1994. Biologi Molekuler Sel edisi kedua .Mengenal sel. PT Gramedia pustaka utama. Jakarta.
- Anonim. 2010. Analisis rasio RNA/DNA protein benih ikan kerapu bebek, *Cromileptes altivelis*. Laporan Balai Besar Riset Perikanan Budidaya Laut, Gondol-Bali, 1 hal.
- Anonim.2011.Pertumbuhan Antara Udang Jantan dan Betina [https://www.google.co.id/#q=&hl=id&safe=off&prmd=imvns&ei=ek2aT5bdN8L4rQfrk4XCDg&start=10&sa=N&bav=on.2,or.r\\_gc.r\\_pw.r\\_qf.,cf.osb&fp=e273d50ece17367a&biw=1143&bih=557](https://www.google.co.id/#q=&hl=id&safe=off&prmd=imvns&ei=ek2aT5bdN8L4rQfrk4XCDg&start=10&sa=N&bav=on.2,or.r_gc.r_pw.r_qf.,cf.osb&fp=e273d50ece17367a&biw=1143&bih=557)
- Anonim. 2012. Defenisi pertumbuhan. <http://repository.ui.ac.id/contents/koleksi/fedecb.pdf>[2 Januari 2012].
- Ardiana, D.W. 2009. Teknik Isolasi DNA Genom Tanaman Pepaya dan Jeruk dengan Menggunakan Modifikasi Bufer CTAB. Buletin Teknik Pertanian Vol. 14 No. 1, 2009: 12-16.
- Bastardo dan Sofia B. 2003. Populasi Ikan Trout Semua Betina Tumbuh Lebih Cepat Dibandingkan Jantan. Arsip Kompilasi Literatur Perikanan. <https://www.google.co.id/#q=pertumbuhan+antara+udang+jantan+dan+betina&hl>.
- Buckley, L.J. 1979. Relationship between RNA-DNA Rasio, Prey density, and Growth Rate in Atlantic Cod larvae. J.Fish. Res. Board. Can.
- Buckley, L.J. 1984. RNA/DNA ratio: an Index of Larval Fish Growth in The Sea. Marine Biology 80:291-298.
- Buscker, G.P., I.R. Adelman and E.M. Goolish. 1990. Growth. In C.B. schreck and P.B. moyle. Methods for fish physiology. American Fisheries society, Bethesda, Maryland.
- Braak, K. 2002. *Haemocytic defence in black tiger shrimp (penaeus monodon)*. PhD thesis, Wageningen University – with ref. – with summary in Dutch. Nedherlands. 159 pages.
- Caldarone, E.M. and L.J. Buckley. 1997. Relationship Between RNA/DNA Ratio, Temperature and Growth Rate in Atlantic Cod Larvae. Ichthyoplankton Ecology Fishries Ezsociety Of The British Isles, 50pp.
- Caldora, E.M., Onge-Burns, J.M.S., dan Buckley, L.J. 2003. Relationship of RNA/DNA Ratio And Temperature To Growth In Larvae of Atlantic Cod Gadus Morhua. Marine Ecology Progress Series 262:229-240.
- Cangara, A.S. 2011. Perkembangan, Pertumbuhan, dan Rasio RNA/DNA Larva Udang Windu (*P.monodon*) Hasil Perkawinan Induk dari Lokasi Berbeda [Tesis] Program Pascasarjana, Universitas Hasanuddin.

- Chicharo, L.M.Z., dan Chicharo, M.A.A.T. 1995. The RNA/DNA Ratio as a Useful Indicator of Nutritional Condition in Juveniles of *Ruditapes Decussatus*. *Scientia Marine* 59:95-101.
- Chicharo, M.A. dan Chicharo, L. 2008. RNA:DNA Ratio and Other Nucleid Acid Derivated Indices in Marine Ecology. *International Journal of Molecular Science* 9:1453-1471.
- Daud. S.P, Rachmansyah dan A.G Mangawe. 2001. Penelitian budidaya bandeng intensif dalam karamba jaring apung di laut. *Teknologi budidaya laut dan pengembangan sea farming di indonesia departemen kelautan dan perikanan bekerjasama dengan japan international corporation Egency*. Jakarta.
- Devi. 1990. Ikan Lele India Jantan Tumbuh Lebih Cepat Daripada Ikan Lele India Betina. *Arsip Kompilasi Literatur Perikanan*. [https:// www.google.co.id/#q=pertumbuhan+antara+udang+jantan+dan+betina&hl](https://www.google.co.id/#q=pertumbuhan+antara+udang+jantan+dan+betina&hl).
- Dewantoro, E. 2001. Rasio RNA/DNA, Karakter Morfometrik, dan Komposisi Daging Ikan Mas (*Cyprinus carpio*) Strain Sinyonya, Karper Kaca, dan Hibridanya. Tesis Program Pascasarjana, Institut Pertanian Bogor, Bogor.
- Doyle, J.J., Doyle, J.L. 1990. Isolation of plant DNA from freshtissue. *Focus* 2: 3-5 Harini, S.S., M., Leelombika, M.N. Shiva Kameshwari, N.Sathyanarayana. 2008. Optimization of DNA isola.
- Efendi, M.L. 1979. *Biologi Perikanan*. Yayasan Pustaka Nusantara, Jakarta.
- Esteves, E., Chicharo, M.A., Pina, T., Coelho, M.L., dan Andrade, J.P. 2000. Comparison of RNA/DNA Ratios Obtained with Two Methods for Nucleic Acid Quantification in Gobiid Larvae. *Journal of Experimental Marine Biology and Ecology* 245:43-55.
- Fujaya, Y. 1999. *Dasar Genetika dan Pengembangbiakan Ikan*. Fakultas Ilmu Kelautan dan Perikanan. Universitas Hasanuddin. Makassar.
- Haulihan, D. F., E. Mathers & A. Foster. 1993. Biochemical Correlates of Growth Rate in Fish. Page 45-71. London.
- Harley, J.T. 2005. *Regulatory Exercises in Microbiology*. 6th ed. McGraw-Hill Company, Boston: xiv + 466 hlm.
- Haryanti, Mahardika, K., Moria S.B., dan Permana, I.G.N. 2006. Study on Fry Performance of Black Tiger Shrimp *Penaeus Monodon* With Special Reference to its Morphological and RNA/DNA Ratio Analysis. *Indonesia Aquakulture Journal* 1 (2):159-164.
- Haryanti. 2011. Penggunaan Marka Molekular Dalam Menghasilkan Induk Unggul Udang. Makalah Disampaikan Pada Pertemuan Jaringan Udang Vaname Nusantara 1, Di Denpasar, 16-18 Nopember 2011, 31 Hal.

- Houlin, D.F., E. Mathers and Foster. 1993. Biochemical Correlates 1 of Growth Rate in Fish, p:45-71 in J.C. Rankin and F.B. Jansxen fish echophysiology. Chapman and Hall. London-Madres.
- Joung dan Chen. 1992. Perbedaan Karakteristik Pertumbuhan Akibat Perbedaan Jenis Kelamin Ikan. Arsip Kompilasi Literatur Perikanan. <https://www.google.co.id/#q=pertumbuhan+antara+udang+jantan+dan+betina&hl>.
- Kamler, E., Jobling. 1992. Respiration and Metabolisme, in Fish and Fisheries Series 13: Fish Bioenergetics. Chapman and Hall. London.
- Karim, Y. 2002. Upaya Peningkatan Produksi Akuakultur Melalui Aplikasi Teknologi Transgenik (Suatu Kajian Filsafat Ilmu). Makalah Pengantar Falsafah Sains. Institut pertanian bogor-IPB. Bogor.
- Karp, A.S. Kresovich, K.V. Bhat, W.G. Ayad, and T. Hodgkin. 1997. Molecular Tool in Plant Genetic Resources Conservation: A guide to the technologies. IPGRI Technical Bulletin no. 2.
- Klug, W.S. & M.R. Cummings. 1994. Concepts of genetics. Prentice-Hall Inc., Englewood Cliffs: xvi + 779 hlm.
- Lewis, R. 2003. Human genetics: Concepts and applications. The McGraw-Hills Company, Inc., Boston: xviii + 454 hlm.
- Lumaret, R., H. Michaud, J.P. Ripoll, and L. Toumi. 1998. Chloroplast DNA Extraction Procedure for Species High in Phenolics and Polysaccharides. p. 15-17. In A. Karp, P.G. Isaac, and D.S. Ingram (Eds.). Molecular Tool for Screening Biodiversity. Chapman and Hall, London.
- Nicholl, D.S.T. 1993. An Introduction to Genetic Engineering. Department of Biological Science, University of Paisly.
- Linacero, R.J., Rueda, & Vasques, A.M. 1998. Quantification of DNA. In Karp AP, Isaac G, Ingram DS (Editors) Molecular Tools For Screening Biodiversity: *Plants and Animals*. Chapman and Hall. London, Weinheim, New York, Tokyo< Melbourne, Madras, p. 18-21.
- Martosudarmo dan Ranoemiharjo. 1983. Klasifikasi dan Morfologi Udang Windu. <http://dear08blog.blogspot.com/2003/03/html>. [20 Januari 2012].
- Millamena OM, Coloso RM, Pascual FP. 2002. Nutrition in Tropical Aquaculture Essentials of Fish Nutrition, Feeds, and Feeding of Tropical Aquatic Species. Philippines: Aquaculture Department Southeast Asian Fisheries Development Center.
- Meighen, E.A. 1991. Molecular biology of bacterial bioluminescence. *Microbiol Rev.*, 55:123-142.
- Oliver, M.P., Diaz, M.V., M.A. 2009. Tissue Effect on RNA/DNA Ratios of Marine Fish Larvae. *Scientia Marine* 73:171-182.

- Paradisa. 2010. Ekstraksi DNA/bahan-ajar/pcr/. Di akses pada tanggal 5 Februari 2012. Makassar.
- Parenrengi , A., Sulaeman, Suryati, E., dan Tenriulo, A. 2006. Karakterisasi genetik rumput laut *Kappaphicus alvarezii* yang dibudidayakan di Sulawesi Selatan. *Jurnal Riset Akuakultur* 1(1).
- Pepin, P., Evans, G.T dan Shears, T.H. 1999. Patterns of RNA/DNA ratios in larvae fish and their relationship to survival in the field. *ICES Journal of Marine Science* 56:697-706.
- Puspalarasati. 2011. Quantifikasi DNA dan Analisis Kualitas. [https:// www.google .co.id/search?hl=id&safe=off&output=search&scient=psyab&q=metode +ekstraksi+DNA+dengan+CTAB&btnG=#hl=id&safe=off&scient=psyab &q=kualitas+DNA+plasmid&oq=kualitas+DNA+plasmid&aq=f&aqi=&aql=&gs\\_nf=1&gs\\_l=serp.3...710492.717929.0.718313.20.18.0.0.0.893.1310.41j0j1.2.0.NqQMIGhGbn0&pbx=1&bav=on2,or.r\\_gc.r\\_pw.r\\_qf.,cf.osb&fp=e273d50ece17367a&biw=1143&bih=557](https://www.google.co.id/search?hl=id&safe=off&output=search&scient=psyab&q=metode+ekstraksi+DNA+dengan+CTAB&btnG=#hl=id&safe=off&scient=psyab&q=kualitas+DNA+plasmid&oq=kualitas+DNA+plasmid&aq=f&aqi=&aql=&gs_nf=1&gs_l=serp.3...710492.717929.0.718313.20.18.0.0.0.893.1310.41j0j1.2.0.NqQMIGhGbn0&pbx=1&bav=on2,or.r_gc.r_pw.r_qf.,cf.osb&fp=e273d50ece17367a&biw=1143&bih=557)
- Ratnasari. 2008. /wiki/Elektroforesis\_gel. Di akses pada tanggal 8 Februari 2012. Makassar.
- Raven, P.H. & G.B. Johnson. 2002. *Biology*. 6th ed. McGraw-Hill Companies, Inc., New York: xxiv + 1238 hlm.
- Rickwood D. 1984. *Centrifugation*. Inggris: IRL-pr Enhysham Oxford.
- Robinson, S.M.C and D.M. Ware. 1988. Ontogenetic development of growth rates in larval pacific herring, clupea herengus pallasi, measured with RNA-DNA rasio in the strait of georgia, british, columbia.can.j.fish.aquat.sci.
- Sambrook, J., Russel, D.W. 1989. *Molecular Cloning: A Laboratory Manual*. New york: Cold-Spring Harbor Laboratory Press. Edisi ke-2, 165 hal.
- Sathish S, Selvakkumar C, hameedASS, and Narayanan RB. 2004. 18-kd protein as a marka to detect WSSV infection in shrimps. *Aquaculture* 238:39-50.
- Scombes, C.J b. 1994. *Enhancement of Fish Phagocyte Activity*. Fish and Shellfish Immunology, 4 : 421-436.
- Soetomo, M. 1990. Teknik Budidaya Udang Windu. *dalam* Martini, I. *dkk*. 2006. Kajian Sistem Resirkulasi Tertutup Menggunakan Biofilter Bivalvia dan Makroalgae pada Pembesaran Udang Windu (*Panaeus monodon*). Fakultas Perikanan dan Ilmu Kelautan. Universitas Padjadjaran.
- Soewardi, K. 2007. Pengelolaan keragaman genetik sumberdaya perikanan dan kelautan. Departemen Manajemen Sumberdaya Perairan, Fakultas Ilmu Perikanan dan Kelautan, Institut Pertanian Bogor.
- Sutarno. 2006. Penggunaan Teknik Molekuler untuk Memperbaiki Sifat Produksi Hewan Ternak. Universitas Sebelas Maret. Surakarta

- Suyanto, SR, Mujiman A. 2004. *Budidaya Udang Windu*. Jakarta: Penebar Swadaya.
- Syafaruddin, Santoso, T.J. 2011. Optimasi teknik isolasi dan purifikasi DNA yang efisien dan efektif pada kemiri sunan (*Reutalis trisperma*) (blanco). *Jurnal Litri* 17(1):11-17.
- Tanaka, Y., Gwaak, W.S., Tanaka, M., Sawada, Y., Okada, T., Miyashita, S., Kumai, H. 2007. Ontogenetic changes in RNA, DNA and protein contents of Laboratory-reared Pacific bluefin tuna *Thunnus orientalis*. *Fisheries Science* 73:378-384.
- Tonnek S, Syafaat N., dan haryanti. 2011. Penelitian Performansi Larva Udang Windu Tumbuh Cepat Dan Upaya Seleksi Calon Induk Di Tambak. Lapan Akhir. Balai Penelitian dan Pengembangan Budidaya Air Payau, Maros.
- Triana. S.H. 2010. Analisis fragmen DNA ikan kerapu Macan (*Epinephelus fuscoguttatus*) yang tahan dan rentan terhadap bakteri *Vibrio alginolyticus*. *Jurnal Ilmu Dasar* 11(10):8-16.
- Westerman ME, Halt GJ. 1988. The RNA DNA Ratio: Measurement of Nucleic Acid in Larval *Scienops ocellatus*. *Contribution in Marine Science, Supp.*
- Wickins, J.F. 1988. *Crustacea Farming Ranching and Culture*. Second edition. Blackwell since Ltd. Oxford. London
- Williamson, D.I. 1982. Larval morphology and diversity. Di dalam: Abele LG, editor. *The Biology of Crustacea. Volume 2, Embryology, Morphology and Genetics*. New York: Academic Press.
- Youson J.R. 1988. First metamorphosis. In : Hoar WS, Randall DJ. (eds). *Fish Physiology, Vol. XI. The Physiology of Defeloping Fish, Part B. Viviparity and Postatching Juveniles*. Akademic Press, Inc. Sandiego.
- Yuwono T.W. 2005. *Biologi molekular*. Erlangga. Jakarta.
- Zhan W, Wang X, Chen J, Xing J, Fukuda H. 2004. Elimination of Shrimp Endogenous Alkaline Phosphatase Immunoassays for The Detection Of White Spot Syndrome Virus (WSSV). *Aquaculture* 239:15-21

Lampiran 1. Ukuran berat dan panjang sampel udang windu yang digunakan untuk analisis RNA dan DNA

NO	SEX	BERAT (g)	PANJANG (cm)	NO	SEX	BERAT (g)	PANJANG (cm)
KONTROL				TUMBUH CEPAT			
1	Betina	18,2	11,5	1	Betina	58,3	18,5
2		17,4	12,5	2		68,4	19,5
3		14,7	12,0	3		60,7	18,6
4		17,0	12,3	4		64,6	19,4
5		45,2	17,4	5		70,9	19,6
6		41,7	17,6	6			
Rata-rata ± SD		25,7± 13,8	13,9± 2,8	Rata-rata ± SD		64,6± 5,2	19,1± 0,5
7	Jantan	12,6	10,8	7	Jantan	38,2	17,0
8		33,2	15,7	8		39,7	16,5
9		40,4	17,0	9		23,5	14,0
10		36,7	16,4	10		26,2	14,5
11		39,7	16,8	11		49,8	17,3
12		38,7	16,7	12		56,8	18,2
13		29,9	15,4	13			
Rata-rata ± SD		33,0±9,8	15,4±2,2	Rata-rata ± SD		39,1±12,9	16,3±1,7
Rata-rata ± SD		29,6±11,9	14,7±2,5	Rata-rata ± SD		50,6±16,5	17,5±1,9

Lampiran 2. Hasil pengukuran panjang, berat, kemurnian, konsentrasi RNA dan DNA serta rasio RNA/DNA udang windu kontrol

KODE	SEX	UKURAN		A <sub>260</sub>	A <sub>280</sub>	A <sub>260</sub> /A <sub>280</sub>	KONSENTRASI (µg/mL)		RASIO RNA/DNA
		PANJANG (cm)	BERAT (g)				RNA	DNA	
K1	B	11,5	18,2	1,876	0,81	2,027	150,08		3,0197
				2,497	0,27	1,841	49,7		
K2	B	12,5	17,35	1,472	0,711	2,07	117,76		2,1372
				0,551	0,294	1,874	55,1		
K3	B	12	14,65	2,181	1,067	2,044	174,48		1,1185
				1,56	781	1,997	156		
K4	B	12,3	16,98	2,182	1,078	2,024	349,12		3,7661
				0,927	0,488	1,9	92,7		
K5	J	10,8	12,56	0,649	0,316	2,054	103,84		1,9337
				0,537	0,294	1,827	53,7		
K6	J	15,7	33,24	1,592	0,764	2,084	127,36		4,9750
				0,256	0,132	1,939	25,6		
K7	J	17	40,44	1,343	0,644	2,085	107,44		4,9284
				0,218	0,108	2,019	21,8		
K8	J	16,4	36,72	1,359	0,674	2,01	108,72		1,8458
				0,589	0,313	1,882	58,9		
K9	J	16,8	39,73	1,685	0,879	1,917	134,8		5,2046
				0,259	0,132	1,962	25,9		
K10	J	16,7	38,67	1,485	0,735	2,02	118,8		3,4138
				0,348	0,179	1,944	34,8		
K11	J	15,4	29,94	1,51	0,724	2,086	120,8		1,2044
				1,003	0,621	1,615	100,3		
K13	B	17,4	45,16	1,225	0,597	2,052	98		5,8683
				0,167	0,09	1,856	16,7		
K14	B	17,6	41,73	1,068	0,536	1,993	85,44		2,3344
				0,366	0,195	1,877	36,6		
<b>Jumlah</b>									<b>41,7500</b>
<b>Rata-rata</b>		<b>14,78</b>	<b>29,64</b>			<b>1,96</b>	<b>138,20</b>	<b>55,98</b>	<b>3,2115</b>
<b>SD</b>		<b>2,53</b>	<b>11,93</b>			<b>0,11</b>	<b>67,43</b>	<b>39,51</b>	<b>1,62</b>

Keterangan :  
 K = Kontrol  
 B = Betina  
 J = Jantan  
 SD = Standar Deviasi

Lampiran 3. Hasil pengukuran panjang, berat, kemurnian, konsentrasi RNA dan DNA serta rasio RNA/DNA udang windu tumbuh cepat

KODE	SEX	UKURAN		A <sub>260</sub>	A <sub>280</sub>	A <sub>260</sub> /A <sub>280</sub>	KONSENTRASI (µg/mL)		RASIO RNA/DNA
		PANJANG (cm)	BERAT (g)				RNA	DNA	
TC1	B	18,5	58,3	2,027	1,008	2,011	162,16		6,5919
				0,246	0,124	1,984		24,6	
TC2	J	17	38,2	1,214	0,588	2,065	97,12		1,7499
				0,555	0,291	1,907		55,5	
TC3	J	16,5	39,8	1,755	0,852	2,06	140,4		1,8770
				0,748	0,391	1,913		74,8	
TC4	J	14	23,5	1,401	0,676	2,072	112,08		1,4575
				0,769	0,4	1,923		76,9	
TC5	J	14,5	26,2	2,076	1,032	2,012	166,08		2,0328
				0,817	0,431	1,886		81,7	
TC6	B	19,5	68,4	2,091	1,107	1,889	167,28		
				0,54	0,296	1,824		54	3,0978
TC8	B	18,6	60,7	2,117	1,052	2,012	169,36		
				0,43	0,223	1,928		43	3,9386
TC10	B	19,4	64,6	2,406	1,221	1,971	192,48		
				0,217	0,12	1,808		21,7	8,8700
TC11	B	19,6	70,9	1,157	0,566	2,044	92,56		
				0,077	0,056	1,375		7,7	12,0208
TC13	J	17,3	49,8	1,247	0,622	2,005	199,52		
				0,39	0,207	1,884		39	5,1159
TC14	J	18,2	56,9	1,359	0,688	1,975	108,72		
				0,38	0,203	1,872		38	2,8611
<b>Jumlah</b>									<b>49,6132</b>
<b>Rata-rata</b>		<b>17,55</b>	<b>50,7</b>			<b>1,93</b>	<b>146,16</b>	<b>46,99</b>	<b>4,5103</b>
<b>SD</b>		<b>1,93</b>	<b>16,5</b>			<b>0,15</b>	<b>38,08</b>	<b>24,17</b>	<b>3,394</b>

Keterangan :  
 TC = Tumbuh Cepat  
 B = Betina  
 J = Jantan  
 SD = Standar Deviasi

Lampiran 4. Hasil analisis *t-test* antara udang windu tumbuh cepat (TC) dan kontrol (K)

VARIABLE	SAMPLE MEAN	SIZE	S.D.	S.E.
CT	4.510	11	3.394	1.023
K	3.212	13	1.615	4.480E-01

  

	T	DF	P
EQUAL VARIANCES	1.23	22	0.2322
UNEQUAL VARIANCES	1.16	13.8	0.2647

  

TESTS FOR EQUALITY OF VARIANCES	F	NUM DF	DEN DF	P
	4.41	10	12	<b>0.0090</b>

Lampiran 5. Hasil analisis *t-test* antara jantan dan betina udang windu

VARIABLE	MEAN	SAMPLE SIZE	S.D.	S.E.
JANTAN	2.969	13	1.554	4.309E-01
BETINA	4.797	11	3.281	0.989

  

	T	DF	P
EQUAL VARIANCES	-1.79	22	0.0872
UNEQUAL VARIANCES	-1.69	13.7	0.1129

  

TESTS FOR EQUALITY OF VARIANCES	F	NUM DF	DEN DF	P
	4.46	10	12	<b>0.0086</b>