

DAFTAR PUSTAKA

- Abeysena C. et.al. 2009. *Risk Factors for Spontaneous Abortion*. Journal of the College of Community Physucians of Sri Lanka Vol. 14 (1) pp 14-19.
- American college of Obstetrican and Gynecologist, 2011. *Management of Recurrent early pregnancy loss "practice Bulletin*. [online] <http;www.ncbi.nlm.nih.gov>. diakses tanggal 30 Juni 2013.
- Andalas. 2007. *Perencanaan Kehamilan Pasca Keguguran* http://isjd.pdii.lipi.go.id/admin/jurnal/7209207211_1693-1912.pdf. diakses 11 Januari 2013
- Angelica,dkk,2009, *Exploring the determinants of unsafe abortion: improving the evidence base in mexico* <http://www.nihfw.org/pdf/Health%20and%20Family%20Welfare%20Abstract%20July-Dec,%202010.pdf>. Diakses 11 Maret 2013
- Atere, dkk. 2012. *Abortion and Challenges of Teenage Pregnancy in Lagos, Nigeria*. International Journal of Scientific & Engineering http://www.ijser.org/researchpaper%5CAbortion_and_Challenges_of_Teenage_Pregnancy_in_Lagos.pdf. diakses 11 Januari 2013
- Azari. 2012. *Masalah abortus dan kesehatan reproduksi perempuan*. [online] <http://digilib.unsri.ac.id/>. diakses tanggal 23 Juni 2013
- Bailey PE, e.al. 2011. *Adolescent pregnancy 1 year later: the effects of abortion vs. motherhood in Northeast Brazil*. J Adolesc Health 2011; 29: 223–32.
- BKKBN. 2006. *Deteksi Dini Komplikasi Persalinan*. Jakarta : BKKBN
- Billington dan Stevenson. 2009. *Kegawatan Dalam Kehamilan-Persalinan*. EGC, Jakarta.
- Bothamley dan Maureen. 2011. *Patofisiologi dalam Kebidanan*, EGC, Jakarta
- Boyle, 2007, *Kedaruratan Dalam Persalinan*, EGC, Jakarta.

- Badan Pusat Statistik Provinsi Maluku Utara, 2011. *Statistik Untuk Eksekutif Maluku Utara*
- Calcutt, Cait. 2007. *Abortion services in Australia*. [online] www.ranzcog.edu.au. Diakses tanggal 21 Juni 2013.
- Cunningham F.G. 2006. *Obstetri Williams*. Edisi 21 EGC. Jakarta
- Chamanga, dkk. 2012. *Psychological distress among adolescents before, during and after unsafe induced abortion in Malawi*. <http://interesjournal.org/JRNM/pdf/2012/July/Chamanga%20et%20al.pdf>. diakses 11 Januari 2013
- Carroll, dkk. 2011. *Legally Induced Abortion: The Demographic Profile and Hazards to the Health of Women*. <http://www.krepublishers.com/02-Journals/S-EM/EM-05-0-000-11-Web/EM-05-1-000-11-Abst-PDF/EM-05-1-001-11-164-Carroll-P/EM-05-1-001-11-164-Carroll-P-Tt.pdf>. diakses 11 Maret 2013
- Coleman , Priscilla K. 2011. *Abortion and mental health: quantitative synthesis and analysis of research published 1995–2010*. *The British Journal of Psychiatry* (2011) 199, 180–186. doi: 10.1192/bjp.bp.110.077230.
- Danvers, Rosewood. 2010. *Early pregnancy loss: miscarriage and molar pregnancy*. [online] <http://www.acog.org>. diakses 11 Juni 2013.
- Elias Sanbeto, dkk, 2005, *Prevalence and associated risk factors of induced abortion in northwest Ethiopia* <http://ejhd.uib.no/ejhd19-no1/37.%20Prevalence%20and%20risk%20factors%20of%20Induced%20Abortion.pdf>. Diakses 11 Maret 2013
- Depkes RI. 2010. *Ibu selamat bayi sehat, Suami Siaga*, Jakarta.
- Departemen Kesehatan RI, 2008. *Peta Kesehatan Indonesia Tahun 2007*. Jakarta: Departemen Kesehatan RI
- Dinas Kesehatan Provinsi Maluku Utara (2011) *Profil Kesehatan Provinsi Maluku Utara*
- Dinas Kesehatan Kota Ternate (2011), *Profil Kesehatan Kota Ternate*
- Data Rekam Medik RSUD Dr. Chasan Boesoirie Ternate, 2012.

- Dingle K, Alati R, et.al. 2008. *Pregnancy loss psychiatric disorders in young women: an Australian birth cohort study*. Br J Psychiatry 2008; 193: 455–60.
- Dhermawan. 2008. *Penerapan Hukum Terhadap Pelaksana Aborsi Perempuan Korban Perkosaan Ditinjau dari Perspektif Perbuatan Melawan Hukum Materil Fungsi Negatif*. http://isjd.pdii.lipi.go.id/admin/jurnal/7209207211_1693-1912.pdf diakses 11 Januari 2013
- Elrifda, dkk. 2006. *Faktor-Faktor Yang Berhubungan Dengan Pengetahuan Ibu Tentang Abortus di Ruang Kebidanan RSUD Raden Mattaher Jambi*. <http://jurnal.pdii.lipi.go.id/admin/jurnal/1JAN093340.pdf>. diakses 11 Januari 2013
- Fadlun dan Feryanto. 2012. *Asuhan Kebidanan Patologi*. Salemba Medika. Jakarta.
- Fergusson, dkk. 2006. *Abortion in young women and subsequent mental health*. Journal of Child Psychology and Psychiatry http://www.uca.edu.ar/uca/common/grupo54/files/new_zealand_abortion_study.pdf. diakses 11 Januari 2013
- Florina, dkk. 2010. *Contraception Matters: Two Approaches to Analyzing Evidence of the Abortion Decline in Georgia*. <http://www.guttmacher.org/pubs/journals/3609910.pdf>. diakses 11 Januari 2013
- Fidianty, dkk. 2010. *Kecemasan Pada Wanita Hamil Pasca Abortus*. http://isjd.pdii.lipi.go.id/admin/jurnal/2210117127_2087-1325.pdf. diakses 11 Januari 2013
- Finer, L. B. 2007. *Trends in premarital sex in the United States*. Public Health Reports, 112(6), 29-36.
- Gant dan Cunningham. 2010. *Dasar-Dasar Ginekologi & Obstetri*. EGC, Jakarta.
- Gissler M, Berg C, et.al. 2008. *Pregnancy-associated mortality after birth, spontaneous abortion or induced abortion in Finland*. Am J Ob Gyn 2008; 190:422-427.

- Gloria, dkk. 2011. *Brucella Abortus Antibodies in Raw Cow Milk Collected from Kraals within the Coastal Savannah Zone of Ghana*. *Journal of Basic and Applied*. <http://www.textroad.com/pdf/JBASR/J.%20Basic.%20Appl.%20Sci.%20Res.,%201%288%29942-947,%202011.pdf>. diakses 7 Januari 2013
- Harsanti. 2010. *Dampak Psikologis Pada Wanita Yang Mengalami Abortus Spontan*. *Jurnal Psikologi* /volume 4, No <http://repository.gunadarma.ac.id/bitstream/123456789/2537/1/Dampak%20Psikologis%20Pada%20Wanita%20yang%20Mengalami%20Abortus%20Spontan044.pdf>. diakses 7 Januari 2013
- Husnah. 2010. Faktor-Faktor YangV Mempengaruhi Kejadian Abortus Di RSUD Lamaddukkellena Sengkang Kabupaten wajo http://isjd.pdii.lipi.go.id/admin/jurnal/22103146_2087-1325.pdf. diakses 7 Januari 2013
- Jonathan, dkk. 2007. *Abortion Access and Risky Sex Among Teens: Parental Involvement Laws and Sexually Transmitted*. *Journal of Law, Economics, & Organization*, Vol. 24, No. 1, <https://www.law.upenn.edu/fac/jklick/24JLEO2.pdf>. diakses 11 Januari 2013
- Kasim. 2008. *Reintrepretasi Hukum Islam Tentang Aborsi*. <http://isjd.pdii.lipi.go.id/admin/jurnal/5308203212.pdf>. diakses 11 Januari 2013
- Lilenbaum, dkk. 2005. *A serological study on Brucella abortus, caprine arthritis–encephalitis virus and Leptospira in dairy goats in Rio de Janeiro, Brazil*. *Journal* 173 (2007) 408–412. <http://www.caprtec.com.br/pdf/2007goats.pdf>. diakses 7 Januari 2013
- Lawrence, dkk. 2005. *Reasons U.S. Women Have Abortions: Quantitative and Qualitative Perspectives*. <http://www.guttmacher.org/pubs/journals/3711005.pdf>. diakses 11 Januari 2013
- Lanre. 2011. *Attitudes of university students towards abortion in Nigeria* *Journal of Neuroscience and Behavioural Health*. <http://www.academicjournals.org/jnbh/PDF/pdf2011/June/Olaitan.pdf> diakses 11 Januari 2013

- Maconochie, C. et al. 2011. *Risk factors for first trimester miscarriage- results from a UK-population-based case-control study*. BJOG;114:170–186.
- Manuaba. 2009. *Memahami Kesehatan Reproduksi Wanita*. Jakarta: EGC.
- Manuaba, dkk. 2010. *Ilmu Kebidanan, Penyakit Kandungan, dan KB*. Edisi 2. EGC, Jakarta.
- Mardiyah, dkk. 2011. *Analisis Derajat Depresi Menggunakan Parameter Zung Self-Rating Depression Scale Pada Abortus* <http://118.97.33.150/jurnal/files/a51ef6dab4ae32aff4f6cbf319d2d881.pdf>. diakses 7 Januari 2013
- Maryunani dan Yulianingsih. 2009. *Asuhan Kegawatdaruratan Dalam Kebidanan*. Trans Info Media. Jakarta
- Murti, Bhisma. 1995. *Prinsip dan Metode Riset*. Gadjah Mada University Press.
- Nainggolan. 2006. *Aspek Hukum Terhadap Abortus Provocatus Dalam Perundang-Undangan di Indonesi*. *Jurnal Equality*, Vol. 11 No. 2 <http://repository.usu.ac.id/bitstream/123456789/17151/1/equagu2006-11%20%283%29.pdf>. diakses 7 Januari 2013
- Nurjaya, dkk. 2005. *Faktor-Faktor Yang Berhubungan Dengan Kejadian Abortus di RSIA Sitti Fatimah Makassar* <http://jurnal.pdii.lipi.go.id/admin/jurnal/21078294.pdf>. diakses 7 Januari 2013
- Nainggolan. 2006. *Aspek Hukum Terhadap Abortus Provocatus Dalam Perundang-Undangan Di Indonesia*. <http://jurnal.pdii.lipi.go.id/admin/jurnal/1120694102.pdf>. diakses 11 Januari 2013
- Noorhidayati. 2007. *Aborsi Dalam Perspektif Hukum Islam Dan Hukum Positif Di Indonesia* <http://isjd.pdii.lipi.go.id/admin/jurnal/9207163173.pdf>. diakses 11 Januari 2013
- Nursalam. 2008. *Konsep dan Penerapan Metodologi Penelitian Ilmu Keperawatan*. Salemba medika, Jakarta

- Notoatmodjo, S. 2005. *Metodologi Penelitian Kesehatan*, Rineka Cipta, Jakarta.
- Pasaribu, Ernawaty. *Hubungan Usia Dan Paritas Dengan Kejadian Abortus Spontan Di Instalasi Rawat Inap Kebidanan RSUD Dr. M. Soewandhie Surabaya 2009*. Jurnal Kesehatan Masyarakat Nasional Volume 4, Nomor 1, Agustus 2009 ISSN 1907-7505.
- Paulinus. 2009. *Legalisasi Aborsi di Indonesia Perspektif Perbandingan Hukum Pidana: Antara Common Law System dan Civil Law System*. <http://law.uui.ac.id/images/stories/Jurnal%20Hukum/4%20Paulina%20Soqe.pdf>. diakses 11 Januari 2013
- Pradono, Julianty. Dkk. 2011. *Pengguguran yang Tidak Aman di Indonesia*. Jurnal Epidemiologi Indonesia. Volume 5 Edisi I-2011. hal. 14-19
- Prawirohardjo, Sarwono. 2005. *Ilmu Kebidanan*, Jakarta : Yayasan Bina Pustaka Sarwono Prawirohardjo
- Reardon DC, et.al. 2009. *Deaths associated with pregnancy outcome: a record linkage study of low income women*. *Southern Medical Journal*, August 2009, 95(8):834-841.
- Rukiyah dan Yulianti. 2010. *Asuhan Kebidanan 4 Patologi Kebidanan*. Trans Info Media, Jakarta.
- Saifuddin, dkk. 2006. *Buku Acuan Nasional Pelayanan Kesehatan Maternal dan Neonatal*. Bina Pustaka, Jakarta.
- Sibagariang, E, E, et.al. 2010. *Kesehatan Reproduksi Wanita*. Jakarta Trans Info Media.
- Sujiatini, dkk. 2009. *Asuhan Patologi Kebidanan*. Nuha Medika, Jogjakarta.
- Sukriani, dkk. 2010. *Analisis Faktor-Faktor Yang Berhubungan Dengan Kejadian Abortus Spontan Di RS PKU Muhammadiyah Yogyakarta*. Jurnal Kebidanan dan Keperawatan, Vol. 6, NO 1 http://isjd.pdii.lipi.go.id/admin/jurnal/61101015_1858-0610.pdf. diakses 7 Januari 2013

- Susanti, dkk. 2010. Faktor Risiko Kejadian Abortus Di Puskesmas Padas Kabupaten Ngawi <http://repository.uui.ac.id/100/SK/I/0/00/001/001036/jurnal/faktor%20risiko%20kejadi-08711216-PEBRI%20SUSANTI-5528769929-abstract.pdf>. diakses 7 Januari 2013
- Syahid, dkk. 2011. *Deskripsi Pengetahuan Ibu Hamil Tentang Hubungan Seksual Selama Kehamilan Trimester Pertama Di Puskesmas Krembangan Surabaya*. http://jurnal.pdii.lipi.go.id/admin/jurnal/42116366_1979-8091.pdf. diakses 11 Januari 2013
- Saminem. 2009. *Gambaran Pengetahuan Ibu Hamil Tentang Abortus Di Poli Kandungan RSUD Ibnu Sina Kabupaten Gresik*. http://isjd.pdii.lipi.go.id/admin/jurnal/11097381_2086-2466.pdf diakses 11 Januari 2013
- Susheela, dkk. 2008. *The Estimated Incidence of Induced Abortion In Ethiopia*. <http://www.guttmacher.org/pubs/journals/3601610.pdf>. diakses 11 Januari 2013
- Stanley, dkk. 2008. *Severity and Cost of Unsafe Abortion Complications Treated in Nigerian Hospitals*. <http://www.guttmacher.org/pubs/journals/3404008.pdf>. diakses 11 Januari 2013
- Sapriatiningsih. 2009. *Faktor-Faktor Yang Berhubungan Dengan Komplikasi Kehamilan Pada Ibu di Kota Metro*. <http://isjd.pdii.lipi.go.id/admin/jurnal/2109110.pdf>. diakses 11 Januari 2013
- Suprijadi, Siskel. 2008. *Kesehatan Reproduksi*. Jakarta: Yayasan Pendidikan Kesehatan Perempuan
- Suwiyogo, IK. 2011. *Aborsi dan Kesehatan Reproduksi; dari Ilmu ke Undang-undang*. *Majalah Kedokteran Indonesia*. Vol. 54, No.10: 391 - 395.
- Thabita. 2008. *Gambaran Karakteristik Penderita Abortus Inkomplit di Rumah. Sakit Umum Daerah Kota Mamuju tahun 2008*. http://isjd.pdii.lipi.go.id/admin/jurnal/2210117127_2087-1325.pdf. diakses 7 Januari 2013.

- Taufan Nugroho. 2010. *Kasus Emergency Kebidanan*. Nuha Medika, Yogyakarta
- Utomo, Budi et al. 2010. *Incidence and Social-Psychological Aspects of Abortion in Indonesia: A Community-Based Survey in 10 Major Cities and 6 Districts, Year 2009*. Jakarta: Center for Health Research University of Indonesia.
- Widyastuti Y. 2009. *Faktor yang berhubungan dengan kejadian Abortus di Instalasi rawat Inap Kebidanan Rumah Sakit Umum Muhammadiyah*. Tesis USU; Medan.
- Wiknjosastro. G. dkk, 2008. *Pelayanan Obstetri dan Neonatal Emergensi Komprehensif (PONEK)*. diterbitkan atas kerjasama JNPK-KR, POGI, IDAI dengan dukungan dari USAID Indonesia-Health services Program.
- Wiknjosastro, dkk. 2011. *Ilmu Kebidanan*, Yayasan Bina Pustaka Prawirohardjo, Jakarta
- World Health Organization. 2006. Technical consultation on birth spacing
- World Health Organization (WHO). 2007. *Development of a strategy towards promoting optimal fetal growth*. Geneva.

**FORMULIR PERSETUJUAN MENGIKUTI PENELITIAN
SETELAH MENDAPATKAN PENJELASAN**

Saya yang bertanda tangan di bawah ini :

Nama :
.....

Alamat :
.....

Setelah mendengar / membaca dan mengerti penjelasan yang diberikan oleh Sitti Hubaya Matjino, baik mengenai tujuan, manfaat apa yang akan diperoleh pada penelitian *“FAKTOR RISIKO KEJADIAN ABORTUS DI RSUD Dr. CHASAN BOESOIRIE TERNATE PROVINSI MALUKU UTARA”*, serta resiko yang mungkin terjadi, maka dengan ini saya menyatakan setuju untuk ikut dalam penelitian ini secara sukarela tanpa paksaan,

Ternate,

(_____)

Subjek penelitian

KUESIONER PENELITIAN

FAKTOR RISIKO KEJADIAN ABORTUS DI RSUD Dr. CHASAN BOESOIRIE TERNATE PROVINSI MALUKU UTARA

STATUS RESPONDEN : KASUS / KONTROL* (coret salah satu)

Nomor Kuesioner :

Identitas Pewawancara

Nama Pewawancara :

Hari/Tanggal Wawancara :

A. PETUNJUK

1. Penelitian ini dilakukan dalam rangka menyelesaikan tugas akhir / tesis pada Universitas Hasanuddin Makassar
2. Untuk kelancaran penelitian ini, diharapkan kesediaan Bapak / Ibu untuk memberi jawaban dari daftar pertanyaan (Angket) yang disediakan dengan memberi tanda ceklist (\checkmark) pada jawaban yang dianggap tepat / sesuai.
3. Jawaban yang Bapak / Ibu berikan, akan dijamin kerahasiaannya berdasarkan kode etik penelitian.
4. Atas kesediaan, dukungan, kerjasama dan partisipasi Bapak / Ibu, diucapkan terima kasih.

| | | | |
|----|------------------------------|-------|--|
| 9 | Di rawat dengan masalah apa? | | |
| 10 | Apakah ibu sudah menikah? | | |
| 11 | Jika ya, kapan ibu menikah | | |

B. PERTANYAAN PENELITIAN UNTUK VARIABEL KEGAGALAN KONTRASEPSI

| NO | PERTANYAAN | PILIHAN JAWABAN | |
|----|--|-----------------|-------|
| | | YA | TIDAK |
| 1 | Apakah ibu pernah dirawat di rumah sakit dengan masalah keguguran? | | |
| 2 | Jika ya, kapan dirawat ? | | |
| 3 | Apakah ibu pernah ber-KB | | |
| 4 | Bila ya, jenis kontrasepsi apa yang ibu gunakan? | | |
| 5 | Kapan terakhir digunakan ? | | |
| 6 | Apakah kegagalan KB menjadi penyebab ibu mengalami hamil dan mengalami keguguran ? | | |

C. PERTANYAAN PENELITIAN UNTUK STATUS EKONOMI

| NO | PERTANYAAN | PILIHAN JAWABAN | |
|----|----------------------------|-----------------|-------|
| | | YA | TIDAK |
| 1 | Apakah ibu bekerja? | | |
| 2 | Jika Ya, apa pekerjaan ibu | | |
| | a. Ibu Rumah Tangga | | |
| | b. Wiraswasta | | |
| | c. Pegawai Negeri Sipil | | |
| | d. Buruh | | |
| | e. Petani | | |
| | f. Kuli Bangunan | | |

| | | | |
|---|---|-------|--|
| 3 | Berapa gaji/penghasilan Ibu perbulan ? | | |
| 4 | Apakah suami bekerja? | | |
| 5 | Jika Ya, apa pekerjaan suami ibu : | | |
| | a. Wiraswasta | | |
| | b. Pegawai Negeri Sipil | | |
| | c. Buruh | | |
| | d. Petani | | |
| | e. Nelayan | | |
| | f. Kuli Bangunan | | |
| 6 | Berapa gaji/penghasilan suami perbulan ? | | |
| 7 | Berapakah jumlah anggota keluarga yang tinggal serumah dengan ibu ? | | |
| 8 | Berapa orang yang menjadi tanggungan keluarga? | | |

D. PERTANYAAN PENELITIAN UNTUK RIWAYAT ABORTUS

| NO | PERTANYAAN | PILIHAN JAWABAN | |
|----|---|-----------------|-------|
| | | YA | TIDAK |
| 1 | Apakah ibu pernah hamil yang berakhir dengan keguguran? | | |
| 2 | Berapa bulan kehamilan tersebut | | |
| 5 | Sudah berapa kali i ibu mengalami keguguran? | | |

E. PERTANYAAN PENELITIAN UNTUK PARITAS

| NO | PERTANYAAN | PILIHAN JAWABAN | |
|----|-------------------------------------|-----------------|-------|
| | | YA | TIDAK |
| 1. | Apakah ibu sudah pernah melahirkan? | | |
| 2 | Sudah berapa kali ibu melahirkan? | | |
| | a. > 3 | | |
| | b. ≤ 3 | | |

F. PERTANYAAN PENELITIAN UNTUK MEROKOK

| NO | PERTANYAAN | PILIHAN JAWABAN | |
|----|--|-----------------|-------|
| | | YA | TIDAK |
| 1. | Apakah ibu merokok ? | | |
| 2 | Apakah dalam anggota keluarga ibu ada yang merokok ? | | |
| 3 | Jika ya, siapa saja anggota keluarga ibu yang merokok? | | |
| | a. Suami | | |
| | b. Anak | | |
| | c. Lainnya | | |

G. PERTANYAAN PENELITIAN UNTUK DIABETTES MELLITUS (DM)

| NO | PERTANYAAN | PILIHAN JAWABAN | |
|----|---|-----------------|-------|
| | | YA | TIDAK |
| 1. | Apakah ibu pernah menderita penyakit gula atau kencing manis ? | | |
| 2 | Apakah dalam keluarga ibu ada yang pernah menderita penyakit gula (kencing manis) ? | | |
| 3 | Jika ya, siapa ? | | |
| | a. Suami | | |
| | b. Anak | | |
| | c. Lainnya | | |

Lampiran 2.

MASTER TABEL PENELITIAN
FAKTOR RISIKO KEJADIAN ABORTUS DI RSUD Dr. CHASAN
BOESOIRIE TERNATE PROVINSI MALUKU UTARA

| No | Umur | Pddk | KERJA | DM | KLP | HAMIL LUAR NIKAH | ALKON | SOSEK | RIWAYAT | PARITAS | ROKOK |
|----|------|------|-------|----|-----|------------------------|-------|-------|---------|---------|-------|
| 1 | 20 | SMA | 6 | 0 | 1 | 0 | 1 | 0 | 1 | 0 | 0 |
| 2 | 41 | SD | 4 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 0 |
| 3 | 32 | SMA | 6 | 0 | 1 | 0 | 0 | 1 | 1 | 1 | 1 |
| 4 | 20 | SMP | 5 | 0 | 1 | 0 | 0 | 1 | 0 | 1 | 1 |
| 5 | 19 | SMP | 5 | 0 | 1 | 1 | 0 | 1 | 1 | 0 | 0 |
| 6 | 31 | SMA | 6 | 0 | 1 | 1 | 0 | 1 | 0 | 1 | 1 |
| 7 | 32 | S1 | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 1 | 1 |
| 8 | 21 | SMA | 3 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 |
| 9 | 32 | SMA | 3 | 0 | 1 | 0 | 0 | 0 | 1 | 0 | 0 |
| 10 | 36 | SMP | 2 | 0 | 1 | 0 | 0 | 0 | 1 | 1 | 1 |
| 11 | 21 | SMP | 2 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 |
| 12 | 22 | SMA | 3 | 0 | 1 | 0 | 0 | 0 | 1 | 0 | 0 |
| 13 | 18 | SMP | 2 | 0 | 1 | 0 | 0 | 0 | 1 | 0 | 1 |
| 14 | 29 | SMA | 6 | 0 | 1 | 0 | 1 | 0 | 1 | 0 | 1 |
| 15 | 32 | SMA | 2 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 1 |
| 16 | 37 | SMA | 4 | 0 | 1 | 0 | 1 | 0 | 1 | 0 | 1 |
| 17 | 26 | SMP | 4 | 0 | 1 | 0 | 0 | 1 | 0 | 0 | 0 |
| 18 | 19 | SMP | 4 | 0 | 1 | 0 | 0 | 1 | 1 | 0 | 0 |
| 19 | 30 | SMA | 4 | 1 | 1 | 0 | 0 | 1 | 0 | 0 | 0 |
| 20 | 33 | SMP | 4 | 0 | 1 | 0 | 1 | 1 | 1 | 0 | 1 |
| 21 | 42 | SMA | 4 | 0 | 1 | 0 | 1 | 1 | 0 | 0 | 0 |
| 22 | 44 | SD | 4 | 0 | 1 | 1 | 0 | 1 | 0 | 1 | 1 |
| 23 | 30 | S1 | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 1 | 1 |
| 24 | 36 | SMP | 6 | 0 | 1 | 0 | 0 | 1 | 0 | 1 | 1 |
| 25 | 22 | SMA | 6 | 0 | 1 | 0 | 1 | 0 | 0 | 1 | 1 |
| 26 | 33 | SMA | 6 | 0 | 1 | 0 | 1 | 0 | 1 | 1 | 1 |

| | | | | | | | | | | | |
|----|----|-----|---|---|---|---|---|---|---|---|---|
| 27 | 36 | S1 | 6 | 1 | 1 | 0 | 1 | 1 | 0 | 1 | 1 |
| 28 | 27 | SMA | 6 | 0 | 1 | 0 | 1 | 0 | 1 | 1 | 1 |
| 29 | 36 | SMP | 6 | 0 | 1 | 0 | 1 | 1 | 0 | 1 | 1 |
| 30 | 32 | S1 | 6 | 0 | 1 | 0 | 1 | 1 | 0 | 1 | 1 |
| 31 | 36 | S1 | 1 | 1 | 1 | 0 | 0 | 0 | 0 | 1 | 1 |
| 32 | 20 | SMA | 3 | 0 | 1 | 0 | 1 | 0 | 1 | 1 | 1 |
| 33 | 29 | SMA | 3 | 0 | 1 | 0 | 0 | 0 | 1 | 1 | 1 |
| 34 | 31 | SMA | 3 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 |
| 35 | 23 | SMP | 2 | 0 | 1 | 1 | 0 | 1 | 1 | 1 | 1 |
| 36 | 18 | SD | 2 | 0 | 1 | 1 | 0 | 0 | 0 | 0 | 0 |
| 37 | 36 | SMA | 2 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 |
| 38 | 35 | S1 | 1 | 0 | 1 | 0 | 0 | 0 | 1 | 1 | 1 |
| 39 | 35 | SMP | 6 | 0 | 1 | 0 | 0 | 0 | 1 | 1 | 1 |
| 40 | 16 | SMP | 6 | 0 | 1 | 0 | 1 | 1 | 1 | 1 | 1 |
| 41 | 25 | D3 | 1 | 0 | 1 | 0 | 1 | 0 | 0 | 0 | 0 |
| 42 | 19 | SMP | 6 | 0 | 1 | 0 | 1 | 1 | 0 | 0 | 0 |
| 43 | 28 | SMP | 2 | 0 | 1 | 0 | 1 | 0 | 1 | 0 | 0 |
| 44 | 30 | SMA | 2 | 1 | 1 | 0 | 0 | 0 | 0 | 0 | 0 |
| 45 | 28 | SMA | 2 | 0 | 1 | 0 | 1 | 0 | 1 | 0 | 0 |
| 46 | 30 | SMA | 2 | 0 | 1 | 0 | 1 | 0 | 1 | 0 | 0 |
| 47 | 33 | SMP | 2 | 0 | 1 | 0 | 0 | 0 | 0 | 1 | 1 |
| 48 | 39 | SMP | 2 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 |
| 49 | 25 | SMA | 3 | 0 | 1 | 0 | 0 | 0 | 0 | 1 | 1 |
| 50 | 30 | SMA | 3 | 0 | 1 | 0 | 0 | 0 | 0 | 1 | 1 |
| 51 | 32 | S1 | 3 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 |
| 52 | 30 | S1 | 3 | 0 | 1 | 0 | 1 | 0 | 1 | 0 | 1 |
| 53 | 32 | SMA | 3 | 0 | 1 | 0 | 0 | 0 | 1 | 1 | 1 |
| 54 | 19 | SMA | 3 | 0 | 1 | 0 | 1 | 0 | 1 | 1 | 1 |
| 55 | 22 | D3 | 1 | 0 | 1 | 0 | 1 | 0 | 0 | 1 | 0 |
| 56 | 22 | SMA | 1 | 0 | 1 | 0 | 1 | 1 | 1 | 0 | 0 |
| 57 | 28 | SMP | 2 | 0 | 1 | 0 | 0 | 1 | 0 | 1 | 0 |
| 58 | 33 | D3 | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 1 | 0 |
| 59 | 30 | SMP | 6 | 0 | 1 | 0 | 0 | 1 | 0 | 0 | 0 |
| 60 | 42 | SD | 6 | 1 | 1 | 0 | 0 | 1 | 1 | 0 | 0 |

| | | | | | | | | | | | |
|----|----|-----|---|---|---|---|---|---|---|---|---|
| 61 | 39 | D3 | 6 | 0 | 1 | 0 | 0 | 0 | 1 | 1 | 1 |
| 62 | 21 | SMA | 6 | 0 | 1 | 0 | 0 | 1 | 0 | 0 | 0 |
| 63 | 31 | SMA | 6 | 0 | 1 | 0 | 1 | 1 | 1 | 0 | 1 |
| 64 | 20 | SMP | 6 | 0 | 1 | 0 | 1 | 0 | 0 | 0 | 1 |
| 65 | 26 | SMP | 6 | 0 | 1 | 0 | 1 | 1 | 1 | 0 | 0 |
| 66 | 17 | SMP | 6 | 0 | 1 | 0 | 0 | 1 | 0 | 0 | 0 |
| 67 | 29 | S1 | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 | 0 |
| 68 | 44 | SD | 6 | 1 | 1 | 1 | 0 | 1 | 1 | 1 | 0 |
| 69 | 28 | SMA | 6 | 0 | 1 | 0 | 1 | 1 | 1 | 1 | 1 |
| 70 | 23 | SMA | 6 | 0 | 1 | 0 | 1 | 1 | 0 | 1 | 0 |
| 71 | 21 | SMA | 6 | 0 | 1 | 0 | 1 | 1 | 1 | 0 | 1 |
| 72 | 24 | SMA | 6 | 0 | 1 | 0 | 0 | 1 | 0 | 1 | 1 |
| 73 | 39 | SD | 6 | 1 | 1 | 0 | 1 | 1 | 1 | 1 | 0 |
| 74 | 25 | SMP | 6 | 0 | 1 | 0 | 0 | 1 | 0 | 0 | 0 |
| 75 | 22 | SMP | 2 | 0 | 1 | 0 | 0 | 0 | 1 | 0 | 1 |
| 76 | 23 | SMA | 2 | 0 | 1 | 0 | 0 | 1 | 1 | 1 | 0 |
| 77 | 33 | S1 | 3 | 1 | 1 | 0 | 0 | 0 | 0 | 0 | 1 |
| 78 | 35 | SMP | 2 | 0 | 1 | 0 | 1 | 0 | 1 | 0 | 1 |
| 79 | 36 | SD | 6 | 0 | 1 | 0 | 1 | 0 | 0 | 0 | 0 |
| 80 | 31 | SMA | 6 | 1 | 0 | 0 | 1 | 0 | 0 | 0 | 0 |
| 81 | 31 | S1 | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 82 | 35 | SMP | 5 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 |
| 83 | 23 | SMA | 4 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 |
| 84 | 27 | SMA | 3 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 |
| 85 | 28 | S1 | 3 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| 86 | 29 | SMP | 5 | 1 | 0 | 0 | 1 | 0 | 1 | 0 | 0 |
| 87 | 30 | SMA | 3 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 88 | 31 | SMP | 5 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 |
| 89 | 31 | SMA | 3 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 |
| 90 | 27 | SMA | 2 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 |
| 91 | 19 | SD | 6 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 |
| 92 | 22 | SMA | 6 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 93 | 24 | SD | 4 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 |
| 94 | 36 | SMA | 6 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |

| | | | | | | | | | | | |
|-----|----|-----|---|---|---|---|---|---|---|---|---|
| 95 | 33 | SMA | 6 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| 96 | 24 | SMA | 6 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 97 | 21 | D3 | 1 | 0 | 0 | 0 | 1 | 0 | 1 | 0 | 0 |
| 98 | 31 | SMA | 2 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 99 | 21 | SMA | 2 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 |
| 100 | 31 | SMA | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 101 | 27 | S1 | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 102 | 28 | SMA | 2 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 |
| 103 | 21 | SMP | 4 | 0 | 0 | 0 | 0 | 1 | 1 | 0 | 0 |
| 104 | 21 | SMA | 4 | 0 | 0 | 0 | 1 | 1 | 0 | 1 | 1 |
| 105 | 21 | SMA | 3 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 106 | 24 | SD | 5 | 0 | 0 | 1 | 1 | 1 | 0 | 0 | 0 |
| 107 | 26 | SMA | 2 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 108 | 39 | SMA | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 109 | 33 | SD | 6 | 0 | 0 | 1 | 1 | 0 | 0 | 0 | 0 |
| 110 | 24 | SMA | 6 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 |
| 111 | 21 | S1 | 6 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 112 | 31 | SMP | 6 | 1 | 0 | 0 | 0 | 1 | 0 | 0 | 0 |
| 113 | 38 | SMA | 6 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| 114 | 33 | SMA | 6 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 |
| 115 | 24 | S1 | 1 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 |
| 116 | 21 | SD | 5 | 0 | 0 | 1 | 0 | 1 | 0 | 0 | 0 |
| 117 | 31 | SMA | 3 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 0 |
| 118 | 23 | S1 | 1 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 |
| 119 | 21 | SMP | 4 | 0 | 0 | 0 | 0 | 1 | 0 | 1 | 0 |
| 120 | 31 | SMA | 2 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 1 |
| 121 | 38 | SMA | 2 | 1 | 0 | 0 | 0 | 0 | 1 | 1 | 1 |
| 122 | 23 | S1 | 6 | 0 | 0 | 0 | 1 | 1 | 0 | 1 | 0 |
| 123 | 33 | SD | 5 | 0 | 0 | 1 | 0 | 0 | 1 | 0 | 1 |
| 124 | 24 | SMA | 3 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 1 |
| 125 | 21 | S1 | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 |
| 126 | 27 | SMA | 3 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| 127 | 33 | SMA | 3 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 0 |
| 128 | 24 | SMA | 3 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |

| | | | | | | | | | | | |
|-----|----|-----|---|---|---|---|---|---|---|---|---|
| 129 | 21 | S1 | 3 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 |
| 130 | 20 | SMP | 4 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 |
| 131 | 28 | S1 | 1 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 0 |
| 132 | 28 | SD | 4 | 0 | 0 | 0 | 0 | 1 | 0 | 1 | 1 |
| 133 | 24 | SMA | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 134 | 28 | S1 | 6 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 135 | 24 | SD | 4 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 |
| 136 | 30 | SMA | 6 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 |
| 137 | 24 | S1 | 6 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 |
| 138 | 24 | SMA | 6 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 |
| 139 | 27 | S1 | 6 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 140 | 24 | SMP | 6 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 |
| 141 | 24 | S1 | 6 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 142 | 26 | SD | 4 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 |
| 143 | 36 | SMA | 6 | 1 | 0 | 0 | 0 | 0 | 1 | 0 | 0 |
| 144 | 29 | SMP | 6 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 145 | 27 | S1 | 3 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 146 | 27 | SD | 4 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 1 |
| 147 | 30 | SMA | 6 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 148 | 27 | SMA | 6 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 |
| 149 | 20 | SMA | 3 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 |
| 150 | 27 | S1 | 3 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 0 |
| 151 | 23 | SMA | 6 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 152 | 20 | SMA | 4 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 |
| 153 | 32 | S1 | 1 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 1 |
| 154 | 18 | SMA | 6 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 1 |
| 155 | 27 | S1 | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 |
| 156 | 20 | SD | 5 | 0 | 0 | 0 | 1 | 0 | 1 | 0 | 1 |
| 157 | 22 | SMA | 6 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| 158 | 27 | SMA | 6 | 0 | 0 | 0 | 1 | 0 | 0 | 1 | 0 |

Lampiran 3.

LAMPIRAN OUTPUT ANALISIS

CROSSTABS

UMUR IBU * KELOMPOK SAMPEL Crosstabulation

| | | | KELOMPOK SAMPEL | | Total |
|--------------|--------------------------|--|-----------------|--------|--------|
| | | | KONTROL | KASUS | |
| UMUR IBU <20 | Count | | 2 | 8 | 10 |
| | % within KELOMPOK SAMPEL | | 2.5% | 10.1% | 6.3% |
| 20-35 | Count | | 72 | 56 | 128 |
| | % within KELOMPOK SAMPEL | | 91.1% | 70.9% | 81.0% |
| >35 | Count | | 5 | 15 | 20 |
| | % within KELOMPOK SAMPEL | | 6.3% | 19.0% | 12.7% |
| Total | Count | | 79 | 79 | 158 |
| | % within KELOMPOK SAMPEL | | 100.0% | 100.0% | 100.0% |

PENDIDIKAN IBU * KELOMPOK SAMPEL Crosstabulation

| | | | KELOMPOK SAMPEL | | Total |
|-------------------|--------------------------|--|-----------------|--------|--------|
| | | | KONTROL | KASUS | |
| pendidikan ibu SD | Count | | 11 | 7 | 18 |
| | % within KELOMPOK SAMPEL | | 13.9% | 8.9% | 11.4% |
| SMP | Count | | 9 | 25 | 34 |
| | % within KELOMPOK SAMPEL | | 11.4% | 31.6% | 21.5% |
| sma | Count | | 40 | 30 | 70 |
| | % within KELOMPOK SAMPEL | | 50.6% | 38.0% | 44.3% |
| D3 | Count | | 1 | 5 | 6 |
| | % within KELOMPOK SAMPEL | | 1.3% | 6.3% | 3.8% |
| S1 | Count | | 18 | 12 | 30 |
| | % within KELOMPOK SAMPEL | | 22.8% | 15.2% | 19.0% |
| Total | Count | | 79 | 79 | 158 |
| | % within KELOMPOK SAMPEL | | 100.0% | 100.0% | 100.0% |

PEKERJAAN IBU * KELOMPOK SAMPEL Crosstabulation

| | | | KELOMPOK SAMPEL | | Total |
|---------------|----------------|--------------------------|-----------------|--------|--------|
| | | | KONTROL | KASUS | |
| PEKERJAAN IBU | PNS | Count | 5 | 9 | 14 |
| | | % within KELOMPOK SAMPEL | 6.3% | 11.4% | 8.9% |
| | WIRASWASTA | Count | 14 | 17 | 31 |
| | | % within KELOMPOK SAMPEL | 17.7% | 21.5% | 19.6% |
| | PEGAWAI SWASTA | Count | 14 | 13 | 27 |
| | | % within KELOMPOK SAMPEL | 17.7% | 16.5% | 17.1% |
| | BURUH | Count | 11 | 8 | 19 |
| | | % within KELOMPOK SAMPEL | 13.9% | 10.1% | 12.0% |
| | PETANI | Count | 7 | 2 | 9 |
| | | % within KELOMPOK SAMPEL | 8.9% | 2.5% | 5.7% |
| | IRT | Count | 28 | 30 | 58 |
| | | % within KELOMPOK SAMPEL | 35.4% | 38.0% | 36.7% |
| Total | | Count | 79 | 79 | 158 |
| | | % within KELOMPOK SAMPEL | 100.0% | 100.0% | 100.0% |

KATEGORI KEJADIAN DM * KELOMPOK SAMPEL Crosstabulation

| | | | KELOMPOK SAMPEL | | Total |
|----------------------|----------|--------------------------|-----------------|--------|--------|
| | | | KONTROL | KASUS | |
| KATEGORI KEJADIAN DM | TIDAK DM | Count | 70 | 70 | 140 |
| | | % within KELOMPOK SAMPEL | 88.6% | 88.6% | 88.6% |
| | DM | Count | 9 | 9 | 18 |
| | | % within KELOMPOK SAMPEL | 11.4% | 11.4% | 11.4% |
| Total | | Count | 79 | 79 | 158 |
| | | % within KELOMPOK SAMPEL | 100.0% | 100.0% | 100.0% |

CROSSTABS

KEHAMILAN DILUAR NIKAH * KELOMPOK SAMPEL

Crosstab

| | | | KELOMPOK SAMPEL | | Total |
|------------------------|----------------------------------|--------------------------|-----------------|--------|-------|
| | | | KONTROL | KASUS | |
| KEHAMILAN DILUAR NIKAH | HAMIL DALAM STATUS MENIKAH | Count | 74 | 72 | 146 |
| | | Expected Count | 73.0 | 73.0 | 146.0 |
| | | % within KELOMPOK SAMPEL | 93.7% | 91.1% | 92.4% |
| | HAMIL DALAM STATUS TIDAK MENIKAH | Count | 5 | 7 | 12 |
| | | Expected Count | 6.0 | 6.0 | 12.0 |
| | | % within KELOMPOK SAMPEL | 6.3% | 8.9% | 7.6% |
| Total | Count | 79 | 79 | 158 | |
| | Expected Count | 79.0 | 79.0 | 158.0 | |
| | % within KELOMPOK SAMPEL | 100.0% | 100.0% | 100.0% | |

Chi-Square Tests

| | Value | df | Asymp. Sig. (2-sided) | Exact Sig. (2-sided) | Exact Sig. (1-sided) |
|------------------------------------|-------------------|----|-----------------------|----------------------|----------------------|
| Pearson Chi-Square | .361 ^a | 1 | .548 | | |
| Continuity Correction ^b | .090 | 1 | .764 | | |
| Likelihood Ratio | .362 | 1 | .547 | | |
| Fisher's Exact Test | | | | .765 | .383 |
| Linear-by-Linear Association | .358 | 1 | .549 | | |
| N of Valid Cases ^b | 158 | | | | |

a. 0 cells (.0%) have expected count less than 5. The minimum expected count is 6.00.

b. Computed only for a 2x2 table

Risk Estimate

| | Value | 95% Confidence Interval | |
|---|-------|-------------------------|-------|
| | | Lower | Upper |
| Odds Ratio for KEHAMILAN DILUAR NIKAH (HAMIL DALAM STATUS MENIKAH / HAMIL DALAM STATUS TIDAK MENIKAH) | 1.439 | .437 | 4.742 |
| For cohort KELOMPOK SAMPEL = KONTROL | 1.216 | .611 | 2.421 |
| For cohort KELOMPOK SAMPEL = KASUS | .845 | .510 | 1.402 |
| N of Valid Cases | 158 | | |

KEGAGALAN KONTRASEPSI * KELOMPOK SAMPEL

Crosstab

| | | | KELOMPOK SAMPEL | | Total |
|-----------------------|--------------------------|--------------------------|-----------------|--------|-------|
| | | | KONTROL | KASUS | |
| KEGAGALAN KONTRASEPSI | TIDAK PAKAI KONTRASEPSI | Count | 64 | 43 | 107 |
| | | Expected Count | 53.5 | 53.5 | 107.0 |
| | | % within KELOMPOK SAMPEL | 81.0% | 54.4% | 67.7% |
| | PAKAI KONTRASEPSI | Count | 15 | 36 | 51 |
| | | Expected Count | 25.5 | 25.5 | 51.0 |
| | | % within KELOMPOK SAMPEL | 19.0% | 45.6% | 32.3% |
| Total | Count | 79 | 79 | 158 | |
| | Expected Count | 79.0 | 79.0 | 158.0 | |
| | % within KELOMPOK SAMPEL | 100.0% | 100.0% | 100.0% | |

Chi-Square Tests

| | Value | df | Asymp. Sig. (2-sided) | Exact Sig. (2-sided) | Exact Sig. (1-sided) |
|------------------------------------|---------------------|----|-----------------------|----------------------|----------------------|
| Pearson Chi-Square | 12.769 ^a | 1 | .000 | | |
| Continuity Correction ^b | 11.581 | 1 | .001 | | |
| Likelihood Ratio | 13.058 | 1 | .000 | | |
| Fisher's Exact Test | | | | .001 | .000 |
| Linear-by-Linear Association | 12.688 | 1 | .000 | | |
| N of Valid Cases ^b | 158 | | | | |

a. 0 cells (.0%) have expected count less than 5. The minimum expected count is 25.50.

b. Computed only for a 2x2 table

Risk Estimate

| | Value | 95% Confidence Interval | |
|---|-------|-------------------------|-------|
| | | Lower | Upper |
| Odds Ratio for KEGAGALAN KONTRASEPSI (TIDAK PAKAI KONTRASEPSI / PAKAI KONTRASEPSI) | 3.572 | 1.746 | 7.307 |
| For cohort KELOMPOK SAMPEL = KONTROL | 2.034 | 1.293 | 3.198 |
| For cohort KELOMPOK SAMPEL = KASUS | .569 | .425 | .762 |
| N of Valid Cases | 158 | | |

STATUS EKONOMI KELUARGA * KELOMPOK SAMPEL

Crosstab

| | | | KELOMPOK SAMPEL | | Total |
|-------------------------|--------------------------|--------------------------|-----------------|--------|-------|
| | | | KONTROL | KASUS | |
| STATUS EKONOMI KELUARGA | TINGGI | Count | 64 | 45 | 109 |
| | | Expected Count | 54.5 | 54.5 | 109.0 |
| | | % within KELOMPOK SAMPEL | 81.0% | 57.0% | 69.0% |
| | RENDAH | Count | 15 | 34 | 49 |
| | | Expected Count | 24.5 | 24.5 | 49.0 |
| | | % within KELOMPOK SAMPEL | 19.0% | 43.0% | 31.0% |
| Total | Count | 79 | 79 | 158 | |
| | Expected Count | 79.0 | 79.0 | 158.0 | |
| | % within KELOMPOK SAMPEL | 100.0% | 100.0% | 100.0% | |

Chi-Square Tests

| | Value | df | Asymp. Sig. (2-sided) | Exact Sig. (2-sided) | Exact Sig. (1-sided) |
|------------------------------------|---------------------|----|-----------------------|----------------------|----------------------|
| Pearson Chi-Square | 10.679 ^a | 1 | .001 | | |
| Continuity Correction ^d | 9.585 | 1 | .002 | | |
| Likelihood Ratio | 10.893 | 1 | .001 | | |
| Fisher's Exact Test | | | | .002 | .001 |
| Linear-by-Linear Association | 10.612 | 1 | .001 | | |
| N of Valid Cases ^d | 158 | | | | |

a. 0 cells (.0%) have expected count less than 5. The minimum expected count is 24.50.

b. Computed only for a 2x2 table

Risk Estimate

| | Value | 95% Confidence Interval | |
|--|-------|-------------------------|-------|
| | | Lower | Upper |
| Odds Ratio for STATUS EKONOMI KELUARGA (TINGGI / RENDAH) | 3.224 | 1.573 | 6.605 |
| For cohort KELOMPOK SAMPEL = KONTROL | 1.918 | 1.223 | 3.008 |
| For cohort KELOMPOK SAMPEL = KASUS | .595 | .445 | .796 |
| N of Valid Cases | 158 | | |

RIWAYAT ABORTUS * KELOMPOK SAMPEL

Crosstab

| | | | KELOMPOK SAMPEL | | Total |
|-----------------|--------------------------|--------------------------|-----------------|--------|-------|
| | | | KONTROL | KASUS | |
| RIWAYAT ABORTUS | TIDAK ADA RIWAYAT | Count | 55 | 37 | 92 |
| | | Expected Count | 46.0 | 46.0 | 92.0 |
| | | % within KELOMPOK SAMPEL | 69.6% | 46.8% | 58.2% |
| | ADA RIWAYAT | Count | 24 | 42 | 66 |
| | | Expected Count | 33.0 | 33.0 | 66.0 |
| | | % within KELOMPOK SAMPEL | 30.4% | 53.2% | 41.8% |
| Total | Count | 79 | 79 | 158 | |
| | Expected Count | 79.0 | 79.0 | 158.0 | |
| | % within KELOMPOK SAMPEL | 100.0% | 100.0% | 100.0% | |

Chi-Square Tests

| | Value | df | Asymp. Sig. (2-sided) | Exact Sig. (2-sided) | Exact Sig. (1-sided) |
|------------------------------------|--------------------|----|-----------------------|----------------------|----------------------|
| Pearson Chi-Square | 8.431 ^a | 1 | .004 | | |
| Continuity Correction ^d | 7.520 | 1 | .006 | | |
| Likelihood Ratio | 8.516 | 1 | .004 | | |
| Fisher's Exact Test | | | | .006 | .003 |
| Linear-by-Linear Association | 8.377 | 1 | .004 | | |
| N of Valid Cases ^d | 158 | | | | |

a. 0 cells (.0%) have expected count less than 5. The minimum expected count is 33.00.

b. Computed only for a 2x2 table

Risk Estimate

| | Value | 95% Confidence Interval | |
|--|-------|-------------------------|-------|
| | | Lower | Upper |
| Odds Ratio for RIWAYAT ABORTUS (TIDAK ADA RIWAYAT / ADA RIWAYAT) | 2.601 | 1.355 | 4.993 |
| For cohort KELOMPOK SAMPEL = KONTROL | 1.644 | 1.146 | 2.358 |
| For cohort KELOMPOK SAMPEL = KASUS | .632 | .464 | .861 |
| N of Valid Cases | 158 | | |

PARITAS * KELOMPOK SAMPEL

Crosstab

| | | | KELOMPOK SAMPEL | | Total |
|---------|--------------------------|--------------------------|-----------------|--------|-------|
| | | | KONTROL | KASUS | |
| PARITAS | RISIKO RENDAH | Count | 61 | 42 | 103 |
| | | Expected Count | 51.5 | 51.5 | 103.0 |
| | | % within KELOMPOK SAMPEL | 77.2% | 53.2% | 65.2% |
| | RISIKO TINGGI | Count | 18 | 37 | 55 |
| | | Expected Count | 27.5 | 27.5 | 55.0 |
| | | % within KELOMPOK SAMPEL | 22.8% | 46.8% | 34.8% |
| Total | Count | 79 | 79 | 158 | |
| | Expected Count | 79.0 | 79.0 | 158.0 | |
| | % within KELOMPOK SAMPEL | 100.0% | 100.0% | 100.0% | |

Chi-Square Tests

| | Value | df | Asymp. Sig. (2-sided) | Exact Sig. (2-sided) | Exact Sig. (1-sided) |
|------------------------------------|---------------------|----|-----------------------|----------------------|----------------------|
| Pearson Chi-Square | 10.068 ^a | 1 | .002 | | |
| Continuity Correction ^d | 9.037 | 1 | .003 | | |
| Likelihood Ratio | 10.226 | 1 | .001 | | |
| Fisher's Exact Test | | | | .002 | .001 |
| Linear-by-Linear Association | 10.005 | 1 | .002 | | |
| N of Valid Cases ^d | 158 | | | | |

a. 0 cells (.0%) have expected count less than 5. The minimum expected count is 27.50.

b. Computed only for a 2x2 table

Risk Estimate

| | Value | 95% Confidence Interval | |
|--|-------|-------------------------|-------|
| | | Lower | Upper |
| Odds Ratio for PARITAS (RISIKO RENDAH / RISIKO TINGGI) | 2.985 | 1.502 | 5.933 |
| For cohort KELOMPOK SAMPEL = KONTROL | 1.810 | 1.199 | 2.731 |
| For cohort KELOMPOK SAMPEL = KASUS | .606 | .450 | .816 |
| N of Valid Cases | 158 | | |

KETERPAPARAN ROKOK * KELOMPOK SAMPEL

Crosstab

| | | | KELOMPOK SAMPEL | | Total |
|--------------------|---------------------------|--------------------------|-----------------|--------|-------|
| | | | KONTROL | KASUS | |
| KETERPAPARAN ROKOK | TIDAK TERPAPAR ASAP ROKOK | Count | 61 | 38 | 99 |
| | | Expected Count | 49.5 | 49.5 | 99.0 |
| | | % within KELOMPOK SAMPEL | 77.2% | 48.1% | 62.7% |
| | TERPAPAR ASAP ROKOK | Count | 18 | 41 | 59 |
| | | Expected Count | 29.5 | 29.5 | 59.0 |
| | | % within KELOMPOK SAMPEL | 22.8% | 51.9% | 37.3% |
| Total | Count | 79 | 79 | 158 | |
| | Expected Count | 79.0 | 79.0 | 158.0 | |
| | % within KELOMPOK SAMPEL | 100.0% | 100.0% | 100.0% | |
| | | | | | |

Chi-Square Tests

| | Value | df | Asymp. Sig. (2-sided) | Exact Sig. (2-sided) | Exact Sig. (1-sided) |
|------------------------------------|---------------------|----|-----------------------|----------------------|----------------------|
| Pearson Chi-Square | 14.310 ^a | 1 | .000 | | |
| Continuity Correction ^d | 13.092 | 1 | .000 | | |
| Likelihood Ratio | 14.601 | 1 | .000 | | |
| Fisher's Exact Test | | | | .000 | .000 |
| Linear-by-Linear Association | 14.219 | 1 | .000 | | |
| N of Valid Cases ^d | 158 | | | | |

a. 0 cells (.0%) have expected count less than 5. The minimum expected count is 29.50.

b. Computed only for a 2x2 table

Risk Estimate

| | Value | 95% Confidence Interval | |
|---|-------|-------------------------|-------|
| | | Lower | Upper |
| Odds Ratio for KETERPAPARAN ROKOK (TIDAK TERPAPAR ASAP ROKOK / TERPAPAR ASAP ROKOK) | 3.656 | 1.841 | 7.264 |
| For cohort KELOMPOK SAMPEL = KONTROL | 2.020 | 1.333 | 3.059 |
| For cohort KELOMPOK SAMPEL = KASUS | .552 | .409 | .747 |
| N of Valid Cases | 158 | | |

LOGISTIC REGRESSION (METODE BACKWARD WALD)

Case Processing Summary

| Unweighted Cases ^a | | N | Percent |
|-------------------------------|----------------------|-----|---------|
| Selected Cases | Included in Analysis | 158 | 100.0 |
| | Missing Cases | 0 | .0 |
| | Total | 158 | 100.0 |
| Unselected Cases | | 0 | .0 |
| Total | | 158 | 100.0 |

a. If weight is in effect, see classification table for the total number of cases.

Dependent Variable Encoding

| Original Value | Internal Value |
|----------------|----------------|
| KONTROL | 0 |
| KASUS | 1 |

Block 0: Beginning Block

Classification Table^{a,b}

| Observed | | | Predicted | | |
|----------|--------------------|---------|-----------------|-------|--------------------|
| | | | KELOMPOK SAMPEL | | Percentage Correct |
| | | | KONTROL | KASUS | |
| Step 0 | KELOMPOK SAMPEL | KONTROL | 0 | 79 | .0 |
| | | KASUS | 0 | 79 | 100.0 |
| | Overall Percentage | | | | 50.0 |

a. Constant is included in the model.

b. The cut value is .500

Variables in the Equation

| | B | S.E. | Wald | df | Sig. | Exp(B) |
|-----------------|------|------|------|----|-------|--------|
| Step 0 Constant | .000 | .159 | .000 | 1 | 1.000 | 1.000 |

Variables not in the Equation

| | Score | df | Sig. |
|--------------------|--------|----|------|
| Step 0 Variables | | | |
| ALKON | 12.769 | 1 | .000 |
| SOSEK | 10.679 | 1 | .001 |
| RIWAYAT | 8.431 | 1 | .004 |
| PARITAS | 10.068 | 1 | .002 |
| Overall Statistics | 33.550 | 4 | .000 |

Block 1: Method = Backward Stepwise (Wald)

Omnibus Tests of Model Coefficients

| | | Chi-square | df | Sig. |
|--------|-------|------------|----|------|
| Step 1 | Step | 36.975 | 4 | .000 |
| | Block | 36.975 | 4 | .000 |
| | Model | 36.975 | 4 | .000 |

Model Summary

| Step | -2 Log likelihood | Cox & Snell R Square | Nagelkerke R Square |
|------|----------------------|----------------------|---------------------|
| 1 | 182.060 ^a | .209 | .278 |

a. Estimation terminated at iteration number 4 because parameter estimates changed by less than .001.

Hosmer and Lemeshow Test

| Step | Chi-square | df | Sig. |
|------|------------|----|------|
| 1 | 7.273 | 7 | .401 |

Contingency Table for Hosmer and Lemeshow Test

| | | KELOMPOK SAMPEL = KONTROL | | KELOMPOK SAMPEL = KASUS | | Total |
|--------|---|---------------------------|----------|-------------------------|----------|-------|
| | | Observed | Expected | Observed | Expected | |
| Step 1 | 1 | 27 | 29.864 | 10 | 7.136 | 37 |
| | 2 | 5 | 5.702 | 4 | 3.298 | 9 |
| | 3 | 12 | 10.075 | 4 | 5.925 | 16 |
| | 4 | 8 | 6.186 | 3 | 4.814 | 11 |
| | 5 | 9 | 8.057 | 6 | 6.943 | 15 |
| | 6 | 9 | 6.816 | 8 | 10.184 | 17 |
| | 7 | 5 | 6.708 | 15 | 13.292 | 20 |
| | 8 | 2 | 3.964 | 16 | 14.036 | 18 |
| | 9 | 2 | 1.628 | 13 | 13.372 | 15 |

Classification Table^a

| Observed | | | Predicted | | |
|--------------------|-----------------|---------|-----------------|-------|--------------------|
| | | | KELOMPOK SAMPEL | | Percentage Correct |
| | | | KONTROL | KASUS | |
| Step 1 | KELOMPOK SAMPEL | KONTROL | 61 | 18 | 77.2 |
| | | KASUS | 27 | 52 | 65.8 |
| Overall Percentage | | | | | 71.5 |

a. The cut value is .500

Variables in the Equation

| | | B | S.E. | Wald | df | Sig. | Exp(B) | 95.0% C.I. for EXP(B) | |
|---------------------|----------|--------|------|--------|----|------|--------|-----------------------|-------|
| | | | | | | | | Lower | Upper |
| Step 1 ^a | ALKON | 1.181 | .398 | 8.796 | 1 | .003 | 3.257 | 1.493 | 7.107 |
| | SOSEK | 1.283 | .409 | 9.830 | 1 | .002 | 3.606 | 1.617 | 8.039 |
| | RIWAYAT | .901 | .378 | 5.687 | 1 | .017 | 2.461 | 1.174 | 5.160 |
| | PARITAS | .884 | .385 | 5.275 | 1 | .022 | 2.421 | 1.138 | 5.148 |
| | Constant | -1.431 | .323 | 19.637 | 1 | .000 | .239 | | |

a. Variable(s) entered on step 1: ALKON, SOSEK, RIWAYAT, PARITAS.

LOGISTIC REGRESSION (METODE FORWARD WALD)

Case Processing Summary

| Unweighted Cases ^a | | N | Percent |
|-------------------------------|----------------------|-----|---------|
| Selected Cases | Included in Analysis | 158 | 100.0 |
| | Missing Cases | 0 | .0 |
| | Total | 158 | 100.0 |
| Unselected Cases | | 0 | .0 |
| Total | | 158 | 100.0 |

a. If weight is in effect, see classification table for the total number of cases.

Dependent Variable Encoding

| Original Value | Internal Value |
|----------------|----------------|
| KONTROL | 0 |
| KASUS | 1 |

Block 0: Beginning Block

Classification Table^{a,b}

| Observed | | | Predicted | | |
|--------------------|-----------------|---------|-----------------|-------|--------------------|
| | | | KELOMPOK SAMPEL | | Percentage Correct |
| | | | KONTROL | KASUS | |
| Step 0 | KELOMPOK SAMPEL | KONTROL | 0 | 79 | .0 |
| | | KASUS | 0 | 79 | 100.0 |
| Overall Percentage | | | | | 50.0 |

a. Constant is included in the model.

b. The cut value is .500

Variables in the Equation

| | B | S.E. | Wald | df | Sig. | Exp(B) |
|-----------------|------|------|------|----|-------|--------|
| Step 0 Constant | .000 | .159 | .000 | 1 | 1.000 | 1.000 |

Variables not in the Equation

| | | | Score | df | Sig. |
|--------------------|-----------|---------|--------|----|------|
| Step 0 | Variables | ALKON | 12.769 | 1 | .000 |
| | | SOSEK | 10.679 | 1 | .001 |
| | | RIWAYAT | 8.431 | 1 | .004 |
| | | PARITAS | 10.068 | 1 | .002 |
| Overall Statistics | | | 33.550 | 4 | .000 |

Block 1: Method = Forward Stepwise (Wald)

Omnibus Tests of Model Coefficients

| | | Chi-square | df | Sig. |
|--------|-------|------------|----|------|
| Step 1 | Step | 13.058 | 1 | .000 |
| | Block | 13.058 | 1 | .000 |
| | Model | 13.058 | 1 | .000 |
| Step 2 | Step | 10.273 | 1 | .001 |
| | Block | 23.331 | 2 | .000 |
| | Model | 23.331 | 2 | .000 |
| Step 3 | Step | 8.257 | 1 | .004 |
| | Block | 31.587 | 3 | .000 |
| | Model | 31.587 | 3 | .000 |
| Step 4 | Step | 5.387 | 1 | .020 |
| | Block | 36.975 | 4 | .000 |
| | Model | 36.975 | 4 | .000 |

Model Summary

| Step | -2 Log likelihood | Cox & Snell R Square | Nagelkerke R Square |
|------|----------------------|----------------------|---------------------|
| 1 | 205.976 ^a | .079 | .106 |
| 2 | 195.704 ^b | .137 | .183 |
| 3 | 187.447 ^b | .181 | .242 |
| 4 | 182.060 ^b | .209 | .278 |

a. Estimation terminated at iteration number 3 because parameter estimates changed by less than .001.

b. Estimation terminated at iteration number 4 because parameter estimates changed by less than .001.

Hosmer and Lemeshow Test

| Step | Chi-square | df | Sig. |
|------|------------|----|------|
| 1 | .000 | 0 | . |
| 2 | .046 | 2 | .977 |
| 3 | 6.413 | 5 | .268 |
| 4 | 7.273 | 7 | .401 |

Contingency Table for Hosmer and Lemeshow Test

| | | KELOMPOK SAMPEL = KONTROL | | KELOMPOK SAMPEL = KASUS | | Total |
|--------|---|---------------------------|----------|-------------------------|----------|-------|
| | | Observed | Expected | Observed | Expected | |
| Step 1 | 1 | 64 | 64.000 | 43 | 43.000 | 107 |
| | 2 | 15 | 15.000 | 36 | 36.000 | 51 |
| Step 2 | 1 | 52 | 51.753 | 24 | 24.247 | 76 |
| | 2 | 12 | 12.247 | 19 | 18.753 | 31 |
| | 3 | 12 | 12.247 | 21 | 20.753 | 33 |
| | 4 | 3 | 2.753 | 15 | 15.247 | 18 |
| Step 3 | 1 | 32 | 35.415 | 14 | 10.585 | 46 |
| | 2 | 20 | 16.243 | 10 | 13.757 | 30 |
| | 3 | 9 | 7.187 | 5 | 6.813 | 14 |
| | 4 | 11 | 10.510 | 12 | 12.490 | 23 |
| | 5 | 3 | 5.155 | 16 | 13.845 | 19 |
| | 6 | 4 | 3.719 | 13 | 13.281 | 17 |
| | 7 | 0 | .771 | 9 | 8.229 | 9 |
| Step 4 | 1 | 27 | 29.864 | 10 | 7.136 | 37 |
| | 2 | 5 | 5.702 | 4 | 3.298 | 9 |
| | 3 | 12 | 10.075 | 4 | 5.925 | 16 |
| | 4 | 8 | 6.186 | 3 | 4.814 | 11 |
| | 5 | 9 | 8.057 | 6 | 6.943 | 15 |
| | 6 | 9 | 6.816 | 8 | 10.184 | 17 |
| | 7 | 5 | 6.708 | 15 | 13.292 | 20 |
| | 8 | 2 | 3.964 | 16 | 14.036 | 18 |
| | 9 | 2 | 1.628 | 13 | 13.372 | 15 |

Classification Table^a

| Observed | | | Predicted | | |
|----------|-----------------|--------------------|-----------------|-------|--------------------|
| | | | KELOMPOK SAMPEL | | Percentage Correct |
| | | | KONTROL | KASUS | |
| Step 1 | KELOMPOK SAMPEL | KONTROL | 64 | 15 | 81.0 |
| | | KASUS | 43 | 36 | 45.6 |
| | | Overall Percentage | | | 63.3 |
| Step 2 | KELOMPOK SAMPEL | KONTROL | 52 | 27 | 65.8 |
| | | KASUS | 24 | 55 | 69.6 |
| | | Overall Percentage | | | 67.7 |
| Step 3 | KELOMPOK SAMPEL | KONTROL | 61 | 18 | 77.2 |
| | | KASUS | 29 | 50 | 63.3 |
| | | Overall Percentage | | | 70.3 |
| Step 4 | KELOMPOK SAMPEL | KONTROL | 61 | 18 | 77.2 |
| | | KASUS | 27 | 52 | 65.8 |
| | | Overall Percentage | | | 71.5 |

a. The cut value is .500

Variables in the Equation

| | B | S.E. | Wald | df | Sig. | Exp(B) | 95.0% C.I. for EXP(B) | |
|---------------------------|--------|------|--------|----|------|--------|-----------------------|-------|
| | | | | | | | Lower | Upper |
| Step 1 ^a ALKON | 1.273 | .365 | 12.158 | 1 | .000 | 3.572 | 1.746 | 7.307 |
| Constant | -.398 | .197 | 4.068 | 1 | .044 | .672 | | |
| Step 2 ^b ALKON | 1.286 | .377 | 11.612 | 1 | .001 | 3.617 | 1.727 | 7.576 |
| SOSEK | 1.184 | .381 | 9.683 | 1 | .002 | 3.268 | 1.550 | 6.891 |
| Constant | -.758 | .236 | 10.320 | 1 | .001 | .469 | | |
| Step 3 ^c ALKON | 1.154 | .389 | 8.801 | 1 | .003 | 3.171 | 1.479 | 6.798 |
| SOSEK | 1.380 | .402 | 11.818 | 1 | .001 | 3.976 | 1.810 | 8.734 |
| RIWAYAT | 1.042 | .370 | 7.944 | 1 | .005 | 2.834 | 1.373 | 5.847 |
| Constant | -1.208 | .299 | 16.342 | 1 | .000 | .299 | | |
| Step 4 ^d ALKON | 1.181 | .398 | 8.796 | 1 | .003 | 3.257 | 1.493 | 7.107 |
| SOSEK | 1.283 | .409 | 9.830 | 1 | .002 | 3.606 | 1.617 | 8.039 |
| RIWAYAT | .901 | .378 | 5.687 | 1 | .017 | 2.461 | 1.174 | 5.160 |
| PARITAS | .884 | .385 | 5.275 | 1 | .022 | 2.421 | 1.138 | 5.148 |
| Constant | -1.431 | .323 | 19.637 | 1 | .000 | .239 | | |

a. Variable(s) entered on step 1: ALKON.

b. Variable(s) entered on step 2: SOSEK.

c. Variable(s) entered on step 3: RIWAYAT.

d. Variable(s) entered on step 4: PARITAS.

Variables not in the Equation

| | | | Score | df | Sig. |
|--------|--------------------|---------|--------|------|------|
| Step 1 | Variables | SOSEK | 10.126 | 1 | .001 |
| | | RIWAYAT | 5.698 | 1 | .017 |
| | | PARITAS | 9.498 | 1 | .002 |
| | Overall Statistics | 22.697 | 3 | .000 | |
| Step 2 | Variables | RIWAYAT | 8.206 | 1 | .004 |
| | | PARITAS | 7.808 | 1 | .005 |
| | Overall Statistics | 13.452 | 2 | .001 | |
| Step 3 | Variables | PARITAS | 5.405 | 1 | .020 |
| | Overall Statistics | 5.405 | 1 | .020 | |