

## DAFTAR PUSTAKA

ACI Committee. (2008). *ACI 440.2R-08 : Guide for the Design and Construction of Externally Bonded FRP System for Strengthening Concrete Structures*. USA : Farmington Hills.

ACI Committee. (2004). *ACI 440.3R-04 : Guide Test Methods for Fiber-Reinforced Polymers (FRPs) for Reinforcing or Strengthening Concrete Structures*. USA : Farmington Hills.

Achillides Z, Pilakoutas K. Bond behavior of fiber reinforced polymer bars under direct pullout conditions. *J Compos Constr* 2004;8(2):173-181.

Amr, El., dkk. (2015). Kapasitas Lentur Perkuatan Balok Beton Bertulang Yang Telah Meleleh Dengan Menggunakan Lembaran GFRP. *Dinamika Teknik Sipil*, 11:293-300

Belarbi A, Wang H. Bond durability of FRP bars embedded in fiber-reinforced concrete. *J Compos Constr* 2011;16(4):371-80

Brown VL, Bartholomew CL. FRP reinforcing bars in reinforced concrete members. *ACI Mater J* 1993;90(1).

Charles R. The strength of silicate glasses and some crystalline oxides. In: *ICF0*, Swampscott-MA (USA) 1959; 2012.

Chang Y, Davalos JF, Ray I, Kim H-Y. Accelerated aging tests for evaluations of durability performance of FRP reinforcing bars for concrete structures. *Compos Struct* 2007;78(1):101-11.



Daniali S. Development length for fiber-reinforced plastic bars. In: *Advanced Composite Materials in Bridges and Structures*. Sherbrooke: Canada; 1992.

Faza SS, GangaRao HV. Bending and bond behavior of concrete beams reinforced with plastic rebars. *Transp Res Rec* 1991;1290.

Gilbert, R. I. dan Mickleborough, N. C. (1990). *Design of Prestressed Concrete*. Sydney: Unwin Hyman Ltd.

Gonenc O. Durability and service life prediction of concrete reinforcing materials. UNIVERSITY OF WISCONSIN-MADISON; 2003

Lee J-Y, Kim T-Y, Kim T-J, Yi C-K, Park J-S, You Y-C, et al. Interfacial bond strength of glass fiber reinforced polymer bars in high-strength concrete. *Compos Part B Eng* 2008;39(2):258-70.

Manjola, C. (2017). *Bond Performance of deep embedment FRP bars epoxy-bonded into concrete*. Elsevier

Manjola, C. (2017). *Bond-Dependent Coefficient of Glass-and Carbon-FRP Bars in Normal-and High- Strength Concretes*. Cairo: University of Girona.

Marta, B., dkk. (2009). *Experimental Study of Bond Behaviour Between Concrete and FRP Bars Using A Pul Out Test*. Spanyol: University of Girona.

ac, Jack C. (2004). *Desain Beton Bertulang Jilid I*. Jakarta: Gramedia Pustaka Utama.



Nawy, Edward G., Tavio, dan Kusuma, Benny. (2010). *Beton Bertulang, Sebuah Pendekatan mendasar Jilid I*. Surabaya: itspress.

Nihad, T. (2017). *Bond Performance of NSM CFRP strips embedded in concrete using direct pull out testing with cementitious adhesive made with graphene oxide*. Australia: Swinburne University

Renata, K., dkk. (2017). *Bond behavior of GFRP bars to concrete in beam test. Procedia Engineering*.

Sultan, Mufti A., et al. (2015). *Flexural Capacity Of Concrete Beams Strengthened Using GFRP Sheet After Seawater Immersion*. Diambil dari:

<http://www.sciencedirect.com/science/article/pii/S1877705815034098>

(28 September 2017)

Sunarmasto. (2010). *Tegangan Lekat Baja Tulangan (Polos dan Ulir) Pada Beton*. Jurusan teknik Sipil Fakultas Teknik Universitas Sebelas Maret.

Pecce M, Manfredi G, Realfonzo R, Cosenza E. Experimental and analytical evaluation of bond properties of GFRP bars. *J Mater Civ Eng* 2001;13(4): 282-90.

Yan F, Lin Z. New strategy for anchorage reliability assessment of GFRP bars

to concrete using hybrid artificial neural network with genetic algorithm. *Compos Part B Eng* 2016;92:420-33.



# LAMPIRAN



Optimization Software:  
[www.balesio.com](http://www.balesio.com)

# DOKUMENTASI

## PEMBUATAN BEKESTING



## PEMBUATAN BENDA UJI



## PENGUJIAN PULL OUT BENDA UJI SENTRIS



## PENGUJIAN PULL OUT BENDA UJI EKSENTRIS



## PENGUJIAN PULL OUT BENDA UJI EKSENTRIS + LEMBARAN GFRP



## PENGUJIAN KUAT TEKAN BENDA UJI SILINDER



## PENGUJIAN DIAMETER EKIVALEN TULANGAN GFRP



## VARIASI BENDA UJI

- SENTRIS



Tampak Atas



Tampak Samping

- EKSENTRIS



Tampak Atas



Tampak Samping



- **EKSENTRIS + LEMBARAN GFRRP**



**Tampak Atas**



**Tampak Samping**

