

DAFTAR PUSTAKA

- Abdi A, Hermanto. 2004. *Hasil akhir Pernatal dan kadar gula post partum penderita diabetes mellitus gestasi*. Majalah Obstetri Ginekologi
- A. C. Richardson and M. W. Carpenter,. 2010. *Inflammatory mediators in gestational diabetes mellitus*. Obstetrics and Gynecology Clinics of North America, vol. 34, no. 2, pp. 213–224.
- American Diabetes Association (ADA). 2009. *Diagnosis and classification of diabetes mellitus*. *Diabetes Care*.
- Adam. JMF. 2000. *Skrining dan diagnosis diabetes mellitus gestasi*. Dalam Djokomoeljanto, Darmono, Susanto R, edisi 25. Semarang. Penerbit UNDIP
- Ben-Haroush A, Yogev Y, Hod M. 2004. *Epidemiology of gestational diabetes mellitus and its association with Type 2 diabetes*. Diabet Med.
- Berkus MD, Langer O. 2005. *Glukose tolerance test : Degree of glucose abnormality correlates with neonatal out come*. *Obstet Gynecol*. Vol. 81
- Benson RC. 2008. *Diabetes mellitus*. In : *Current Obstetric & Gynecologic Diagnosis & treatment*. 5th ed. California : Lange medical publications; p. 901-6.
- Brudenell M, 2005. *Diabetic pregnancy*. In medicine international. Indonesia edition, Vol. 35
- Budi, 2010. *Diabetes Gestasional*. (Online), (www.geocities.com/Yosemite/Rapid, diakses 12 desember 2011)
- Buchanan TA, et.al. 2012. *Gestational diabetes mellitus: risks and management during and after pregnancy*. Journal Nature reviews. Endocrinology, p:639-649.
- C. J. Petry. 2010. *Gestational diabetes: risk factors and recent advances in its genetics and treatment*. British Journal of Nutrition, vol. 104, no. 6, pp. 775–787.

Cunningham, 2005. *William Obstetrics* ed. 22nd. Mc-GrawHill (<http://www.blogdokter.net/2005/06/25/diabetes-melitu-ii-pada-kehamilan>)

Chunfang Qiu, et al. 2010. *Glucose intolerance and gestasional diabetic risk in relation to sleep duration and during pregnancy : a pilot study.* Journal

Carton, J.A, Maradona. 2011. *Diabetic mellitus and bacteriemia: a comperative study between diabetic and non diabetic patient.* European Journal of medicine, 1 (5):281-287

Daskalakis G. Et al. 2008. *Placental pathology in women with gestational diabetes.* In acta obstetricia et gynecologica scandinavica

Delzell JE Jr, Lefevre ML. 2010. *Urinary tract infections during pregnancy.* Am Fam Physician.61(3):713-21.

Dennedy MC, Avalos G, O'Reilly MW, et al. 2012. *The impact of maternal obesity on gestational outcomes.* Irish medical journal. p : 5-23.

Gabbe SG, O'Saung H.Nessy RW.2002 *Diabetes and other endocrine disorder during pregnancy.* Mosby year book. Toronto

Gabbe SG. 2009. *Diabetes mellitus.* In : Queenan JT editor. *Management of high-risk pregnancy.* Boston. Blackwell scientific publications : p. 263 – 7

Getahun, C. Nath, C. V. 2008. *Gestational diabetes in the United States.* American Journal of Obstetrics and Gynecology, vol. 198, no. 5, p. 525.

Guyton, A.C & Hall, J.E. 2008. *Buku Ajar fisiologi kedokteran.* Alih Bahasa: Irawati, dkk. Editor: Luqman Januar Rahman, dkk. Edisi 11. Cetakan I. Jakarta: EGC

Holt RI, Goddard JR et al. 2011 *A postnatal fasting plasma glucose is useful in determining which women with gestational diabetes should undergo a postnatal oral glucose tolerance test.* Diabet Med. 20(7) : 594 – 8.

Lange, oded dan Scott B. Ronson. 2010. *Diabetes in Pregnancy Practical Strategis in Obctres and Gynecology.* Philadelphia, Sydney, Tokyo: WB Saunders Company, Chapter 35, 360-369.

- H. Hollander, et.al. 2011. *Gestational diabetes: a review of the current literature and guidelines*. Obstetrical and Gynecological Survey, vol. 62, no. 2, pp. 125–136.
- Holt RI, Goddard JR et al. 2011. A postnatal fasting plasma glucose is useful in determining which women with gestational diabetes should undergo a postnatal oral glucose tolerance test. *Diabet Med*. 20(7) : 594 – 8.
- K. Y. Lain and P. M. Catalano. 2011. *Metabolic changes in pregnancy*. Clinical Obstetrics and Gynecology, vol. 50, no. 4, pp. 938–948.
- Karakosta P, Alegakis D, Georgiou V, et al. 2012. *Thyroid Dysfunction and Autoantibodies in Early Pregnancy Are Associated with Increased Risk of Gestational Diabetes and Adverse Birth Outcomes*. Journal Clin Endocrinol Metab
- L. Hoffman. 2009. *Gestational diabetes mellitus (GDM)*. The Medical journal of Australia, vol. 168, no. 3, p. 140.
- Lange, oded dan Scott B. Ronson. 2010. *Diabetes in Pregnancy Practical Strategis in Obcetres and Gynecology*. Philadelphia, Sydney, Tokyo: WB Saunders Company, Chapter 35, 360-369.
- Lois Berry. 2009. *Gestasional diabetes mellitus : current practices, Screening and diagnosis in the south eastern sidney illawarra area health service*. university of technologi sydney
- Majid. DD, 2007. *Penyakit diabetes semasa hamil*. (Online), (www.infosehat.gov.my, diakses 22 Nopember 2011)
- Marie Berg, 2005. *Pregnancy and diabetes: How women handle the challenges*. Journal
- More TR. 2009. *Diabetes in pregnancy*. In : Creasy RK, Resnik R, editors. *Maternal fetal Medicine principles and practice*. 3rd ed. Philadelphia. WB Sounders company; . p. 934 – 71
- Nikolaos Vrachnis, et.al. 2012. *Previous Gestational Diabetes Mellitus and Markers of Cardiovascular Risk*. International Journal of Endocrinology; Department of Obstetrics and Gynecology, Greece.

- Tjokroprawiro A, Tandra A, Hendromartono. 2009. *Penatalaksanaan diabetes mellitus pada kehamilan*. PT. Gramedia Pustaka Utama.
- Tatjana R, et al. 2003. *Gestational diabetes induces placental genes for chronic stress and inflammatory*. Journal
- Perdesen LM, 2004. *Insulin Receptor binding and tyrosine kinase activity in skeletal muscle from normal pregnant women and women with gestational diabetes*. Am J Obstet Gynecol. Vol. 102
- Pargavi, B., Mekala. T., Selvi, A.T., Moorthy, K. (2011). *Prevalence of urinary tract infection among diabetics patient in Vandasi*, Tamil Nadu, India. International Journal of Biological Technology. 2(2):42-45
- Perkumpulan Endokrinologi Indonesia. 2011. *Konsensus pengelolaan dan pencegahan diabetes mellitus tipe 2 di Indonesia*. Jakarta: PB.Perkeni
- Prawirohardjo S, 2010 ed. *Ilmu Kebidanan*. Edisi kedua. Jakarta : Yayasan Bina Pustaka
- Raptohardjo U., 2006. *Diabetes mellitus dan kehamilan*. Dalam : UNDIP Semarang. Simposium diabetes mellitus
- R. Vohr and C. M. Boney. 2011. *Gestational diabetes: the forerunner for the development of maternal and childhood obesity and metabolic syndrome?*. Journal of Maternal-Fetal and Neonatal Medicine, vol. 21, no. 3, pp. 149–157.
- Ramos-Levi AM, et al. 2012. *Risk factors for gestational diabetes mellitus in a large population of women living in Spain: implications for preventative strategies*. *International journal of endocrinology*, 312529.
- Saifuddin AB, 2007. Adriaanz G, Wiknjosastro GH, Waspodo D. *Diabetes mellitus gestasional*. Bina pustaka; Jakarta.
- Simpson ER, Mc. Donald PC. 2004. *Endocrinology of pregnancy*. In William RH. Toronto.

- Suyono S. 2003. *Penatalaksanaan pasien diabetes dengan kehamilan.* Acta Medica Indonesia
- Sopiyudin D, 2010. *Besar sampel dan cara pengambilan sampel.* Edisi 3. Penerbit salemba medika. Jakarta
- Olefsky. JM., 2006. *Mechanisms of cellular insulin resistance in human pregnancy.* Am J Obstet Gynecol. Vol. 170
- Ornoy A, Et al. 2009. *Fetal and placental pathology in gestational rubella.* American Journal of Obstetrics and Gynecology.
- O'Sullivan JB. 2002. *Maternal diabetic in pregnancy.* In : U.S Deppartement of health and human service. NH. Publication No. 85
- World Health Organisation (WHO). 2010. *Definition, Diagnosis and Classification of Diabetes Mellitus and its Complications. Report of a WHO Consultation. Part 1: Diagnosis and Classifications of Diabetes Mellitus.* Geneva: World Health Organisation.
- Zhonghua Fu. 2007. *Placenta pathology in gestational diabetes.* Volume 28, pages 714-716.

NO.ID :

FAKTOR DETERMINAN KEJADIAN DIABETES MELLITUS GESTASIONAL
DIRUMAH SAKIT PELAMONIA & RSKD IBU DAN ANAK SITI FATIMAH
MAKASSAR TAHUN 2012

I. KETERANGAN PEWAWANCARA		
1	Nama Pewawancara :	
2	Tanggal Wawancara :	
3	Editor :	

II. IDENTITAS RESPONDEN		
1	Nama	
2	Umur	
3	Pendidikan terakhir	<ul style="list-style-type: none">1. Tidak Sekolah2. Tidak Tamat SD3. SD4. SMP5. SMU6. Akademi7. PT
4	Pekerjaan	<ul style="list-style-type: none">1. IRT2. Pedagang3. Petani4. Pegawai Swasta5. PNS6. Lain – lain,Sebutkan

III. IDENTITAS KHUSUS		
1	Umur ibu saat kehamilan terakhir :	tahun
2	Berapa jumlah kehamilan yang pernah dialami sampai kehamilan sekarang :	
3	Berapa jumlah persalinan yang pernah dilakukan, baik untuk lahir hidup maupun lahir mati :	
4	Berapa Berat Badan ibu :.....kg , Tinggi Badan Ibu :.....cm	
5	Tekanan Darah :.....mmHg	
6	Umur kehamilan :.....minggu	
7	Kadar glukosa darah :.....%/dl menggunakan glukotest	

IV. DIMENSI RIWAYAT IBU		
1	Apakah ibu memiliki anggota keluarga yang menderita penyakit DM dan minum obat diabetes?	<ul style="list-style-type: none">1. Tidak ada2. Ada
2	Apakah ibu selama kehamilan pernah mengalami infeksi yang berulang/kambuhan seperti nyeri sewaktu buang air kecil/disuria?	<ul style="list-style-type: none">1. Tidak ada

	2. Ada
3	Apakah ibu selama kehamilan pernah mengalami kenaikan berat badan, lebih dari 20% berat badan ideal berdasarkan tinggi badan? 1. Normoweight (20 – 24,99) 2. Overweight/obesitas (25 - >27)

Skor :

1 = Risiko Rendah

2 = Risiko Tinggi

MASTER TABEL FAKTOR DETERMINAN KEJADIAN DIABETES MELLITUS
GESTASIONAL DIRUMAH SAKIT PELAMONIA & RSKD IBU DAN ANAK SITI FATIMAH
MAKASSAR
TAHUN 2012

Nama	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
MN	32	4	1	0	45	5	4	67	152	121	32	96	0	1	1	1
HR	45	5	1	0	27	5	3	65	152	131	46	138	1	0	1	6
MG	34	4	1	0	32	2	1	60	151	111	32	98	0	0	1	2
LA	30	5	1	0	36	7	5	80	156	141	32	135	0	0	1	1
IA	40	5	1	0	30	4	1	63	164	101	27	100	0	1	1	4
SL	34	5	1	0	36	4	2	62	165	111	38	100	1	0	1	2
WT	30	5	1	0	39	5	4	75	157	131	30	118	0	0	0	1
TA	39	3	1	0	30	3	2	65	150	111	28	100	1	1	1	4
RK	30	3	1	0	28	4	3	67	150	111	29	95	1	1	1	1
SL	39	5	2	0	35	4	3	80	160	131	30	130	1	0	0	4
NR	43	4	2	0	43	7	6	68	165	111	30	99	1	1	1	5
LN	36	4	1	0	30	2	1	54	150	101	26	90	0	1	1	3
AM	38	6	4	0	34	3	2	68	162	121	29	100	0	1	1	3
SM	30	7	5	0	35	2	1	67	154	111	26	97	0	1	1	1
LN	32	4	2	0	35	5	4	69	156	121	30	110	1	1	1	1
AT	33	5	2	0	30	3	2	80	160	141	36	114	0	1	0	2
EY	34	5	1	0	30	2	1	69	150	111	36	100	0	1	1	2
HR	40	4	1	0	32	1	0	54	152	111	35	115	0	1	1	4
WH	33	5	1	0	31	1	0	47	151	101	34	96	0	1	1	2
AT	30	5	2	0	36	1	0	63	158	121	34	95	0	1	1	1
HD	32	4	1	0	35	3	1	46	143	111	32	100	0	1	1	1
SA	39	2	1	0	35	4	3	70	150	141	36	100	1	0	1	4
AM	32	5	1	0	28	3	2	91	152	121	37	110	0	0	0	1
EV	30	6	4	0	29	2	1	68	158	111	24	100	1	0	1	1
SE	37	4	1	0	31	3	2	69	155	121	32	100	0	0	1	3
FT	37	5	1	0	34	2	1	74	150	121	34	100	0	0	0	3
HS	31	5	1	0	39	5	4	52	165	131	37	125	0	0	1	1
RS	34	4	1	0	30	3	2	72	158	121	34	80	0	0	0	2
LN	31	4	3	0	35	3	2	61	152	121	37	90	0	0	1	1
HN	38	5	6	0	37	2	1	56	155	121	15	115	0	0	1	3
AY	32	5	6	0	34	4	4	59	145	101	34	110	1	0	1	1
AR	32	5	1	0	30	2	0	79	157	131	38	95	0	0	0	1
AI	32	6	4	0	32	1	0	60	161	121	29	90	1	0	0	1
HR	32	5	1	0	30	3	0	61	149	121	42	90	1	1	0	1
HM	37	6	6	0	32	1	0	55	155	131	17	130	1	0	1	3
RA	39	5	1	0	29	2	1	46	151	101	32	120	0	1	1	4
JM	35	5	1	0	37	2	1	66	140	140	36	100	1	1	1	2
AU	39	4	1	0	30	5	1	72	146	121	37	140	0	0	0	4
HJ	38	5	1	0	34	2	0	55	155	131	30	130	1	0	0	3
DW	37	7	5	0	30	3	2	75	150	121	37	100	0	0	0	3
EW	39	2	1	0	34	5	4	65	148	121	30	100	0	1	1	4
IN	36	6	4	0	36	1	0	70	150	121	36	120	0	1	1	3
AN	36	6	5	0	34	4	3	80	150	151	36	140	0	1	0	3
NN	36	4	1	0	35	4	3	68	150	121	32	140	1	1	1	3
MA	30	6	5	0	31	1	0	72	152	141	38	150	0	1	0	1

IR	36	6	4	0	32	3	2	70	150	141	37	140	0	1	0	3
MI	31	4	1	0	36	3	2	70	162	141	36	150	1	0	1	1
WI	30	5	2	0	35	4	3	70	160	150	36	110	1	1	1	1
AT	38	4	1	0	36	5	4	69	152	141	34	140	1	0	1	3
TA	34	5	1	0	34	3	3	65	150	141	30	140	1	0	1	2
DH	39	7	4	0	30	3	2	60	150	101	36	100	1	1	1	4
AU	32	5	1	1	22	1	0	88	153	131	37	100	1	0	0	1
MK	45	4	1	1	19	2	1	68	150	101	30	100	0	1	1	6
AG	34	5	1	1	20	3	2	70	150	131	30	98	1	1	0	2
LL	30	5	1	1	19	3	2	60	149	101	27	100	0	1	1	1
EN	40	5	1	1	20	3	2	69	150	101	30	100	1	1	1	4
ER	34	5	2	1	20	4	3	60	147	101	27	90	1	1	1	2
TN	30	5	1	1	18	3	2	58	150	101	26	90	0	1	1	1
TE	39	5	1	1	17	1	0	50	148	101	26	90	0	1	1	4
TH	30	5	1	1	19	2	1	50	150	101	26	90	1	1	1	1
OT	39	5	1	1	18	1	0	50	148	101	26	90	1	1	1	4
IW	43	5	1	1	19	1	0	60	150	101	30	90	1	1	1	5
AS	36	6	4	1	18	2	1	70	150	121	37	90	1	1	0	3
ID	38	5	2	1	24	4	3	70	150	131	37	90	1	1	0	3
RA	30	5	2	1	19	2	1	60	150	101	28	90	1	1	1	1
IR	32	5	1	1	23	3	2	60	150	101	28	100	0	1	1	1
VA	33	5	1	1	22	3	2	68	148	111	26	90	1	1	1	2
SO	34	5	2	1	20	1	0	60	150	101	26	90	0	1	1	2
EW	40	4	1	1	20	3	2	60	147	101	28	90	1	1	1	4
YT	33	7	4	1	20	3	2	65	150	121	28	97	1	1	1	2
LA	30	6	5	1	19	1	0	54	150	101	26	90	0	1	1	1
IN	32	5	1	1	20	3	2	67	147	111	36	90	0	1	1	1
AY	39	5	1	1	16	2	1	54	149	111	36	100	1	0	0	4
IN	32	5	4	1	22	1	0	63	164	131	28	100	1	1	1	1
BZ	30	4	1	1	28	3	2	54	144	121	40	130	1	1	1	1
IH	37	4	1	1	25	2	1	56	149	131	40	120	1	1	1	3
WN	37	4	1	1	25	2	1	65	150	111	28	96	1	1	1	3
RN	31	4	1	1	19	2	1	54	149	101	31	87	1	1	1	1
IG	34	5	1	1	30	3	2	61	166	121	29	96	0	1	1	2
KJ	31	5	1	1	18	2	1	56	150	101	28	90	1	1	1	1
KD	38	5	1	1	23	2	1	68	150	111	34	90	1	1	1	3
NG	32	5	1	1	19	2	1	70	150	101	32	100	1	1	0	1
FR	32	5	1	1	21	2	1	61	149	131	40	90	1	1	1	1
HY	32	7	5	1	23	1	0	62	154	101	34	89	0	1	1	1
HG	32	5	5	1	23	1	0	55	161	111	38	120	1	1	1	1
LF	37	6	5	1	27	1	0	52	147	121	37	120	0	0	1	3
DL	39	5	1	1	18	1	0	45	149	111	32	135	1	1	1	4
JY	35	4	1	1	14	1	0	60	146	121	42	130	1	0	1	2
OG	39	5	1	1	19	1	0	64	156	131	40	110	0	0	0	4
KR	38	1	1	1	27	2	1	66	165	121	25	80	0	0	0	3
NL	37	1	1	1	17	1	0	43	152	111	26	87	1	0	1	3
LQ	39	3	1	1	19	1	0	67	160	121	32	94	0	1	0	4
RP	36	3	1	1	24	3	0	84	161	131	36	90	1	1	0	3
PR	36	4	1	1	16	1	0	51	147	111	37	80	1	0	1	3
CM	36	5	4	1	27	1	0	50	150	101	38	100	1	1	0	3

YD	30	5	1	1	20	1	0	55	153	111	37	98	0	0	1	1
PJ	36	5	1	1	26	1	0	65	152	111	32	96	1	1	1	3
ND	31	5	1	1	21	1	0	67	153	111	34	96	1	1	1	1
TA	30	4	1	1	20	1	0	54	153	101	28	86	1	1	1	1
YK	38	5	1	1	18	1	0	56	150	111	32	90	0	0	1	3
KG	34	5	1	1	18	2	0	63	155	101	36	97	1	0	0	2
MI	39	5	1	1	19	1	0	68	156	111	36	100	1	1	1	4

Keterangan:

Nama

- 1 Umur Responden
- 2 Tingkat Pendidikan Reponden
- 3 Pekerjaan Responden
- 4 Kelompok reponden
- 5 umur ibu saat kehamilan terakhir
- 6 jumlah kehamilan sampai sekarang
- 7 jumlah persalinan baik yang hidup maupun yang mati
- 8 berat badan ibu
- 9 tinggi badan ibu
- 10 tekanan darah
- 11 umur kehamilan
- 12 kadar glukosa darah
- 13 Riwayat DM dalam Keluarga
- 14 Mengalami infeksi berulang/ Kambuhan
- 15 Riwayat Kelebihan Berat Badan/ Obesitas
- 16 Kelompok umur

Lampiran 3 : Crosstabs

Pekerjaan Responden * Kelompok responden Crosstabulation

	IRT		Kelompok responden		Total
			Kasus	Kontrol	
Pekerjaan Responden	IRT	Count	31	39	70
		% within Pekerjaan Responden	44.3%	55.7%	100.0%
		% within Kelompok responden	60.8%	76.5%	68.6%
		% of Total	30.4%	38.2%	68.6%
	Pedagang	Count	6	4	10
		% within Pekerjaan Responden	60.0%	40.0%	100.0%
		% within Kelompok responden	11.8%	7.8%	9.8%
		% of Total	5.9%	3.9%	9.8%
	Petani	Count	1	0	1
		% within Pekerjaan Responden	100.0%	.0%	100.0%
		% within Kelompok responden	2.0%	.0%	1.0%
		% of Total	1.0%	.0%	1.0%
	Pegawai Swasta	Count	6	4	10
		% within Pekerjaan Responden	60.0%	40.0%	100.0%
		% within Kelompok responden	11.8%	7.8%	9.8%
		% of Total	5.9%	3.9%	9.8%
	PNS	Count	4	4	8
		% within Pekerjaan Responden	50.0%	50.0%	100.0%
		% within Kelompok responden	7.8%	7.8%	7.8%
		% of Total	3.9%	3.9%	7.8%
	Lainnya	Count	3	0	3
		% within Pekerjaan Responden	100.0%	.0%	100.0%
		% within Kelompok responden	5.9%	.0%	2.9%
		% of Total	2.9%	.0%	2.9%
	Total	Count	51	51	102
		% within Pekerjaan Responden	50.0%	50.0%	100.0%
		% within Kelompok responden	100.0%	100.0%	100.0%
		% of Total	50.0%	50.0%	100.0%

Tingkat Pendidikan Reponden * Kelompok responden Cross tabulation

			Kelompok responden		Total
			Kasus	Kontrol	
Tingkat Pendidikan Reponden	Tidak Sekolah	Count	0	2	2
		% within Tingkat Pendidikan Reponden	.0%	100.0%	100.0%
		% within Kelompok responden	.0%	3.9%	2.0%
		% of Total	.0%	2.0%	2.0%
	Tidak Tamat SD	Count	2	0	2
		% within Tingkat Pendidikan Reponden	100.0%	.0%	100.0%
		% within Kelompok responden	3.9%	.0%	2.0%
		% of Total	2.0%	.0%	2.0%
	SD	Count	2	2	4
		% within Tingkat Pendidikan Reponden	50.0%	50.0%	100.0%
		% within Kelompok responden	3.9%	3.9%	3.9%
		% of Total	2.0%	2.0%	3.9%
	SMP	Count	14	9	23
		% within Tingkat Pendidikan Reponden	60.9%	39.1%	100.0%
		% within Kelompok responden	27.5%	17.6%	22.5%
		% of Total	13.7%	8.8%	22.5%
	SMA	Count	22	33	55
		% within Tingkat Pendidikan Reponden	40.0%	60.0%	100.0%
		% within Kelompok responden	43.1%	64.7%	53.9%
		% of Total	21.6%	32.4%	53.9%
	Akademi	Count	8	3	11
		% within Tingkat Pendidikan Reponden	72.7%	27.3%	100.0%
		% within Kelompok responden	15.7%	5.9%	10.8%
		% of Total	7.8%	2.9%	10.8%
	Perguruan Tinggi	Count	3	2	5
		% within Tingkat Pendidikan Reponden	60.0%	40.0%	100.0%
		% within Kelompok responden	5.9%	3.9%	4.9%
		% of Total	2.9%	2.0%	4.9%
	Total	Count	51	51	102
		% within Tingkat Pendidikan Reponden	50.0%	50.0%	100.0%
		% within Kelompok responden	100.0%	100.0%	100.0%
		% of Total	50.0%	50.0%	100.0%

Kelompok umur * Kelompok responden Crosstabulation

		Kelompok responden		Total
		Kasus	Kontrol	
Kelompok umur	30-32	Count	19	19
		% within Kelompok umur	50.0%	50.0%
		% within Kelompok responden	37.3%	37.3%
		% of Total	18.6%	18.6%
	33-35	Count	8	8
		% within Kelompok umur	50.0%	50.0%
		% within Kelompok responden	15.7%	15.7%
		% of Total	7.8%	7.8%
	36-38	Count	13	13
		% within Kelompok umur	50.0%	50.0%
		% within Kelompok responden	25.5%	25.5%
		% of Total	12.7%	12.7%
	39-41	Count	9	9
		% within Kelompok umur	50.0%	50.0%
		% within Kelompok responden	17.6%	17.6%
		% of Total	8.8%	8.8%
	42-44	Count	1	1
		% within Kelompok umur	50.0%	50.0%
		% within Kelompok responden	2.0%	2.0%
		% of Total	1.0%	1.0%
	>44	Count	1	1
		% within Kelompok umur	50.0%	50.0%
		% within Kelompok responden	2.0%	2.0%
		% of Total	1.0%	1.0%
Total		Count	51	51
		% within Kelompok umur	50.0%	50.0%
		% within Kelompok responden	100.0%	100.0%
		% of Total	50.0%	50.0%

Riwayat DM dalam Keluarga * Kelompok responden

Crosstab

		Kelompok responden		Total
		Kasus	Kontrol	
Riwayat DM dalam Keluarga	Ya	Count	30	46
		% within Riwayat DM dalam Keluarga	65.2%	34.8% 100.0%
		% within Kelompok responden	58.8%	31.4% 45.1%
		% of Total	29.4%	15.7% 45.1%
	Tidak	Count	21	56
		% within Riwayat DM dalam Keluarga	37.5%	62.5% 100.0%
		% within Kelompok responden	41.2%	68.6% 54.9%
		% of Total	20.6%	34.3% 54.9%
Total		Count	51	102
		% within Riwayat DM dalam Keluarga	50.0%	50.0% 100.0%
		% within Kelompok responden	100.0%	100.0% 100.0%
		% of Total	50.0%	50.0% 100.0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	7.761 ^b	1	.005		
Continuity Correction ^a	6.692	1	.010		
Likelihood Ratio	7.867	1	.005		
Fisher's Exact Test				.009	.005
Linear-by-Linear Association	7.685	1	.006		
N of Valid Cases	102				

a. Computed only for a 2x2 table

b. 0 cells (.0%) have expected count less than 5. The minimum expected count is 23.00.

Symmetric Measures

		Value	Asymp. Std. Error ^a	Approx. ^b	Approx. Sig.
Interval by Interval	Pearson's R	.276	.095	2.870	.005 ^c
Ordinal by Ordinal	Spearman Correlation	.276	.095	2.870	.005 ^c
Measure of Agreement	Kappa	.275	.095	2.786	.005
N of Valid Cases		102			

a. Not assuming the null hypothesis.

b. Using the asymptotic standard error assuming the null hypothesis.

c. Based on normal approximation.

Risk Estimate

	Value	95% Confidence Interval	
		Lower	Upper
Odds Ratio for Riwayat DM dalam Keluarga (Ya / Tidak)	3.125	1.386	7.045
For cohort Kelompok responden = Kasus	1.739	1.167	2.591
For cohort Kelompok responden = Kontrol	.557	.357	.868
N of Valid Cases	102		

Mengalami infeksi berulang/ Kambuhan * Kelompok responden

Crosstab

			Kelompok responden		Total
			Kasus	Kontrol	
Mengalami infeksi berulang/ Kambuhan	Ya	Count	25	11	36
		% within Mengalami infeksi berulang/ Kambuhan	69.4%	30.6%	100.0%
		% within Kelompok responden	49.0%	21.6%	35.3%
		% of Total	24.5%	10.8%	35.3%
		Count	26	40	66
		% within Mengalami infeksi berulang/ Kambuhan	39.4%	60.6%	100.0%
		% within Kelompok responden	51.0%	78.4%	64.7%
		% of Total	25.5%	39.2%	64.7%
	Tidak	Count	51	51	102
		% within Mengalami infeksi berulang/ Kambuhan	50.0%	50.0%	100.0%
		% within Kelompok responden	100.0%	100.0%	100.0%
		% of Total	50.0%	50.0%	100.0%
Total					

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	8.414 ^b	1	.004		
Continuity Correction ^a	7.255	1	.007		
Likelihood Ratio	8.583	1	.003		
Fisher's Exact Test				.007	.003
Linear-by-Linear Association	8.332	1	.004		
N of Valid Cases	102				

a. Computed only for a 2x2 table

b. 0 cells (.0%) have expected count less than 5. The minimum expected count is 18.00.

Symmetric Measures

		Value	Asymp. Std. Error ^a	Approx. ^b	Approx. Sig.
Interval by Interval	Pearson's R	.287	.094	2.998	.003 ^c
Ordinal by Ordinal	Spearman Correlation	.287	.094	2.998	.003 ^c
Measure of Agreement	Kappa	.275	.091	2.901	.004
N of Valid Cases		102			

a. Not assuming the null hypothesis.

b. Using the asymptotic standard error assuming the null hypothesis.

c. Based on normal approximation.

Risk Estimate

	Value	95% Confidence Interval	
		Lower	Upper
Odds Ratio for Mengalami infeksi berulang/ Kambuhan (Ya / Tidak)	3.497	1.474	8.297
For cohort Kelompok responden = Kasus	1.763	1.218	2.551
For cohort Kelompok responden = Kontrol	.504	.297	.856
N of Valid Cases	102		

Riwayat Kelebihan Berat Badan/ Obesitas * Kelompok responden

Crosstab

		Kelompok responden		Total
		Kasus	Kontrol	
Riwayat Kelebihan Berat Badan/ Obesitas	over	Count	15	27
		% within Riwayat Kelebihan Berat Badan/ Obesitas	55.6%	44.4% 100.0%
		% within Kelompok responden	29.4%	23.5% 26.5%
		% of Total	14.7%	11.8% 26.5%
	kurang	Count	36	75
		% within Riwayat Kelebihan Berat Badan/ Obesitas	48.0%	52.0% 100.0%
		% within Kelompok responden	70.6%	76.5% 73.5%
		% of Total	35.3%	38.2% 73.5%
Total		Count	51	102
		% within Riwayat Kelebihan Berat Badan/ Obesitas	50.0%	50.0% 100.0%
		% within Kelompok responden	100.0%	100.0% 100.0%
		% of Total	50.0%	50.0% 100.0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	.453 ^b	1	.501		
Continuity Correction ^a	.201	1	.654		
Likelihood Ratio	.454	1	.500		
Fisher's Exact Test				.654	.327
Linear-by-Linear Association	.449	1	.503		
N of Valid Cases	102				

a. Computed only for a 2x2 table

b. 0 cells (.0%) have expected count less than 5. The minimum expected count is 13.50.

Symmetric Measures

		Value	Asymp. Std. Error ^a	Approx. ^b	Approx. Sig.
Interval by Interval	Pearson's R	.067	.099	.668	.506 ^c
Ordinal by Ordinal	Spearman Correlation	.067	.099	.668	.506 ^c
Measure of Agreement	Kappa	.059	.087	.673	.501
N of Valid Cases		102			

- a. Not assuming the null hypothesis.
- b. Using the asymptotic standard error assuming the null hypothesis.
- c. Based on normal approximation.

Risk Estimate

	Value	95% Confidence Interval	
		Lower	Upper
Odds Ratio for Riw ayat Kelebihan Berat Badan/ Obesitas (over / kurang)	1.354	.559	3.278
For cohort Kelompok reponden = Kasus	1.157	.767	1.747
For cohort Kelompok reponden = Kontrol	.855	.532	1.374
N of Valid Cases	102		

Logistic Regression

Case Processing Summary

Unweighted Cases ^a		N	Percent
Selected Cases	Included in Analysis	102	100.0
	Missing Cases	0	.0
	Total	102	100.0
Unselected Cases		0	.0
Total		102	100.0

a. If weight is in effect, see classification table for the total number of cases.

Dependent Variable Encoding

Original Value	Internal Value
Kasus	0
Kontrol	1

Categorical Variables Codings

	Frequency	Parameter coding	
		(1)	(2)
Riwayat Kelebihan Berat Badan/ over Obesitas	27	1.000	.000
	kurang	75	.000
Mengalami infeksi berulang/ Kambuhan	Ya	36	1.000
	Tidak	66	.000
Riwayat DM dalam Keluarga	Ya	46	1.000
	Tidak	56	.000

Block 0: Beginning Block

Classification Table^{a,b}

Observed			Predicted		Percentage Correct	
			Kelompok responden			
			Kasus	Kontrol		
Step 0	Kelompok responden	Kasus	0	51	.0	
		Kontrol	0	51	100.0	
Overall Percentage					50.0	

- a. Constant is included in the model.

b. The cut value is .500

Variables in the Equation

Variables in the Equation						
	B	S.E.	Wald	df	Sig.	Exp(B)
Step 0 Constant	.000	.198	.000	1	1.000	1.000

Variables not in the Equation

		Score	df	Sig.
Step 0	Variables	riwayat(1)	7.761	1 .005
		infeksi(1)	8.414	1 .004
		bb(1)	.453	1 .501
	Overall Statistics	15.135	3	.002

Block 1: Method = Backward Stepwise (Wald)

Omnibus Tests of Model Coefficients

		Chi-square	df	Sig.
Step 1	Step	15.973	3	.001
	Block	15.973	3	.001
	Model	15.973	3	.001
Step 2 ^a	Step	-.057	1	.811
	Block	15.916	2	.000
	Model	15.916	2	.000

a. A negative Chi-squares value indicates that the Chi-squares value has decreased from the previous step.

Model Summary

Step	-2 Log likelihood	Cox & Snell R Square	Nagelkerke R Square
1	125.429 ^a	.145	.193
2	125.486 ^a	.144	.193

a. Estimation terminated at iteration number 4 because parameter estimates changed by less than .001.

Hosmer and Lemeshow Test

Step	Chi-square	df	Sig.
1	4.929	6	.553
2	2.239	2	.327

Contingency Table for Hosmer and Lemeshow Test

		Kelompok responden = Kasus		Kelompok responden = Kontrol		Total
		Observed	Expected	Observed	Expected	
Step 1	1	6	7.376	3	1.624	9
	2	7	7.207	2	1.793	9
	3	9	7.064	3	4.936	12
	4	3	3.353	3	2.647	6
	5	13	12.788	10	10.212	23
	6	4	2.628	1	2.372	5
	7	8	8.771	23	22.229	31
	8	1	1.812	6	5.188	7
Step 2	1	13	14.608	5	3.392	18
	2	12	10.392	6	7.608	18
	3	17	15.392	11	12.608	28
	4	9	10.608	29	27.392	38

Classification Table^a

Observed			Predicted		Percentage Correct	
			Kelompok responden			
			Kasus	Kontrol		
Step 1	Kelompok responden	Kasus	42	9	82.4	
		Kontrol	22	29	56.9	
	Overall Percentage				69.6	
Step 2	Kelompok responden	Kasus	42	9	82.4	
		Kontrol	22	29	56.9	
	Overall Percentage				69.6	

a. The cut value is .500

Variables in the Equation

	B	S.E.	Wald	df	Sig.	Exp(B)	95.0% C.I.for EXP(B)		
							Lower	Upper	
Step 1 ^a	riwayat(1)	-1.155	.434	7.069	1	.008	.315	.134	.738
	infeksi(1)	-1.288	.474	7.397	1	.007	.276	.109	.698
	bb(1)	.122	.511	.057	1	.811	1.130	.415	3.074
Step 2 ^a	riwayat(1)	-1.148	.433	7.024	1	.008	.317	.136	.741
	infeksi(1)	-1.261	.458	7.564	1	.006	.284	.115	.696
	Constant	.949	.333	8.106	1	.004	2.582		

a. Variable(s) entered on step 1: riwayat, infeksi, bb.

Variables not in the Equation

		Score	df	Sig.	
Step 2 ^a	Variables	bb(1)	.057	1	.811
	Overall Statistics		.057	1	.811

a. Variable(s) removed on step 2: bb.

Lampiran 4

Hasil Uji Coba Kuesioner (Korelasi pearson dan Reliabilitas)

Master tabel

NO	RWYT	RWYTX	INFEKSI	INFEKSIX	BB	BBX	DMG	DMGX
1	100	0	100	0	100	0	100	0
2	50	1	50	1	50	1	50	1
3	100	0	100	0	100	0	100	0
4	50	1	100	0	100	0	100	0
5	50	1	50	1	50	1	50	1

Correlations

Correlations								
			skoring riwayat	SKORING INFEKSI	SKORING BB	SKORING DMG		
skoring riwayat	Pearson Correlation		1	.667	.667	.667		
	Sig. (2-tailed)			.219	.219	.219		
	N		5	5	5	5		
SKORING INFEKSI	Pearson Correlation		.667	1	1.000**	1.000**		
	Sig. (2-tailed)		.219		.000	.000		
	N		5	5	5	5		
SKORING BB	Pearson Correlation		.667	1.000**		1	1.000**	
	Sig. (2-tailed)		.219	.000			.000	
	N		5	5	5	5		
SKORING DMG	Pearson Correlation		.667	1.000**	1.000**	1		
	Sig. (2-tailed)		.219	.000	.000	.000		
	N		5	5	5	5		

**. Correlation is significant at the 0.01 level (2-tailed).

Crosstabs

RIWAYAT DM * DMG

			DMG		Total
			kasus	Kontrol	
RIWAYAT DM	ya	Count	2	0	2
		% within DMG	66.7%	.0%	40.0%
		% of Total	40.0%	.0%	40.0%
	tidak	Count	1	2	3
		% within DMG	33.3%	100.0%	60.0%
		% of Total	20.0%	40.0%	60.0%
	Total	Count	3	2	5
		% within DMG	100.0%	100.0%	100.0%
		% of Total	60.0%	40.0%	100.0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	2.222 ^a	1	.136		
Continuity Correction ^b	.312	1	.576		
Likelihood Ratio	2.911	1	.088		
Fisher's Exact Test				.400	.300
Linear-by-Linear Association	1.778	1	.182		
N of Valid Cases ^b	5				

a. 4 cells (100.0%) have expected count less than 5. The minimum expected count is .80.

b. Computed only for a 2x2 table

Symmetric Measures

		Value	Asymp. Std. Error ^a	Approx. T ^b	Approx. Sig.
Measure of Agreement	Kappa	.615	.318	1.491	.136
N of Valid Cases		5			

a. Not assuming the null hypothesis.

b. Using the asymptotic standard error assuming the null hypothesis.

INFEKSI BERULANG * DMG

Crosstab

			DMG		Total	
			kasus	Kontrol		
INFEKSI BERULANG	ya	Count	3	0	3	
		% within DMG	100.0%	.0%	60.0%	
		% of Total	60.0%	.0%	60.0%	
	tidak	Count	0	2	2	
		% within DMG	.0%	100.0%	40.0%	
		% of Total	.0%	40.0%	40.0%	
Total		Count	3	2	5	
		% within DMG	100.0%	100.0%	100.0%	
		% of Total	60.0%	40.0%	100.0%	

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	5.000 ^a	1	.025		
Continuity Correction ^b	1.701	1	.192		
Likelihood Ratio	6.730	1	.009		
Fisher's Exact Test				.100	.100
Linear-by-Linear Association	4.000	1	.046		
N of Valid Cases ^b	5				

a. 4 cells (100.0%) have expected count less than 5. The minimum expected count is .80.

b. Computed only for a 2x2 table

Symmetric Measures

		Value	Asymp. Std. Error ^a	Approx. T ^b	Approx. Sig.
Measure of Agreement	Kappa	1.000	.000	2.236	.025
N of Valid Cases		5			

a. Not assuming the null hypothesis.

b. Using the asymptotic standard error assuming the null hypothesis.

OBESITAS * DMG

Crosstab

			DMG		Total
			kasus	Kontrol	
OBESITAS	ya	Count	3	0	3
		% within DMG	100.0%	.0%	60.0%
		% of Total	60.0%	.0%	60.0%
	tidak	Count	0	2	2
		% within DMG	.0%	100.0%	40.0%
		% of Total	.0%	40.0%	40.0%
Total		Count	3	2	5
		% within DMG	100.0%	100.0%	100.0%
		% of Total	60.0%	40.0%	100.0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	5.000 ^a	1	.025		
Continuity Correction ^b	1.701	1	.192		
Likelihood Ratio	6.730	1	.009		
Fisher's Exact Test				.100	.100
Linear-by-Linear Association	4.000	1	.046		
N of Valid Cases ^b	5				

a. 4 cells (100.0%) have expected count less than 5. The minimum expected count is .80.

b. Computed only for a 2x2 table

Symmetric Measures

		Value	Asymp. Std. Error ^a	Approx. T ^b	Approx. Sig.
Measure of Agreement	Kappa	1.000	.000	2.236	.025
N of Valid Cases		5			

a. Not assuming the null hypothesis.

b. Using the asymptotic standard error assuming the null hypothesis.