

DAFTAR PUSTAKA

- (1997) ASI Petunjuk untuk Tenaga Kesehatan. Jakarta: EGC.
- (1997) pedoman Deteksi Dini Tumbuh kembang Balita. Dirjen Binkesmas. Jakarta: Dirjen Binkesga
- (2006) Pedoman Bagi Keluarga dalam Perkembangan Anak. Dirjen Kesehatan Masyarakat. Jakarta: Direktorat Binkesga
- <http://id.wikipedia.org>). Diakses 08-02-2013
- Agampodi SB, Piyaseli UK, (2007) International Breastfeeding Journal, Breastfeeding practises in a public health field practices area in Sri Lanka. (<http://creativecommons.org/licenses/by/2.0>) diakses 28-01-2013
- Agostoni, C., Marangoni F., Giovanini M., Galli C. & Riva E. (2001) Prolonged breast feeding (six mont or more) and milk fat content at six months are associated with higher developmental score at one year ago wihin a breast-feeding population. *Adv Medical Biol*
- Akin, John., Guilkey David., Benoit Daniel., (2010) American Journal, The Determinat of Breastfeeding in Sri Lanka. diakses 28-01-2013
- Andarwati, R (2006) *Hubungan* antara berat badan lahir, ASI eksklusif, status gizi dan stimulasi kognitif dengan kecerdasan anak usia 5-6 tahun di Kecamatan Prambanan-Sleman. Tesis Program Pasca Sarjana, Universitas Gadjah Mada. Yogyakarta.
- Andrade, S.A., Santos.D.N., Bastos, A.C., Pedromonico M.R., Filho A.N., & Bareto M.L (2005) Journal Family environment ang child's cognitif development. *Rev Saude Publica*. diakses 28-01-2013
- Arif, Tiro Muhammad & Arbianingsih, (2011) Buku teknik Pengambilan Sampel, Adira Publishing, Makassar.
- Badan Pusat statistik, (2004) SUSENAS Tahun 2004. Jakarta: BPS
- Badan Pusat statistik, BKKBN, Depkes, DHS (2003) Survei Demografi dan Kesehatan Indonesia 2002-2003. Jakarta
- BAPPENAS, (2000) Rancangan Program Pembangunan Nasional (PROPENAS) 2001-2005. Jakarta

- Budiarto, E. (2004) Metodologi Penelitian Kedokteran, Jakarta:EGC
- Burgard, P. (2003) Critical evaluation of the methodology employed in cognitive development trials, *Acta Pediatrica*.
- Depkes. (2003) Indikator Indonesia Sehat 2010 dan Pedoman Penetapan Indikator Provinsi Sehat dan kabupaten/Kota Sehat: Keputusan Menteri Kesehatan nomor 1202/Menkes/SK?VIII/2003. Jakarta: Departemen Kesehatan
- Depkes. (2006) Pedoman Pelaksanaan Stimulasi, Deteksi dan Intervensi Dini Tumbuh Kembang Anak. Jakarta
- Dewey, K.G., Cohen R.J., Brown K.H, & Rivera L.L. (2001) Effects of exclusive breastfeeding for four versus six month on maternal nutritional status and infant motor development: result of two months randomized trials in Honduras. *Journal of Nutrition*.
- Dinas Kesehatan Makassar, ((2007) laporan tahunan: Profil kesehatan Kota Makassar tahun 2006
- First, L.R & Palfrey, J.S (1994) The Infant or Young with Developmental Delay. *The New England Journal Medicine*.
- Frankenburg, W.K., Dodds, J.B., (1996) Pemantauan Perkembangan Denver II. Sub bagian Pediatri Sosial/Tumbuh Kembang Bagian Ilmu Kesehatan Anak: Fak.Kedokteran- UGM/RSU. Dr.Sardjito. Yogyakarta.
- Frankenburg, W.K., Dodds, J.B., Fandal, E.K., & Cohrs, M. (1975) Denver Development Screening Test. University of Colorado Medical Center.
- Gallahue, D.L., John C., Ozmun J.C (2008) Understanding Motor Development Infant, Children, Adolescents, Adults. 4th ed. New York San Fransisco. Singapore.
- Green, Lawrence. (2006) Health Education Planning, A Diagnostic Approach. The John Hopkins University: Mayfield Publishing Co.
- Guttman. A., Dick. P.T., Rosenfield D.J., Parkin C., Tassoudji, M., (2004) Risk Marker for poor development attainment in young children. *Arch Pediatric Adolesc Med*.

- Hetherington, E.M & Parke, R.D (1999) Child Psychology: a Contemporary View Points. USA: Mc Graw-Hill
- Kartika & Vita (2001) faktor yang mempengaruhi kemampuan motorik anak usia 12-18 bulan di keluarga miskin dan tidak miskin. Puslitbang Gizi dan Makanan. Tersedia dalam: <<http://www.p3gizi.depkes.go.id>. Diakses 8-02-2013.
- Labbok, M. & Krasovec, K (1990) Toward consistency in breastfeeding definition. Studies in Family Planning, vol 21.
- Manihuruk, (1998) Kualitas asuhan ibu dan tumbuh kembang anak balita di Kecamatan Prambanan. Yogyakarta
- Manuaba, I.B.G. (1999). Memahami Kesehatan Reproduksi Wanita. Jakarta. Arcan
- Nursalam, Dkk. (2005). Asuhan Keperawatan Bayi dan Anak, Jakarta : Salemba Medika
- Perera J, Priyantha., Fernando Meranthi, (2011) International Breastfeeding Journal. Feeding practices among children attending child welfare clinics in Ragama MOH area, (<http://creativecommons.org/licenses/by/2.0>) diakses 28-01-2013
- Program Pascasarjana Universitas Hasanuddin, (2006) Pedoman Penulisan tesis dan Disertasi. Makassar
- Ranuh, IG. N.Gde & Sudiyanto. (2005) Pediatrik sosial: Pendekatan holistic komprehensif dan program-program mengoptimalkan tumbuh-kembang: dalam Buku Ajar Tumbuh Kembang Anak dan Remaja. Edisi Pertama IDAi. Yogyakarta: Sagung Seto.
- Roesli, U. (2005) Mengenal ASI Eksklusif. Jakarta: Trubus Agriwidaya.
- Roesli, U. (2010). Inisiasi Menyusui Dini Plus ASI Eksklusif. Pustaka Bunda. Jakarta.
- Sastroasmoro, S, & Ismael, S. (2002) Dasar-dasar Metodologi Penelitian Klinis. Edisi 2. Yogyakarta: Sagung Seto
- SEARO (2004) Improving maternal, newborn health in the South-East Asian Region. Basic Indicator: Health Situation in South-East Asia, WHO. Website: http://www.searo.who.int/LinkFiles/improving_Maternal_newborn_and_child_health_indonesia.pdf. Diakses 21-01-2013.

- Siswono, (2001) Menyusui Bayi bisa mencegah Perdarahan asca Persalinan. (<http://www.gizi.net>, diakses 28-01-2013
- Smelzer, C & Bare, G. (2001). Buku Ajar Keperawatan Medikal Bedah Brunner&Suddarth. Edisi 8. (Terjemahan). Jakarta : EGC
- Soetjiningsih (1995) Tumbuh Kembang Anak. Jakarta: EGC
- Supartini, Y. (2004). Buku Ajar Konsep Dasar Keperawatan Anak, Cetakan 1, Jakarta : EGC.
- WHO & UNICEF, (2006) Regional child survival strategy: Accelerated and sustained action to wards MDG 4. WHO Press. World Health Organization, Geneva, Switzerland.
- WHO, (2004) The importance of caregiver-child interactions for the survival and healthy development of young children. <<http://www.who.int/child-adolescent-health/pdf>
- Wong, Donna L, dkk. (2009). Buku Ajar Keperawatan Pediatrik, Volume 2. Jakarta : EGC.
- Wong, Donna L. (2004). Pedoman Klinis Keperawatan Pediatrik Edisi 4. Jakarta : EGC
- Xu Fenglian, Qiu Liqian,. Binns W Colin, (2009) journal International Breastfeeding, Breastfeeding in China, (<http://creativecommons.org/licenses/by/2.0>) diakses 28-01-2013

LEMBAR PERSETUJUAN RESPONDEN

Setelah membaca dan memahami isi penjelasan pada halaman pertama, saya bersedia turut berpartisipasi sebagai responden penelitian yang dilakukan oleh Mahasiswa Program Studi Ilmu Kesehatan Masyarakat Konsentrasi Kesehatan Reproduksi dan Keluarga Universitas Hasanuddin, yang bernama FIFIN NURDIANSYAH, dengan judul **“STUDI DAMPAK PEMBERIAN ASI EKSKLUSIF TERHADAP TUMBUH KEMBANG ANAK USIA 6-24 BULAN DI PUSKESMAS JUMPANDANG BARU KECAMATAN TALLO KOTA MAKASSAR 2013”**

Saya memahami bahwa penelitian ini tidak berakibat negatif terhadap saya, oleh karena itu saya bersedia menjadi responden pada penelitian ini.

Makassar, Maret 2013

Responden

()

HASIL ANALISIS STATISTIK

Frequency Table

Perkembangan Bayi

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Normal	68	47,2	47,2	47,2
	Tidak Normal	76	52,8	52,8	100,0
	Total	144	100,0	100,0	

Pertumbuhan bayi

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Sangat Kurus	7	4,9	4,9	4,9
	Kurus	46	31,9	31,9	36,8
	Normal	80	55,6	55,6	92,4
	Gemuk	11	7,6	7,6	100,0
	Total	144	100,0	100,0	

Pertumbuhan Bayi

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Normal	91	63,2	63,2	63,2
	kurus	53	36,8	36,8	100,0
	Total	144	100,0	100,0	

Pemberian ASI

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Asi Eksklusif	72	50,0	50,0	50,0
	PASI	72	50,0	50,0	100,0
	Total	144	100,0	100,0	

Usia bayi

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	6-12	95	66,0	66,0	66,0
	13-18	35	24,3	24,3	90,3
	19-24	14	9,7	9,7	100,0
	Total	144	100,0	100,0	

Jenis kelamin

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	laki-laki	72	50,0	50,0	50,0
	Perempuan	72	50,0	50,0	100,0
	Total	144	100,0	100,0	

Pendidikan

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Tidak tamat SD	5	3,5	3,5	3,5
	SD	22	15,3	15,3	18,8
	SMP	32	22,2	22,2	41,0
	SMA	67	46,5	46,5	87,5
	Diploma/perguruan tinggi	18	12,5	12,5	100,0
	Total	144	100,0	100,0	

Pendidikan

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Tinggi	85	59,0	59,0	59,0
	Rendah	59	41,0	41,0	100,0
	Total	144	100,0	100,0	

Pekerjaan

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	IRT	48	33,3	33,3	33,3
	PNS/Sw asta	31	21,5	21,5	54,9
	wirasw asta	12	8,3	8,3	63,2
	lainnya	53	36,8	36,8	100,0
	Total	144	100,0	100,0	

Pekerjaan

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Tidak Bekerja	48	33,3	33,3	33,3
	Bekerja	96	66,7	66,7	100,0
	Total	144	100,0	100,0	

Tingkat Pendapatan

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid Tinggi	88	61,1	61,1	61,1
Rendah	56	38,9	38,9	100,0
Total	144	100,0	100,0	

Crosstabs
Pemberian ASI * Perkembangan Anak

Crosstab

			Perkembangan Bayi		Total
			Normal	Tidak Normal	
Pemberian ASI	Asi Eksklusif	Count	38	34	72
		% within Pemberian ASI	52,8%	47,2%	100,0%
		% within Perkembangan Bayi	55,9%	44,7%	50,0%
	PASI	Count	30	42	72
		% within Pemberian ASI	41,7%	58,3%	100,0%
		% within Perkembangan Bayi	44,1%	55,3%	50,0%
Total	Count		68	76	144
	% within Pemberian ASI		47,2%	52,8%	100,0%
	% within Perkembangan Bayi		100,0%	100,0%	100,0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	1,783 ^b	1	,182		
Continuity Correction ^a	1,365	1	,243		
Likelihood Ratio	1,787	1	,181		
Fisher's Exact Test				,243	,121
Linear-by-Linear Association	1,771	1	,183		
N of Valid Cases	144				

a. Computed only for a 2x2 table

b. 0 cells (,0%) have expected count less than 5. The minimum expected count is 34,00.

Risk Estimate

	Value	95% Confidence Interval	
		Lower	Upper
Odds Ratio for Pemberian ASI (Asi Eksklusif / PASI)	1,565	,810	3,023
For cohort Perkembangan Bayi = Normal	1,267	,893	1,797
For cohort Perkembangan Bayi = Tidak Normal	,810	,592	1,107
N of Valid Cases	144		

Pemberian ASI * Pertumbuhan Anak

Crosstab

			Pertumbuhan Bayi		Total
			Normal	kurus	
Pemberian ASI	Asi Eksklusif	Count	30	42	72
		% within Pemberian ASI	41,7%	58,3%	100,0%
		% within Pertumbuhan Bayi	33,0%	79,2%	50,0%
	PASI	Count	61	11	72
		% within Pemberian ASI	84,7%	15,3%	100,0%
		% within Pertumbuhan Bayi	67,0%	20,8%	50,0%
Total	Count		91	53	144
	% within Pemberian ASI		63,2%	36,8%	100,0%
	% within Pertumbuhan Bayi		100,0%	100,0%	100,0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	28,693 ^b	1	,000		
Continuity Correction ^a	26,871	1	,000		
Likelihood Ratio	30,115	1	,000		
Fisher's Exact Test				,000	,000
Linear-by-Linear Association	28,493	1	,000		
N of Valid Cases	144				

a. Computed only for a 2x2 table

b. 0 cells (,0%) have expected count less than 5. The minimum expected count is 26,50.

Risk Estimate

	Value	95% Confidence Interval	
		Lower	Upper
Odds Ratio for Pemberian ASI (Asi Eksklusif / PASI)	,129	,058	,285
For cohort Pertumbuhan Bayi = Normal	,492	,368	,658
For cohort Pertumbuhan Bayi = kurus	3,818	2,142	6,805
N of Valid Cases	144		

Crosstabs
Pendidikan * Pemberian ASI

Crosstab

			Pemberian ASI		Total
			Asi Eksklusif	PASI	
Pendidikan	Tinggi	Count	40	45	85
		% within Pendidikan	47,1%	52,9%	100,0%
		% within Pemberian ASI	55,6%	62,5%	59,0%
	Rendah	Count	32	27	59
		% within Pendidikan	54,2%	45,8%	100,0%
		% within Pemberian ASI	44,4%	37,5%	41,0%
Total	Count	72	72	144	
	% within Pendidikan	50,0%	50,0%	100,0%	
	% within Pemberian ASI	100,0%	100,0%	100,0%	

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	,718 ^b	1	,397		
Continuity Correction ^a	,459	1	,498		
Likelihood Ratio	,719	1	,397		
Fisher's Exact Test				,498	,249
Linear-by-Linear Association	,713	1	,398		
N of Valid Cases	144				

a. Computed only for a 2x2 table

b. 0 cells (,0%) have expected count less than 5. The minimum expected count is 29,50.

Risk Estimate

	Value	95% Confidence Interval	
		Lower	Upper
Odds Ratio for Pendidikan (Tinggi / Rendah)	,750	,385	1,460
For cohort Pemberian ASI = Asi Eksklusif	,868	,627	1,201
For cohort Pemberian ASI = PASI	1,157	,821	1,629
N of Valid Cases	144		

Pekerjaan * Pemberian ASI

Crosstab

			Pemberian ASI		Total
			Asi Eksklusif	PASI	
Pekerjaan	Tidak Bekerja	Count	25	23	48
		% within Pekerjaan	52,1%	47,9%	100,0%
		% within Pemberian ASI	34,7%	31,9%	33,3%
	Bekerja	Count	47	49	96
		% within Pekerjaan	49,0%	51,0%	100,0%
		% within Pemberian ASI	65,3%	68,1%	66,7%
Total	Count		72	72	144
	% within Pekerjaan		50,0%	50,0%	100,0%
	% within Pemberian ASI		100,0%	100,0%	100,0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	,125 ^b	1	,724		
Continuity Correction ^a	,031	1	,860		
Likelihood Ratio	,125	1	,724		
Fisher's Exact Test				,860	,430
Linear-by-Linear Association	,124	1	,725		
N of Valid Cases	144				

a. Computed only for a 2x2 table

b. 0 cells (,0%) have expected count less than 5. The minimum expected count is 24,00.

Risk Estimate

	Value	95% Confidence Interval	
		Lower	Upper
Odds Ratio for Pekerjaan (Tidak Bekerja / Bekerja)	1,133	,566	2,267
For cohort Pemberian ASI = Asi Eksklusif	1,064	,757	1,494
For cohort Pemberian ASI = PASI	,939	,659	1,338
N of Valid Cases	144		

Tingkat Pendapatan * Pemberian ASI

Crosstab

			Pemberian ASI		Total
			Asi Eksklusif	PASI	
Tingkat Pendapatan	Tinggi	Count	48	40	88
		% within Tingkat Pendapatan	54,5%	45,5%	100,0%
		% within Pemberian ASI	66,7%	55,6%	61,1%
	Rendah	Count	24	32	56
		% within Tingkat Pendapatan	42,9%	57,1%	100,0%
		% within Pemberian ASI	33,3%	44,4%	38,9%
Total	Count	72	72	144	
	% within Tingkat Pendapatan	50,0%	50,0%	100,0%	
	% within Pemberian ASI	100,0%	100,0%	100,0%	

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	1,870 ^b	1	,171		
Continuity Correction ^a	1,432	1	,231		
Likelihood Ratio	1,875	1	,171		
Fisher's Exact Test				,231	,116
Linear-by-Linear Association	1,857	1	,173		
N of Valid Cases	144				

a. Computed only for a 2x2 table

b. 0 cells (,0%) have expected count less than 5. The minimum expected count is 28,00.

Risk Estimate

	Value	95% Confidence Interval	
		Lower	Upper
Odds Ratio for Tingkat Pendapatan (Tinggi / Rendah)	1,600	,814	3,144
For cohort Pemberian ASI = Asi Eksklusif	1,273	,890	1,820
For cohort Pemberian ASI = PASI	,795	,576	1,098
N of Valid Cases	144		

Faktor yang berpengaruh terhadap pertumbuhan Anak

Logistic Regression

Case Processing Summary

Unweighted Cases ^a		N	Percent
Selected Cases	Included in Analysis	144	100.0
	Missing Cases	0	.0
	Total	144	100.0
Unselected Cases		0	.0
Total		144	100.0

a. If weight is in effect, see classification table for the total number of cases.

Dependent Variable Encoding

Original Value	Internal Value
Normal	0
kurus	1

Block 0: Beginning Block

Classification Table^{a,b}

Observed			Predicted		
			Pertumbuhan Bayi		Percentage Correct
			Normal	kurus	
Step 0	Pertumbuhan Bayi	Normal	91	0	100.0
		kurus	53	0	.0
Overall Percentage					63.2

a. Constant is included in the model.

b. The cut value is .500

Variables in the Equation

	B	S.E.	Wald	df	Sig.	Exp(B)
Step 0 Constant	-.541	.173	9.787	1	.002	.582

Variables not in the Equation

	Score	df	Sig.
Step 0 Variables ASI	28.693	1	.000
Overall Statistics	28.693	1	.000

Block 1: Method = Enter

Omnibus Tests of Model Coefficients

		Chi-square	df	Sig.
Step 1	Step	30.115	1	.000
	Block	30.115	1	.000
	Model	30.115	1	.000

Model Summary

Step	-2 Log likelihood	Cox & Snell R Square	Nagelkerke R Square
1	159.363 ^a	.189	.258

a. Estimation terminated at iteration number 4 because parameter estimates changed by less than .001.

Classification Table^a

Observed			Predicted		
			Pertumbuhan Bayi		Percentage Correct
			Normal	kurus	
Step 1	Pertumbuhan Bayi	Normal	61	30	67.0
		kurus	11	42	79.2
	Overall Percentage				71.5

a. The cut value is .500

Variables in the Equation

	B	S.E.	Wald	df	Sig.	Exp(B)	95.0% C.I. for EXP(B)		
							Lower	Upper	
Step 1 ^a	ASI	-2.049	.406	25.542	1	.000	.129	.058	.285
	Constant	2.386	.580	16.949	1	.000	10.869		

a. Variable(s) entered on step 1: ASI.

Logistic Regression

Case Processing Summary

Unweighted Cases ^a		N	Percent
Selected Cases	Included in Analysis	144	100,0
	Missing Cases	0	,0
	Total	144	100,0
Unselected Cases		0	,0
Total		144	100,0

a. If weight is in effect, see classification table for the total number of cases.

Dependent Variable Encoding

Original Value	Internal Value
Normal	0
Tidak Normal	1

Block 0: Beginning Block

Classification Table^b

Observed			Predicted		
			Perkembangan Bayi		Percentage Correct
			Normal	Tidak Normal	
Step 0	Perkembangan Bayi	Normal	0	68	,0
		Tidak Normal	0	76	100,0
Overall Percentage					52,8

a. Constant is included in the model.
 b. The cut value is ,500

Variables in the Equation

	B	S.E.	Wald	df	Sig.	Exp(B)
Step 0 Constant	,111	,167	,444	1	,505	1,118

Variables not in the Equation

	Score	df	Sig.
Step 0 Variables	ASI	1	,182
	didik	1	,000
	kerja	1	,637
Overall Statistics		3	,000

Block 1: Method = Enter

Omnibus Tests of Model Coefficients

		Chi-square	df	Sig.
Step 1	Step	50,969	3	,000
	Block	50,969	3	,000
	Model	50,969	3	,000

Model Summary

Step	-2 Log likelihood	Cox & Snell R Square	Nagelkerke R Square
1	148,213 ^a	,298	,398

a. Estimation terminated at iteration number 4 because parameter estimates changed by less than ,001.

Classification Table

Observed		Predicted			
		Perkembangan Bayi		Percentage Correct	
		Normal	Tidak Normal		
Step 1	Perkembangan Bayi	Normal	48	20	70,6
		Tidak Normal	11	65	85,5
	Overall Percentage				78,5

a. The cut value is ,500

Variables in the Equation

	B	S.E.	Wald	df	Sig.	Exp(B)	95,0% C.I. for EXP(B)		
							Lower	Upper	
Step 1 ^a	ASI	,419	,409	1,052	1	,305	1,521	,683	3,387
	didik	-2,651	,424	39,158	1	,000	,071	,031	,162
	kerja	,202	,433	,219	1	,640	1,224	,524	2,860
	Constant	2,865	1,087	6,942	1	,008	17,544		

a. Variable(s) entered on step 1: ASI, didik, kerja.

perkembangan	pertumbuhan	pertumbuhan X	ASI	umur anak	Usia X	Jenis kelamin	pendidikan	pekerjaan	pendapatan
0	3	1	2	12	1	1	3	4	2
1	3	1	2	7	1	2	4	4	2
1	3	1	2	8	1	2	4	1	1
0	3	1	2	12	1	2	3	1	1
0	3	1	2	12	1	1	4	4	2
0	3	1	2	12	1	1	4	4	2
0	3	1	2	9	1	2	4	4	2
0	3	1	2	11	1	2	3	2	1
0	3	1	2	12	1	1	2	1	2
1	3	1	2	11	1	2	2	4	1
1	4	1	2	12	1	1	3	4	2
1	4	1	2	9	1	1	4	4	2
1	3	1	2	7	1	1	4	4	1
0	3	1	2	7	1	2	2	4	1
0	3	1	2	8	1	1	2	4	2
0	3	1	2	8	1	1	4	4	1
1	4	1	2	10	1	2	5	4	2
1	4	1	2	12	1	2	5	4	2
1	3	1	2	13	2	2	4	4	1
1	3	1	2	13	2	1	4	4	1
1	3	1	2	13	2	1	4	4	2
1	3	1	2	14	2	1	3	4	1
1	3	1	2	17	2	1	3	4	2
1	3	1	2	12	1	1	4	4	2
1	2	1	2	12	1	1	4	4	1
0	3	1	2	10	1	2	4	4	2
0	3	1	2	9	1	2	4	4	2
0	2	0	2	8	1	1	4	4	1
1	2	0	2	7	1	1	2	4	1
0	3	1	2	7	1	1	3	4	2
0	3	1	2	6	1	2	3	4	2
0	3	1	2	23	3	2	3	4	2
0	3	1	2	20	3	2	3	4	2

1	3	1	2	14	2	1	4	4	2
1	3	1	2	14	2	2	4	4	2
1	4	1	2	12	1	1	4	4	2
1	4	1	2	13	2	1	4	4	2
1	4	1	2	12	1	2	4	1	2
1	3	1	2	12	1	1	4	4	2
1	3	1	2	12	1	1	4	4	1
1	3	1	2	10	1	1	4	4	1
0	1	0	2	7	1	1	1	2	1
0	1	0	2	7	1	1	1	4	1
0	1	0	2	7	1	1	2	4	1
0	1	0	2	12	1	2	2	4	1
0	2	0	2	12	1	2	2	4	1
0	2	0	2	12	1	1	4	2	1
1	2	0	2	12	1	1	4	1	1
1	3	1	2	8	1	2	4	1	2
1	3	1	2	8	1	2	4	1	2
0	3	1	2	10	1	1	4	1	2
1	3	1	2	10	1	1	5	1	1
1	3	1	2	13	2	1	5	1	2
1	3	1	2	13	2	1	2	1	1
1	3	1	2	13	2	1	3	1	2
0	3	1	2	12	1	2	3	1	2
1	3	1	2	10	1	2	4	1	1
1	3	1	2	11	1	2	4	1	1
1	3	1	2	11	1	2	4	1	2
0	3	1	2	11	1	2	2	1	1
1	3	1	2	15	2	2	4	1	1
1	3	1	2	16	2	1	4	1	1
0	3	1	2	15	2	1	3	1	1
1	3	1	2	8	1	1	4	3	2
0	2	0	2	11	1	2	2	3	1
1	3	1	2	12	1	1	5	3	2
1	3	1	2	7	1	2	4	2	2

1	3	1	2	12	1	2	5	2	2
1	3	1	2	12	1	2	4	2	2
1	4	1	2	9	1	1	5	1	2
1	4	1	2	9	1	1	4	1	2
1	3	1	2	8	1	1	3	1	1
0	1	0	1	6	1	1	2	1	1
0	1	0	1	6	1	1	2	1	1
0	1	0	1	7	1	2	2	1	1
0	3	1	1	10	1	1	2	1	1
0	3	1	1	10	1	1	3	2	1
0	3	1	1	12	1	1	3	2	1
0	3	1	1	9	1	1	2	1	1
0	3	1	1	9	1	1	2	1	2
1	3	1	1	9	1	2	3	2	2
1	3	1	1	9	1	2	4	1	2
0	2	0	1	11	1	2	4	1	2
1	2	0	1	11	1	2	4	2	2
1	2	0	1	10	1	2	4	2	2
0	2	0	1	10	1	2	4	4	1
0	3	1	1	12	1	1	1	4	1
0	3	1	1	12	1	1	1	4	1
0	3	1	1	8	1	2	1	4	1
0	3	1	1	8	1	1	3	1	2
1	3	1	1	9	1	1	3	2	2
0	3	1	1	8	1	2	3	2	1
0	3	1	1	9	1	1	3	2	1
0	2	0	1	9	1	2	4	1	2
1	2	0	1	7	1	2	4	2	2
1	2	0	1	13	2	2	4	2	2
1	2	0	1	13	2	2	4	1	2
1	2	0	1	13	2	2	5	3	2
1	3	1	1	13	2	2	5	3	2
1	3	1	1	23	3	2	5	3	2
1	2	0	1	22	3	2	4	1	2

1	2	0	1	22	3	2	4	1	2
1	2	0	1	22	3	2	4	2	2
1	2	0	1	15	2	2	5	3	2
1	2	0	1	15	2	2	5	3	1
1	2	0	1	15	2	2	5	3	1
1	2	0	1	15	2	2	4	4	2
1	2	0	1	17	2	2	4	4	2
1	2	0	1	17	2	2	4	4	2
1	2	0	1	17	2	1	3	4	2
0	2	0	1	18	2	1	3	2	2
0	2	0	1	8	1	1	2	1	1
0	2	0	1	19	3	1	2	1	1
0	2	0	1	10	1	1	4	1	2
0	2	0	1	8	1	2	4	1	2
0	2	0	1	13	2	1	3	1	2
0	2	0	1	13	2	2	3	2	2
0	2	0	1	14	2	2	3	2	2
0	2	0	1	17	2	1	3	2	1
0	2	0	1	11	1	2	2	4	1
0	3	1	1	11	1	1	2	4	1
0	3	1	1	11	1	1	2	1	1
0	3	1	1	21	3	1	3	2	2
0	2	0	1	22	3	1	3	3	2
0	2	0	1	12	1	2	3	3	2
0	2	0	1	12	1	2	4	1	2
0	2	0	1	9	1	2	4	3	2
1	2	0	1	10	1	2	4	1	2
1	4	1	1	9	1	1	5	2	2
1	4	1	1	9	1	1	5	2	2
1	2	0	1	24	3	2	4	1	2
1	2	0	1	23	3	1	5	2	2
1	3	1	1	23	3	2	4	2	2
1	3	1	1	18	2	2	4	1	2
1	3	1	1	7	1	2	3	1	2

1	2	0	1	7	1	2	3	2	2
1	3	1	1	15	2	1	5	2	2
1	3	1	1	17	2	1	5	2	2
1	3	1	1	8	1	2	4	1	2
0	3	1	1	8	1	1	4	4	1
0	3	1	1	23	3	2	4	4	1
0	3	1	1	23	3	2	4	4	2
0	2	0	1	14	2	1	4	2	2
0	2	0	1	13	2	1	4	2	1