

DAFTAR PUSTAKA

1. WHO. Obesity and Overweight [Internet]. World Health Organisation . 2024 [cited 2024 Jul 6]. Available from: <https://www.who.int/news-room/fact-sheets/detail/obesity-and-overweight>
2. Kemenkes RI. Obesitas [Internet]. Kementerian Kesehatan Republik Indonesia. 2022 [cited 2024 Jul 6]. Available from: https://yankes.kemkes.go.id/view_artikel/429/obesitas
3. Tchernof A, Després JP. Pathophysiology of human visceral obesity: an update. *Physiol Rev.* 2013;
4. Al-Musa HM. Impact of obesity on serum levels of thyroid hormones among euthyroid Saudi adults. *J Thyroid Res.* 2017;2017(1):5739806.
5. Kemenkes RI. Hasil Utama SKI 2023 (Obesitas) [Internet]. Kementerian Kesehatan Republik Indonesia. 2023 [cited 2024 Jul 6]. Available from: <https://www.badankebijakan.kemkes.go.id/daftar-frequently-asked-question-seputar-hasil-utama-ski-2023/hasil-utama-ski-2023/>
6. Bokau MS, Telew AAJ, Pajung CB. Hubungan Sedentary Behaviour (Perilaku Kurang Gerak) dengan Obesitas pada Peserta Didik di SD GMIM Koka. *Lentera: Multidisciplinary Studies.* 2023;1(3):155–64.
7. Septiyanti S, Seniwati S. Obesitas dan obesitas sentral pada masyarakat usia dewasa di daerah perkotaan Indonesia. *J Ilm Kesehat.* 2020;2(3):118–27.
8. Dini MAR, Widiyanti IGA, Wardana ING. Prevalensi obesitas dengan menggunakan metode waist-hip ratio pada mahasiswa Program Studi Pendidikan Dokter Fakultas Kedokteran Universitas Udayana angkatan 2014. *Bali Anatomy Journal.* 2018;1(1):9–11.
9. Olinto MTA, Theodoro H, Canuto R. Epidemiology of abdominal obesity. *Adiposity-Epidemiology and Treatment Modalities.* 2017;
10. Qatanani M, Lazar MA. Mechanisms of obesity-associated insulin resistance: many choices on the menu. *Genes Dev.* 2010;21(12):1443–55.
11. Chen D shuang, Zhu Y qing, Ni W ji, Li Y jiao, Yin G ping, Shao Z yue, et al. Hand grip strength is inversely associated with total daily insulin dose requirement in patients with type 2 diabetes mellitus: A cross-sectional study. *PeerJ.* 2023;11:e15761.
12. Sheriff DS, Sachu P, Elshaari FA. HDL, apo B/apo A1 ratio, Diabetes Mellitus and Cardiovascular Disease. In: *Type 2 Diabetes.* IntechOpen; 2013.
13. Mohammadabadi F, Vafaiyan Z, Hosseini S, Aryaie M. Assessment of insulin resistance with two methods: HOMA-IR and TyG index in Iranian obese women. 2014 [cited 2024 Jul 6]; Available from: https://www.sid.ir/en/VEWSSID/J_pdf/131220140103.pdf
14. Vasques A, Novaes F, MS de Oliveira. TyG index performs better than HOMA in a Brazilian population: a hyperglycemic clamp validated study. *Diabetes Res Clin Pract* [Internet]. 2011 [cited 2024 Jul 6]; Available from: <https://www.sciencedirect.com/science/article/pii/S0168822711002865>

15. Lim J, Kim J, Koo SH, Kwon GC. Comparison of triglyceride glucose index, and related parameters to predict insulin resistance in Korean adults: An analysis of the 2007-2010 Korean national health and nutrition examination survey. *PLoS One*. 2019 Mar 1;14(3).
16. Purnamasari D. Diagnosis dan klasifikasi diabetes melitus. Sudoyo AW, Setiyohadi B, Alwi Idrus, Simadibrata M, Setiati S Dalam: Buku ajar ilmu penyakit dalam jilid III Edisi V Jakarta: Internal Publishing. 2009;
17. Guyton AC, Hall JE. Insulin, glukagon, dan diabetes melitus. *Fisiologi Kedokteran Edisi ke-12* Jakarta: Penerbit Buku Kedokteran EGC. 2011;1015–26.
18. Wallace TM, Levy JC, Matthews DR. Use and abuse of HOMA modeling. *Diabetes Care*. 2004;27(6):1487–95.
19. P2PTM Kemenkes RI. Klasifikasi Obesitas setelah pengukuran IMT. Kemenkes RI. 2018.
20. Komatsu M, Takei M, Ishii H, Sato Y. Glucose-stimulated insulin secretion: A newer perspective. *J Diabetes Investig*. 2013;4(6):511–6.
21. Manaf A. Buku Ajar Penyakit Dalam: Insulin (Mekanisme Sekresi Dan Aspek Metabolisme) Jilid III Edisi 4. Jakarta: Fakultas Kedokteran Universitas Indonesia. 2009;
22. Singh B, Saxena A. Surrogate markers of insulin resistance: A review. *World J Diabetes*. 2010;1(2):36.
23. Le Roith D, Zick Y. Recent advances in our understanding of insulin action and insulin resistance. *Diabetes Care*. 2001;24(3):588–97.
24. Esteghamati A, Ashraf H, Khalilzadeh O, Zandieh A, Nakhjavani M, Rashidi A, et al. Optimal cut-off of homeostasis model assessment of insulin resistance (HOMA-IR) for the diagnosis of metabolic syndrome: third national surveillance of risk factors of non-communicable diseases in Iran (SuRFNCD-2007). *Nutr Metab (Lond)*. 2010;7:1–8.
25. Gayoso-Diz P, Otero-González A, Rodríguez-Alvarez MX, Gude F, García F, De Francisco A, et al. Insulin resistance (HOMA-IR) cut-off values and the metabolic syndrome in a general adult population: effect of gender and age: EPIRCE cross-sectional study. *BMC Endocr Disord*. 2013;13:1–10.
26. Chen H, Sullivan G, Quon MJ. Assessing the predictive accuracy of QUICKI as a surrogate index for insulin sensitivity using a calibration model. *Diabetes*. 2005;54(7):1914–25.
27. Sonksen P, Sonksen J. Insulin: understanding its action in health and disease. *Br J Anaesth*. 2000;85(1):69–79.
28. Le Roith D, Zick Y. Recent advances in our understanding of insulin action and insulin resistance. *Diabetes Care*. 2001;24(3):588–97.
29. Raynaud E, Perez-Martin A, Khaled S, Mercier J, Brun JF. Concerning the validity of the FIRI insulin resistance index. *Diabetes Metab*. 1998;24:160–1.
30. Aryana IGPS. Sarkopenia pada Lansia: Problem Diagnosis dan Tatalaksana. Baswara Press; 2021.

31. Rohimah B, Sugiarto S, Probandari A, Wiboworini B. Perbedaan Kekuatan Genggam Berdasarkan Status Gizi pada Pasien DM Tipe 2 (Handgrip Strength Difference based on Nutritional Status in Type 2 Diabetic Patients). *Indonesian Journal of Human Nutrition*. 2016;3(1):9.
32. Prasad CRK, Pratyusha AC, Sharmila C, Durga P, Sowjanya K, Harika K. Dynamometer based hand grip strength as a clinical tool for objective assessment of post-operative residual muscle weakness. *Indian J Anaesth*. 2022;66(10):707–11.
33. Stessman J, Rottenberg Y, Fischer M, Hammerman-Rozenberg A, Jacobs JM. Handgrip strength in old and very old adults: mood, cognition, function, and mortality. *J Am Geriatr Soc*. 2017;65(3):526–32.
34. Suyanto DH, Paskaria C, Gunawan D. Perbandingan kekuatan otot dan massa otot antara wanita lansia aktif dan tidak aktif berolahraga. *JURNAL ILMU FAAL OLAHRAGA INDONESIA*. 2021;4(1):9–13.
35. Sari KI, Rizki FN, Komara I, Ong PA, Purba A, Widyaputra S. Association between Handgrip Strength and Oral Hygiene Skills Among The Older People in Rural Area: A Pilot Study. *Journal of Indonesian Dental Association*. 2021;4(2):77–82.
36. Benítez Brito N, Suárez Llanos JP, Fuentes Ferrer M, Oliva García JG, Delgado Brito I, Pereyra-García Castro F, et al. Relationship between mid-upper arm circumference and body mass index in inpatients. *PLoS One*. 2016;11(8):e0160480.
37. Nunes G, Santos CA, Barosa R, Fonseca C, Barata AT, Fonseca J. Outcome and nutritional assessment of chronic liver disease patients using anthropometry and subjective global assessment. *Arq Gastroenterol*. 2017;54:225–31.
38. Talbot J, Maves L. Skeletal muscle fiber type: using insights from muscle developmental biology to dissect targets for susceptibility and resistance to muscle disease. *Wiley Interdiscip Rev Dev Biol*. 2016;5(4):518–34.
2. SMF Gizi Klinik. *Standat Prosedur Operasional Gizi Klinik*. 1st ed. Vol. 1. Makassar: RSUP DR. WAHIDIN SUDIROHUSODO DEPARTEMEN ILMU GIZI FK-UNHAS ; 2015.
3. Bays, H. E. (2011). Adiposopathy: Is "sick fat" a cardiovascular disease? *Journal of the American College of Cardiology*, 57(25), 2461-2473. <https://doi.org/10.1016/j.jacc.2011.02.038>
4. Brandão, A. D., Silva, A. D. C., Lira, P. I. C., Vasconcelos, S. M. L., Peixoto, M. D. R. G., Vieira, M. F. A., & Nobre, L. N. (2020). Anthropometric predictors of metabolic syndrome in adolescents: A prospective cohort study. *Nutrition, Metabolism and Cardiovascular Diseases*, 30(12), 2189-2197. <https://doi.org/10.1016/j.numecd.2020.07.026>
5. Eastwood, S. V., Tillin, T., Dehbi, H. M., Wright, A., Frouhi, N. G., Godsland, I., ... & Chaturvedi, N. (2023). Ethnic differences in associations between fat deposition and incident type 2 diabetes and underlying mechanisms: The SABRE study. *Diabetes Care*, 46(1), 160-168. <https://doi.org/10.2337/dc22-0722>
6. Patel, P., Abate, N., & Chandalia, M. (2022). Ethnic differences in adiposity and diabetes risk—insights from genetic studies. *Nature Reviews Endocrinology*,

- 18(2), 105-118. <https://doi.org/10.1038/s41574-021-00592-0>
7. Zhang, X., Zhang, M., Li, X., Zhang, L., Wu, X., Zhang, Y., ... & Hu, X. (2021). Association between anthropometric indicators of obesity and cardiovascular risk factors among adults in Shanghai, China. *BMC Public Health*, 21(1), 1-10. <https://doi.org/10.1186/s12889-021-10433-4>
 8. Li, X., Wu, Y., Li, X., Xiao, X., Wang, W., & Shi, X. (2022). Anthropometric indices as predictors of prediabetes or type 2 diabetes mellitus in Asia: A systematic review and meta-analysis. *Frontiers in Endocrinology*, 13, 838606. <https://doi.org/10.3389/fendo.2022.838606>
 9. Gómez-Ambrosi, J., Silva, C., Galofré, J. C., Escalada, J., Santos, S., Gil, M. J., ... & Frühbeck, G. (2011). Body adiposity and type 2 diabetes: increased risk with a high body fat percentage even having a normal BMI. *Obesity*, 19(7), 1439-1444. <https://doi.org/10.1038/oby.2011.36>
 10. Samouda, H., De Beaufort, C., Stranges, S., Guinhouya, B. C., Gilson, G., Hirsch, M., ... & Dadoun, F. (2013). Adding anthropometric measures of regional adiposity to BMI improves prediction of cardiometabolic, inflammatory and adipokines profiles in youths: a cross-sectional study. *BMC Pediatrics*, 13(1), 1-13. <https://doi.org/10.1186/1471-2431-13-62>
 11. Kwon, H., Kim, D., & Kim, J. S. (2017). Body fat distribution and the risk of incident metabolic syndrome: a longitudinal cohort study. *Scientific Reports*, 7(1), 1-8. <https://doi.org/10.1038/s41598-017-09723-y>
 12. Kahn, S. E., Hull, R. L., & Utzschneider, K. M. (2006). Mechanisms linking obesity to insulin resistance and type 2 diabetes. *Nature*, 444(7121), 840-846. <https://doi.org/10.1038/nature05482>
 13. Goodpaster, B. H., Thaete, F. L., & Kelley, D. E. (2000). Thigh adipose tissue distribution is associated with insulin resistance in obesity and in type 2 diabetes mellitus. *The American Journal of Clinical Nutrition*, 71(4), 885-892. <https://doi.org/10.1093/ajcn/71.4.885>
 14. DeFronzo, R. A., Ferrannini, E., Groop, L., Henry, R. R., Herman, W. H., Holst, J. J., ... & Weiss, R. (2015). Type 2 diabetes mellitus. *Nature Reviews Disease Primers*, 1(1), 1-22. <https://doi.org/10.1038/nrdp.2015.19>
 15. Yeung, S. S. Y., & Reijnierse, E. M. (2021). Handgrip strength as a predictor of functional, psychological and social health. A prospective population-based study among the oldest old. *Age and Ageing*, 50(4), 1349-1356. <https://doi.org/10.1093/ageing/afab003>
 16. Colberg, S. R., Sigal, R. J., Yardley, J. E., Riddell, M. C., Dunstan, D. W., Dempsey, P. C., ... & Tate, D. F. (2016). Physical activity/exercise and diabetes: a position statement of the American Diabetes Association. *Diabetes Care*, 39(11), 2065-2079. <https://doi.org/10.2337/dc16-1728>
 17. Dyck, D. J., Putman, C. T., Heigenhauser, G. J., Hultman, E., & Spriet, L. L. (2021). Regulation of fat-carbohydrate interaction in skeletal muscle during intense aerobic cycling. *American Journal of Physiology-Endocrinology and Metabolism*, 265(6), E852-E859. <https://doi.org/10.1152/ajpendo.1993.265.6.E852>
 18. Boden, G. (2011). Obesity, insulin resistance and free fatty acids. *Current Opinion in Endocrinology, Diabetes and Obesity*, 18(2), 139-143.
 19. Cartee, G. D. (2015). Mechanisms for greater insulin-stimulated glucose uptake in normal and insulin-resistant skeletal muscle after acute exercise. *American Journal of Physiology-Endocrinology and Metabolism*, 309(12), E949-E959. <https://doi.org/10.1152/ajpendo.00416.2015>

20. Pal, M., Febbraio, M. A., & Whitham, M. (2014). From cytokine to myokine: the emerging role of interleukin-6 in metabolic regulation. *Immunology and Cell Biology*, 92(4), 331-339.
21. Francaux, M., Deldicque, L., & Atherton, P. J. (2016). Regulation of muscle mass by growth hormone and IGF-I. *British Journal of Pharmacology*, 173(11), 1049-1058.
22. Clark, B. C., & Taylor, J. L. (2011). Age-related changes in motor cortical properties and voluntary activation of skeletal muscle. *Current Aging Science*, 4(3), 192-199.
23. Barres, R., & Zierath, J. R. (2016). The role of diet and exercise in the transgenerational epigenetic landscape of T2DM. *Nature Reviews Endocrinology*, 12(8), 441-451.
24. Li, J. J., Wittert, G. A., Vincent, A., Atlantis, E., Shi, Z., Appleton, S. L., ... & Adams, R. J. (2020). Muscle grip strength predicts incident type 2 diabetes: Population-based cohort study. *Metabolism*, 106, 154202. <https://doi.org/10.1016/j.metabol.2020.154202>
25. Hong, S., Lee, S. S., Kim, T. H., Han, H. S., Lee, J., Kim, H. J., ... & Kim, M. K. (2019). Inverse association between muscle strength and risk of diabetes in young and middle-aged adults: A nationwide cohort study. *Diabetes Research and Clinical Practice*, 155, 107809. <https://doi.org/10.1016/j.diabres.2019.107809>
26. Leong, D. P., Teo, K. K., Rangarajan, S., Lopez-Jaramillo, P., Avezum, A., Orlandini, A., ... & Yusuf, S. (2015). Prognostic value of grip strength: findings from the Prospective Urban Rural Epidemiology (PURE) study. *The Lancet*, 386(9990), 266-273. [https://doi.org/10.1016/S0140-6736\(14\)62000-6](https://doi.org/10.1016/S0140-6736(14)62000-6)
- Churilla, J. R., & Zoeller, R. F. (2008). Physical activity and the metabolic syndrome: A review of the evidence. *American Journal of Lifestyle Medicine*, 2(2), 118-125. <https://doi.org/10.1177/1559827607311981>
27. Pedersen, B. K., & Febbraio, M. A. (2012). Muscles, exercise and obesity: skeletal muscle as a secretory organ. *Nature Reviews Endocrinology*, 8(8), 457-465. <https://doi.org/10.1038/nrendo.2012.49>



REKOMENDASI PERSETUJUAN ETIK

Nomor : 702/UN4.6.4.5.31/ PP36/ 2024

Tanggal: 4 September 2024

Dengan ini Menyatakan bahwa Protokol dan Dokumen yang Berhubungan Dengan Protokol berikut ini telah mendapatkan Persetujuan Etik :

No Protokol	UH24080571	No Sponsor	
Peneliti Utama	dr. Dian Anggraini	Sponsor	
Judul Peneliti	Hubungan antara Lingkar Lengan Atas, Tebal Lipatan Kulit dan Handgrip Terhadap Nilai Homa-IR Pada Subjek Dewasa Muda Obesitas		
No Versi Protokol	2	Tanggal Versi	3 September 2024
No Versi PSP	2	Tanggal Versi	3 September 2024
Tempat Penelitian	RS Universitas Hasanuddin Makassar		
Jenis Review	<input type="checkbox"/> Exempted <input checked="" type="checkbox"/> Expedited <input type="checkbox"/> Fullboard Tanggal	Masa Berlaku 4 September 2024 sampai 4 September 2025	Frekuensi review lanjutan
Ketua KEP Universitas Hasanuddin	Prof. dr. Muh Nasrum Massi,PhD,SpMK, Subsp. Bakt(K)	Tanda tangan 	
Sekretaris KEP Universitas Hasanuddin	dr. Firdaus Hamid, PhD, SpMK(K)	Tanda tangan 	

Kewajiban Peneliti Utama:

- Menyerahkan Amandemen Protokol untuk persetujuan sebelum di implementasikan
- Menyerahkan Laporan SAE ke Komisi Etik dalam 24 Jam dan dilengkapi dalam 7 hari dan Laporan SUSAR dalam 72 Jam setelah Peneliti Utama menerima laporan
- Menyerahkan Laporan Kemajuan (progress report) setiap 6 bulan untuk penelitian resiko tinggi dan setiap setahun untuk penelitian resiko rendah
- Menyerahkan laporan akhir setelah Penelitian berakhir
- Melaporkan penyimpangan dari protokol yang disetujui (protocol deviation / violation)
- Mematuhi semua peraturan yang ditentukan

DAFTAR PUSTAKA

1. WHO. Obesity and Overweight [Internet]. World Health Organisation . 2024 [cited 2024 Jul 6]. Available from: <https://www.who.int/news-room/fact-sheets/detail/obesity-and-overweight>
2. Kemenkes RI. Obesitas [Internet]. Kementerian Kesehatan Republik Indonesia. 2022 [cited 2024 Jul 6]. Available from: https://yankes.kemkes.go.id/view_artikel/429/obesitas
3. Tchernof A, Després JP. Pathophysiology of human visceral obesity: an update. *Physiol Rev.* 2013;
4. Al-Musa HM. Impact of obesity on serum levels of thyroid hormones among euthyroid Saudi adults. *J Thyroid Res.* 2017;2017(1):5739806.
5. Kemenkes RI. Hasil Utama SKI 2023 (Obesitas) [Internet]. Kementerian Kesehatan Republik Indonesia. 2023 [cited 2024 Jul 6]. Available from: <https://www.badankebijakan.kemkes.go.id/daftar-frequently-asked-question-seputar-hasil-utama-ski-2023/hasil-utama-ski-2023/>
6. Bokau MS, Telew AAJ, Pajung CB. Hubungan Sedentary Behaviour (Perilaku Kurang Gerak) dengan Obesitas pada Peserta Didik di SD GMIM Koka. *Lentera: Multidisciplinary Studies.* 2023;1(3):155–64.
7. Septyanti S, Seniwati S. Obesitas dan obesitas sentral pada masyarakat usia dewasa di daerah perkotaan Indonesia. *J Ilm Kesehat.* 2020;2(3):118–27.
8. Dini MAR, Widiyanti IGA, Wardana ING. Prevalensi obesitas dengan menggunakan metode waist-hip ratio pada mahasiswa Program Studi Pendidikan Dokter Fakultas Kedokteran Universitas Udayana angkatan 2014. *Bali Anatomy Journal.* 2018;1(1):9–11.
9. Olinto MTA, Theodoro H, Canuto R. Epidemiology of abdominal obesity. *Adiposity-Epidemiology and Treatment Modalities.* 2017;
10. Qatanani M, Lazar MA. Mechanisms of obesity-associated insulin resistance: many choices on the menu. *Genes Dev.* 2010;21(12):1443–55.
11. Chen D shuang, Zhu Y qing, Ni W ji, Li Y jiao, Yin G ping, Shao Z yue, et al. Hand grip strength is inversely associated with total daily insulin dose requirement in patients with type 2 diabetes mellitus: A cross-sectional study. *PeerJ.* 2023;11:e15761.
12. Sheriff DS, Sachu P, Elshaari FA. HDL, apo B/apo A1 ratio, Diabetes Mellitus and Cardiovascular Disease. In: *Type 2 Diabetes.* IntechOpen; 2013.
13. Mohammadabadi F, Vafaiyan Z, Hosseini S, Aryaie M. Assessment of insulin resistance with two methods: HOMA-IR and TyG index in Iranian obese women. 2014 [cited 2024 Jul 6]; Available from: https://www.sid.ir/en/VEWSSID/J_pdf/131220140103.pdf
14. Vasques A, Novaes F, MS de Oliveira. TyG index performs better than HOMA in a Brazilian population: a hyperglycemic clamp validated study. *Diabetes Res Clin Pract* [Internet]. 2011 [cited 2024 Jul 6]; Available from: <https://www.sciencedirect.com/science/article/pii/S0168822711002865>

15. Lim J, Kim J, Koo SH, Kwon GC. Comparison of triglyceride glucose index, and related parameters to predict insulin resistance in Korean adults: An analysis of the 2007-2010 Korean national health and nutrition examination survey. *PLoS One*. 2019 Mar 1;14(3).
16. Purnamasari D. Diagnosis dan klasifikasi diabetes melitus. Sudoyo AW, Setiyohadi B, Alwi Idrus, Simadibrata M, Setiati S Dalam: Buku ajar ilmu penyakit dalam jilid III Edisi V Jakarta: Internal Publishing. 2009;
17. Guyton AC, Hall JE. Insulin, glukagon, dan diabetes melitus. *Fisiologi Kedokteran Edisi ke-12* Jakarta: Penerbit Buku Kedokteran EGC. 2011;1015–26.
18. Wallace TM, Levy JC, Matthews DR. Use and abuse of HOMA modeling. *Diabetes Care*. 2004;27(6):1487–95.
19. P2PTM Kemenkes RI. Klasifikasi Obesitas setelah pengukuran IMT. Kemenkes RI. 2018.
20. Komatsu M, Takei M, Ishii H, Sato Y. Glucose-stimulated insulin secretion: A newer perspective. *J Diabetes Investig*. 2013;4(6):511–6.
21. Manaf A. Buku Ajar Penyakit Dalam: Insulin (Mekanisme Sekresi Dan Aspek Metabolisme) Jilid III Edisi 4. Jakarta: Fakultas Kedokteran Universitas Indonesia. 2009;
22. Singh B, Saxena A. Surrogate markers of insulin resistance: A review. *World J Diabetes*. 2010;1(2):36.
23. Le Roith D, Zick Y. Recent advances in our understanding of insulin action and insulin resistance. *Diabetes Care*. 2001;24(3):588–97.
24. Esteghamati A, Ashraf H, Khalilzadeh O, Zandieh A, Nakhjavani M, Rashidi A, et al. Optimal cut-off of homeostasis model assessment of insulin resistance (HOMA-IR) for the diagnosis of metabolic syndrome: third national surveillance of risk factors of non-communicable diseases in Iran (SuRFNCD-2007). *Nutr Metab (Lond)*. 2010;7:1–8.
25. Gayoso-Diz P, Otero-González A, Rodríguez-Alvarez MX, Gude F, García F, De Francisco A, et al. Insulin resistance (HOMA-IR) cut-off values and the metabolic syndrome in a general adult population: effect of gender and age: EPIRCE cross-sectional study. *BMC Endocr Disord*. 2013;13:1–10.
26. Chen H, Sullivan G, Quon MJ. Assessing the predictive accuracy of QUICKI as a surrogate index for insulin sensitivity using a calibration model. *Diabetes*. 2005;54(7):1914–25.
27. Sonksen P, Sonksen J. Insulin: understanding its action in health and disease. *Br J Anaesth*. 2000;85(1):69–79.
28. Le Roith D, Zick Y. Recent advances in our understanding of insulin action and insulin resistance. *Diabetes Care*. 2001;24(3):588–97.
29. Raynaud E, Perez-Martin A, Khaled S, Mercier J, Brun JF. Concerning the validity of the FIRI insulin resistance index. *Diabetes Metab*. 1998;24:160–1.
30. Aryana IGPS. Sarkopenia pada Lansia: Problem Diagnosis dan Tatalaksana. Baswara Press; 2021.

31. Rohimah B, Sugiarto S, Probandari A, Wiboworini B. Perbedaan Kekuatan Genggam Berdasarkan Status Gizi pada Pasien DM Tipe 2 (Handgrip Strength Difference based on Nutritional Status in Type 2 Diabetic Patients). *Indonesian Journal of Human Nutrition*. 2016;3(1):9.
32. Prasad CRK, Pratyusha AC, Sharmila C, Durga P, Sowjanya K, Harika K. Dynamometer based hand grip strength as a clinical tool for objective assessment of post-operative residual muscle weakness. *Indian J Anaesth*. 2022;66(10):707–11.
33. Stessman J, Rottenberg Y, Fischer M, Hammerman-Rozenberg A, Jacobs JM. Handgrip strength in old and very old adults: mood, cognition, function, and mortality. *J Am Geriatr Soc*. 2017;65(3):526–32.
34. Suyanto DH, Paskaria C, Gunawan D. Perbandingan kekuatan otot dan massa otot antara wanita lansia aktif dan tidak aktif berolahraga. *JURNAL ILMU FAAL OLAHRAGA INDONESIA*. 2021;4(1):9–13.
35. Sari KI, Rizki FN, Komara I, Ong PA, Purba A, Widyaputra S. Association between Handgrip Strength and Oral Hygiene Skills Among The Older People in Rural Area: A Pilot Study. *Journal of Indonesian Dental Association*. 2021;4(2):77–82.
36. Benítez Brito N, Suárez Llanos JP, Fuentes Ferrer M, Oliva García JG, Delgado Brito I, Pereyra-García Castro F, et al. Relationship between mid-upper arm circumference and body mass index in inpatients. *PLoS One*. 2016;11(8):e0160480.
37. Nunes G, Santos CA, Barosa R, Fonseca C, Barata AT, Fonseca J. Outcome and nutritional assessment of chronic liver disease patients using anthropometry and subjective global assessment. *Arq Gastroenterol*. 2017;54:225–31.
38. Talbot J, Maves L. Skeletal muscle fiber type: using insights from muscle developmental biology to dissect targets for susceptibility and resistance to muscle disease. *Wiley Interdiscip Rev Dev Biol*. 2016;5(4):518–34.
28. SMF Gizi Klinik. *Standat Prosedur Operasional Gizi Klinik*. 1st ed. Vol. 1. Makassar: RSUP DR. WAHIDIN SUDIROHUSODO DEPARTEMEN ILMU GIZI FK-UNHAS ; 2015.
29. Bays, H. E. (2011). Adiposopathy: Is "sick fat" a cardiovascular disease? *Journal of the American College of Cardiology*, 57(25), 2461-2473. <https://doi.org/10.1016/j.jacc.2011.02.038>
30. Brandão, A. D., Silva, A. D. C., Lira, P. I. C., Vasconcelos, S. M. L., Peixoto, M. D. R. G., Vieira, M. F. A., & Nobre, L. N. (2020). Anthropometric predictors of metabolic syndrome in adolescents: A prospective cohort study. *Nutrition, Metabolism and Cardiovascular Diseases*, 30(12), 2189-2197. <https://doi.org/10.1016/j.numecd.2020.07.026>
31. Eastwood, S. V., Tillin, T., Dehbi, H. M., Wright, A., Forouhi, N. G., Godsland, I., ... & Chaturvedi, N. (2023). Ethnic differences in associations between fat deposition and incident type 2 diabetes and underlying mechanisms: The SABRE study. *Diabetes Care*, 46(1), 160-168. <https://doi.org/10.2337/dc22-0722>
32. Patel, P., Abate, N., & Chandalia, M. (2022). Ethnic differences in adiposity and diabetes risk—insights from genetic studies. *Nature Reviews Endocrinology*,

- 18(2), 105-118. <https://doi.org/10.1038/s41574-021-00592-0>
33. Zhang, X., Zhang, M., Li, X., Zhang, L., Wu, X., Zhang, Y., ... & Hu, X. (2021). Association between anthropometric indicators of obesity and cardiovascular risk factors among adults in Shanghai, China. *BMC Public Health*, 21(1), 1-10. <https://doi.org/10.1186/s12889-021-10433-4>
34. Li, X., Wu, Y., Li, X., Xiao, X., Wang, W., & Shi, X. (2022). Anthropometric indices as predictors of prediabetes or type 2 diabetes mellitus in Asia: A systematic review and meta-analysis. *Frontiers in Endocrinology*, 13, 838606. <https://doi.org/10.3389/fendo.2022.838606>
35. Gómez-Ambrosi, J., Silva, C., Galofré, J. C., Escalada, J., Santos, S., Gil, M. J., ... & Frühbeck, G. (2011). Body adiposity and type 2 diabetes: increased risk with a high body fat percentage even having a normal BMI. *Obesity*, 19(7), 1439-1444. <https://doi.org/10.1038/oby.2011.36>
36. Samouda, H., De Beaufort, C., Stranges, S., Guinhouya, B. C., Gilson, G., Hirsch, M., ... & Dadoun, F. (2013). Adding anthropometric measures of regional adiposity to BMI improves prediction of cardiometabolic, inflammatory and adipokines profiles in youths: a cross-sectional study. *BMC Pediatrics*, 13(1), 1-13. <https://doi.org/10.1186/1471-2431-13-62>
37. Kwon, H., Kim, D., & Kim, J. S. (2017). Body fat distribution and the risk of incident metabolic syndrome: a longitudinal cohort study. *Scientific Reports*, 7(1), 1-8. <https://doi.org/10.1038/s41598-017-09723-y>
38. Kahn, S. E., Hull, R. L., & Utzschneider, K. M. (2006). Mechanisms linking obesity to insulin resistance and type 2 diabetes. *Nature*, 444(7121), 840-846. <https://doi.org/10.1038/nature05482>
39. Goodpaster, B. H., Thaete, F. L., & Kelley, D. E. (2000). Thigh adipose tissue distribution is associated with insulin resistance in obesity and in type 2 diabetes mellitus. *The American Journal of Clinical Nutrition*, 71(4), 885-892. <https://doi.org/10.1093/ajcn/71.4.885>
40. DeFronzo, R. A., Ferrannini, E., Groop, L., Henry, R. R., Herman, W. H., Holst, J. J., ... & Weiss, R. (2015). Type 2 diabetes mellitus. *Nature Reviews Disease Primers*, 1(1), 1-22. <https://doi.org/10.1038/nrdp.2015.19>
41. Yeung, S. S. Y., & Reijnierse, E. M. (2021). Handgrip strength as a predictor of functional, psychological and social health. A prospective population-based study among the oldest old. *Age and Ageing*, 50(4), 1349-1356. <https://doi.org/10.1093/ageing/afab003>
42. Colberg, S. R., Sigal, R. J., Yardley, J. E., Riddell, M. C., Dunstan, D. W., Dempsey, P. C., ... & Tate, D. F. (2016). Physical activity/exercise and diabetes: a position statement of the American Diabetes Association. *Diabetes Care*, 39(11), 2065-2079. <https://doi.org/10.2337/dc16-1728>
43. Dyck, D. J., Putman, C. T., Heigenhauser, G. J., Hultman, E., & Spriet, L. L. (2021). Regulation of fat-carbohydrate interaction in skeletal muscle during intense aerobic cycling. *American Journal of Physiology-Endocrinology and Metabolism*, 265(6), E852-E859. <https://doi.org/10.1152/ajpendo.1993.265.6.E852>
44. Boden, G. (2011). Obesity, insulin resistance and free fatty acids. *Current Opinion in Endocrinology, Diabetes and Obesity*, 18(2), 139-143.
45. Cartee, G. D. (2015). Mechanisms for greater insulin-stimulated glucose uptake in normal and insulin-resistant skeletal muscle after acute exercise. *American Journal of Physiology-Endocrinology and Metabolism*, 309(12), E949-E959. <https://doi.org/10.1152/ajpendo.00416.2015>

46. Pal, M., Febbraio, M. A., & Whitham, M. (2014). From cytokine to myokine: the emerging role of interleukin-6 in metabolic regulation. *Immunology and Cell Biology*, 92(4), 331-339.
47. Francaux, M., Deldicque, L., & Atherton, P. J. (2016). Regulation of muscle mass by growth hormone and IGF-I. *British Journal of Pharmacology*, 173(11), 1049-1058.
48. Clark, B. C., & Taylor, J. L. (2011). Age-related changes in motor cortical properties and voluntary activation of skeletal muscle. *Current Aging Science*, 4(3), 192-199.
49. Barres, R., & Zierath, J. R. (2016). The role of diet and exercise in the transgenerational epigenetic landscape of T2DM. *Nature Reviews Endocrinology*, 12(8), 441-451.
50. Li, J. J., Wittert, G. A., Vincent, A., Atlantis, E., Shi, Z., Appleton, S. L., ... & Adams, R. J. (2020). Muscle grip strength predicts incident type 2 diabetes: Population-based cohort study. *Metabolism*, 106, 154202. <https://doi.org/10.1016/j.metabol.2020.154202>
51. Hong, S., Lee, S. S., Kim, T. H., Han, H. S., Lee, J., Kim, H. J., ... & Kim, M. K. (2019). Inverse association between muscle strength and risk of diabetes in young and middle-aged adults: A nationwide cohort study. *Diabetes Research and Clinical Practice*, 155, 107809. <https://doi.org/10.1016/j.diabres.2019.107809>
52. Leong, D. P., Teo, K. K., Rangarajan, S., Lopez-Jaramillo, P., Avezum, A., Orlandini, A., ... & Yusuf, S. (2015). Prognostic value of grip strength: findings from the Prospective Urban Rural Epidemiology (PURE) study. *The Lancet*, 386(9990), 266-273. [https://doi.org/10.1016/S0140-6736\(14\)62000-6](https://doi.org/10.1016/S0140-6736(14)62000-6)
- Churilla, J. R., & Zoeller, R. F. (2008). Physical activity and the metabolic syndrome: A review of the evidence. *American Journal of Lifestyle Medicine*, 2(2), 118-125. <https://doi.org/10.1177/1559827607311981>
53. Pedersen, B. K., & Febbraio, M. A. (2012). Muscles, exercise and obesity: skeletal muscle as a secretory organ. *Nature Reviews Endocrinology*, 8(8), 457-465. <https://doi.org/10.1038/nrendo.2012.49>



REKOMENDASI PERSETUJUAN ETIK

Nomor : 702/UN4.6.4.5.31/ PP36/ 2024

Tanggal: 4 September 2024

Dengan ini Menyatakan bahwa Protokol dan Dokumen yang Berhubungan Dengan Protokol berikut ini telah mendapatkan Persetujuan Etik :

No Protokol	UH24080571	No Sponsor	
Peneliti Utama	dr. Dian Anggraini	Sponsor	
Judul Peneliti	Hubungan antara Lingkar Lengan Atas, Tebal Lipatan Kulit dan Handgrip Terhadap Nilai Homa-IR Pada Subjek Dewasa Muda Obesitas		
No Versi Protokol	2	Tanggal Versi	3 September 2024
No Versi PSP	2	Tanggal Versi	3 September 2024
Tempat Penelitian	RS Universitas Hasanuddin Makassar		
Jenis Review	<input type="checkbox"/> Exempted <input checked="" type="checkbox"/> Expedited <input type="checkbox"/> Fullboard Tanggal	Masa Berlaku 4 September 2024 sampai 4 September 2025	Frekuensi review lanjutan
Ketua KEP Universitas Hasanuddin	Prof. dr. Muh Nasrum Massi, PhD, SpMK, Subsp. Bakt(K)	Tanda tangan 	
Sekretaris KEP Universitas Hasanuddin	dr. Firdaus Hamid, PhD, SpMK(K)	Tanda tangan 	

Kewajiban Peneliti Utama:

- Menyerahkan Amandemen Protokol untuk persetujuan sebelum di implementasikan
- Menyerahkan Laporan SAE ke Komisi Etik dalam 24 Jam dan dilengkapi dalam 7 hari dan Laporan SUSAR dalam 72 Jam setelah Peneliti Utama menerima laporan
- Menyerahkan Laporan Kemajuan (progress report) setiap 6 bulan untuk penelitian resiko tinggi dan setiap setahun untuk penelitian resiko rendah
- Menyerahkan laporan akhir setelah Penelitian berakhir
- Melaporkan penyimpangan dari protokol yang disetujui (protocol deviation / violation)
- Mematuhi semua peraturan yang ditentukan