

## DAFTAR PUSTAKA

- Abdulkadir, I. S., Abayomi Sofowora, I. A. N., & Auwal Alkasim Ahmad, F. Y. (2015). Phytochemical Screening and Antimicrobial Activities of Ethanolic Extracts of *Moringa oleifera* Lam on Isolates of Some Pathogens. *Journal of Applied Pharmacy*, 07(04). <https://doi.org/10.4172/1920-4159.1000203>
- Adekanmi, A., Adekanmi, S., & Adekanmi, O. (2020). *Qualitative and Quantitative Phytochemical Constituents of Moringa Leaf*. 4, 10–17.
- Adeosun, Bamise, W., Bodede, O., & Prinsloo, G. (2022). Effect of Different Climatic Regions and Seasonal Variation on the Antibacterial and Antifungal Activity , and Chemical Profile. *Metabolites*, 12, 758.
- Adriani Astiti, N. P., & Ramona, Y. (2021). Gc-ms analysis of active and applicable compounds in methanol extract of sweet star fruit (*Averrhoa carambola* L.) leaves. *HAYATI Journal of Biosciences*, 28(1), 12–22. <https://doi.org/10.4308/hjb.28.1.12>
- Afkhami, M. E., Rudgers, J. A., & Stachowicz, J. J. (2014). Multiple mutualist effects: conflict and synergy in multispecies mutualisms. *Ecology*, 95(4), 833–844. <https://doi.org/https://doi.org/10.1890/13-1010.1>
- Agatonovic-Kustrin, S., Kustrin, E., Gegechkori, V., & Morton, D. W. (2019). High-Performance Thin-Layer Chromatography Hyphenated with Microchemical and Biochemical Derivatizations in Bioactivity Profiling of Marine Species. In *Marine Drugs* (Vol. 17, Issue 3). <https://doi.org/10.3390/md17030148>
- Aghoutane, B., Talbi, H., Naama, A., Monfalouti, H. El, & Kartah, B. E. (2023). Effect of Extraction Solvent on Total Phenol Content, Total Flavonoid Content, and Antioxidant Activity of *Euphorbia resinifera* O. Berg. *Tropical Journal of Natural Product Research*, 7(3), 2530–2535. <https://doi.org/10.26538/tjnpr/v7i3.10>
- Ahamed, F., & Murugan, M. (2019). Isolation and Characterization of Marine Endophytic Fungi from Seaweeds, and Bioactivity of their Crude extracts. *Journal of Pure and Applied Microbiology*, 13(3), 1451–1460. <https://doi.org/10.22207/JPAM.13.3.15>
- Ahmadu, T., Ahmad, K., Ismail, S. I., Rashed, O., Asib, N., & Omar, D. (2021). Antifungal efficacy of moringa oleifera leaf and seed extracts against botrytis cinerea causing gray mold disease of tomato (*Solanum lycopersicum* L.). *Brazilian Journal of Biology*, 81(4), 1007–1022. <https://doi.org/10.1590/1519-6984.233173>
- Akhtar, R., Javaid, A., & Qureshi, M. Z. (2020). Bioactive constituents of shoot extracts of *Sisymbrium irio* L. Against *Fusarium oxysporum* f. sp. cepae. *Planta Daninha*, 38. <https://doi.org/10.1590/s0100-83582020380100008>
- Al\_husnan, L. A., & Alkahtani, M. D. F. (2016). Impact of *Moringa* aqueous extract on pathogenic bacteria and fungi in vitro. *Annals of Agricultural Sciences*, 61(2), 247–250. <https://doi.org/10.1016/j.aogas.2016.06.003>
- Alam, B., Li, J., Gě, Q., Khan, M. A., Gōng, J., Mehmood, S., Yuán, Y., & Gōng, W. (2021). Endophytic Fungi: From Symbiosis to Secondary Metabolite Communications or Vice Versa? *Frontiers in Plant Science*, 12(December), 1–24. <https://doi.org/10.3389/fpls.2021.791033>
- Aleynova, O. A., Nityagovsky, N. N., Suprun, A. R., Ananev, A. A., Dubrovina, A. S., & Kiselev, K. V. (2022). The Diversity of Fungal Endophytes from Wild Grape *Vitis amurensis* Rupr. *Plants*, 11(21), 2897.

- <https://doi.org/10.3390/plants11212897>
- Amelia, P., Ayunda, R., & Bahri, S. (2021). Screening of Antibacterial Activities of the Endophytic Fungi Isolated from the Leaves of *Medinilla speciosa* Blume. *Jurnal Fitofarmaka Indonesia*, 8(3), 24–28. <https://doi.org/10.33096/jffi.v8i3.729>
- Ancheeva, E., Daletos, G., & Proksch, P. (2020). Bioactive Secondary Metabolites from Endophytic Fungi. *Current Medicinal Chemistry*, 27(11), 1836–1854. <https://doi.org/10.2174/0929867326666190916144709>
- Anzano, A., de Falco, B., Ammar, M., Ricciardelli, A., Grauso, L., Sabbah, M., Capparelli, R., & Lanzotti, V. (2022). Chemical Analysis and Antimicrobial Activity of *Moringa oleifera* Lam. Leaves and Seeds. *Molecules (Basel, Switzerland)*, 27(24), 1–12. <https://doi.org/10.3390/molecules27248920>
- Aryal, S., Baniya, M. K., Danekhu, K., Kunwar, P., Gurung, R., & Koirala, N. (2019). Total Phenolic content, Flavonoid content and antioxidant potential of wild vegetables from western Nepal. *Plants*, 8(4). <https://doi.org/10.3390/plants8040096>
- Ayoub, L., Hassan, F., Hamid, S., Abdelhamid, Z., & Souad, A. (2019). Phytochemical screening, antioxidant activity and inhibitory potential of *Ficus carica* and *Olea europaea* leaves. *Bioinformation*, 15(3), 226–232. <https://doi.org/10.6026/97320630015226>
- Azlan, U. K., Mediani, A., Rohani, E. R., Tong, X., Han, R., Misnan, N. M., Jam, F. A., Bunawan, H., Sarian, M. N., & Hamezah, H. S. (2022). A Comprehensive Review with Updated Future Perspectives on the Ethnomedicinal and Pharmacological Aspects of *Moringa oleifera*. In *Molecules* (Vol. 27, Issue 18). <https://doi.org/10.3390/molecules27185765>
- Balestrini, R., Brunetti, C., Cammareri, M., Caretto, S., Cavallaro, V., Cominelli, E., De Palma, M., Docimo, T., Giovinazzo, G., Grandillo, S., Locatelli, F., Lumini, E., Paolo, D., Patanè, C., Sparvoli, F., Tucci, M., & Zampieri, E. (2021). Strategies to Modulate Specialized Metabolism in Mediterranean Crops: From Molecular Aspects to Field. In *International Journal of Molecular Sciences* (Vol. 22, Issue 6). <https://doi.org/10.3390/ijms22062887>
- Balogun, T. A., Buliaminu, K. D., Chukwudozie, O. S., Tiamiyu, Z. A., & Idowu, T. J. (2021). Anticancer Potential of *Moringa oleifera* on BRCA-1 Gene: Systems Biology. *Bioinformatics and Biology Insights*, 15, 11779322211010704. <https://doi.org/10.1177/11779322211010703>
- Bano, I., & Deora, G. S. (2019). Preliminary phytochemical screening and GC-MS analysis of methanolic leaf extract of *Abutilon pannosum* (Forst. F.) Schlect. from Indian Thar desert. *Journal of Pharmacognosy and Phytochemistry*, 8(1), 894–899.
- Barakat, H., & Ghazal, G. A. (2016). Physicochemical Properties of *Moringa oleifera* Seeds and Their Edible Oil Cultivated at Different Regions in Egypt. *Food and Nutrition Sciences*, 07(06), 472–484. <https://doi.org/10.4236/fns.2016.76049>
- Barthélemy, M., Guérineau, V., Genta-Jouve, G., Roy, M., Chave, J., Guillot, R., Pellissier, L., Wolfender, J.-L., Stien, D., Eparvier, V., & Touboul, D. (2020). Identification and dereplication of endophytic *Colletotrichum* strains by MALDI TOF mass spectrometry and molecular networking. *Scientific Reports*, 10(1), 19788. <https://doi.org/10.1038/s41598-020-74852-w>
- Bezerra, J. D. P., Santos, M. G. S., Barbosa, R. N., Svedese, V. M., Lima, D. M. M., Fernandes, M. J. S., Gomes, B. S., Paiva, L. M., Almeida-Cortez, J. S., & Souza-Motta, C. M. (2013). Fungal endophytes from cactus *Cereus jamacaru* in Brazilian tropical dry forest: A first study. *Symbiosis*, 60(2), 53–63.

- <https://doi.org/10.1007/s13199-013-0243-1>
- Bhalla, N., Ingle, N., Patri, S. V., & Haranath, D. (2021a). Phytochemical analysis of Moringa Oleifera leaves extracts by GC-MS and free radical scavenging potency for industrial applications. *Saudi Journal of Biological Sciences*, *28*(12), 6915–6928. <https://doi.org/10.1016/j.sjbs.2021.07.075>
- Bhalla, N., Ingle, N., Patri, S. V., & Haranath, D. (2021b). Phytochemical analysis of Moringa Oleifera leaves extracts by GC-MS and free radical scavenging potency for industrial applications. *Saudi Journal of Biological Sciences*, *28*(12), 6915–6928. <https://doi.org/https://doi.org/10.1016/j.sjbs.2021.07.075>
- Bhunjun, C. S., Phukhamsakda, C., Jayawardena, R. S., Jeewon, R., Promputtha, I., & Hyde, K. D. (2021). Investigating species boundaries in Colletotrichum. *Fungal Diversity*, *107*(1), 107–127. <https://doi.org/10.1007/s13225-021-00471-z>
- Bibi, N., Shah, M. H., Khan, N., Al-Hashimi, A., Elshikh, M. S., Iqbal, A., Ahmad, S., & Abbasi, A. M. (2022). Variations in Total Phenolic, Total Flavonoid Contents, and Free Radicals' Scavenging Potential of Onion Varieties Planted under Diverse Environmental Conditions. In *Plants* (Vol. 11, Issue 7). <https://doi.org/10.3390/plants11070950>
- Bielecka, M., Pencakowski, B., & Nicoletti, R. (2022). Using next-generation sequencing technology to explore genetic pathways in endophytic fungi in the syntheses of plant bioactive metabolites. *Agriculture*, *12*(2), 187.
- Bogas, A. C., Cruz, F. P. N., Lacava, P. T., & Sousa, C. P. (2024). Endophytic fungi: an overview on biotechnological and agronomic potential. *Brazilian Journal of Biology*, *84*, 1–9. <https://doi.org/10.1590/1519-6984.258557>
- Bouarab-Chibane, L., Forquet, V., Lantéri, P., Clément, Y., Léonard-Akkari, L., Oulahal, N., Degraeve, P., & Bordes, C. (2019). Antibacterial Properties of Polyphenols: Characterization and QSAR (Quantitative Structure–Activity Relationship) Models . In *Frontiers in Microbiology* (Vol. 10, p. 829).
- Bowman, E. A., & Arnold, A. E. (2018). Distributions of ectomycorrhizal and foliar endophytic fungal communities associated with Pinus ponderosa along a spatially constrained elevation gradient. *American Journal of Botany*, *105*(4), 687–699. <https://doi.org/10.1002/ajb2.1072>
- Budiarti, M., Maruzy, A., Mujahid, R., Sari, A. N., Jokopriyambodo, W., Widayat, T., & Wahyono, S. (2020). The use of antimalarial plants as traditional treatment in Papua Island, Indonesia. *Heliyon*, *6*(12), e05562. <https://doi.org/10.1016/j.heliyon.2020.e05562>
- Budiono, Elfita, Muharni, Yohandini, H., & Widjajanti, H. (2019). Antioxidant activity of Syzygium samarangense L. and their endophytic fungi. *Molekul*, *14*(1), 48–55. <https://doi.org/10.20884/1.jm.2019.14.1.503>
- Chen, Y.-J., Chen, H.-J., & Chung, W.-H. (2023). Endophytic Fungal Diversity in Cirsium kawakamii from Taiwan. In *Journal of Fungi* (Vol. 9, Issue 11). <https://doi.org/10.3390/jof9111076>
- Chen, Y., Hu, B., Xing, J., & Li, C. (2021). Endophytes: the novel sources for plant terpenoid biosynthesis. *Applied Microbiology and Biotechnology*, *105*(11), 4501–4513. <https://doi.org/10.1007/s00253-021-11350-7>
- Chen, Y., Mao, W., Tao, H., Zhu, W., Qi, X., Chen, Y., Li, H., Zhao, C., Yang, Y., Hou, Y., Wang, C., & Li, N. (2011). Structural characterization and antioxidant properties of an exopolysaccharide produced by the mangrove endophytic fungus Aspergillus sp. Y16. *Bioresource Technology*, *102*(17), 8179–8184. <https://doi.org/10.1016/j.biortech.2011.06.048>

- Cobian, G. M., Egan, C. P., & Amend, A. S. (2019). Plant–microbe specificity varies as a function of elevation. *ISME Journal*, 13(11), 2778–2788. <https://doi.org/10.1038/s41396-019-0470-4>
- Collinge, D. B., Jensen, B., & Jørgensen, H. J. L. (2022). Fungal endophytes in plants and their relationship to plant disease. *Current Opinion in Microbiology*, 69, 102177. <https://doi.org/https://doi.org/10.1016/j.mib.2022.102177>
- Costa, I. P. M. W., Maia, L. C., & Cavalcanti, M. A. (2012). Diversity of leaf endophytic fungi in mangrove plants of Northeast Brazil . In *Brazilian Journal of Microbiology* (Vol. 43, pp. 1165–1173). scielo .
- Crandall, S. G., & Gilbert, G. S. (2017). Meteorological factors associated with abundance of airborne fungal spores over natural vegetation. *Atmospheric Environment*, 162, 87–99. <https://doi.org/https://doi.org/10.1016/j.atmosenv.2017.05.018>
- Cruz, J. S., da Silva, C. A., & Hamerski, L. (2020). Natural Products from Endophytic Fungi Associated with Rubiaceae Species. *Journal of Fungi (Basel, Switzerland)*, 6(3). <https://doi.org/10.3390/jof6030128>
- Danilovich, M. E., Alberto, M. R., & Juárez Tomás, M. S. (2021). Microbial production of beneficial indoleamines (serotonin and melatonin) with potential application to biotechnological products for human health. *Journal of Applied Microbiology*, 131(4), 1668–1682. <https://doi.org/10.1111/jam.15012>
- Das, K., & Roychoudhury, A. (2014). Reactive oxygen species (ROS) and response of antioxidants as ROS-scavengers during environmental stress in plants. *Frontiers in Environmental Science*, 2(DEC), 1–13. <https://doi.org/10.3389/fenvs.2014.00053>
- Dastoger, M. . K., & Wyle, J. S. (2017). Plant-Fungi Association: Role of Fungi Endophytes in improving Plant Tolerance to Water Stress. In *Plant-Microbe Interactions in Agro-Ecological Perspectives* (Vol. 1, Issue September, pp. 1–657). <https://doi.org/10.1007/978-981-10-5813-4>
- Davis, W. W., & Stout, T. R. (1971). Disc plate method of microbiological antibiotic assay. I. Factors influencing variability and error. *Applied Microbiology*, 22(4), 659–665. <https://doi.org/10.1128/am.22.4.659-665.1971>
- Del Olmo-Ruiz, M., & Arnold, A. E. (2017). Community structure of fern-affiliated endophytes in three neotropical forests. *Journal of Tropical Ecology*, 33(1), 60–73. <https://doi.org/DOI: 10.1017/S0266467416000535>
- DeMers, M., & May, G. (2021). Habitat-scale heterogeneity maintains fungal endophyte diversity in two native prairie legumes. *Mycologia*, 113(1), 20–32. <https://doi.org/10.1080/00275514.2020.1813487>
- Diab, T. A., Donia, T., & Saad-Allah, K. M. (2021). Characterization, antioxidant, and cytotoxic effects of some Egyptian wild plant extracts. *Beni-Suef University Journal of Basic and Applied Sciences*, 10(1). <https://doi.org/10.1186/s43088-021-00103-0>
- Dini, I., Marra, R., Cavallo, P., Pironti, A., Sepe, I., Troisi, J., Scala, G., Lombardi, P., & Vinale, F. (2021). Trichoderma Strains and Metabolites Selectively Increase the Production of Volatile Organic Compounds (VOCs) in Olive Trees. *Metabolites*, 11(4). <https://doi.org/10.3390/metabo11040213>
- do Carmo, M. A. V., Pressete, C. G., Marques, M. J., Granato, D., & Azevedo, L. (2018). Polyphenols as potential antiproliferative agents: scientific trends. *Current Opinion in Food Science*, 24, 26–35. <https://doi.org/https://doi.org/10.1016/j.cofs.2018.10.013>
- Dong, S., Yang, X., Zhao, L., Zhang, F., Hou, Z., & Xue, P. (2020). Antibacterial

- activity and mechanism of action saponins from *Chenopodium quinoa* Willd. husks against foodborne pathogenic bacteria. *Industrial Crops and Products*, 149, 112350. <https://doi.org/https://doi.org/10.1016/j.indcrop.2020.112350>
- Dubey, A., Malla, M. A., Kumar, A., Dayanandan, S., & Khan, M. L. (2020). Plants endophytes: unveiling hidden agenda for bioprospecting toward sustainable agriculture. *Critical Reviews in Biotechnology*, 40(8), 1210–1231.
- Efendi, M. R., Rusdi, M. S., & Anisa, F. (2020). Isolation and Antibacterial Activity Test of The Extract Ethyl Acetate of Endophytic Fungi from Kencur (*Kaempferia Galanga* L.). *Journal of Pharmaceutical And Sciences*, 3(2), 85–92. <https://doi.org/10.36490/journal-jps.com.v3i2.42>
- El-Bondkly, E. A. M., El-Bondkly, A. A. M., & El-Bondkly, A. A. M. (2021). Marine endophytic fungal metabolites: A whole new world of pharmaceutical therapy exploration. *Heliyon*, 7(3), e06362. <https://doi.org/10.1016/j.heliyon.2021.e06362>
- El-Sayed, A. S. A., El-Sayed, M. T., Rady, A. M., Zein, N., Enan, G., Shindia, A., El-Hefnawy, S., Sitohy, M., & Sitohy, B. (2020). Exploiting the biosynthetic potency of taxol from fungal endophytes of conifers plants; genome mining and metabolic manipulation. *Molecules*, 25(13), 3000.
- Elawady, M. E., Hamed, A. A., Alsallami, W. M., Gabr, E. Z., Abdel-Monem, M. O., & Hassan, M. G. (2023). Bioactive Metabolite from Endophytic *Aspergillus versicolor* SB5 with Anti-Acetylcholinesterase, Anti-Inflammatory and Antioxidant Activities: In Vitro and In Silico Studies. *Microorganisms*, 11(4). <https://doi.org/10.3390/microorganisms11041062>
- Elfita, Muharni, Munawar, & Rizki. (2012). Isolation of Antioxidant Compound from Endophytic Fungi *Acremonium* sp. from the Twigs of Kandis Gajah. *MAKARA of Science Series*, 16(1), 46–50. <https://doi.org/10.7454/mss.v16i1.1280>
- Enerijiofi, K. E., Akapo, F. H., & Erhabor, J. O. (2021). GC–MS analysis and antibacterial activities of *Moringa oleifera* leaf extracts on selected clinical bacterial isolates. *Bulletin of the National Research Centre*, 45(1). <https://doi.org/10.1186/s42269-021-00640-9>
- Ercan, L., & Dogru, M. (2022). Antioxidant and Antimicrobial Capacity of Quinic Acid. *Bitlis Eren Üniversitesi Fen Bilimleri Dergisi*, 11(4), 1018–1025. <https://doi.org/10.17798/bitlisfen.1167047>
- Eremwanarue, O. A., & Shittu, H. O. (2019). Antimicrobial activity of *Moringa oleifera* leaf extracts on multiple drug resistant bacterial isolates from urine samples in Benin City. *Nigerian Journal of Biotechnology*, 35(2), 16. <https://doi.org/10.4314/njb.v35i2.3>
- Ervianingsih, Mursyid, M., Annisa, R. N., Zahran, I., Langkong, J., & Kamaruddin, I. (2019). Antimicrobial activity of moringa leaf (*Moringa oleifera* L.) extract against the growth of *Staphylococcus epidermidis*. *IOP Conference Series: Earth and Environmental Science*, 343(1), 6–10. <https://doi.org/10.1088/1755-1315/343/1/012145>
- Fachriyah, E., Kusriani, D., Haryanto, I. B., Wulandari, S. M. B., Lestari, W. I., & Sumariyah, S. (2020). Phytochemical Test, Determination of Total Phenol, Total Flavonoids and Antioxidant Activity of Ethanol Extract of Moringa Leaves (*Moringa oleifera* Lam). *Jurnal Kimia Sains Dan Aplikasi*, 23(8), 290–294. <https://doi.org/10.14710/jksa.23.8.290-294>
- Fachruddin, F., Balumbi, M., & Dustan, D. (2021). Ethnomedicine of Bajo Tribe Community in Bangko Village, Maginti District, West Muna, Southeast Sulawesi. *BIOLINK (Jurnal Biologi Lingkungan Industri Kesehatan)*, 7(2), 215–

226. <https://doi.org/10.31289/biolink.v7i2.4364>
- Fadhillah, Elfita, Muharni, Yohandini, H., & Widjanti, H. (2019). Chemical compound isolated from antioxidant active extract of endophytic fungus *Cladosporium tenuissimum* in *Swietenia mahagoni* leaf stalks. *Biodiversitas*, 20(9), 2645–2650. <https://doi.org/10.13057/biodiv/d200929>
- Fagbemi, K. O., Aina, D. A., Adeoye-Isijola, M. O., Naidoo, K. K., Coopoosamy, R. M., & Olajuyigbe, O. O. (2022). Bioactive compounds, antibacterial and antioxidant activities of methanol extract of *Tamarindus indica* Linn. *Scientific Reports*, 12(1), 1–12. <https://doi.org/10.1038/s41598-022-13716-x>
- Fajrih, N., Wiryawan, K. G., Sumiati, Syahpura, S. K., & Winarsih, W. (2022). Identification of bioactive compounds of banana corm (*Musa paradisiaca*) using GC-MS and its inhibitory effect against pathogenic bacteria. *Biodiversitas*, 23(1), 195–204. <https://doi.org/10.13057/biodiv/d230125>
- Fanele, A., & Ndlovu, S. I. (2023). Endophytic fungal species *Nigrospora oryzae* and *Alternaria alternata* exhibit antimicrobial activity against gram-positive and gram-negative multi-drug resistant clinical bacterial isolates. *BMC Complementary Medicine and Therapies*, 23(1), 323. <https://doi.org/10.1186/s12906-023-04157-8>
- Fang, K., Miao, Y.-F., Chen, L., Zhou, J., Yang, Z.-P., Dong, X.-F., & Zhang, H.-B. (2019). Tissue-Specific and Geographical Variation in Endophytic Fungi of *Ageratina adenophora* and Fungal Associations With the Environment. *Frontiers in Microbiology*, 10, 2919. <https://doi.org/10.3389/fmicb.2019.02919>
- Fareza, M. S., Chironi, N. A., Harwoko, H., & Sunarto, S. (2018). Antibacterial activity of two isolated endophytic extracts associated with Indonesian mangrove plant *Rhizophora mucronata*. *Pharmaciana*, 8(1), 169. <https://doi.org/10.12928/pharmaciana.v8i1.8878>
- Fatiqin, A., Amrulloh, H., Apriani, I., Lestari, A., Erawanti, B., Saputri, A., Gita, M., Fitrianti, M., Sathuluri, R. R., Kurniawan, Y. S., Wulan, R. M. S., & Khan, M. S. (2021). A Comparative Study on Phytochemical Screening and Antioxidant Activity of Aqueous Extract from Various Parts of *Moringa oleifera*. *Indonesian Journal of Natural Pigments*, 3(2), 43. <https://doi.org/10.33479/ijnp.2021.03.2.43>
- Fitriarni, D., & Kasiamdari, R. S. (2018). Isolation and Identification of Endophytic Fungi from Leave and Stem of *Calopogonium mucunoides*. *Journal of Tropical Biodiversity and Biotechnology*, 3(1), 30. <https://doi.org/10.22146/jtbb.32477>
- Fontana, D. C., de Paula, S., Torres, A. G., de Souza, V. H. M., Pascholati, S. F., Schmidt, D., & Neto, D. D. (2021). Endophytic fungi: Biological control and induced resistance to phytopathogens and abiotic stresses. *Pathogens*, 10(5), 1–28. <https://doi.org/10.3390/pathogens10050570>
- Fouad, E. A., Abu Elnaga, A. S. M., & Kandil, M. M. (2019). Antibacterial efficacy of *Moringa oleifera* leaf extract against pyogenic bacteria isolated from a dromedary camel (*Camelus dromedarius*) abscess. *Veterinary World*, 12(6), 802–808. <https://doi.org/10.14202/vetworld.2019.802-808>
- Galindo-Solís, J. M., & Fernández, F. J. (2022). Endophytic Fungal Terpenoids: Natural Role and Bioactivities. In *Microorganisms* (Vol. 10, Issue 2). <https://doi.org/10.3390/microorganisms10020339>
- Galli, F., Bonomini, M., Bartolini, D., Zatini, L., Reboldi, G., Marcantonini, G., Gentile, G., Sirolli, V., & Di Pietro, N. (2022). Vitamin E (Alpha-Tocopherol) Metabolism and Nutrition in Chronic Kidney Disease. In *Antioxidants* (Vol. 11, Issue 5). <https://doi.org/10.3390/antiox11050989>

- Ganesan, T., Subban, M., Christopher Leslee, D. B., Kuppanan, S. B., & Seedeve, P. (2022). Structural characterization of n-hexadecanoic acid from the leaves of *Ipomoea eriocarpa* and its antioxidant and antibacterial activities. *Biomass Conversion and Biorefinery*. <https://doi.org/10.1007/s13399-022-03576-w>
- Gardini, F., Özogul, Y., Suzzi, G., Tabanelli, G., & Özogul, F. (2016). Technological Factors Affecting Biogenic Amine Content in Foods: A Review. *Frontiers in Microbiology*, *7*, 1218. <https://doi.org/10.3389/fmicb.2016.01218>
- Garnica, S., Liao, Z., Hamard, S., Waller, F., Parepa, M., & Bossdorf, O. (2022). Environmental stress determines the colonization and impact of an endophytic fungus on invasive knotweed. *Biological Invasions*, *24*(6), 1785–1795. <https://doi.org/10.1007/s10530-022-02749-y>
- Garnica, S., Schön, M. E., Abarenkov, K., Riess, K., Liimatainen, K., Niskanen, T., Dima, B., Soop, K., Frøslev, T. G., Jeppesen, T. S., Peintner, U., Kuhnert-Finkernagel, R., Brandrud, T. E., Saar, G., Oertel, B., & Ammirati, J. F. (2016). Determining threshold values for barcoding fungi: lessons from *Cortinarius* (Basidiomycota), a highly diverse and widespread ectomycorrhizal genus. *FEMS Microbiology Ecology*, *92*(4), fiw045. <https://doi.org/10.1093/femsec/fiw045>
- Gemsih, M., Djufri, & Supriatno. (2017). Isolasi dan Identifikasi Jamur Endofit pada Daun Jamblang (*Syzygium cumini* L). *Jurnal Ilmiah Mahasiswa Fakultas Keguruan Dan Ilmu Pendidikan Unsyiah*, *2*(1), 78–89.
- Goławska, S., Łukasik, I., Chojnacki, A. A., & Chrzanowski, G. (2023). Flavonoids and Phenolic Acids Content in Cultivation and Wild Collection of European Cranberry Bush *Viburnum opulus* L. In *Molecules* (Vol. 28, Issue 5). <https://doi.org/10.3390/molecules28052285>
- Gómez-Martínez, M., Ascacio-Valdés, J. A., Flores-Gallegos, A. C., González-Domínguez, J., Gómez-Martínez, S., Aguilar, C. N., Morlett-Chávez, J. A., & Rodríguez-Herrera, R. (2020). Location and tissue effects on phytochemical composition and in vitro antioxidant activity of *Moringa oleifera*. *Industrial Crops and Products*, *151*, 112439. <https://doi.org/https://doi.org/10.1016/j.indcrop.2020.112439>
- González-Menéndez, V., Crespo, G., de Pedro, N., Diaz, C., Martín, J., Serrano, R., Mackenzie, T. A., Justicia, C., González-Tejero, M. R., Casares, M., Vicente, F., Reyes, F., Tormo, J. R., & Genilloud, O. (2018). Fungal endophytes from arid areas of Andalusia: high potential sources for antifungal and antitumoral agents. *Scientific Reports*, *8*(1), 9729. <https://doi.org/10.1038/s41598-018-28192-5>
- Guan, R., Van Le, Q., Yang, H., Zhang, D., Gu, H., Yang, Y., Sonne, C., Lam, S. S., Zhong, J., Jianguang, Z., Liu, R., & Peng, W. (2021). A review of dietary phytochemicals and their relation to oxidative stress and human diseases. *Chemosphere*, *271*, 129499. <https://doi.org/https://doi.org/10.1016/j.chemosphere.2020.129499>
- Gülsoy, E., Kaya, E. D., Türkhan, A., Bulut, M., Koyuncu, M., Güler, E., Sayın, F., & Muradoğlu, F. (2023). The Effect of Altitude on Phenolic, Antioxidant and Fatty Acid Compositions of Some Turkish Hazelnut (*Coryllus avellana* L.) Cultivars. In *Molecules* (Vol. 28, Issue 13). <https://doi.org/10.3390/molecules28135067>
- Gundel, P. E., Seal, C. E., Biganzoli, F., Molina-Montenegro, M. A., Vázquez-de-Aldana, B. R., Zabalgogea, I., Bush, L. P., Martínez-Ghersa, M. A., & Ghersa, C. M. (2018). Occurrence of alkaloids in grass seeds symbiotic with vertically-transmitted *Epichloë* fungal endophytes and its relationship with

- antioxidants. *Frontiers in Ecology and Evolution*, 6(DEC), 1–7. <https://doi.org/10.3389/fevo.2018.00211>
- Gupta, A., Meshram, V., Gupta, M., Goyal, S., Qureshi, K. A., Jaremko, M., & Shukla, K. K. (2023). Fungal Endophytes: Microfactories of Novel Bioactive Compounds with Therapeutic Interventions; A Comprehensive Review on the Biotechnological Developments in the Field of Fungal Endophytic Biology over the Last Decade. In *Biomolecules* (Vol. 13, Issue 7). <https://doi.org/10.3390/biom13071038>
- Gupta, S., Chaturvedi, P., Kulkarni, M. G., & Van Staden, J. (2020). A critical review on exploiting the pharmaceutical potential of plant endophytic fungi. *Biotechnology Advances*, 39(September 2019), 107462. <https://doi.org/10.1016/j.biotechadv.2019.107462>
- Gutbrod, P., Yang, W., Grujicic, G. V., Peisker, H., Gutbrod, K., Du, L. F., & Dörmann, P. (2021). Phytol derived from chlorophyll hydrolysis in plants is metabolized via phytanal. *The Journal of Biological Chemistry*, 296, 100530. <https://doi.org/10.1016/j.jbc.2021.100530>
- Habisukan, U. H., Elfita, Widjajanti, H., & Setiawan, A. (2021). Chemical characterization of secondary metabolite from the endophytic fungus trichoderma reesei isolated from the twig of syzygium aqueum. *Science and Technology Indonesia*, 6(3), 137–143. <https://doi.org/10.26554/sti.2021.6.3.137-143>
- Hafsan, H., Sukmawaty, E., Masri, M., Aziz, I. R., & Wulandari, S. L. (2018). Antioxidant activities of ethyl acetic extract of endophytic fungi from caesalpinia sappan L. and eucheuma sp. *International Journal of Pharmaceutical Research*, 10(3), 239–244. <https://doi.org/10.31838/ijpr/2018.10.03.078>
- Hajaji, A. N., Heikal, Y. M., Hamouda, R. A. E. F., Abassi, M., & Ammari, Y. (2024). Multivariate investigation of Moringa oleifera morpho-physiological and biochemical traits under various water regimes. *BMC Plant Biology*, 24(1), 505. <https://doi.org/10.1186/s12870-024-05040-5>
- Hamed, A., Mantawy, E., El-Bakly, W., Abdel-Mottaleb, Y., & Azab, S. (2020). Methyl Palmitate: the Naturally Occurring Cardioprotective Agent. *Archives of Pharmaceutical Sciences Ain Shams University*, 0(0), 47–62. <https://doi.org/10.21608/aps.2020.2003.1026>
- Hamilton, C. E., Gundel, P. E., Helander, M., & Saikkonen, K. (2012). Endophytic mediation of reactive oxygen species and antioxidant activity in plants: A review. *Fungal Diversity*, 54(May 2014), 1–10. <https://doi.org/10.1007/s13225-012-0158-9>
- Hamzah, T. N. T., Lee, S. Y., Hidayat, A., Terhem, R., Faridah-Hanum, I., & Mohamed, R. (2018a). Diversity and characterization of endophytic fungi isolated from the tropical mangrove species, Rhizophora mucronata, and identification of potential antagonists against the soil-borne fungus, Fusarium solani. *Frontiers in Microbiology*, 9(JUL), 1–17. <https://doi.org/10.3389/fmicb.2018.01707>
- Hamzah, T. N. T., Lee, S. Y., Hidayat, A., Terhem, R., Faridah-Hanum, I., & Mohamed, R. (2018b). Diversity and Characterization of Endophytic Fungi Isolated From the Tropical Mangrove Species, Rhizophora mucronata, and Identification of Potential Antagonists Against the Soil-Borne Fungus, Fusarium solani . In *Frontiers in Microbiology* (Vol. 9, p. 1707).
- Handayani, D., Ananda, N., Artasasta, M. A., Ruslan, R., Fadriyanti, O., & Tallei, T. E. (2019). Antimicrobial activity screening of endophytic fungi extracts isolated

- from brown algae *Padina* sp. *Journal of Applied Pharmaceutical Science*, 9(3), 9–13. <https://doi.org/10.7324/JAPS.2019.90302>
- Hartanti, D. (2015). Isolation and primary identification of endophytic fungi from Iron Wood (*Mesua ferrea*). *Pharmacy*, 12(01), 21–24.
- Harwoko, H., Lee, J., Daletos, G., Feldbrügge, M., & Kalsheuer, Rainer, Proksch, P. (2021). Antimicrobial compound from *Trichoderma harzianum*, an endophytic fungus associated with ginger (*Zingiber officinale*). *Indonesian Journal of Medicine and Health Journal Homepage*, 12(2), 151–157. <https://doi.org/10.20885/JKKI.Vol12.Iss2.art8>
- Hashem, A. H., Attia, M. S., Kandil, E. K., Fawzi, M. M., Abdelrahman, A. S., Khader, M. S., Khodaira, M. A., Emam, A. E., Goma, M. A., & Abdelaziz, A. M. (2023). Bioactive compounds and biomedical applications of endophytic fungi: a recent review. *Microbial Cell Factories*, 22(1), 107. <https://doi.org/10.1186/s12934-023-02118-x>
- Hashim, A. M., Alharbi, B. M., Abdulmajeed, A. M., Elkelish, A., Hozzein, W. N., & Hassan, H. M. (2020). Oxidative Stress Responses of Some Endemic Plants to High Altitudes by Intensifying Antioxidants and Secondary Metabolites Content. *Plants (Basel, Switzerland)*, 9(7). <https://doi.org/10.3390/plants9070869>
- Hidayat, A., Turjaman, M., Faulina, S. A., Ridwan, F., Aryanto, Najmulah, Irawadi, T. T., & Iswanto, A. H. (2019). Antioxidant and antifungal activity of endophytic fungi associated with Agarwood trees. *Journal of the Korean Wood Science and Technology*, 47(4), 459–471. <https://doi.org/10.5658/WOOD.2019.47.4.459>
- Hidayat, I., Nani, R., Rahayu, G., & Okane, I. (2019). Fungal Community of Culturable Fungal Endophytes Associated with *Cinchona calisaya* Collected from Gambung, West Java, Indonesia. *Makara Journal of Science*, 23(3). <https://doi.org/10.7454/mss.v23i3.11258>
- Hossain, M. A., Disha, N. K., Shourove, J. H., & Dey, P. (2020). Determination of Antioxidant Activity and Total Tannin from Drumstick (*Moringa oleifera* Lam.) Leaves Using Different Solvent Extraction Methods. *Turkish Journal of Agriculture - Food Science and Technology*, 8(12), 2749–2755. <https://doi.org/10.24925/turjaf.v8i12.2749-2755.4038>
- Huang, J., Yang, L., Zou, Y., Luo, S., Wang, X., Liang, Y., Du, Y., Feng, R., & Wei, Q. (2021). Antibacterial activity and mechanism of three isomeric terpineols of *Cinnamomum longepaniculatum* leaf oil. *Folia Microbiologica*, 66(1), 59–67. <https://doi.org/10.1007/s12223-020-00818-0>
- Huang, L., Zhu, X., Zhou, S., Cheng, Z., Shi, K., Zhang, C., & Shao, H. (2021). Phthalic Acid Esters: Natural Sources and Biological Activities. *Toxins*, 13(7). <https://doi.org/10.3390/toxins13070495>
- Huang, Y.-L. (2020). Effect of Host, Environment and Fungal Growth on Fungal Leaf Endophyte Communities in Taiwan. *Journal of Fungi (Basel, Switzerland)*, 6(4). <https://doi.org/10.3390/jof6040244>
- Ibrahim, D., Lee, C. C., & Sheh-Hong, L. (2014). Antimicrobial activity of endophytic fungi isolated from *Swietenia macrophylla* leaves. *Natural Product Communications*, 9(2), 247–250. <https://doi.org/10.1177/1934578x1400900229>
- Igiehon, N. O., Babalola, O. O., Cheseto, X., & Torto, B. (2021). Effects of rhizobia and arbuscular mycorrhizal fungi on yield, size distribution and fatty acid of soybean seeds grown under drought stress. *Microbiological Research*, 242, 126640.
- Ishihara, Y., Katayama, K., Sakabe, M., Kitamura, M., Aizawa, M., Takara, M., & Itoh,