

DAFTAR PUSTAKA

- Ahuja, A. and Evans, R., 2006. Practical Head and Neck Ultrasound. London: Cambridge University Press, 3-10.
- Alam, M.K., Srivastava, K.C., Khamis, M.F., Husein, A. (2023). Editorial: recent advancements in the dental biomaterials applied in various diagnostic, restorative, regenerative, and therapeutic procedures. *Front. Bioeng. Biotechnol*, 10.
- Allen, P.F., McMillan, A.S. (2003). A review of the functional and psychosocial outcomes of edentulousness treated with complete replacement dentures. *Journal of the Canadian Dental Association*, 69(10), 662.
- Alkaya, B., Duyan Yüksel, H., Evlice, B., Özcan, M., Türer, O. U., İşler, S. Ç., & Haytaç, M. C. (2024). Ultrasound analysis of the masseter and anterior temporalis muscles in edentulous patients rehabilitated with full-arch fixed implant-supported prostheses. *Clinical oral investigations*, 28(5), 288. <https://doi.org/10.1007/s00784-024-05676-5>
- Benassi, G.F., Mariotto, L.G.S., Botelho, A.L., Valente, M.L.D.C. (2022). Relationship between temporomandibular dysfunctions, sleep disorders, and anxiety among dentistry students. *Cranio J. Craniomandib. Pract.*, 40(3), 258-261.
- Bhoyar, P.S., Godbole, S.R., Thombare, R.U., Pakhan, A.J. (2012). Effect of complete edentulism on masseter muscle thickness and changes after complete denture rehabilitation: an ultrasonographic study. *Journal of Investigative and Clinical Dentistry*, 3, 45-50.
- Bhojwani, V., Ghabriel, M.N., Mihailidis, S., Townsend, G.C. (2017). The human medial pterygoid muscle: attachments and distribution of muscle spindles. *Clin. Anat.*, 30(8), 1064-1071.
- Buvinic, S., Balanta-Melo, J., Kupczik, K., Vásquez, W., Beato, C., Toro-Ibacache, V. (2020). Muscle-bone crosstalk in the masticatory system: from biomechanical to molecular interactions. *Front. Endocrinol. (Lausanne)*, 11, 606947.
- Carcamo, C.R., Hormazabal, F.A., Gutierrez, F.I., Carmona, A.P. (2022). Pulsed radiofrequency of superior cervical ganglion for treatment of painful post-traumatic trigeminal neuropathy (PTTN): a case series report. *Cranio J. Craniomandib. Pract.*, 40(2), 166-173.

- Carletti, T. M., Pinheiro, M. A., Gonçalves, T. M. S. V., & Rodrigues Garcia, R. C. M. (2019). Influence of lower complete denture use on masseter muscles and masticatory function: A longitudinal study. *Journal of oral rehabilitation*, 46(2), 127-133. <https://doi.org/10.1111/joor.12729>
- Carlsson, G.E., 1998. Clinical morbidity and sequelae of treatment with complete dentures. *Journal of Prosthetic Dentistry*, 79(1), 17-23
- Chang, P.H., Chen, Y.J., Chang, K.V. et al. (2020). Ultrasound measurements of superficial and deep masticatory muscles in various postures: reliability and influencers. *Scientific Reports*, 10, 14357. doi: 10.1038/s41598-020-71378-z.
- Chaya, M., Tiwari, R. (2015). Ultrasound in maxillofacial imaging: A review. *Journal of Medicine, Radiology, Pathology & Surgery*, 1, 17-23.
- Crescente, G., Minervini, G., Spagnuolo, C., Moccia, S. (2022). Cannabisbioactivecompound-based formulations: new perspectives for the management of orofacial pain. *Molecules*, 28(1), 106.
- Cvetko, E., Karen, P., & Eržen, I. (2012). Wearing of complete dentures reduces slow fibre and enhances hybrid fibre fraction in masseter muscle. *Journal of oral rehabilitation*, 39(8), 608-614. <https://doi.org/10.1111/j.1365-2842.2012.02294.x>
- Dalgorf, D. and Higgins, K., 2008. Reconstruction of the midface and maxilla. *Curr. Opin.Otolaryngol. Head Neck Surg.*, 16(4), 303-311. <https://doi.org/10.1097/MOO.0b013e328304b426>
- Desmons, S., Graux, F., Atassi, M., Libersa, P., Dupas, P.-H. (2007). The lateral pterygoid muscle, a heterogeneous unit implicated in temporomandibular disorder: a literature review. *Cranio*, 25(4), 283-291.
- Divaris, K., Ntounis, A., Marinis, A., Polyzois, G. and Polychronopoulou, A., 2012. Loss of natural dentition: multi-level effects among a geriatric population. *Gerodontology*, 29(2), 192-199.
- Durão, A. P. R., Ribeiro, M. D. A., Miranda, M., & Morosolli, A. R. C. (2021). Evaluation of masseter muscle dimensions through ultrasonography. *International Journal of Odontostomatology*, 15(4), 980-988.
- Egwu, O.A., Njoku, C.O., Ewunonu, E.O., Ukoha, U., Eteudo, A.N., Mgbachi, C.E.

- (2012). Assessment of masseter muscle thickness in an adult Nigerian population: An ultrasound based study. *Int J Biomed Res*, 3, 143-146.
- Elazab, E.E.B., Abdel-Hameed, F.A.M. (2006). The arterial supply of the temporalis muscle. *Surg. Radiol. Anat.*, 28(3), 241-247.
- Emami, E., de Souza, R.F., Kabawat, M. and Feine, J.S., 2013. The impact of edentulism on oral and general health. *Int J Dent.*, 2013, 498305
- English, A.W., Eason, J., Schwartz, G., Shirley, A., Carrasco, D.I. (1999). Sexual dimorphism in the rabbit masseter muscle: myosin heavy chain composition of neuromuscular compartments. *Cells Tissues Organs*, 164(4), 179-191.
- Felton, D., Cooper, L., Duqum, I. et al., 2011. Evidence-based guidelines for the care and maintenance of complete dentures: a publication of the American College of Prosthodontists. *Journal of the American Dental Association*, 142(supplement 1), 1S-20S
- Goldspink, G. (1998). Cellular and molecular aspects of muscle growth, adaptation and ageing. *Gerodontology*, 15(1), pp.35-43.
- Gomi, M. Y., da Rosa de Souza, P. T., Vianna, M. S., Ignácio, S. A., & Azevedo-Alanis, L. R. (2022). Electromyographic Activity of Masseter Muscles After Complete Denture Rehabilitation in Edentulous Participants. *The International journal of prosthodontics*, 35(3), 294-301. <https://doi.org/10.11607/ijp.7354>
- González-Fernández, M., Perez-Nogueras, J., Serrano-Oliver, A., Torres-Anoro, E., Sanz-Arque, A., Arbones-Mainar, J. M., & Sanz-Paris, A. (2021). Masseter Muscle Thickness Measured by Ultrasound as a Possible Link with Sarcopenia, Malnutrition and Dependence in Nursing Homes. *Diagnostics (Basel, Switzerland)*, 11(9), 1587. <https://doi.org/10.3390/diagnostics11091587>
- Hashimoto, M., Yamanaka, K., Shimosato, T. et al., 2006. Oral condition and health status of elderly 8020 achievers in Aichi Prefecture. *The Bulletin of Tokyo Dental College*, 47(2), 37-43.
- Hernandez, M., Grütter, L., Aracil-Kessler, L., Weingart, D., Schimmel, M. (2012). Masseter muscle thickness, chewing efficiency and bite force in edentulous patients with fixed and removable implant-supported prosthesis: A cross-sectional multicenter study. *Clin Oral Implants Res*, 23, 144-150.
- Hyde, S., Dupuis, V., Mariri, B., Dartevielle, S. (2017). Prevention of tooth loss and

- dentalpain for reducing the global burden of oral diseases. *International Dental Journal*,67, 19-25.
- Jainkittivong, A., Aneksuk, V., Langlais, R.P. (2010). Oral mucosal lesions in denture wearers. *Gerodontology*, 27(1), 26-32.
- Kimmie-Dhansay, F., Pontes, C.C., Chikte, U.M.E., Chinhenzva, A., Erasmus, R.T., Kengne, A.P., et al., 2021. Impacts of Tooth Loss on OHRQoL in an Adult Population in Cape Town, South Africa. *Int J Environ Res Public Health*, 18(9), 4989.
- Kiliaridis, S., Engström, C., Chavez, L.M.E. (1992). Influence of masticatory musclefunction on craniofacial growth in hypocalcemic rats. *Eur J Oral Sci*, 100, 330-336.
- Kiliaridis, S., Kålebo, P. (1991). Masseter muscle thickness measured by ultrasonography and its relation to facial morphology. *J Dent Res*, 70(9), 1262-1265.
- Koruyucu, A. N., & Aşantoğrol, F. (2024). Determination of masseter and temporal muscle thickness by ultrasound and muscle hardness by shear wave elastography in healthy adults as reference values. *Dentomaxillofacial Radiology*, 53(2), 137-152. <https://doi.org/10.1093/dmfr/twad013>
- Langmore, S.E., Terpenning, M.S., Schork, A., et al., 1998. Predictors of aspiration pneumonia: how important is dysphagia? *Dysphagia*, 13, 69-81.
- Lee, Y. H., Chun, Y. H., Bae, H., Lee, J. W., & Kim, H. J. (2024). Comparison of ultrasonography-based masticatory muscle thickness between temporomandibular disorders bruxers and temporomandibular disorders non-bruxers. *Scientific reports*, 14(1), 6923. <https://doi.org/10.1038/s41598-024-57696-6>
- Lipski, M., Tomaszewska, I.M., Lipska, W., Lis, G.J., Tomaszewski, K.A., 2013. The mandible and its foramen: anatomy, anthropology, embryology and resulting clinical implications. *Folia Morphol (Warsz)*, 72(4), 285-292. <https://doi.org/10.5603/fm.2013.0048>
- Liu, X., Zhang, X., & Feng, Q. (2022). Dynamic change in the thickness of the masseter muscle between contraction and relaxation is associated with the masticatory function in older adults: a cross-sectional study. *Annals of palliative medicine*, 11(12), 3755-3763. <https://doi.org/10.21037/apm-22->

1344

- MacEntee, M.I., Glick, N., Stolar, E. (1998). Age, gender, dentures and oral mucosal disorders. *Oral Dis*, 4(1), 32-36.
- Maxwell, L.C., Carlson, D.S., McNamara, J.A., Faulkner, J.A. (1979). Histochemical characteristics of the masseter and temporalis muscles of the rhesus monkey (*Macaca mulatta*). *Anat. Rec.*, 193(3), 389-402.
- Mayil, M., Keser, G., Demir, A., Pekiner, F.N. (2018). Assessment of Masseter Muscle Appearance and Thickness in Edentulous and Dentate Patients by Ultrasonography. *Open Dent J*, 12, 723-734.
- Meenakshi, S., Gujjari, A.K., Thippeswamy, H.N., Raghunath, N., 2014. Evaluation of oral stereognosis ability after rehabilitating patients with complete dentures: in vivo study. *J Indian Prosthodont Soc*, 14, 363-368.
- Minervini, G., Franco, R., Marrapodi, M.M., Fiorillo, L., Cervino, G., Cicciù, M., 2023. Prevalence of temporomandibular disorders in children and adolescents evaluated with diagnostic criteria for temporomandibular disorders (DC/TMD): a systematic review with meta-analysis. *J. Oral Rehabil.* <https://doi.org/10.1111/joor.13446>
- Minervini, G., Franco, R., Marrapodi, M.M., Fiorillo, L., Cervino, G., Cicciù, M., 2023. Prevalence of temporomandibular disorders (TMD) in pregnancy: a systematic review with meta-analysis. *J. Oral Rehabil.* <https://doi.org/10.1111/joor.13458>
- Mousa, M.A., Lynch, E., Sghaireen, M.G., Zwiri, A.M.A. and Baraka, O.A., 2017. Influence of time and different tooth widths on masticatory efficiency and muscular activity in bilateral free-end saddles. *Int. Dent. J.*, 67(1), 29-37. <https://doi.org/10.1111/idj.12256>
- Müller, F., Heath, M.R. & Ott, R., 2001. Maximum bite force after the replacement of complete dentures. *Gerodontology*, 18(1), pp.58-62.
- Ota, M., Ikezoe, T., Kato, T., Tateuchi, H., & Ichihashi, N. (2020) 'Age-related changes in muscle thickness and echo intensity of trunk muscles in healthy women: comparison of 20-60s age groups', *European Journal of Applied Physiology*, 120(8), pp. 1805-1814. doi: 10.1007/s00421-020-04412-7.
- Procopio Pinheiro, R., et al., 2020. Anatomical study of the innervation of the

- masseter muscle and its correlation with myofascial trigger points. *J. Pain Res.*, 13, 3217- 3226. <https://doi.org/10.2147/JPR.S265717>.
- Rasheed, N., Joseph, S., Mathew, A.T., Paul, V., Mathew, S. & Abraham, J. (2022). Masticatory muscle activity in complete denture wearers: a surface electromyographic analysis. *Indonesian Journal of Prosthodontics*, 3(2), pp.69-76.
- Reis Durão, A.P., Morosolli, A., Brown, J., Jacobs, R., 2017. Masseter muscle measurement performed by ultrasound: A systematic review. *Dentomaxillofac Radiol*, 46(6), 20170052.
- Saka, B., Wree, A., Henkel, K.O., Anders, L., Gundlach, K.K., 2002. Blood supply of the mandibular cortex: an experimental study in Göttingen minipigs with special reference to the condyle. *J Craniomaxillofac Surg*, 30(1), 41-45. <https://doi.org/10.1054/jcms.2001.0257>
- Saito, T., et al., 2022. Minimum measurement time of masseteric electromyogram required for assessment of awake bruxism during the daytime. *Cranio J. Craniomandib. Pract.*, 40(2), 144-151. <https://doi.org/10.1080/08869634.2019.1704982>.
- Satiroğlu, F., Arun, T., Işık, F., 2005. Comparative data on facial morphology and muscle thickness using ultrasonography. *Eur J Orthod*, 27(6), 562-567.
- Schimmel, M., Loup, A., Duvernay, E., Gaydarov, N., Muller, F., 2010. The effect of mandibular denture abstention on masseter muscle thickness in a 97-year-old patient: a case report. *Int J Prosthodont*, 23, 418-420.
- Sghaireen, M.G., Al-Omiri, M.K., Patil, S., Sewelim, R., Alrewely, M.K., Wsheh, K. and Alsharary, Y., AlKhatib, A.J., 2014. Maximum bite force for children on primary and permanent teeth: within-subject comparison. *Eur. Sci. J.*, 1030
- Shrivastava, D., et al., 2021. Novel approach to dental biofilm management through guided biofilm therapy (GBT): a review. *Microorganisms*, 9(9), 1966. <https://doi.org/10.3390/microorganisms9091966>
- Soboļeva, U., Laurinā, L., Slaidina, A., 2005. The masticatory system-an overview. *Stomatologija*, 7(3), 77-80.

- Srivastava, K.C., et al., 2021. Evaluation of temporomandibular disorders among dental students of Saudi Arabia using diagnostic criteria for temporomandibular disorders (DC/TMD): a cross-sectional study. *BMC Oral Health*, 21(1), 211. <https://doi.org/10.1186/s12903-021-01578-0>.
- Srivastava, D., Shrivastava, D. and Austin, D., 2016. Journey towards the 3d dental imaging-the milestones in the advancement of dental imaging. *Int. J. Adv. Res. (Indore)*, 4(12), 377-382. <https://doi.org/10.21474/IJAR01/2405>.
- Terada, S. and Sato, T., 1982. Nerve supply of the medial and lateral pterygoid muscles and its morphological significance. *Okajimas Folia Anat. Jpn.*, 59(4), 251-264. https://doi.org/10.2535/ofaj1936.59.4_251
- Tetsuka, M., Saga, T., Nakamura, M., Tabira, Y., Kusakawa, J., Yamaki, K., 2012. Relationship between masseter muscle form and occlusal supports of remaining teeth. *Kurume Med J*, 59(1-2), 5-15.
- Treesattayakul, B., Winuprasith, T., Theeranuluk, B., Trachootham, D., 2019. Loss of Posterior Occluding Teeth and Its Association with Protein-Micronutrients Intake and Muscle Mass among Thai Elders: A Pilot Study. *J Frailty Aging*, 8(2), 100-103.
- Van Kampen, F.M.C., van der Bilt, A., Cune, M.S., Fontijn-Tekamp, F.A. and Bosman, F., 2004. Masticatory function with implant-supported overdentures. *Journal of Dental Research*, 83(9), 708-711.
- Weijjs, W.A. and Hillen, B., 1986. Correlations between the cross-sectional area of the jaw muscles and craniofacial size and shape. *Am J Phys Anthropol*, 70(4), 423-431.
- Yamamoto, H., Furuya, J., Tamada, Y., Kondo, H., 2013. Impacts of wearing complete dentures on bolus transport during feeding in elderly edentulous. *J Oral Rehabil*, 40, 923-931.
- Yaeger, J.A., 1978. Mandibular path in the grinding phase of mastication—a review. *J. Prosthet. Dent.*, 39(5), 569-573. [https://doi.org/10.1016/s0022-3913\(78\)80196-6](https://doi.org/10.1016/s0022-3913(78)80196-6).
- Yu, S.K., Kim, T.-H., Yang, K.Y., Bae, C.J. and Kim, H.-J., 2021. Morphology of the temporalis muscle focusing on the tendinous attachment onto the coronoid

Zhang, W., 2023. Understanding tooth loss: Causes, consequences, and treatment options. *J Clin Dentistry Oral Health*, 7(3), 143.