

## DAFTAR PUSTAKA

- Ajzen, I. (2011). The theory of planned behavior: Reactions and reflections. *Psychology and Health*, 26(9), 1113–1127. <https://doi.org/10.1080/08870446.2011.613995>
- Ajzen (2005) *Attitudes, Personality And Behavior, (2nd Edition)*, Berkshire. Uk: Open University Press-Mcgraw Hill Education.
- Ajzen, I. And Fishbein, M. (1975) 'A Bayesian Analysis Of Attribution Processes.', *Psychological Bulletin*, 82(2), P. 261.
- Azwar, S. (2009) 'Perilaku Dan Sikap Manusia, Teori Dan Pengukurannya'. Jakarta.
- Ayaz S, Yaman Efe S. Potentially harmful traditional practices during pregnancy and postpartum. *Eur J Contracept Reprod Heal Care*. 2008 Jan;13(3):282–8.
- Abdul Ghani R, Salehudin S. Traditional Belief and Practice on Postpartum Recovery among Mothers in East Coast of Peninsular Malaysia. Aljunid SA, Mohd Salleh MAA, Rashidi CBM, Soh PJ, Ku Azir KNF, editors. *MATEC Web Conf*. 2018 Feb;150:05067.
- Abebe H, Beyene GA, Mulat BS. Harmful cultural practices during perinatal period and associated factors among women of childbearing age in Southern Ethiopia: Community based cross-sectional study. Erbil N, editor. *PLoS One*. 2021 Jul;16(7):e0254095.
- Astri H, Alhadar F. Rorano Ramuan Percepat Proses Persalinan Pada Etnik Ternate. *J Ris Kesehat*. 2018;7(1):25.
- Ari Sulistyawati. (2015). *Asuhan Kebidanan Pada Ibu Nifas*. Yogyakarta: Perpustakaan Nasional.
- Asratie MH, Andualem Z. Predictors of early resumption of post-partum sexual intercourse among post-partum period women in Ethiopia: A multilevel analysis based on Ethiopian demographic and health survey 2016. *PLoS One*. 2022;17(9 September):29–32.
- Atakari E, Na'im S, Hidayah A. Hubungan Pengetahuan dengan Sikap Ibu Nifas Tentang Deteksi Dini Tanda Bahaya Masa Nifas Kalabahi-NTT. *Literasi Kesehat Husada*. 2021;5(1):1–11.
- Bazzano AN, Stolow JA, Duggal R, Oberhelman RA, Var C. Warming the postpartum body as a form of postnatal care: An ethnographic study of medical injections and traditional health practices in Cambodia. *PLoS One*. 2020;15(2):1–16.
- Bij De Vaate A, Coleman R, Manneh H, Walraven G. Knowledge, attitudes and practices of trained traditional birth attendants in the Gambia in the prevention, recognition and management of postpartum haemorrhage. *Midwifery*. 2002;18(1):3–11.
- Barnes LAJ, Rolfe MI, Barclay L, McCaffery K, Aslani P. Demographics, health literacy and health locus of control beliefs of Australian women who take complementary medicine products during pregnancy and breastfeeding: A cross-sectional, online, national survey. *Heal Expect*. 2022;25(2):667–83.
- Bala ET, Roets L. Challenges in postnatal care provision in Ethiopia. *Front Public Heal*. 2022;10(3).
- Birhane BM, Bayih WA, Chanie M, Awoke G, Simegn A, Asnakew S, et al. Home based postpartum care and determinants in Ethiopia: A multilevel analysis. *PLoS One*. 2022;17(8 August):1–13.
- Balatsouka, P. (2015) 'The Role Of Social Network Technologies In Online Health Promotion: A Narrative Review Of Theoretical And Empirical Factors Influencing Intervention Effectiveness', *J Med Internet Res*, 17, P. E141. Doi: 10.2196/Jmir.3662.
- Coast E, Jones E, Lattof SR, Portela A. Effectiveness of interventions to provide culturally appropriate maternity care in increasing uptake of skilled maternity care: A systematic review. *Plan*. 2016;31(10):1479–91.
- il S, Parreira MVB de C, Chaves CB, Amaral O, Nelas P. Nurses- puerperal action: searching for cultural care. *Rev Bras Enferm*. 2019;72(4):910–7.
- artum care service experience model: A case of postpartum home visiting ilitc. 2018;6(3). Dol J, Aston M, McMillan D, Murphy GT, Campbell-Yeo M.
- Perceptions of Essential Coaching for Every Mother—a Canadian Text based Postpartum Program: Process Evaluation of a Randomized Controlled Trial.



JMIR Form Res. 2022;6(5).

- Diamond-Smith N, Thet MM, Khaing EE, Sudhinaraset M. Delivery and postpartum practices among new mothers in Laputta, Myanmar: intersecting traditional and modern practices and beliefs. *Cult Heal Sex.* 2016;18(9):1054–66.
- Dibari JN, Yu SM, Chao SM, Lu MC. Use of postpartum care: Predictors and barriers. *J Pregnancy.* 2014;2014.
- Dauber S, Beacham A, Hammond C, West A, Thrul J. Adaptive Text Messaging for Postpartum Risky Drinking: Conceptual Model and Protocol for an Ecological Momentary Assessment Study. *JMIR Res Protoc.* 2022;11(4):1–21.
- De Leeuw, A., Valois, P., Ajzen, I., & Schmidt, P. (2015). Using the theory of planned behavior to identify key beliefs underlying pro-environmental behavior in high-school students: Implications for educational interventions. *Journal of Environmental Psychology*, 42(June), 128–138. <https://doi.org/10.1016/j.jenvp.2015.03.005>
- Demilew, Y. M., Alene, G. D., & Belachew, T. (2020a). Effect of guided counseling on dietary practices of pregnant women in West Gojjam Zone, Ethiopia. *PLoS ONE*, 15(5), 1–14. <https://doi.org/10.1371/journal.pone.0233429>
- Ding G, Yu J, Vinturache A, Gu H, Lu M. Therapeutic effects of the traditional “Doing the month” practices on postpartum depression in China. *Am J Psychiatry.* 2018;175(11):1071–2.
- Dewi, V. N. L. dan Tri Sunarsih. (2012). *Asuhan Kebidanan pada Ibu Nifas*. Jakarta: Salemba Medika
- Eberhard-Gran M, Garthus-Niegel S, Garthus-Niegel K, Eskild A. Postnatal care: A cross-cultural and historical perspective. *Arch Womens Ment Health.* 2010;13(6):459–66.
- Elly M Setiadi et al (2017). *Ilmu Sosial dan Budaya Dasar*. Edisi Ketiga. Cetakan Ke 17. Kencana. Jakarta.
- El Ayadi AM, Duggal M, Bagga R, Singh P, Kumar V, Ahuja A, et al. A Mobile Education and Social Support Group Intervention for Improving Postpartum Health in Northern India: Development and Usability Study. *JMIR Form Res.* 2022;6(6):1–17.
- Greaney, M. L., Wallington, S. F., Rampa, S., Vigliotti, V. S., & Cummings, C. A. (2020). Assessing health professionals’ perception of health literacy in Rhode Island community health centers: A qualitative study. *BMC Public Health*, 20(1). <https://doi.org/10.1186/s12889-020-09382->
- Goyal S, Gupta B, Sharma E, Dalal PK, Pradeep Y. Psychiatric Morbidity, Cultural Factors, and Health-Seeking Behaviour in Perinatal Women: A Cross-Sectional Study from a Tertiary Care Centre of North India. *Indian J Psychol Med.* 2020 Jan;42(1):52–60.
- Gooden T, Gustafsson L, Lu F, Rickard F, Sitch A, Cummins C, et al. Facilitating better postnatal care with women-held documents in The Gambia: a mixed-methods study. *BMC Pregnancy Childbirth.* 2021;21(1):1–10.
- Guspianto G, Ibnu IN, Veruswati M, Asyary A. Predictors of Male Involvement in Postnatal Care in Jambi, Indonesia: A Cross-Sectional Study. *Ann Ig.* 2022;
- Garcia KS. Mixed methods evaluation & teaching with Guatemalan traditional midwives’ regarding nursing interventions to manage postpartum hemorrhage. *J Nurs Educ Pract.* 2013;3(10):120–8.
- Guardino CM, Hobel CJ, Shalowitz MU, Ramey SL, Schetter CD, Burns T, et al. Psychosocial and demographic predictors of postpartum physical activity Christine. *J Behav Med.* 2019;41(5):668–79.
- Haun, J. N., Valerio, M. A., McCormack, L. A., Sørensen, K., & Paasche-Orlow, M. K. (2014). / measurement: an inventory and descriptive summary of 51 instruments. *Health Communication*, 19(sup2), 302–333.
- Downs, D. S., Feinberg, M. E., Weisman, C. S., Chuang, C. H., Parrott, R., Incis, L. A., Baker, S. A., Dyer, A. M., & Chinchilli, V. M. (2008). Improving preconceptional Health. Findings from a Randomized Trial of the Strong Healthy Mentention in the Central Pennsylvania Women’s Health Study. *Women’s Health (UPPL.)*. <https://doi.org/10.1016/j.whi.2008.07.008>



- Hanifah N A. PERAN BIDAN DALAM MENGHADAPI BUDAYA PANGGANG DAN TATOBI IBU NIFAS PADA SUKU TIMOR DI KECAMATAN MOLLO TENGAH. *J Info Kesehat.* 2016;14:1.
- Indrayani. Faktor Budaya Dalam Perawatan Masa Nifas Masyarakat Di Desa Manurunge Kecamatan Ulaweng Kabupaten Bone. *J Suara Kesehat.* 2022;7(1):1–8.
- Jannah, Nurul. (2013). *Asuhan Kebidanan Ibu Nifas.* Jogjakarta: Ar-Ruzz MediaKemenkes RI.
- (2018). Strategi Komunikasi Perubahan Perilaku Dalam Percepatan Pencegahan Stunting. *Kementerian Kesehatan RI, 11(1), 1–14.*
- Junaidi (2010). Komunikasi dan Budaya: Menuju Masyarakat Multikultural. *Jurnal Ilmu Budaya.* 3-1.
- Joan Luckmann (2005). *Transcultural Comunication.* In *Health Care.* Delmar. Thomson Learning.
- Kusnandar. V (2021). 10 Provinsi dengan Angka Kematian Ibu Terbanyak pada 2020. *Datadoks.* <https://databoks.katadata.co.id/datapublish/2021/12/22/10-provinsi-denganangka-kematian-ibu-terbanyak-pada-2020>
- Kimura LJ, McGee A, Baird S, Viloría J, Nagatsuka M. Healthy Mothers Healthy Babies: awareness and perceptions of existing breastfeeding and postpartum depression support among parents and perinatal health care providers in Hawai'i. *Hawaii J Med Public Health.* 2015;74(3):101–11.
- Kaewsarn P, Moyle W, Creedy D. Traditional postpartum practices among Thai women. *J Adv Nurs.* 2003;41(4):358–66.
- Kutner, M., Greenburg, E., Jin, Y., & Paulsen, C. (2006). The Health Literacy of America's Adults: Results from the 2003 National Assessment of Adult Literacy. NCES 2006-483. *National Center for Education Statistics.*
- Kemenkes RI (2019) *Profil Kesehatan Indonesia 2018 [Indonesia Health Profile 2018].*
- Kemenkes RI (2021) *Profil Kesehatan Indonesia Tahun 2020.*
- Kilfoyle, K. A., Vitko, M., O'Connor, R., & Bailey, S. C. (2016). Health Literacy and Women's Reproductive Health: A Systematic Review. *Journal of Women's Health, 25(12), 1237–1255.* <https://doi.org/10.1089/jwh.2016.5810>
- Kassie B, Ahmed B, Degu G. Predictors of time to recovery from postpartum hemorrhage in Debre Markos comprehensive specialized hospital, Northwest, Ethiopia, 2020/21. *BMC Pregnancy Childbirth.* 2022;22(1):1–11.
- Kickbus, I., Apfel, F., & Tsouros, A. D. (2013). *Health\_Literacy\_RU\_web.*
- Kirmayer, L. J., Narasiah, L., Munoz, M., Rashid, M., Ryder, A. G., Guzder, J., Hassan, G., Rousseau, C., & Pottie, K. (2011). Common mental health problems in immigrants and refugees: general approach in primary care. *Cmaj, 183(12), E959–E967.*
- Liu, C., Wang, D., Liu, C., Jiang, J., Wang, X., Chen, H., Ju, X., & Zhang, X. (2020). What is the meaning of health literacy? A systematic review and qualitative synthesis. *Family Medicine and Community Health, 8(2), 1–8.* <https://doi.org/10.1136/fmch-2020-000351>
- Liu, C., Wang, D., Liu, C., Jiang, J., Wang, X., Chen, H., Ju, X., & Zhang, X. (2020). What is the meaning of health literacy? A systematic review and qualitative synthesis. *Family Medicine and Community Health, 8(2), 1–8.* <https://doi.org/10.1136/fmch-2020-000351>
- Liu Y, Zhu Y, Jiang L, Lu C, Xiao L, Chen J, et al. Efficacy of Acupuncture in Post-partum With Diastasis Recti Abdominis: A Randomized Controlled Clinical Trial Study Protocol. *Front Public Heal.* 2021;9(December):1–10.
- Morton, S. Pencheon, D. and Squires, N. (2017) "Sustainable Development Goals (SDGs), their implementation," *British Medical Bulletin, 124(1), pp. 81-90.* Available at: [https://doi.org/10.1093/bmb/ldx031.](https://doi.org/10.1093/bmb/ldx031)



maine, D. (1992) "A Framework for Analyzing the determinants of Maternal Studies in Family Planning, 23(1), p. 23. Available [org/10.2307/1966825.](https://doi.org/10.2307/1966825)

Ahmad AB. Addiction treatment in the postpartum period: an opportunity for personalized medicine. *Int Rev Psychiatry.* 2021;33(6):579–90.

Masyarakat yang Merugikan Kesehatan Pada Ibu Nifas dan Bayi. *J Kebidanan.* 6.

- Mahiti GR, Mbekenga CK, Kiwara AD, Hurtig AK, Goicolea I. Perceptions about the cultural practices of male partners during postpartum care in rural Tanzania: A qualitative study. *Glob Health Action*. 2017;10(1).
- Mirawati M, Adila DR, Niriayah S. Gambaran Sikap Ibu Postpartum Pada Kepercayaan Budaya Melayu. *J Ners Indones*. 2020;10(2):122.
- Mariyati, Tumansery GS. Perawatan Diri Berbasis Budaya Selama Masa Nifas Pada Ibu Postpartum. *J Ilmu Keperawatan*. 2018;6(1):47–56.
- Miller YD, Tone J, Talukdar S, Martin E. A direct comparison of patient-reported outcomes and experiences in alternative models of maternity care in Queensland, Australia. Vol. 17, *PLoS ONE*. 2022. 1–32 p.
- Merga BT, Fekadu G, Raru TB, Ayana GM, Hassen FA, Bekana M, et al. Determinants of potentially harmful traditional cord care practices among mothers in Ethiopia. *Front Pediatr*. 2022;10(August):1–7.
- Ngunyulu RN, Mulaudzi FM, Peu MD. Comparison between indigenous and Western postnatal care practices in Mopani District, Limpopo Province, South Africa. *Curationis*. 2015;38(1):1–
- Notoatmodjo, S. (2010). Ilmu perilaku kesehatan.
- Nutbeam, D., & Kickbusch, I. (2000). Advancing health literacy: A global challenge for the 21st century. *Health Promotion International*, 15(3), 183–184. <https://doi.org/10.1093/heapro/15.3.183>
- Nguyen VVT, Zheng MY, Liu SM, Kallen MA, Kay K, Ivey SL. Prevalence of Traditional Asian Postpartum Practices at a Federally Qualified Health Center. *J Immigr Minor Heal*. 2022;24(5):1251–60.
- Nierkens, V., Stronks, K., Van Oel, C. J., & De Vries, H. (2005). Beliefs of Turkish and Moroccan immigrants in The Netherlands about smoking cessation: Implications for prevention. *Health Education Research*, 20(6), 622–634. <https://doi.org/10.1093/her/cyh026>
- Nan Y, Zhang J, Nisar A, Huo L, Yang L, Yin J, et al. Professional support during the postpartum period: Primiparous mothers' views on professional services and their expectations, and barriers to utilizing professional help. *BMC Pregnancy Childbirth*. 2020;20(1):1–13.
- Nikièma, L., Huybregts, L., Martin-Prevel, Y., Donnen, P., Lanou, H., Grosemans, J., Offoh, P., Dramaix-Wilmet, M., Sondo, B., Roberfroid, D., & Kolsteren, P. (2017). Effectiveness of facility-based personalized maternal nutrition counseling in improving child growth and morbidity up to 18 months: A cluster-randomized controlled trial in rural Burkina Faso. *PLoS ONE*, 12(5), 1–26. <https://doi.org/10.1371/journal.pone.0177839>
- Negron R, Martin A, Almog M, Balbierz A, Howell EA. Social support during the postpartum period: Mothers' views on needs, expectations, and mobilization of support. *Matern Child Health J*. 2013;17(4):616–23.
- Osaki, K., Hattori, T., Toda, A., Mulati, E., Hermawan, L., Pritasari, K., Bardosono, S., & Kosen, S. (2019). Maternal and Child Health Handbook use for maternal and child care: A cluster randomized controlled study in rural Java, Indonesia. *Journal of Public Health (United Kingdom)*, 41(1), 170–182. <https://doi.org/10.1093/pubmed/fox175>
- Okka B, Durduran Y, Değerli Kodaz N. Traditional practices of Konya women during pregnancy, birth, the postpartum period, and newborn care. *Turkish J Med Sci*. 2016;46(2):501–11.
- Petty, R. E., & Cacioppo, J. T. (2018). *Attitudes and persuasion: Classic and contemporary approaches*. Routledge.
- Poureslami, I., Tregobov, N., Shum, J., McMillan, A., Akhtar, A., Kassay, S., Starnes, K., Mahjoob, Ild, J. M. (2021). A conceptual model of functional health literacy to improve day disease outcomes. *BMC Public Health*, 21(1), 1–16. [10.1186/s12889-021-10313-x](https://doi.org/10.1186/s12889-021-10313-x)
- (2008). Decision making in the transtheoretical model of behavior change. *Decision Making*, 28(6), 845–849. <https://doi.org/10.1177/0272989X08327068>
- 3). Ilmu Kebidanan. Jakarta PT Bina Pustaka Sarwono Prawirohardjo
- Kindig, D. A. (2006) 'Beyond The Institute Of Medicine Health Literacy Report:



Are The Recommendations Being Taken Seriously?', *Journal Of General Internal Medicine*, 21(8), P. 891.

- Petty, R. E., & Cacioppo, J. T. (2018). *Attitudes and persuasion: Classic and contemporary approaches*. Routledge.
- Pickens, J. (2005). Attitudes and perceptions. *Organizational Behavior in Health Care*, 4(7), 43–76.
- Pattinasarany GM, Nusawakan AW, Probowati H. Praktik Tradisional Pada Perawatan Masa Nifas. J Keperawatan Muhammadiyah [Internet]. 2020;5(1):320–7. Available from: <http://journal.um-surabaya.ac.id/index.php/JKM%0APraktik>
- Perkes SJ, Huntriss B, Skinner N, Leece B, Dobson R, Mattes J, et al. Development of a Maternal and Child mHealth Intervention With Aboriginal and Torres Strait Islander Mothers: Co-design Approach. *JMIR Form Res*. 2022;6(7).
- Rawson, K. A., Gunstad, J., Hughes, J., Spitznagel, M. B., Potter, V., Waechter, D., & Rosneck, J. (2010). The METER: a brief, self-administered measure of health literacy. *Journal of General Internal Medicine*, 25(1), 67–71.
- Reiza Y. Budaya Nifas Masyarakat Indonesia, Perlu Tidak Dipertahankan? *eJournal Kedokt Indones*. 2018;6(1):1–3.
- Rahardjo.T.(2005).Menghargai perbedaan kultural; Mindfulness dalam komunikasi antaretnis. Pustaka Pelajar. Yogyakarta.
- Rawson, K. A., Gunstad, J., Hughes, J., Spitznagel, M. B., Potter, V., Waechter, D., & Rosneck, J. (2010). The METER: a brief, self-administered measure of health literacy. *Journal of General Internal Medicine*, 25(1), 67–71.
- Ros B, Lê G, McPake B, Fustukian S. The commercialization of traditional medicine in modern Cambodia. *Health Policy Plan*. 2018;33(1):9–16.
- Rossier C, Hellen J. Traditional birthspacing practices and uptake of family planning during the postpartum period in ouagadougou: Qualitative results. *Int Perspect Sex Reprod Health*. 2014;40(2):87–94.
- Ramulondi M, de Wet H, Ntuli NR. Traditional food taboos and practices during pregnancy, postpartum recovery, and infant care of Zulu women in northern KwaZulu-Natal. *J Ethnobiol Ethnomed*. 2021;17(1):1–19.
- Rahayu IS, Mudatsir, Hasballah K. Faktor Budaya Dalam Perawatan Ibu Nifas Cultural Factors In Treatment In The Postpartum Mother merupakan suatu tanda bahwa masyarakat. *J Ilmu Keperawatan*. :38–51.
- Squiers, L., Peinado, S., Berkman, N., Boudewyns, V., & McCormack, L. (2012). The health literacy skills framework. *Journal of Health Communication*, 17(sup3), 30–54.
- Sharma, G.D and S. (2016) "Determinants and indicators of Women Empowerment: A walk Through Psychological Patterns and behavioral Implications" *Research Journal of business Management*, 11(1), pp. 15-27. Available at:<https://doi.org/10.3923/rjbm.2017.15.27>
- Shealy, K. M., & Threatt, T. B. (2016). Utilization of the Newest Vital Sign (NVS) in Practice in the United States. *Health Communication*, 31(6), 679–687. <https://doi.org/10.1080/10410236.2014.990079>
- Sarantaki A, Metallinou D, Kyritsi R, Diamanti A, Lykeridou K. Perinatal Cultural Aspects of African Refugee Women Resettled in Greece: Providing Culturally-sensitive Midwifery Care. *Mater Socio Medica*. 2020;32(4):294.
- Squiers, L., Peinado, S., Berkman, N., Boudewyns, V., & McCormack, L. (2012). The health literacy skills framework. *Journal of Health Communication*, 17(sup3), 30–54.
- cke, S. Van Den, Fullam, J., Doyle, G., & Pelikan, J. (2012). Health literacy and A systematic review and integration of definitions and models. *BMC Public Health*. <https://doi.org/10.1186/1471-2458-12-80>
- ay, O. And Norman, C. D. (2006) 'Developing Internet-Based Ehealth Promotion ie Spiral Technology Action Research (Star) Model', *Health Promotion Practice*, 417. Doi: 10.1177/1524839905278889.
- Paz Nieves, C. (2011). The impact of health behaviors educational outcomes



high-income countries. *Who Regional Office for Europe*, 1–48.  
[http://www.euro.who.int/\\_\\_data/assets/pdf\\_file/0004/134671/e94805.pdf](http://www.euro.who.int/__data/assets/pdf_file/0004/134671/e94805.pdf)

Sanchez-Garcia JC, Aguilar-Cordero MJ, Montiel-Troya M, Marín-Jiménez AE, Cortes-Martin J, Rodriguez-Blanque R. Quality of Life in the Postpartum Recovery of Women Who Practice Hypopressive Exercise: Randomized Clinical Trial. *J Clin Med*. 2022;11(19):5592.

Shu C, Han S, Li L, Xu P, Bai Y. The Clinical Application and Prospect of Smart Prenatal Care and Postpartum Recovery. *J Healthc Eng*. 2021;2021.

Shazly SA, Borah BJ, Ngufor CG, Torbenson VE, Theiler RN, Famuyide AO. Impact of labor characteristics on maternal and neonatal outcomes of labor: A machine-learning model. *PLoS One*. 2022;17(8 August):1–14.

Sychareun V, Somphet V, Chaleunvong K, Hansana V, Phengsavanh A, Xayavong S, et al. Perceptions and understandings of pregnancy, antenatal care and postpartum care among rural Lao women and their families. *BMC Pregnancy Childbirth*. 2016;16(1):1–7.

Sagawa J, Kabagenyi A, Turyasingura G, Mwale SE. Determinants of postnatal care service utilization among mothers of Mangochi district, Malawi: a community-based cross-sectional study. *BMC Pregnancy Childbirth*. 2021;21(1):1–11.

Sultana N, Shaikh BT. Low utilization of postnatal care: Searching the window of opportunity to save mothers and newborns lives in Islamabad capital territory, Pakistan. *BMC Res Notes*. 2015;8(1):1–5.

SCOTT KA, DAVIS D-A. Destigmatizing and Democratizing Postpartum Care: A “Black Woman- Person First” Approach. *Clin Obstet Gynecol*. 2022 Sep;65(3):663–75.

Selman R, Early K, Battles B, Seidenburg M, Wendel E, Westerlund S. Maximizing Recovery in the Postpartum Period: A Timeline for Rehabilitation from Pregnancy through Return to Sport. *Int J Sports Phys Ther*. 2022;17(6):1170–83.

Sinha LN at., Kaur P, Gupta R, Dalpath S, Goyal V, Murhekar M. Newborn care practices and home-based postnatal newborn care programme - Mewat, Haryana, India, 2013. *West Pacific Surveill response J WPSAR*. 2014;5(3):22–9.

Sugiyono (2013) *Metode Penelitian Kombinasi (Mixed Methods)*, Alfabeta. Bandung: Alfabeta.

Sumantri, H. (2015) *Metodologi Penelitian Kesehatan*. Prenada Media.

Saptandari P. Nilai-Nilai dan Praktek Budaya Tentang Pemenuhan Kesehatan Perempuan Bawean. *BioKultur*. 2016;V No. 1(1):36–60.

Safitri F, Rahmi N, Melati K, Marniati M. Perilaku Ibu Terhadap Tradisi Perawatan Masa Nifas Di Wilayah Kerja Puskesmas Jeulingke Kota Banda Aceh. *J Healthc Technol Med*. 2020;6(1):538.

Saleha, S. (2009). *Asuhan Kebidanan pada Masa Nifas*. Jakarta: Salemba Medika

Sulistyawati, Ari. (2015). *Buku Ajar Asuhan Kebidanan pada Ibu Nifas*. Jakarta: ANDI

Susanti I, Nifas PM. HUBUNGAN BUDAYA DENGAN PROSES PENYEMBUHAN. 2022;10(1):165–9.

Sihabuddin & Lilik Hamidah (2022). *Komunikasi antara budaya dahulu, kini dan nanti*. Edisi Pertama. Kencana. Jakarta.

Siregar M, Aritonang SM, Simbolon JL, Panggabean HWA, Silalahi RH. Traditional practices in post-partum care among Indonesian and Filipino mothers: a comparative study. *Bionatura*. 2021;6(4):2257–64.

Tavousi, M., Haeri-Mehrizi, A., Rakhshani, F., Rafiefar, S., Soleymanian, A., Sarbandi, F., Ardestani, M., Ghanbari, S., & Montazeri, A. (2020). Development and validation of a short



se instrument for measuring health literacy: The Health Literacy Instrument for ). *BMC Public Health*, 20(1), 1–11. <https://doi.org/10.1186/s12889-020-08787-2>

ጸ, Zenebe A, Woldeyohannes F. Critical factors associated with postpartum h in Ethiopia. *PLoS One*. 2022;17(6 June):1–24.

manfaat Budaya Posoropu dalam Perawatan Masa Nifas oleh Perempuan Media Kesehat Masy Indones. 2018;14(3):268–77.

migrant Southeast and East Asian mothers' transnational postpartum cultural

practices: A meta-ethnography. *Women's Heal.* 2021;17.Wong J, Fisher J. The role of traditional confinement practices in determining postpartum depression in women in Chinese cultures: A systematic review of the English language evidence. *J Affect Disord.* 2009;116(3):161–9.

Walters, R., Leslie, S. J., Polson, R., Cusack, T., & Gorely, T. (2020). Establishing the efficacy of interventions to improve health literacy and health behaviors: A systematic review. *BMC Public Health*, 20(1), 1–17. <https://doi.org/10.1186/s12889-020-08991-0>

Yustiawan T, Nandini N. Literasi Informasi Kesehatan Nifas Ibu Hamil Berstatus Sosial Menengah Ke Bawah. *J Adm Kesehat Indones.* 2018;6(2):122–8.

Yufuai AR, Widadgo L. Pratek Budaya Suku Kampung Yepase Terkait Perawatan Kehamilan, Nifas dan Bayi di Distrik Depapre Kabupaten Jayapura. *Pratek Budaya Suku Kampung Yepase Terkait Perawatan Kehamilan, Nifas dan Bayi di Distrik Depapre Kabupaten Jayapura.* 2018;8(2):100–10.

Zeyneloğlu S, Kisa S. Traditional practices for maternal and newborn care among Turkish postpartum women. *Appl Nurs Res.* 2018 Feb;39:148–53.

Zhao A, Huo S, Tan Y, Yang Y, Szeto IMY, Zhang Y, et al. The Association between Postpartum Practice and Chinese Postpartum Depression: Identification of a Postpartum Depression-Related Dietary Pattern. *Nutrients.* 2022;14(4):1–12.

