

DAFTAR PUSTAKA

1. Kumar H, Pal CP, Sharma YK, Kumar S, Uppal A. Epidemiology of knee osteoarthritis using Kellgren and Lawrence scale in Indian population. *J Clin Orthop Trauma*. 2020 Feb;11:S125–9.
2. Hunter DJ, Li J, LaValley M, Bauer DC, Nevitt M, DeGroot J, et al. Cartilage markers and their association with cartilage loss on magnetic resonance imaging in knee osteoarthritis: the Boston Osteoarthritis Knee Study. *Arthritis Res Ther*. 2007;9(5):R108.
3. Mora JC, Przkora R, Cruz-Almeida Y. Knee osteoarthritis: pathophysiology and current treatment modalities. *J Pain Res*. 2018 Oct;Volume 11:2189–96.
4. Primorac D, Molnar V, Rod E, Jeleč Ž, Čukelj F, Matišić V, et al. Knee Osteoarthritis: A Review of Pathogenesis and State-Of-The-Art Non-Operative Therapeutic Considerations. *Genes (Basel)*. 2020 Jul 26;11(8):854.
5. Sananta P RAWDFEN. Correlation between severity of knee osteoarthritis with gender of patients in Secondary Referral Hospital in Indonesia. *Med Glas (Zenica)* 2022;19(2):1017392/1494-22 doi:1017392/1494-22. 2022;
6. Sancheti KH, Sancheti PK, Shyam AK, Joshi R, Patil K, Jain A. Factors affecting range of motion in total knee arthroplasty using high flexion prosthesis: A prospective study. *Indian J Orthop*. 2013 Feb 1;47(1):50–6.
7. AMANO T, TANAKA R, TANAKA S. Clinical prediction rule for early recovery of knee range of motion after total knee arthroplasty: A prospective cohort study. *Phys Ther Res*. 2020 Dec 20;23(2):202–8.
8. Kohn MD, Sassoon AA, Fernando ND. Classifications in Brief: Kellgren-Lawrence Classification of Osteoarthritis. *Clin Orthop Relat Res*. 2016 Aug;474(8):1886–93.
9. Aghdam YH. Accuracy of Magnetic Resonance Imaging in Assessing Knee Cartilage Changes Over Time in Patients with Osteoarthritis: A Systematic Review. *North Clin Istanb*. 2021;
10. Gupton M IOTRR. *Anatomy, Bony Pelvis and Lower Limb, Knee*. Treasure Island (FL): StatPearls Publishing; 2023 Jan- Available from: <https://www.ncbi.nlm.nih.gov/books/NBK500017/>. 2023;

11. Yoo H MGR. Anatomy, Bony Pelvis and Lower Limb, Knee Anterior Cruciate Ligament. In: StatPearls [Internet] Treasure Island (FL): StatPearls Publishing; 2023 Jan- . 2023;
12. Quatman C, Harris J, Hewett T. Biomechanical Outcomes of Cartilage Repair of the Knee. *Journal of Knee Surgery*. 2012 Jul 30;25(03):197–206.
13. Primorac D, Molnar V, Rod E, Jeleč Ž, Čukelj F, Matišić V, et al. Knee Osteoarthritis: A Review of Pathogenesis and State-Of-The-Art Non-Operative Therapeutic Considerations. *Genes (Basel)*. 2020 Jul 26;11(8):854.
14. Hunter Hsu; Ryan M. Siwiec. Knee Osteoarthritis. StatPearls [Internet] Treasure Island (FL): StatPearls Publishing; 2023 Jan-. 2023;
15. Sananta P RAWDFE. Correlation between severity of knee osteoarthritis with gender of patients in Secondary Referral Hospital in Indonesia. *Med Glas (Zenica)* 2022;19(2):1017392/1494-22 doi:1017392/1494-22. 2022;
16. Mora JC, Przkora R, Cruz-Almeida Y. Knee osteoarthritis: pathophysiology and current treatment modalities. *J Pain Res*. 2018 Oct;Volume 11:2189–96.
17. Zhang P, Li K, Kamali A, Ziadlou R, Ahmad P, Wang X, et al. Small molecules of herbal origin for osteoarthritis treatment: in vitro and in vivo evidence. *Arthritis Res Ther [Internet]*. 2022 Dec 11;24(1):105. Available from: <https://arthritis-research.biomedcentral.com/articles/10.1186/s13075-022-02785-y>
18. Aho OM, Finnilä M, Thevenot J, Saarakkala S, Lehenkari P. Subchondral bone histology and grading in osteoarthritis. Malaval L, editor. *PLoS One [Internet]*. 2017 Mar 20;12(3):e0173726. Available from: <https://dx.plos.org/10.1371/journal.pone.0173726>
19. Wyatt LA, Moreton BJ, Mapp PI, Wilson D, Hill R, Ferguson E, et al. Histopathological subgroups in knee osteoarthritis. *Osteoarthritis Cartilage [Internet]*. 2017 Jan;25(1):14–22. Available from: <https://linkinghub.elsevier.com/retrieve/pii/S1063458416303077>
20. Ma CH, Lv Q, Yu YX, Zhang Y, Kong D, Niu KR, et al. Protective effects of tumor necrosis factor- α blockade by adalimumab on articular cartilage and subchondral bone in a rat model of osteoarthritis. *Brazilian Journal of Medical and Biological*

Research [Internet]. 2015 Oct;48(10):863–70. Available from: http://www.scielo.br/scielo.php?script=sci_arttext&pid=S0100-879X2015001000001&tlng=en

21. Chang HW, Sudirman S, Yen YW, Mao CF, Ong AD, Kong ZL. Blue Mussel (*Mytilus edulis*) Water Extract Ameliorates Inflammatory Responses and Oxidative Stress on Osteoarthritis in Obese Rats. *J Pain Res* [Internet]. 2020 May;Volume 13:1109–19. Available from: <https://www.dovepress.com/blue-mussel-mytilus-edulis-water-extract-ameliorates-inflammatory-resp-peer-reviewed-article-JPR>
22. Kohn MD, Sassoon AA, Fernando ND. Classifications in Brief: Kellgren-Lawrence Classification of Osteoarthritis. *Clin Orthop Relat Res*. 2016 Aug;474(8):1886–93.
23. Al-Mahmood MdR, Uddin MdT, Islam MT, Fuad SM, Rahman Shah T. Correlation between goniometric measurements of range of motion and radiographic scores in osteoarthritis knee: An observational study among females. *Medicine*. 2022 Aug 12;101(32):e29995.
24. Svensson M, Lind V, Löfgren Harringe M. Measurement of knee joint range of motion with a digital goniometer: A reliability study. *Physiotherapy Research International*. 2019 Apr 27;24(2).
25. Teoh YX, Lai KW, Usman J, Goh SL, Mohafez H, Hasikin K, et al. Discovering Knee Osteoarthritis Imaging Features for Diagnosis and Prognosis: Review of Manual Imaging Grading and Machine Learning Approaches. *J Healthc Eng*. 2022 Feb 18;2022:1–19.
26. Lee LS, Chan PK, Fung WC, Chan VWK, Yan CH, Chiu KY. Imaging of knee osteoarthritis: A review of current evidence and clinical guidelines. *Musculoskeletal Care*. 2021 Sep 2;19(3):363–74.
27. Braun HJ, Gold GE. Diagnosis of osteoarthritis: Imaging. *Bone*. 2012 Aug;51(2):278–88.
28. Kanthavel R, Dhaya R, Venusamy K. Detection of Osteoarthritis Based on EHO Thresholding. *Computers, Materials & Continua*. 2022;71(3):5783–98.
29. Ehmig J, Engel G, Lotz J, Lehmann W, Taheri S, Schilling AF, et al. MR-Imaging in Osteoarthritis: Current Standard of Practice and Future Outlook. *Diagnostics*. 2023 Aug 3;13(15):2586.

30. Posadzy M, Desimpel J, Vanhoenacker F. Staging of Osteochondral Lesions of the Talus: MRI and Cone Beam CT. *J Belg Soc Radiol*. 2017 Dec 16;101(S2).
31. El-Liethy NE, Kamal HA. Advanced compositional imaging T2 mapping sequence in detection of stages of medial knee joint compartments articular cartilage degeneration. *Egyptian Journal of Radiology and Nuclear Medicine*. 2021 Dec 3;52(1):46.
32. Aghdam, Y.H. (2021) ‘Accuracy of Magnetic Resonance Imaging in Assessing Knee Cartilage Changes Over Time in Patients with Osteoarthritis: A Systematic Review’, *Northern Clinics of Istanbul* [Preprint]. Available at: <https://doi.org/10.14744/nci.2021.34270>.
33. Al-Mahmood, M.R. *et al.* (2022) ‘Correlation between goniometric measurements of range of motion and radiographic scores in osteoarthritis knee: An observational study among females’, *Medicine*, 101(32), p. e29995. Available at: <https://doi.org/10.1097/MD.0000000000029995>.
34. Ersoz, M. and Ergun, S. (2003) ‘Relationship Between Knee Range of Motion and Kellgren-Lawrence Radiographic Scores in Knee Osteoarthritis’, *American Journal of Physical Medicine & Rehabilitation*, 82(2), pp. 110–115. Available at: <https://doi.org/10.1097/00002060-200302000-00005>.
35. Hanaoka, C., Fausett, C. and Jayabalan, P. (2020) ‘Nonsurgical Management of Cartilage Defects of the Knee: Who, When, Why, and How?’, *The Journal of Knee Surgery*, 33(11), pp. 1078–1087. Available at: <https://doi.org/10.1055/s-0040-1713813>.
36. Holla, J.F.M. *et al.* (2011) ‘Determinants of range of joint motion in patients with early symptomatic osteoarthritis of the hip and/or knee: an exploratory study in the CHECK cohort’, *Osteoarthritis and Cartilage*, 19(4), pp. 411–419. Available at: <https://doi.org/10.1016/j.joca.2011.01.013>.
37. Michael, J.W.-P., Schlüter-Brust, K.U. and Eysel, P. (2010) ‘The Epidemiology, Etiology, Diagnosis, and Treatment of Osteoarthritis of the Knee’, *Deutsches Ärzteblatt international* [Preprint]. Available at: <https://doi.org/10.3238/arztebl.2010.0152>.
38. Newman, S., Ahmed, H. and Rehmatullah, N. (2022) ‘Radiographic vs. MRI vs. arthroscopic assessment and grading of knee osteoarthritis - are we using appropriate imaging?’, *Journal of Experimental Orthopaedics*, 9(1), p. 2. Available at: <https://doi.org/10.1186/s40634-021-00442-y>.
39. van Oudenaarde, K. *et al.* (2017) ‘Predictive value of MRI features for development of radiographic osteoarthritis in a cohort of participants with pre-radiographic knee

osteoarthritis—the CHECK study’, *Rheumatology*, 56(1), pp. 113–120. Available at: <https://doi.org/10.1093/rheumatology/kew368>.

40. Piccolo, C.L. *et al.* (2023) ‘Imaging of knee osteoarthritis: a review of multimodal diagnostic approach’, *Quantitative Imaging in Medicine and Surgery*, 13(11), pp. 7582–7595. Available at: <https://doi.org/10.21037/qims-22-1392>.
41. Segal, N.A., Nilges, J.M. and Oo, W.M. (2024) ‘Sex differences in osteoarthritis prevalence, pain perception, physical function and therapeutics’, *Osteoarthritis and Cartilage*, 32(9), pp. 1045–1053. Available at: <https://doi.org/10.1016/j.joca.2024.04.002>.
42. Shane Anderson, A. and Loeser, R.F. (2010) ‘Why is osteoarthritis an age-related disease?’, *Best Practice & Research Clinical Rheumatology*, 24(1), pp. 15–26. Available at: <https://doi.org/10.1016/j.berh.2009.08.006>.
43. Shumnalieva, R., Kotov, G. and Monov, S. (2023) ‘Obesity-Related Knee Osteoarthritis—Current Concepts’, *Life*, 13(8), p. 1650. Available at: <https://doi.org/10.3390/life13081650>.
44. Szilagyi, I.A. *et al.* (2022) ‘Towards sex-specific osteoarthritis risk models: evaluation of risk factors for knee osteoarthritis in males and females’, *Rheumatology*, 61(2), pp. 648–657. Available at: <https://doi.org/10.1093/rheumatology/keab378>.
45. Zheng, H. and Chen, C. (2015) ‘Body mass index and risk of knee osteoarthritis: systematic review and meta-analysis of prospective studies’, *BMJ Open*, 5(12), p. e007568. Available at: <https://doi.org/10.1136/bmjopen-2014-007568>.
46. Zhou, G. *et al.* (2023) ‘Demographic and radiographic factors for knee symptoms and range of motion in patients with knee osteoarthritis: a cross-sectional study in Beijing, China’, *BMC Musculoskeletal Disorders*, 24(1), p. 378. Available at: <https://doi.org/10.1186/s12891-023-06432-8>.



REKOMENDASI PERSETUJUAN ETIK

Nomor : 896/UN4.6.4.5.31/ PP36/ 2024

Tanggal: 22 Oktober 2024

Dengan ini Menyatakan bahwa Protokol dan Dokumen yang Berhubungan Dengan Protokol berikut ini telah mendapatkan Persetujuan Etik :

No Protokol	UH24100840	No Sponsor	
Peneliti Utama	dr. Muhammad Irfansyah.R	Sponsor	
Judul Peneliti	HUBUNGAN CARTILAGE DEFECT PADA MAGNETIC RESONANCE IMAGING (MRI) DAN DERAJAT OSTEOARTRITIS RADIOGRAFI GENU DENGAN DERAJAT RANGE OF MOTION (ROM)		
No Versi Protokol	1	Tanggal Versi	18 Oktober 2024
No Versi PSP		Tanggal Versi	
Tempat Penelitian	RSUP Dr.Wahidin Sudirohusodo Makassar		
Jenis Review	<input checked="" type="checkbox"/> Exempted <input type="checkbox"/> Expedited <input type="checkbox"/> Fullboard Tanggal	Masa Berlaku 22 Oktober 2024 sampai 22 Oktober 2025	Frekuensi review lanjutan
Ketua KEP Universitas Hasanuddin	Prof. dr. Muh Nasrum Massi,PhD,SpMK, Subsp. Bakt(K)	Tanda tangan	
Sekretaris KEP Universitas Hasanuddin	dr. Firdaus Hamid, PhD, SpMK(K)	Tanda tangan	

Kewajiban Peneliti Utama:

- Menyerahkan Amandemen Protokol untuk persetujuan sebelum di implementasikan
- Menyerahkan Laporan SAE ke Komisi Etik dalam 24 Jam dan dilengkapi dalam 7 hari dan Laporan SUSAR dalam 72 Jam setelah Peneliti Utama menerima laporan
- Menyerahkan Laporan Kemajuan (progress report) setiap 6 bulan untuk penelitian resiko tinggi dan setiap setahun untuk penelitian resiko rendah
- Menyerahkan laporan akhir setelah Penelitian berakhir
- Melaporkan penyimpangan dari prokol yang disetujui (protocol deviation / violation)
- Mematuhi semua peraturan yang ditentukan

**DAFTAR RIWAYAT HIDUP
CURRICULUM VITAE**



A. Data Pribadi

Nama : dr. Muhammad Irfansyah. R
Alamat : Jl. A.P.Pettarani Blok E 23/ No.17. Rappocini.
Makassar
Jenis kelamin : Laki-laki
Tempat/Tgl Lahir : Makassar / 04 Januari 1983
Warga Negara : Indonesia
Agama : Islam
Nama Orang Tua : (Alm) dr.HM.Ramadhan Tjindi. Sp.PD-
KGGH.FINASIM / Ny. Kismawati
Nama Istri : Ny. Venny Aprilia Nontji
Nama Anak : Hania Syafira
Muhammad Rayyan Algazali

B. Riwayat Pendidikan

SD (1992-1995) : SD Negeri Pertiwi Makassar
SMP (1995-1998) : SMP Negeri 6 Makassar
SMA (1998-2001) : SMA Negeri 9 Makassar
Perguruan Tinggi (2001-2007): Fakultas Kedokteran
Universitas Muslim Indonesia
Profesi Dokter (2007-2010) : Fakultas Kedokteran
Universitas Muslim Indonesia
PPDS Periode Juli 2019 : Departemen Radiologi Fakultas Kedokteran
Universitas Hasanuddin

C. Riwayat Pekerjaan

1. Dosen Tetap FK Universitas Alkhairaat Palu (2011-2018)
2. Dokter umum IGD RS Umum SIS Aljufri Palu (2014-2017)

D. Makalah pada Seminar/Konferens Ilmiah Internasional :

“Giant Cell Tumor (GCTs) Of Tendon Sheath”, yang dibawakan pada acara
PIT-PERAMI 11th tanggal 07-09 September 2023 di Malang, Jawa Timur