

DAFTAR PUSTAKA

1. Chauhan S, Chauhan B, Sharma H. A comparative study of postoperative complications in emergency versus elective laparotomy at a tertiary care centre. *Int Surg J*. 2017;4(8):2730.
2. Abebe K, Geremew B, Lemmu B, Abebe E. Indications and outcome of patients who had re-laparotomy: two years' experience from a teaching hospital in a developing nation. *Ethiop J Health Sci*. 2020;30(5):739–44.
3. Coe C, Shuttleworth PW, Rangappa D, Abdel-Halim M. Locoregional anaesthesia for laparotomy: a literature review and subsequent case series highlighting the potential of an alternative anaesthetic technique. *Cureus*. 2023;15(9).
4. Foss NB, Kehlet H. Perioperative haemodynamics and vasoconstriction: time for reconsideration? *Br J Anaesth* [Internet]. 2019;123(2):100–3. Tersedia pada: <https://doi.org/10.1016/j.bja.2019.04.052>
5. Van Genderen ME, Bartels SA, Lima A, Bezemer R, Ince C, Bakker J, et al. Peripheral Indeks Perfusi as an early predictor for central hypovolemia in awake healthy volunteers. *Anesth Analg*. 2013;116(2):351–6.
6. Shen J, Chu Y, Wang C, Yan S. Risk factors for acute kidney injury after major abdominal surgery in the elderly aged 75 years and above. *BMC Nephrol* [Internet]. 2022;23(1):1–9. Tersedia pada: <https://doi.org/10.1186/s12882-022-02822-7>
7. Goren O, Matot I. Perioperative acute kidney injury. *Br J Anaesth* [Internet]. 2015;115:ii3–14. Tersedia pada: <http://dx.doi.org/10.1093/bja/aev380>
8. Loftus TJ, Bihorac A, Ozrazgat-Baslanti T, Jordan JR, Croft CA, Smith S, et al. Acute kidney injury following exploratory laparotomy and temporary abdominal closure. *Physiol Behav*. 2017;176(8):139–48.
9. Alrzouq FK, Dendini F, Alsuwailem Y, Aljaafri BA, Alsuhibani AS, Al Babtain I. Incidence of post-laparotomy acute kidney injury among abdominal trauma patients and its associated risk factors at king abdulaziz medical city, riyadh. *Cureus*. 2023;15(8):1–11.

10. Kang P, Park J Bin, Yoon HK, Ji SH, Jang YE, Kim EH, et al. Association of the Indeks Perfusi with postoperative acute kidney injury: a retrospective study. Vol. 76, Korean Journal of Anesthesiology. 2023. hal. 348–56.
11. Krone S, Bokoch MP, Kothari R, Fong N, Tallarico RT, Sturgess-DaPrato J, et al. Association between peripheral Indeks Perfusi and postoperative acute kidney injury in major noncardiac surgery patients receiving continuous vasopressors: a post hoc exploratory analysis of the VEGA-1 trial. *Br J Anaesth* [Internet]. 2024;(May):1–10. Tersedia pada: <https://doi.org/10.1016/j.bja.2023.11.054>
12. Busse LW, Ostermann M. Vasopressor therapy and blood pressure management in the setting of acute kidney injury. *Semin Nephrol* [Internet]. 2019;39(5):462–72. Tersedia pada: <https://doi.org/10.1016/j.semnephrol.2019.06.006>
13. Agerskov M, Thusholdt ANW, Holm-Sørensen H, Wiberg S, Meyhoff CS, Højlund J, et al. Association of the intraoperative peripheral Indeks Perfusi with postoperative morbidity and mortality in acute surgical patients: a retrospective observational multicentre cohort study. *Br J Anaesth*. 2021;127(3):396–404.
14. Kang P, Park J Bin, Yoon HK, Ji SH, Jang YE, Kim EH, et al. Association of the Indeks Perfusi with postoperative acute kidney injury: a retrospective study. *Korean J Anesthesiol*. 2023;76(4):348–56.
15. Tien Y, Chen W, Huang C, Chen W, Ong H, Huang T, et al. Impact of Postarrest Skor Vasoaktif-Inotropik on Acute Kidney Injury in Cardiac Arrest Survivors : A Retrospective Cohort Study. 2024;25(1):1–10.
16. Hou K, Chen Q, Zhu X, Shen X, Zou L, Mu X, et al. Correlation between Skor Vasoaktif-Inotropik and postoperative acute kidney injury after cardiovascular surgery. *Heart Surg Forum*. 2021;24(2):E282–92.
17. Rajaretnam N, Okoye E, Burns B. Laparotomy. *StatPearls Publ LLC*. 2023;
18. Frassini S, Cobianchi L, Fugazzola P, Biffi WL, Coccolini F, Damaskos D, et al. Eclapte: effective closure of laparotomy in emergency—2023 world society of emergency surgery guidelines for the closure of laparotomy in

- emergency settings. *World J Emerg Surg.* 2023;18(1):1–22.
19. Nagula BP, Abhishek V. Enhanced Recovery after Surgery versus Conventional Care in Elective Laparotomy- A Prospective Interventional Study. *Int J Anat Radiol Surg.* 2022;11(2):8–11.
 20. Olivier W. Implementing Enhanced Recovery after Surgery (ERAS) protocols in emergency abdominal surgery . *Case Rep Surg Invasive Proced.* 2023;7(3):104885.
 21. Backes FJ, Cohn DE, Mannel RS, Fowler JM. Role of minimally invasive surgery in gynecologic malignancies [Internet]. Ninth Edit. *Clinical Gynecologic Oncology.* Elsevier Inc.; 2018. 560-578.e11 hal. Tersedia pada: <http://dx.doi.org/10.1016/B978-0-323-40067-1.00021-8>
 22. Ravishankar DN, Sah DSK, S DS, MV DA, Shenoy DM. Comparative study of postoperative complications in elective versus emergency laparotomy at JSS hospital. *Int J Surg Sci.* 2020;4(2):233–6.
 23. Prowle JR, Forni LG, Bell M, Chew MS, Edwards M, Grams ME, et al. Postoperative acute kidney injury in adult non-cardiac surgery: joint consensus report of the Acute Disease Quality Initiative and PeriOperative Quality Initiative. *Nat Rev Nephrol* [Internet]. 2021;17(9):605–18. Tersedia pada: <http://dx.doi.org/10.1038/s41581-021-00418-2>
 24. Gangamma K, Manoj P, Shashikumar H. Post-operative complications rates in patients undergoing emergency laparotomy in tertiary care hospital. *Asian J Med Sci.* 2022;13(4):177–81.
 25. Oumer KE, Ahmed SA, Tawuye HY, Ferede YA. Outcomes and associated factors among patients undergone emergency laparotomy: A retrospective study. *Int J Surg Open* [Internet]. 2021;36:100413. Tersedia pada: <https://doi.org/10.1016/j.ijso.2021.100413>
 26. Makris K, Spanou L. Lesion Renal Aguda Otro. *Clin Biochem Rev.* 2016;37(2):85–98.
 27. Gameiro J, Fonseca JA, Neves M, Jorge S, Lopes JA. Acute kidney injury in major abdominal surgery: Incidence, risk factors, pathogenesis and outcomes. *Ann Intensive Care* [Internet]. 2018;8(1):1–10. Tersedia pada:

<https://doi.org/10.1186/s13613-018-0369-7>

28. Mikkelsen TB, Schack A, Oreskov JO, Gögenur I, Burcharth J, Ekeloef S. Acute kidney injury following major emergency abdominal surgery – a retrospective cohort study based on medical records data. *BMC Nephrol* [Internet]. 2022;23(1):1–11. Tersedia pada: <https://doi.org/10.1186/s12882-022-02708-8>
29. Pickkers P, Darmon M, Hoste E, Joannidis M, Legrand M, Ostermann M, et al. Acute kidney injury in the critically ill: an updated review on pathophysiology and management. *Intensive Care Med* [Internet]. 2021;47(8):835–50. Tersedia pada: <https://doi.org/10.1007/s00134-021-06454-7>
30. Swartz T, Tang AL, Jehan F, Ahmed FS, Jain A, Gries LM, et al. Predictors of Acute Kidney Injury after Exploratory Laparotomy in Trauma Patients. *J Am Coll Surg* [Internet]. 2017;225(4):e184. Tersedia pada: <http://dx.doi.org/10.1016/j.jamcollsurg.2017.07.1028>
31. Boyer N, Eldridge J, Prowle JR, Lui G. Postoperative Acute Kidney Injury. *Clin J Am Soc Nephrol*. 2022;17(10):1535–1545.
32. Privratsky JR, Fuller M, Raghunathan K, Ohnuma T, Bartz RR, Schroeder R, et al. Postoperative Acute Kidney Injury by Age and Sex: A Retrospective Cohort Association Study. *Anesthesiology*. 2023;138(2):184–94.
33. Lim SY, Lee JY, Yang JH, Na YJ, Kim MG, Jo SK, et al. Predictive factors of acute kidney injury in patients undergoing rectal surgery. *Kidney Res Clin Pract* [Internet]. 2016;35(3):160–4. Tersedia pada: <http://dx.doi.org/10.1016/j.krcp.2016.05.006>
34. De Guglielmo W, Rebibou JM, Aho S, Rogier T, Nuemi G, Girard C, et al. Pre operative factors associated with the occurrence of acute kidney injury in patients aged 65 years and over undergoing non-ambulatory non-cardiac surgery. *Healthc*. 2022;10(3).
35. Marrocco-Trischitta MM, Tiezzi A, Svampa MG, Bandiera G, Camilli S, Stillo F, et al. Perioperative stress response to carotid endarterectomy: The

- impact of anesthetic modality. *J Vasc Surg.* 2004;39(6):1295–304.
36. Raji YR, Ajayi SO, Ademola AF, Lawal TA, Ayandipo OO, Adigun T, et al. Acute kidney injury among adult patients undergoing major surgery in a tertiary hospital in Nigeria. *Clin Kidney J.* 2018;11(4):443–9.
 37. Franzén S, DiBona G, Frithiof R. Anesthesia and the renal sympathetic nervous system in perioperative AKI. *Semin Nephrol.* 2022;42(3):1–12.
 38. Cornellà N, Sancho J, Sitges-Serra A. Short and Long-Term Outcomes after Surgical Procedures Lasting for More Than Six Hours. *Sci Rep.* 2017;7(1):1–8.
 39. Xing J, Loh SKN. Perioperative acute kidney injury: Current knowledge and the role of anaesthesiologists. *Proc Singapore Healthc.* 2023;32:1–8.
 40. Gumbert SD, Kork F, Jackson ML, Vanga N, Ghebremichael SJ, Wang CY, et al. Perioperative Acute Kidney Injury. *Anesthesiology.* 2020;132(1):180–204.
 41. Villa G, Husain-Syed F, Saitta T, Degl’Innocenti D, Barbani F, Resta M, et al. Hemodynamic Instability during Acute Kidney Injury and Acute Renal Replacement Therapy: Pathophysiology and Clinical Implications. *Blood Purif.* 2021;50(6):729–39.
 42. Ahmed A, Abdulatif M, Abdullah S, Rahman NA, Mukhtar A. The use of peripheral Indeks Perfusi as a predictor for patient’s response to deliberate hypotension during functional endoscopic sinus surgery. A prospective observational study. *Egypt J Anaesth [Internet].* 2019;35(1):88–93. Tersedia pada: <https://doi.org/10.1080/11101849.2019.1698130>
 43. Liu S, Su L, Zhuge C, He H, Long Y. Initial 24-h Indeks Perfusi of ICU admission is associated with acute kidney injury in perioperative critically ill patients: A retrospective cohort analysis. *J Intensive Med.* 2023;3(3):261–7.
 44. Harrois A, Grillot N, Figueiredo S, Duranteau J. Acute kidney injury is associated with a decrease in cortical renal perfusion during septic shock. *Crit Care.* 2018;22(1):1–9.
 45. Makhija N, Magoon R, Das D, Saxena AK. Haemodynamic predisposition

- to acute kidney injury: Shadow and light! *J Anaesthesiol Clin Pharmacol*. 2022;38(3):353–9.
46. Nishimura T, Nakae A, Shibata M, Mashimo T, Fujino Y. Age-related and sex-related changes in Indeks Perfusi in response to noxious electrical stimulation in healthy subjects. *J Pain Res*. 2014;7:91–7.
 47. Kim JW, Kim G, Kim TW, Han W, Kim MS, Jeong CY, et al. Hemodynamic changes following accidental infiltration of a high dose of vasopressin. *J Int Med Res*. 2020;48(9).
 48. Højlund J, Petersen DR, Agerskov M, Foss NB. The peripheral Indeks Perfusi discriminates haemodynamic responses to induction of general anaesthesia. *J Clin Monit Comput*. 2023;37(6):1533–40.
 49. Liu H, Hou S, Tian X. Risk Factors of Sepsis Associated Acute Kidney Injury in Patients with Sepsis: A Meta-Analysis. *Intensive Care Res* [Internet]. 2023;3(2):163–70. Tersedia pada: <https://doi.org/10.1007/s44231-023-00034-7>
 50. Yan G, Wang D, Tang C, Ma G. The association of serum lactate level with the occurrence of contrast-induced acute kidney injury and long-term prognosis in patients undergoing emergency percutaneous coronary intervention. *Int J Gen Med*. 2021;14(June):3087–97.
 51. Shi X, Xu M, Yu X, Lu Y. Peripheral Indeks Perfusi predicting prolonged ICU stay earlier and better than lactate in surgical patients: An observational study. *BMC Anesthesiol*. 2020;20(1):1–9.
 52. Koponen T, Karttunen J, Musialowicz T, Pietiläinen L, Uusaro A, Lahtinen P. Skor Vasoaktif-Inotropik and the prediction of morbidity and mortality after cardiac surgery. *Br J Anaesth*. 2019;122(4):428–36.
 53. Sun Y ting, Wu W, Yao Y tai. The association of Skor Vasoaktif-Inotropik and surgical patients' outcomes: a systematic review and meta-analysis. *Syst Rev* [Internet]. 2024;13(1). Tersedia pada: <https://doi.org/10.1186/s13643-023-02403-1>
 54. Hou K, Chen Q, Shen X, Zou L, Zhu X, Mu X. Skor Vasoaktif-Inotropik as the predictor for postoperative acute kidney injury in patients with

- cardiovascular surgery. 2020;2–3.
55. Zhang D, Li L, Huang W, Hu C, Zhu W, Hu B, et al. Skor Vasoaktif-Inotropik as a Promising Predictor of Acute Kidney Injury in Adult Patients Requiring Extracorporeal Membrane Oxygenation. *ASAIO J.* 2024;
 56. VanValkinburgh D, Kerndt CC, Hashmi. MF. Inotropes and Vasopressors. *StatPearls [Internet] Treasure Isl StatPearls Publ.* 2023;
 57. Ammar MA, Ammar AA, Wieruszewski PM, Bissell BD, T. Long M, Albert L, et al. Timing of vasoactive agents and corticosteroid initiation in septic shock. *Ann Intensive Care [Internet].* 2022;12(1). Tersedia pada: <https://doi.org/10.1186/s13613-022-01021-9>
 58. Sharma S, Mudgal S, Thakur K, Gaur R. How to calculate sample size for observational and experiential nursing research studies? *Natl J Physiol Pharm Pharmacol.* 2019;10(0):1.
 59. Walikar BN, Singla D, Tripathi DK, Agrawal S, Talawar P, Mangla M. Incidence, risk factors, and outcomes of acute kidney injury in patients undergoing emergency laparotomy – A prospective observational exploratory study. *Indian Journal of Anaesthesia* 2024;68:170–6. https://doi.org/10.4103/ija.ija_675_23.
 60. Yamamoto R, Yamakawa K, Yoshizawa J, Kaito D, Umemura Y, Homma K, et al. Urine Output and Development of Acute Kidney Injury in Sepsis: A Multicenter Observational Study. *Journal of Intensive Care Medicine* 2024. <https://doi.org/10.1177/08850666241268390>.
 61. Pang Z, Liang S, Xing M, Zhou N, Guo Q, Zou W. The correlation of intraoperative oliguria with acute kidney injury after noncardiac surgery: a systematic review and meta-analysis. *International Journal of Surgery (London, England)* 2023;109:449–57. <https://doi.org/10.1097/JS9.000000000000284>.
 62. Grand J, Hassager C, Winther-Jensen M, Rundgren M, Friberg H, Horn J, et al. Mean arterial pressure during targeted temperature management and renal function after out-of-hospital cardiac arrest. *Journal of Critical Care* 2019;50. <https://doi.org/10.1016/j.jcrc.2018.12.009>.

63. Hechi MEE, Kongkaewpaisan N, Naar L, Aicher BO, Diaz J, O'Meara L, et al. The Emergency Surgery Score (ESS) Accurately Predicts the Need for Post-Discharge Respiratory and Renal Support after Emergent Laparotomies: A Prospective EAST Multicenter Study. *Journal of Trauma and Acute Care Surgery* 2020. <https://doi.org/10.1097/TA.0000000000003016>.
64. Priya P, Baidya D, Anand R, Ray B, Khanna P, Krishna A, et al. Epidemiology and Long-term Outcomes of Acute Kidney Injury in Adult Patients with Perforation Peritonitis Undergoing Emergency Laparotomy. *Indian Journal of Critical Care Medicine: Peer-Reviewed, Official Publication of Indian Society of Critical Care Medicine* 2024;28:854–8. <https://doi.org/10.5005/jp-journals-10071-24796>.
65. Foss NB, Kehlet H. Challenges in optimising recovery after emergency laparotomy. *Anaesthesia* 2020;75. <https://doi.org/10.1111/anae.14902>.
66. Kao AM, Maloney S, Prasad T, Reinke C, May A, Heniford B, et al. The CELIOtomy Risk Score: An effort to minimize futile surgery with analysis of early postoperative mortality after emergency laparotomy. *Surgery* 2020. <https://doi.org/10.1016/j.surg.2020.05.037>.
67. Loutradis C, Pickup L, Law JP, Dasgupta I, Townend J, Cockwell P, et al. Acute kidney injury is more common in men than women after accounting for socioeconomic status, ethnicity, alcohol intake and smoking history. *Biology of Sex Differences* 2021;12. <https://doi.org/10.1186/s13293-021-00373-4>.
68. Teh R, Teo S, Trivedi A, Kumarasinghe AP. Emergency laparotomy in older adults with geriatric medicine input implications of demographics, frailty and comorbidities on outcomes. *ANZ Journal of Surgery* 2024. <https://doi.org/10.1111/ans.19107>.
69. Priyanka P, Zarbock A, Izawa J, Gleason T, Renfurm R, Kellum J. The impact of acute kidney injury by serum creatinine or urine output criteria on major adverse kidney events in cardiac surgery patients. *The Journal of*

- Thoracic and Cardiovascular Surgery 2020. <https://doi.org/10.1016/j.jtcvs.2019.11.137>.
70. Goldstein S. Urine Output Assessment in Acute Kidney Injury: The Cheapest and Most Impactful Biomarker. *Frontiers in Pediatrics* 2020;7. <https://doi.org/10.3389/fped.2019.00565>.
71. Katabi L, Pu X, Yilmaz HO, Jia Y, Leung S, Duncan A. Prognostic Utility of KDIGO Urine Output Criteria After Cardiac Surgery. *Journal of Cardiothoracic and Vascular Anesthesia* 2021. <https://doi.org/10.1053/j.jvca.2021.02.027>.
72. Kopitkó C, Medve L, Gondos T, Soliman K, Fülöp T. Mediators of Regional Kidney Perfusion during Surgical Pneumo-Peritoneum Creation and the Risk of Acute Kidney Injury—A Review of Basic Physiology. *Journal of Clinical Medicine* 2022;11. <https://doi.org/10.3390/jcm11102728>.
73. Ranucci M, Baryshnikova E, Anguissola M, Mazzotta V, Scirea C, Cotza M, et al. Perfusion quality odds (PEQUOD) trial: validation of the multifactorial dynamic Indeks Perfusi as a predictor of cardiac surgery-associated acute kidney injury. *European Journal of Cardio-Thoracic Surgery : Official Journal of the European Association for Cardio-Thoracic Surgery* 2024. <https://doi.org/10.1093/ejcts/ezae172>.
74. Zamirpour S, Hubbard AE, Feng J, Butte A, Pirracchio R, Bishara AM. Development of a Machine Learning Model of Postoperative Acute Kidney Injury Using Non-Invasive Time-Sensitive Intraoperative Predictors. *Bioengineering* 2023;10. <https://doi.org/10.3390/bioengineering10080932>.
75. Penk JS, Gist KM, Barhight MF, Migally K, Borasino S, Torres WF, et al. Periods of low renal perfusion pressure are associated with acute kidney injury following paediatric cardiac surgery. *Cardiology in the Young* 2024;1–6. <https://doi.org/10.1017/S1047951124025149>.
76. Mukaida H, Matsushita S, Yamamoto T, Minami Y, Sato G, Asai T, et al. Oxygen delivery-guided perfusion for the prevention of acute kidney injury: A randomized controlled trial. *The Journal of Thoracic and Cardiovascular Surgery* 2021. <https://doi.org/10.1016/j.jtcvs.2021.03.032>.

77. Turner L, Hardikar A, Jose M, Bhattarai K, Fenton C, Sharma R, et al. Acute kidney injury, stroke and death after cardiopulmonary bypass surgery: the role of perfusion flow and pressure. *Perfusion* 2020;36:78–86. <https://doi.org/10.1177/0267659120924919>.
78. Klijn E, Groeneveld A, Genderen MV van, Betjes M, Bakker J, Bommel J van. Peripheral Indeks Perfusi Predicts Hypotension during Fluid Withdrawal by Continuous Veno-Venous Hemofiltration in Critically Ill Patients. *Blood Purification* 2015;40:92–8. <https://doi.org/10.1159/000381939>.
79. Hyun J, Kim A, Lee SE, Hong JA, Kang P, Jung S-H, et al. Skor Vasoaktif-Inotropik as a Determinant of Timely Initiation of Venoarterial Extracorporeal Membrane Oxygenation in Patients With Cardiogenic Shock. *Circulation Journal : Official Journal of the Japanese Circulation Society* 2021. <https://doi.org/10.1253/circj.cj-21-0614>.
80. Han H, Wen Z, Wang J, Zhang P, Gong Q, Ge S, et al. Prediction of Short-Term Mortality With Renal Replacement Therapy in Patients With Cardiac Surgery-Associated Acute Kidney Injury. *Frontiers in Cardiovascular Medicine* 2021;8. <https://doi.org/10.3389/fcvm.2021.738947>.
81. Shukla I, Hanson S, Yan K, Zhang J. Skor Vasoaktif-Inotropik and Vasoactive-Ventilation-Renal Score as Outcome Predictors for Children on Extracorporeal Membrane Oxygenation. *Frontiers in Pediatrics* 2021;9. <https://doi.org/10.3389/fped.2021.769932>.
82. Belletti A, Lerosse CC, Zangrillo A, Landoni G. Skor Vasoaktif-Inotropik: Evolution, Clinical Utility, and Pitfalls. *Journal of Cardiothoracic and Vascular Anesthesia* 2020. <https://doi.org/10.1053/j.jvca.2020.09.117>.
83. Schroeder L, Pommer K, Geipel A, Strizek B, Heydweiller A, Kipfmueller F, et al. A comparative analysis of the Vasoactive-Inotropic Score, the Vasoactive-Ventilation-Renal Score, and the Oxygenation Index as outcome predictors in infants with a congenital diaphragmatic hernia. *Pediatric Pulmonology* 2023;59:574–83. <https://doi.org/10.1002/ppul.2678>



KEMENTERIAN PENDIDIKAN, KEBUDAYAAN, RISET DAN TEKNOLOGI
UNIVERSITAS HASANUDDIN FAKULTAS KEDOKTERAN
KOMITE ETIK PENELITIAN UNIVERSITAS HASANUDDIN
RSPTN UNIVERSITAS HASANUDDIN
RSUP Dr. WAHIDIN SUDIROHUSODO MAKASSAR
Sekretariat : Lantai 2 Gedung Laboratorium Terpadu
JL.PERINTIS KEMERDEKAAN KAMPUS TAMALANREA KM.10 MAKASSAR 90245.





Contact Person: dr. Agussalim Bukhari.,MMed,PhD, SpGK TELP. 081241850858, 0411 5780103, Fax : 0411-581431

REKOMENDASI PERSETUJUAN ETIK

Nomor : 583/UN4.6.4.5.31/ PP36/ 2024

Tanggal: 31 Juli 2024

Dengan ini Menyatakan bahwa Protokol dan Dokumen yang Berhubungan Dengan Protokol berikut ini telah mendapatkan Persetujuan Etik :

No Protokol	UH24060464	No Sponsor	
Peneliti Utama	dr. Wenny Eka Fildayanti, S.Ked	Sponsor	
Judul Peneliti	HUBUNGAN PERFUSI INDEKS DAN SKOR VASOAKTIF-INOTROPIK TERHADAP KEJADIAN GANGGUAN GINJAL AKUT PASCA BEDAH LAPAROTOMI EMERGENSI DI UNIT PERAWATAN INTENSIF		
No Versi Protokol	1	Tanggal Versi	21 Juni 2024
No Versi PSP	1	Tanggal Versi	21 Juni 2024
Tempat Penelitian	RSUP. Dr. Wahidin Sudirohusodo Makassar		
Jenis Review	<input type="checkbox"/> Exempted <input checked="" type="checkbox"/> Expedited <input type="checkbox"/> Fullboard Tanggal	Masa Berlaku 31 Juli 2024 sampai 31 Juli 2025	Frekuensi review lanjutan
Ketua KEP Universitas Hasanuddin	Prof. dr. Muh Nasrum Massi, PhD, SpMK, Subsp. Bakt(K)	Tanda tangan 	
Sekretaris KEP Universitas Hasanuddin	dr. Firdaus Hamid, PhD, SpMK(K)	Tanda tangan 	

Kewajiban Peneliti Utama:

- Menyerahkan Amandemen Protokol untuk persetujuan sebelum di implementasikan
- Menyerahkan Laporan SAE ke Komisi Etik dalam 24 Jam dan dilengkapi dalam 7 hari dan Laporan SUSAR dalam 72 Jam setelah Peneliti Utama menerima laporan
- Menyerahkan Laporan Kemajuan (progress report) setiap 6 bulan untuk penelitian resiko tinggi dan setiap setahun untuk penelitian resiko rendah
- Menyerahkan laporan akhir setelah Penelitian berakhir
- Melaporkan penyimpangan dari protokol yang disetujui (protocol deviation / violation)
- Mematuhi semua peraturan yang ditentukan

CURRICULUM VIATE

1. DATA PRIBADI

Nama Lengkap : dr. Wenny Eka Fildayanti
Tempat tanggal lahir : Bone-bone, 25 Oktober 1994
Jenis Kelamin : Perempuan
Kewarganegaraan : Warga Negara Indonesia
Agama : Islam
Alamat : Perumahan Green Harmony Blok B12, Jl. Perintis
Kemerdekaan 7 Tamalanrea
Email : wennyekafildayanti94@gmail.com

2. RIWAYAT PENDIDIKAN

No	Jenjang Pendidikan	Institusi	Tahun	Tempat
1	SD	SDN1 Bone-bone	2000-2006	Baubau
2	SMP	SMP Negeri 4 Baubau	2006-2009	Baubau
3	SMA	SMA Negeri 1 Baubau	2009-2012	Baubau
4	S1 & PROFESI	FK Universitas Tadulako Kota Palu	2012-2018	Palu
5	PPDS	Departemen Ilmu Anestesi, Terapi Intensif dan Manajemen Nyeri FK Universitas Hasanuddin	2021-2025	Makassar