

DAFTAR PUSTAKA

- Acharya, P., Mohanty, G. P., Pradhan, C. R., Mishra, S. K., Beura, N. C., and Moharana, B. (2015). Exploring the effects of inclusion of dietary fresh Azolla on the performance of White Pekin broiler ducks. *Veterinary world*, 8(11), 1293–1299. <https://doi.org/10.14202/vetworld.2015.1293-1299>
- Anang, A. (2007). Panen ayam kampung dalam 7 minggu. Cetakan 1. Penebar Swadaya, Jakarta.
- Auza FA, Purwanti S, Syamsu JA, Natsir A, Badaruddin R, Zulkarnain D, and Munadi LOM (2023). Effects of Using Black Soldier Fly Larvae Meal (*Hermetia illucens* L) as a Source of Protein on Boosting Performance, Carcass Quality, and Nutrient Digestibility of Village Chicken. *Journal of Animal Health and Production*, 11(2). <https://doi.org/10.17582/journal.jahp/2023/11.2.193.198>
- Aziz, A. (2012) “New Method of Large-scale Production of *Azolla pinnata* var. *pinnata* R. Brown: A Multipurpose Crop,” *International Journal of Applied Agricultural Research*, 7(1): 1-9.
- Azizi, M., Syamsuddin, S., and Basyah, B. (2023). Integration of rice-duck on growth and yield of paddy crops (*Oryza sativa* L.). *IOP Conference Series: Earth and Environmental Science*, 1183(1), 012090. Available at: <https://doi.org/10.1088/1755-1315/1183/1/012090>.
- Baba, I. A., Banday, M. T., Khan, H. M., Khan, A. A., and Sheikh, I. U. D. (2022) “Effect of *Lactobacillus acidophilus* (LB) and *Saccharomyces cerevisiae* (Yeast) fermentation on nitrogen, phosphorus and potassium level of poultry farm waste. *Ecology, Environment and Conservation*, S45–S49. <https://doi.org/10.53550/eec.2022.v28i06s.007>
- Baigi, M.G., and Abbasian, A. (2013). Combined effect of duck and Azolla on dry matter partitioning of rice (*Oryza sativa* L.) in the integrated rice-duck farming. *International Journal of Farming and Allied Sciences*. Vol., 2 (22): 1023-1028. <http://ijfas.com/wp-content/uploads/2013/11/1023-1028.pdf>
- Bangun, I. H., Sembiring, R., Ruddramker, C., and Rizky Syam, M. (2024). Sustainable rice farming in West Java, Indonesia: The application of a cost-efficient organic farming approach. *Journal of Water and Land Development*, 122–129. <https://doi.org/10.24425/jwld.2024.150266>

- Badan Pusat Statistik. (2023). Produksi Daging Bebek Berdasarkan Provinsi. Jakarta: Badan Pusat Statistik. <https://www.bps.go.id/en/statistics-table/2/NDg5lzl%3D/produksi-daging-itik-itik-manila-menurut-provinsi.html>
- Badan Pusat Statistik. (2023). Populasi Bebek Berdasarkan Provinsi. Jakarta: Badan Pusat Statistik. <https://www.bps.go.id/en/statistics-table/2/NDc5lzl%3D/populasi-itik-itik-manila-menurut-provinsi.html>
- Badan Pusat Statistik. (2023). Indikator Pertanian 2023. Volume 37. Jakarta: Badan Pusat Statistik. <https://assets.dataindonesia.id/2025/01/13/1736746147851-56-13.-indikator-pertanian-2023.pdf>
- Badan Pusat Statistik. (2023). Rata-rata harga gabah bulanan menurut kualitas, komponen mutu dan HPP di tingkat petani. Jakarta: Badan Pusat Statistik. <https://www.bps.go.id/id/statistics-table/2/MTAZNCMy/rata-rata-harga-gabah-bulanan-menurut-kualitas-komponen-mutu-dan-hpp-di-tingkat-petani.html>
- Chisembe P, Liveness J B, Jonathan T. (2020). Effect of duck-rice-Azolla integration on growth performance and carcass quality of native Malawian Muscovy ducks. *Journal Livestock Research for Rural Development*, Vol. 32,.7-9. Available at: <http://www.lrrd.org/lrrd32/7/pilir32110.html>
- Cruz, C. P. P., Alap, L. P. B., Manalili, E. V., Rafael, R. R. and Tolentino, P. D. H. (2023). Prebiotic potential of *Azolla pinnata* (R.Br.) and dietary inclusion effect of pulverised azolla on the growth performance of milkfish fingerlings. *Journal of Fisheries*, 11(1), p. 111201. <https://doi.org/10.17017/j.fish.384>.
- Djeddour, D., Pratt, C., Makale, F., Rwomushana, I. and Day, R. (2021) The apple snail, *Pomacea canaliculata*: an evidence note on invasiveness and potential economic impacts for East Africa. *CABI Working Paper 21*, 77 pp. <https://dx.doi.org/10.1079/CABICOMM-62-8149>
- Food and Agriculture Organization of the United Nations. (2021) The state of the world's land and water resources for food and agriculture –Systems at breaking point. Synthesis report 2021. Rome. <https://doi.org/10.4060/cb7654en>
- Gariglio, M., Dabbou, S., Biasato, I., Capucchio, M. T., Colombino, E., Hernández, F., Madrid, J., Martínez, S., Gai, F., Caimi, C., Odon, S. B., Meneguz, M., Trocino, A., Vincenzi, R., Gasco, L., and Schiavone, A. (2019). Nutritional effects of the dietary inclusion of partially defatted *Hermetia illucens* larva meal in Muscovy duck. *Journal of Animal Science and Biotechnology*, 10(1). Available at: <https://doi.org/10.1186/s40104-019-0344-7>.

- Goh, B., Song, Y., and Manda, M. (2001). Effect of Duck Free-Ranging Density on Duck Behavior Patterns, and Rice Growth and Yield under a Rice-Duck Farming System in Paddy Field. *Korean Journal of Environmental Agriculture*, 20, 86-92. <https://koreascience.kr/article/JAKO200119756103734.page>
- Hendrickson, J., Sassenrath, G. F., Archer, D., Hanson, J., and Halloran, J. (2008). Interactions in integrated US agricultural systems: The past, present and future. *Renewable Agriculture and Food Systems*, 23(04), 314–324. <https://doi.org/10.1017/s1742170507001998>
- Isobe, K., Yamaguchi, K., Okumura, K., Yamamoto, M., Asano, H., and Ishii, R. (2005). Characteristics as Fertilizer of Feces of Aigamo Ducks for Rice Plant (*Oryza sativa* L.). *Plant Production Science*, 8(2), 203–208. <https://doi.org/10.1626/pps.8.203>
- Javaid, A. (2010) “Beneficial Microorganisms for Sustainable Agriculture. In: Lichtfouse, E. (eds) Genetic Engineering, Biofertilisation, Soil Quality and Organic Farming. Sustainable Agriculture Reviews, vol 4. Springer, Dordrecht. https://doi.org/10.1007/978-90-481-8741-6_12
- Kasim, K., Salman, D., Siregar, A. R., Nadja, R. A., and Pakiding, W. (2021). Potential and availability of feed in paddy fields for sustainable livelihoods of moving duck farmers in Pinrang regency South Sulawesi province. *IOP Conference Series: Earth and Environmental Science*, 788(1), 012219. <https://doi.org/10.1088/1755-1315/788/1/012219>
- Kumar, L., Chhogyel, N., Gopalakrishnan, T., Hasan, M. K., Jayasinghe, S. L., Kariyawasam, C. S., Kogo, B. K., & Ratnayake, S. (2022). Climate change and future of agri-food production. *Future Foods*, 49–79. <https://doi.org/10.1016/b978-0-323-91001-9.00009-8>
- Kollah, B., Patra, A. K., and Mohanty, S. R. (2015). Aquatic microphylla Azolla: a perspective paradigm for sustainable agriculture, environment and global climate change. *Environmental Science and Pollution Research*, 23(5), 4358–4369. <https://doi.org/10.1007/s11356-015-5857-9>
- Lim, C. I., Choo, H. J., Heo, K. N., Kim, H. K., Hassan, M. R., Sulatana, S., Whiting, I. M., Mansbridge, S. C., and Pirgozliev, V. R. (2024). Refining dietary metabolisable energy and crude protein levels in relation to duck performance and behaviour. *British Poultry Science*, 65(1), 1–7. <https://doi.org/10.1080/00071668.2023.2278482>
- Liu, X., Takayama, K., Yamashita, K., Nakanishi, Y., Manda, M., Inanaga, J., Matsumoto, S., Nakagama, A. (1998). The effects of integrate d Azolla-

Duck-Ric e-farming system on weeding, pest control and the behaviour of ducks. *Jurnal Akademi Manajemen Jepang*, Volume 34, Edisi 1, hal.13-22. https://doi.org/10.20652/jilm.34.1_13.

- Liu, X., Takayama, K., Yamashita, K., Nakanishi, Y., Manda, M., and Inanaga, J. (1998) "Cultivation condition and nutritive value of Azolla as a feed resource," *Grassland Science*, 44(3), 266–271. https://doi.org/10.14941/grass.44.266_1
- Liu, Y., Hefting, M. M., Verhoeven, J. T. A., and Klaassen, M. (2013). Nutrient release characteristics from droppings of grass-foraging waterfowl (*Anser brachyrhynchus*) roosting in aquatic habitats. *Ecohydrology*, 7(4), 1216–1222. Portico. <https://doi.org/10.1002/eco.1454>.
- Longgy, D. H. A., Fadilah, N. A. N., and Desy, C. W. (2023). Proyeksi kondisi ternak sebelum dan sesudah pandemi Covid-19: populasi, produksi ternak, harga komoditas, dan strategi pemasaran. *Conference of Applied Animal Science Proceeding Series*, 63–74. <https://doi.org/10.25047/animpro.2023.549>
- Mahfudz, L.D., S. Kismiatidan W. Sarengat. (2001). Pengaruh Luas Lahan dan Pemberian Pakan Itik yang Dipelihara pada Areal Sawah Terhadap Performans Itik. *J Animal Production*, universitas Jendral Soedirman ISSN: 1411-2027. Hal 6-12. <http://eprints.undip.ac.id/21563/1/618-ki-fp-2002.pdf>.
- Marzouk, S. H., Tindwa, H. J., Amuri, N. A., and Semoka, J. M. (2023). An overview of underutilized benefits derived from Azolla as a promising biofertilizer in lowland rice production. *Heliyon*, 9(1), e13040. <https://doi.org/10.1016/j.heliyon.2023.e13040>.
- Mahmud, A. T. B. A., Santi, Rahardja, D., Bugiwati, R., and Sari, D. (2020). Production of black soldier flies (*Hermetia illucen*) maggot to the chicken feces media level. *IOP Conference Series: Earth and Environmental Science*, 492(1), 012130. <https://doi.org/10.1088/1755-1315/492/1/012130>
- Muslimin, Wahid, A., Sarintang, and Subagio, H. (2021) "Prospect of development of 2:1 Jajar Legowo planting system technology in the development of rice area, Takalar District," *IOP Conference Series: Earth and Environmental Science*, 911(1), 012069. <https://doi.org/10.1088/1755-1315/911/1/012069>
- Nugraha, Y.A., K. Nissa., N.Nurbaeti., F.M Amrullah, dan D.W. Harjanti. (2017). Pertambahan bobot badan dan feed conversion rate ayam broiler yang dipelihara menggunakan desinfektan herbal. *Jurnal Ilmu-Ilmu Peternakan* 27 (2): 19-24. <https://doi.org/10.21776/ub.iijp.2017.027.02.03>.

- National Research Council (1994). Nutrient Requirement of Poultry. *National Academies Press*. <https://doi.org/10.17226/2114>
- Ochoa, L., Paniagua Michel, J. de J., and Olmos-Soto, J. (2014). Complex Carbohydrates as a Possible Source of High Energy to Formulate Functional Feeds. *Advances in Food and Nutrition Research*, 259–288. <https://doi.org/10.1016/b978-0-12-800268-1.00012-3>.
- Oyange, W., N. Chemining'wa G., I. Kanya J., and N. Njiruh P. (2020). Effect of Time of Azolla Incorporation and Inorganic Fertilizer Application on Growth and Yield of Basmati Rice. *African Journal of Agricultural Research*, 15:464–472. <https://doi.org/10.5897/AJAR2019.14456>
- Park, B.S., Um, K.H., Choi, W.K., and Park, S.O. (2017) “Effect of feeding black soldier fly pupa meal in the diet on egg production, egg quality, blood lipid profiles, and faecal bacteria in laying hens,” *European Poultry Science*, 81, Article 202. <https://doi.org/10.1399/eps.2017.202>
- Pertiwi ME, Hidanah S, Hidajati N, Lamid M, Lokapirnasari WP, Warsito SH. (2023). Black Soldier Fly (*Hermetia illucens*) Maggot Flour as Concentrate Substitution on Broiler Chickens Feed Consumption, Body Weight Gain and Feed Conversion Ratio. *J. Agrovet.*, 7(1): 35-40. Available at: <https://doi.org/10.20473/agrovet.v7i1.51502>.
- Prasetyo, L. H. (2010). *Panduan Budidaya dan Usaha Ternak Itik*. Balai Penelitian Ternak, Bogor.
- Prihantoro, Adiyanti, Setiana, and MA Karti (2015). The Effectiveness of Paddy Field Mud On Cultivation Of Azolla Pinnata As A High Protein Forage, Proceeding Recent Advance in Animal Nutrition and Feed Technology to Support Sustainable Livestock Production System, *Ilmu Nutrisi dan Teknologi Pakan*, Bogor Agricultural University. <http://repository.ipb.ac.id/handle/123456789/88177>.
- Rachmawati, R., Buchori, D., Hidayat, P., Hem, S., and Fahmi, M. R. (2015). Perkembangan dan Kandungan Nutrisi Larva *Hermetia illucens* (Linnaeus) (Diptera: Stratiomyidae) pada Bungkil Kelapa Sawit. *Jurnal Entomologi Indonesia*, 7(1), 28. <https://doi.org/10.5994/jei.7.1.28>
- Rahayu, S., Widiyastuti, T., Suryapratama, W., Hartoyo, B., and Rimbawanto, E. (2023) “Performance and feed digestibility of sentul chicken fed hydrolyzed maggot (*Hermetia illucens*) meal produced by crude enzymes from tempeh yeast,” *African Journal of Food, Agriculture, Nutrition and Development*, 23(10), 25006–25023. <https://doi.org/10.18697/ajfand.125.23795>

- Rai, R.B., Dharma, K., Damodaran, T., Ali, H., Rai, S., Singh, B. and Bhatt, P. (2012) Evaluation of Azolla (*Azolla pinnata*) as a poultry feed and its role in poverty alleviation among landless people in northern plains of India. *Veterinary Practitioner.*, 13(2): 250-254.
- Ranawake, A. L. U G S Amarasingha, N Dahanayake. (2013). Agronomic characters of some traditional rice (*Oryza sativa* L.) cultivars in Sri Lanka. *Journal of the University of Ruhuna*, 1(1): 3-9. <https://doi.org/10.4038/jur.v1i1.6150>
- Rao, G., Ashraf, U., Kong, L., Mo, Z., Xiao, L., Zhong, K., Rasul, F., and Tang, X. (2019). Low soil temperature and drought stress conditions at flowering stage affect physiology and pollen traits of rice. *Journal of Integrative Agriculture*, 18(8), 1859–1870. [https://doi.org/10.1016/s2095-3119\(18\)62067-2](https://doi.org/10.1016/s2095-3119(18)62067-2)
- Razavipour, T., Moghaddam, S. S., Doaei, S., Noorhosseini, S. A., and Damalas, C. A. (2018). Azolla (*Azolla filiculoides*) compost improves grain yield of rice (*Oryza sativa* L.) under different irrigation regimes. *Agricultural Water Management*, 209, 1–10. <https://doi.org/10.1016/j.agwat.2018.05.020>.
- Rumondor, G., Maaruf, K., Tulung, YRL, and Wolayan, FR (2015). The effects of substitution of fish meal with maggot meal of black soldier (*hermetia illucens*) in ration on broiler's carcass and abdominal lipid percentage's. *Zootec*, 35(2), 131. <https://doi.org/10.35792/zot.36.1.2016.10452>
- Safriyani, E., Hasmeda, M., Munandar, M., dan Sulaiman, F. (2019). Korelasi Komponen Pertumbuhan dan Hasil pada Pertanian Terpadu Padi-Azolla. *Jurnal Lahan Suboptimal*, 7(1). <https://doi.org/10.33230/jlso.7.1.2018.344>
- Saidani, M., Dabbou, S., Ben Larbi, M., Belhadj Slimen, I., Fraihi, W., Arbi, T., Amraoui, M., and M'Hamdi, N. (2025) "Effect of black soldier fly (*Hermetia illucens* L.) larvae meal on growth performance, carcass characteristics, meat quality, and cecal microbiota in broiler chickens," *Frontiers in Animal Science*, 6. <https://doi.org/10.3389/fanim.2025.1531773>
- Salman, D., Kasim, K., Ahmad, A., and Sirimorok, N. (2021). Combination of Bonding, Bridging and Linking Social Capital in a Livelihood System: Nomadic Duck Herders Amid the Covid-19 Pandemic in South Sulawesi, Indonesia. *Forest and Society*, 136–158. <https://doi.org/10.24259/fs.v5i1.11813>
- Sekaran, U., Lai, L., Ussiri, D. A. N., Kumar, S., and Clay, S. (2021). Role of integrated crop-livestock systems in improving agriculture production and addressing food security – A review. *Journal of Agriculture and Food Research*, 5, 100190. <https://doi.org/10.1016/j.jafr.2021.100190>.

- Setiawati, M. R., Damayani, M., Herdiyantoro, D., Suryatmana, P., Angraini, D., and Khumairah, F. H. (2018). The application dosage of *Azolla pinnata* in fresh and powder form as organic fertilizer on soil chemical properties, growth and yield of rice plant. *AIP Conference Proceedings*. <https://doi.org/10.1063/1.5021210>
- Setyawan, F., Raynardia Esti Nugrahini, Y., Suhendra, D., and Iqbal, S. (2022). Addition of *Azolla Microphylla* to Feed on The Digestive Tract of Magelang Ducks. *Journal of Tropical Animal Science and Technology*, 4(2), 162 - 171. Available at: <https://doi.org/10.32938/jtast.v4i2.2786>.
- Shamima, Akhter, M.H, Mian , Kader, Mohammed and Begum, Shamim. (2002). Combination of *Azolla* and Urea Nitrogen for Satisfactory Production of Irrigated Boro Rice (BRRI Dhan 29). *Journal of Agronomy*, 1: 127-130. <https://scialert.net/abstract/?doi=ja.2002.127.130>
- Suh, J. (2014) "Theory and reality of integrated rice–duck farming in Asian developing countries: A systematic review and SWOT analysis," *Agricultural Systems*, 125, 74–81. <https://doi.org/10.1016/j.agsy.2013.11.003>
- Supriadi, Lahay, N., Nadir, M., Syamsu, J. A., and Purwanti, S. (2021) "The effect of soybean meal substitution with *Indigofera zollingeriana* and addition of turmeric as phythobiotic on performance of native chicken," *IOP Conference Series: Earth and Environmental Science*, 788(1), 012083. <https://doi.org/10.1088/1755-1315/788/1/012083>
- Sverguzova S.V., Shaikhiev I.H., Saponova Zh.A., Fomina E.V., Makridina Yu.L. (2021). Use of fly larvae *Hermetia illu-cens* in poultry feeding: A review paper. *Journal of Water and Land Development*. No. 49 (IV–VI) p. 95–103. <https://doi.org/10.24425/jwld.2021.137101>
- Svihus, B., and Itani, K. (2019). Intestinal Passage and Its Relation to Digestive Processes. *Journal of Applied Poultry Research*, 28(3), 546–555. Available at: <https://doi.org/10.3382/japr/pfy027>.
- Tung, Y.K. (1992). Probability distribution for benefit/cost ratio and net benefit. *Journal of Water Resources Planning and Management*, 118(2), pp. 133–150. [https://doi.org/10.1061/\(ASCE\)07339496\(1992\)118:2\(133\)](https://doi.org/10.1061/(ASCE)07339496(1992)118:2(133))
- Utama C. S., Cahya R. I., and Sulistiyanto B. (2024). Utilization of Dietary Maggot Frass on the Performance, Carcass Percentage, Digestive Organs, and Economic Value of Muscovy Ducks. *Tropical Animal Science Journal*, 47(1), 104-111. <https://doi.org/10.5398/tasi.2024.47.1.104>

- Walker, A., and Gordon, S. (2003). Intake of nutrients from pasture by poultry. *Proceedings of the Nutrition Society*, 62(2), 253–256. <https://doi.org/10.1079/pns2002198>
- Yifan, L., Tiaoyan, W., Shaodong, W., Xucan, K., Zhaoman, Z., Hongyan, L., and Jiaolong, L. (2023). Developing integrated rice-animal farming based on climate and farmers choices. *Agricultural Systems*, 204, 103554. <https://doi.org/10.1016/j.agsy.2022.103554>
- Zhang B, Zhang Y, Kong A, Song Y, Wu L, Xin M, Liu C, Cui H, Ren W. (2018). Influence of feeding density of ducks in rice field on movement behaviour and weeds control[J]. *Transactions of the Chinese Society of Agricultural Engineering*, 34(3): 234-239. <https://doi.org/10.11975/j.issn.1002-6819.2018.03.031>