

## DAFTAR PUSTAKA

- Alkatan, M., Baker, J. R., Machin, D. R., Park, W., Akkari, A. S., Pasha, E. P., & Tanaka, H. (2016). Improved function and reduced pain after swimming and cycling training in patients with osteoarthritis. *Journal of Rheumatology*, 43(3), 666–672. <https://doi.org/10.3899/jrheum.151110>
- Bing, F., Wang, Y., Chen, S. F., Zhang, G., & Zhang, M. (2023a). *Effects of cycling rehabilitation training on patients with knee osteoarthritis: A systematic review and meta-analysis*. <https://doi.org/10.21203/rs.3.rs-2425616/v1>
- Bing, F., Wang, Y., Chen, S. F., Zhang, G., & Zhang, M. (2023b). Effects of Cycling Rehabilitation Training on Patients with Knee Osteoarthritis: A Systematic Review and Meta-Analysis. *Rheumatology (Sunnyvale)*, 13, 362. <https://doi.org/10.35841/2161-1149.23.13.362>
- Bing, F., Wang, Y., Chen, S. F., Zhang, G., & Zhang, M. (2023c). *Effects of cycling rehabilitation training on patients with knee osteoarthritis: A systematic review and meta-analysis*. <https://doi.org/10.21203/rs.3.rs-2425616/v1>
- Cao, F., Xu, Z., Li, X. X., Fu, Z. Y., Han, R. Y., Zhang, J. L., Wang, P., Hou, S., & Pan, H. F. (2024). Trends and cross-country inequalities in the global burden of osteoarthritis, 1990–2019: A population-based study. *Ageing Research Reviews*, 99, 102382. <https://doi.org/10.1016/J.ARR.2024.102382>
- Chen, P., Wang, Q., Wan, X., Yang, M., Liu, C., Xu, C., Hu, B., Feng, J., & Luo, Z. (2021). Wireless electrical stimulation of the vagus nerves by ultrasound-responsive programmable hydrogel nanogenerators for anti-inflammatory therapy in sepsis. *Nano Energy*, 89, 106327. <https://doi.org/10.1016/J.NANOEN.2021.106327>
- Do Carmo Almeida, T. C., Zatta, S. M., Da Silva Paiva, L., De Carvalho, L. E. W., Schoueri, J., De Abreu, L. C., Fonseca, F. L. A., & Adami, F. (2022). Reduction on Proinflammatory Cytokines after Application of Transcutaneous Electrical Nerve Stimulation (TENS) in Patients with a Breast Cancer: A Nonrandomized, Open, and Single-Arm Study Protocol with Paired Analysis. *Mediators of Inflammation*, 2022. <https://doi.org/10.1155/2022/1350813>
- Epskamp, S., Dibley, H., Ray, E., Bond, N., White, J., Wilkinson, A., & Chapple, C. M. (2020). Range of motion as an outcome measure for knee osteoarthritis interventions in clinical trials: an integrated review. *Physical Therapy Reviews*, 25(5–6), 462–481. <https://doi.org/10.1080/10833196.2020.1867393>
- Geng, R., Li, J., Yu, C., Zhang, C., Chen, F., Chen, J., Ni, H., Wang, J., Kang, K., Wei, Z., Xu, Y., & Jin, T. (2023). Knee osteoarthritis: Current status and research progress in treatment (Review). *Experimental and Therapeutic Medicine*, 26(4). <https://doi.org/10.3892/etm.2023.12180>

- Jang, S., Lee, K., & Ju, J. H. (2021). Recent updates of diagnosis, pathophysiology, and treatment on osteoarthritis of the knee. In *International Journal of Molecular Sciences* (Vol. 22, Issue 5, pp. 1–15). MDPI AG. <https://doi.org/10.3390/ijms22052619>
- Johnson, M. I. (2021). Resolving long-standing uncertainty about the clinical efficacy of transcutaneous electrical nerve stimulation (TENS) to relieve pain: A comprehensive review of factors influencing outcome. In *Medicina (Lithuania)* (Vol. 57, Issue 4). MDPI AG. <https://doi.org/10.3390/medicina57040378>
- Johnson, M. I., Paley, C. A., Jones, G., Mulvey, M. R., & Wittkopf, P. G. (2022a). Efficacy and safety of transcutaneous electrical nerve stimulation (TENS) for acute and chronic pain in adults: A systematic review and meta-analysis of 381 studies (the meta-TENS study). *BMJ Open*, *12*(2). <https://doi.org/10.1136/bmjopen-2021-051073>
- Johnson, M. I., Paley, C. A., Jones, G., Mulvey, M. R., & Wittkopf, P. G. (2022b). Efficacy and safety of transcutaneous electrical nerve stimulation (TENS) for acute and chronic pain in adults: A systematic review and meta-analysis of 381 studies (the meta-TENS study). *BMJ Open*, *12*(2). <https://doi.org/10.1136/bmjopen-2021-051073>
- Kalinkovich, A., & Livshits, G. (2017). Sarcopenic obesity or obese sarcopenia: A cross talk between age-associated adipose tissue and skeletal muscle inflammation as a main mechanism of the pathogenesis. *Ageing Research Reviews*, *35*, 200–221. <https://doi.org/10.1016/J.ARR.2016.09.008>
- Lee, C.-W., & Cho, G.-H. (2014). *Effect of Stationary Cycle Exercise on Gait and Balance of Elderly Women*.
- Masyitah, D., Mashudi, Tumanggor, eliezer B., & Fadriyanti, Y. (2024). *The effect of osteoarthritis exercise on pain and joint range of motion in osteoarthritis patients*.
- Nara, H., & Watanabe, R. (2021). Anti-inflammatory effect of muscle-derived interleukin-6 and its involvement in lipid metabolism. In *International Journal of Molecular Sciences* (Vol. 22, Issue 18). MDPI. <https://doi.org/10.3390/ijms22189889>
- Pertiwi, K. R., Yulianti, E., & Rustiasari, U. J. (2022). Physical exercise as cytokine modulator in inflammatory immune response: a systematic review. *Jurnal Keolahragaan*, *10*(2), 247–257. <https://doi.org/10.21831/jk.v10i2.51677>
- Pietrosimone, B. G., Saliba, S. A., Hart, J. M., Hertel, J., Kerrigan, D. C., & Ingersoll, C. D. (2011). Effects of transcutaneous electrical nerve stimulation and therapeutic exercise on quadriceps activation in people with tibiofemoral osteoarthritis. *Journal of Orthopaedic and Sports Physical Therapy*, *41*(1), 4–12. <https://doi.org/10.2519/jospt.2011.3447>

- Reichenbach, S., Jüni, P., Hincapié, C. A., Schneider, C., Meli, D. N., Schürch, R., Streit, S., Lucas, C., Mebes, C., Rutjes, A. W. S., & da Costa, B. R. (2022). Effect of transcutaneous electrical nerve stimulation (TENS) on knee pain and physical function in patients with symptomatic knee osteoarthritis: the ETRELKA randomized clinical trial. *Osteoarthritis and Cartilage*, 30(3), 426–435. <https://doi.org/10.1016/j.joca.2021.10.015>
- Riza Wahyudi, F., & Rahman, F. (2023). *Efek Transcutaneous Electrical Nerve Stimulation (TENS), Active dan Resisted Exercise Terhadap Knee Pain Suspect Osteoarthritis: Case Report ARTICLE INFO CASE REPORT*. <http://journal.ahmareduc.or.id/index.php/AMHJ>
- Rose-John, S. (2020). Interleukin-6 signalling in health and disease. *F1000Research*, 9. <https://doi.org/10.12688/f1000research.26058.1>
- Scheller, J., Chalaris, A., Schmidt-Arras, D., & Rose-John, S. (2011). The pro- and anti-inflammatory properties of the cytokine interleukin-6. In *Biochimica et Biophysica Acta - Molecular Cell Research* (Vol. 1813, Issue 5, pp. 878–888). <https://doi.org/10.1016/j.bbamcr.2011.01.034>
- Vance, C. G. T., Dailey, D. L., Chimenti, R. L., Van Gorp, B. J., Crofford, L. J., & Sluka, K. A. (2022). Using TENS for Pain Control: Update on the State of the Evidence. In *Medicina (Lithuania)* (Vol. 58, Issue 10). MDPI. <https://doi.org/10.3390/medicina58101332>
- Wang, F., Zhang, X., Tong, X., Zhang, M., Xing, F., Yang, K., Jiao, N., & Duan, Z. (2021). The effects on pain, physical function, and quality of life of quadriceps strengthening exercises combined with Baduanjin qigong in older adults with knee osteoarthritis: a quasi-experimental study. *BMC Musculoskeletal Disorders*, 22(1). <https://doi.org/10.1186/s12891-021-04179-8>
- Wang, M. J., Zhang, H. L., Chen, F., Guo, X. J., Liu, Q. G., & Hou, J. (2024). The double-edged effects of IL-6 in liver regeneration, aging, inflammation, and diseases. In *Experimental Hematology and Oncology* (Vol. 13, Issue 1). BioMed Central Ltd. <https://doi.org/10.1186/s40164-024-00527-1>
- Whitfield, M., & Tomlinson, O. W. (2025). Optimal exercise modalities and doses for therapeutic management of osteoarthritis of the knee. In *Frontiers in Aging* (Vol. 6). Frontiers Media SA. <https://doi.org/10.3389/fragi.2025.1458983>
- Wiegertjes, R., Van De Loo, F. A. J., & Blaney Davidson, E. N. (2020). A roadmap to target interleukin-6 in osteoarthritis. In *Rheumatology (United Kingdom)* (Vol. 59, Issue 10, pp. 2681–2694). Oxford University Press. <https://doi.org/10.1093/rheumatology/keaa248>
- Yamada, K., Shimizu, H., Doi, N., Harada, K., Ishizuka-Inoue, M., Yamashita, R., Takamatsu, S., Hayashi-Nishiyama, S., Okamoto, Y., & Aoyama, T. (2024). Usefulness and safety of a wearable transcutaneous electrical nerve stimulation device for promoting exercise therapy in patients with chronic knee

pain: A randomized controlled trial. *Archives of Physical Medicine and Rehabilitation*. <https://doi.org/10.1016/j.apmr.2024.08.021>

- Yoldas, B., Akdemir, E., Anil, B., Korkmaz, E., Kumru, D., Yilmaz, C., Ermis, E., Kehribar, L., Genc, A., & Yilmaz, A. (2024). Pain, quality of life, proprioception and physical function in patient with knee osteoarthritis: Comparison of different grades. *Medicine Science | International Medical Journal*, 13(2), 406. <https://doi.org/10.5455/medscience.2024.04.037>
- Zeng, C. Y., Zhang, Z. R., Tang, Z. M., & Hua, F. Z. (2021). Benefits and Mechanisms of Exercise Training for Knee Osteoarthritis. In *Frontiers in Physiology* (Vol. 12). Frontiers Media S.A. <https://doi.org/10.3389/fphys.2021.794062>
- Zheng, G., Qiu, P., Xia, R., Lin, H., Ye, B., Tao, J., & Chen, L. (2019). Effect of aerobic exercise on inflammatory markers in healthy middle-aged and older adults: A systematic review and meta-analysis of randomized controlled trials. In *Frontiers in Aging Neuroscience* (Vol. 11, Issue APR). Frontiers Media S.A. <https://doi.org/10.3389/fnagi.2019.00098>
- Zhou, G., Zhao, M., Wang, X., Geng, X., & Tian, H. (2023). Demographic and radiographic factors for knee symptoms and range of motion in patients with knee osteoarthritis: a cross-sectional study in Beijing, China. *BMC Musculoskeletal Disorders*, 24(1). <https://doi.org/10.1186/s12891-023-06432-8>