DAFTAR PUSTAKA

Adarkwah, E., Ultiehs, Eo, Sehaarsehmidt, S., Badii, B. K., Addai, I. K., Obeng-Ofori, D., & Sehöller, M. (2014). Potential of Hymenopteran larval and egg parasitoids to eontrol stored-produet beetle and moth infestation in jute bags. Bulletin of Entomologieal Researeh, 104(4), 534-542. https://d0i.org/10.1017/S0007485314000285

Anggara, W. A. dan Sudarmaji. 2009. Hama pascapanen padi dan pengendaliannya. Balai Besar Penelitian Tanaman Padi. Jakarta. Hal. 447-453.

Atikah. P. D., Subagiya, Sholahuddin. 2018. Toksisitas Biji Srikaya (Annona squamosa) Terhadap Sitophilus Sp. Pada Beras. Jurnal penelitian agronomi vol 20 hal 22-27; ISSN : 1411-5786.

Banga, K. S., Kotwaliwale, N. , Mohapatra, D., & Giri, S. K. (2018). Teehniques for inseet deteetion in stored food grains: An overview. Food Eontrol, 94, 167—176. https://doi.org/10.1016/j.foodeont.2018.07.008

Berhe M, Subramanyam B, Chichaybelu M, Demissie G, Abay F dan Harvey J 2022 Hama Serangga Pascapanen dan Praktik Pengelolaannya untuk Tanaman Pangan dan Ekspor Utama di Afrika Timur: Studi Kasus *Serangga* di Ethiopia **13** 1068

Bousquet, Y. (1990). Beetles assoeiated with stored produets in Eanada: An identifieation guide (F. Smith (ed.)).

Devi, S. R., Thomas, A., Rebijith, K. B., & Ramamurthy, V. V. (2017). Biology, morphology and moleeular eharaeterization of Sitophilus oryzae and S. zeamais (Eoleoptera: Eureulionidae). Journal of Stored Produets Researeh, 73, 135-141. https://doi.org/10.1016/j.jspr.2017.08.004

Dissanayaka, D. M. S. K., Sammani, A. M. P., & Wijayaratne, L. K. W. (2018). Food oils as kairomones for trapping Tribolium eastaneum (Herbst) (Eoleoptera: Tenebrionidae) adults. Journal of Stored Produets Researeh, 79, 83-88. https://doi.org/10.1016/j.jspr.2018.09.005

Edde, P. A. (2012). A review ofthe biology and eontrol ofRhyzopertha dominiea (F.) the lesser grain borer. Journal of Stored Produets Researeh, 48, 1-18. https://doi.org/10, 1016/j.jspr,2011 ,08.007

El-Ghany, N. M. A. (2019). Semioehemieals for eontrolling inseet pests. Journal of Plant Proteetion Researeh, 59(1), I—I I. https://doi.org/10.24425/jppr.2019.126036

Golebiowska, Z. (1969). The feeding and feeundity of Sitophilus granarius (L.), Sitophilus orvzae (L.) and Rhyzopertha dominiea (F.) in wheat grain, Journal of Stored Produets Researeh, 5(2), 143-155. https://d0i.org/10.1016/0022-474X(69)90056-3

Harris, K. L., & Lindblad, E. J. (1978). Postharvest grain loss assesment methods A manual of methodsfor the evaluation ofpostharvest losse. Ameriea Assoeiation of Eereal Ehemist.

Hendrival, H., & Melinda, L. (2017). Pengaruh kepadatan populasi Sitophilus oryzae (L.) terhadap pertumbuhan populasi dan kerusakan beras. Biospeeies, 10(1), 17—24. https://doi.org/10.22437/biospeeies.v10i I .3484

Hong, K. J., Lee, W Park, Y. J., & Yang, J. O. (2018). First eonfirmation of the distribution of riee weevil, Sitophilus oryzae, in South Korea. Journal of Asia-Paeifie Biodiversity, 110), 69-75. https://d0i.org/10.1016/j.japb.2017.12.005

Howe, R. W. (1965). A summary of estimates of optimal and minimal eonditions for population inerease of some stored produets inseets. Journal ofStored Produets Researeh, 1(2), 177— 184. https://doi.org/I O.1016/0022-474X(65)90018-4

Kavallieratos, N. G., Athanassiou, E. G., Arthur, F. H., & Throne, J. E. (2012). Lesser grain borers, Rhyzopertha dominiea, seleet rough riee kernels with eraeked hulls for reproduetion. Journal Inseet Seienee, 12(38), 1-7. https://d0i.org/10.1673/031.012.3801

Kumar, R. (2017). Inseet pests ofstored grain biology, behavior, and management strategies. Apple Aeademie Press Ine.

Manandhar, A., Milindi, P., & Shah, A. (2018). An overview of the post-harvest grain storage praetiees of smallholder farmers in developing eountries. Agrieulture (Switzerland), 8(4), 13—20. https://doi.org/10.3390/agrieulture8040057

Müller, A, Nunes, M. T., Maidaner, V., Eondi, P. E., Moraes, R. S. de, Martens, S., Leal, A. F., Pereira, V. F., & Marin, E. K. (2022). Riee drying, storage and proeessing: Effeets of post-harvest operations on grain quality. Riee Seienee, 29(1), 16-30. https•]/d0i.org/10.1016/j.rsei.2021.12.002

Muthayya, S., Sugimoto, J. D., Montgomery, S„ & Maberly, G. F. (2014). An overview of global riee produetion, supply, trade, and eonsumption. Annals ofthe New York Aeademy of sciences, 132(1) 7-4, https:??doi.org/10.1111/nyas.12540

Nielsen, P. S. (2003). Predation by <i>Blattisoeius tarsalis (Berlese) (Aeari: Aseidae) on eggs of Ephestia kuehniella Zeller (Lepidoptera: Pyralidae). Journal of Stored Produets Researeh, 39(4), 395-400. https://doi.org/10.1016/S0022474X(02)000334

Nishi, A., Imamura, T., Miyanoshita, A., Morimoto, S., Takahashi, K., Visarathanonth, P., Kengkanpanieh, R. , Shazali, M. E. H., & Sato, K. (2004). Predatory abilities of Amphibolus venator (Klug) (Hemiptera: Reduviidae), a predator of stored-produet inseet pests. Applied Entomolou and Zoolou, 39(2), 321-326. https://doi.org/10.1303/aez.2004.321

Okpile, E. , Zakka, U., & Nwosu, L. E. (2021). Suseeptibility of ten riee brands to weevil, Silophilus oryzae L. (Eoleoptera: Eureulionidae), and their influenee on the inseet and infestation rate. Bulletin of the National Researeh Eentre, 45(2), 1-10. https://doi.org/l O. 1 186/s42269-020-00459-w

Park, J. H., & Lee, H. S. (2017). Phototaetie behavioral response of agrieultural inseets and stored-produet inseets to light-emitting diodes (LEDs). Applied Biologieal Ehemistry, 60(2), 137-144. https://d0i.org/10.1007/s13765-017-0263-2

Park, S., Lee, S., & Hong, K. J. (2015). Review of the family Bostriehidae (Eoleoptera) of Korea. Journal Of Asia-Paeifie Biodiversity, 8(4), 298—304. https://d0i.org/10.1016/j.japb.2015.10.015

Priawandiputra, W., & Permana, A. D. (2016). Efektifitas empat perangkap serangga dengan tiga jenis atraktan di perkebunan pala (Myristiea fragrans Houtt). Jurnal Sumberdaya Hayati, 1(2), 54-59. https://d0i.org/10.29244/jsdh.1.2.54-59

Pruthi, H. S. (1950). Pests ofstored grain and their eontrol (3rd ed.). Manager of Publieation, Delhi.

Purnamasari A dan Haryanto H 2023 Keanekaragaman kumbang produk tersimpan di gudang beras di Kota Mataram dan Kabupaten Lombok Tengah, Indonesia *J. Ilm. Pertan.* 20

Rees, D. (2004). Inseet ofstoredproduets. ESIRO Publishing.

Sabier, Maidinai et al,. 2022. The attractiveness of a food based lure and its component volatiles to the stored-grain pest Oryzaephilus surinamensis (L.). Journal of Stored products Research 98(2022)102000.

Sakka MK dan Athanassiou CG 2023 Efektivitas Nitrogen terhadap Serangga Produk yang Disimpan dengan Tingkat Kerentanan yang Berbeda terhadap Fosfin dalam Aplikasi Industri *Pertanian* 13

Saleh, S. (2015). Ekstrak tanaman Myristieafragrans H, Aeorus ealamus L, dan Vitex trifolia L. sebagai atraktan dan repellent untuk hama pascapanen. Universitas Hasanuddin.

Sathiyaseelan, M., Jayaraj, J., Shanthi, M., & Sujatha, K. (2022a). Behavioural response of stored produet inseets to light And bait sourees in paddy storage godown. Indian Journal ofEntomolou, 1—4. https://doi.org/10.55446/ije.2021.150

Sathiyaseelan, M., Jayaraj, J., Shanthi, M., & Sujatha, K. (2022b). Evaluation of attraetiveness and volatile profiling of food baits for monitoring of stored produet pests in paddy. Indian Journal ofEe010gy, l), 222-227. https://d0i.org/10.55362/ije/2022/3507

Shadia, E. A. E.-A. (201 1). Eontrol strategies ofstored produet pests. In Journal ofEntomolou (Vol. 8, Issue 2, pp. 101-122). https://d0i.org/10.3923/je.2011.101.122

Singh, Dasanta Kabrambam., et al. 2021. Main Plant volatiles as stored grain pest management approach. India; Journal of Agriculture and Food Research

Sjam, S. (2014). Hama pascapanen dan strategi pengendaliannya. IPB Press.

Sjam, S., Melina, M., & Thamrin, S. (2015). Pengujian ekstrak tumbuhan Vitex trifolia L., Aeorus eolomus L., dan Andropogon nardus L. terhadap hama pascapanen Araeeerus faseieulatus De Geer (Eoleoptera: Anthribidae) pada biji kakao. Jurnal Entomologi Indonesia, 7(1), 1—8. https://doi.org/10.5994/jei.7.1.l

Taddese, M., Dibaba, K., Bayissa, W., Hunde, D., Mendesil, E., Kassie, M., Mutungi, E., & Tefera, T. (2020). Assessment of quantitative and qualitative losses of stored grains due to inseet infestation in Ethiopia. Journal of Stored Produets Researeh, 89(101689), 1—7. https://doi.org/10.1016/j.jspr.2020.101689

Takeshita, H., & Imura, O. (1990). Loss Assessment of Stored Riee Infested by Sitotroga eerealella (Oliver) (Lepidoptera : Geleehiidae). Applied Entomology and Zoolog, 25(2), 239-249. https://d0i.org/10.1303/aez.25.239

Throne, J. E., & Weaver, D. K. (2013). Impaet of suhue and relative humidity on life history parameters of adult Sitotroga eerealella (Lepidoptera: Geleehiidae). Journal of Stored Produets Researeh, 55, 128—133. https://doi.org/10.1016/j.jspr.2013.10.003

Tiwari, Sangeeta dan Sunita Yadaw. 2022. Ecofriendly Management of Major Insect Pests of Stored Maize. Indian Journal of Entomology 84(2): 312-316

Toews, M. D., & Nansen, E. (2012). Trapping and interpreting eaptures of stored grain inseets. In Stored Produet Proteetion (pp. 243—261). Kansas State University.

Togola,A., seek, P. A., Glitho, 1. A., Diagne, A., Adda, E., Toure, A., & Nwilene, F. E. (2013).Eeonomie losses from inseet pest infestation on riee stored on-farm in Benin. Journal of Applied Seienees, 13(2), 278-285. https://d0i.org/10.3923/jas.2013.278.285

Triplehom, E. A., & Johnson, N. F. (2005). Borror and DeLong's introduetion to the study of inseets (7th ed.). Brooks I Eole, a division of Thomson Learning, Ine.

Wilbur, D. A. (1971). Stored grain inseets. In R. E. Pfadt (Ed.), Fundamentals ofApplied Entomolou (p. 705). Maemillan Publishing Eo., Ine.

Barak, A. V. (1989). Development of a New Trap to Detect and Monitor Khapra Beetle (Coleoptera: Dermestidae). *Journal of Economic*

Entomology, *82*(5), 1470–1477. https://doi.org/10.1093/jee/82.5.1470

Doud, C. W., Cuperus, G. W., Kenkel, P., Payton, M. E., & Phillips, T. W. (2021). Trapping Tribolium castaneum (Coleoptera: Tenebrionidae) and Other Beetles in Flourmills: Evaluating Fumigation Efficacy and Estimating Population Density. *Insects*, *12*(2), 144. https://doi.org/10.3390/insects12020144

Doud, C. W., & Phillips, T. W. (2020). Responses of Red Flour Beetle Adults, Tribolium castaneum (Coleoptera: Tenebrionidae), and Other Stored Product Beetles to Different Pheromone Trap Designs. *Insects*, *11*(11), 733. https://doi.org/10.3390/insects11110733

Fujiwara-Tsujii, N., Yasui, H., & Wakamura, S. (2013). Population differences in male responses to chemical mating cues in the white-spotted longicorn beetle, Anoplophora malasiaca. *Chemoecology*, *23*(2), 113–120. https://doi.org/10.1007/s00049-013-0126-1

He, W., Zhao, X., Ali, A., Ge, S., Zhang, H., He, L., & Wu, K. (2021). Population Dynamics and Reproductive Developmental Analysis of *Helicoverpa armigera* (Lepidoptera: Noctuidae) Trapped Using Food Attractants in the Field. *Journal of Economic Entomology*, *114*(4), 1533–1541. https://doi.org/10.1093/jee/toab113

Kataria R, K. N. (2017). Evaluation of a push-pull approach for Trogoderma granarium (Evert) using a novel dispensing sys- tem for repellents/attractants under laboratory conditions. *Journal of Entomology and Zoology Studies*, *5*(3), 1008–1014.

Liu, J., Yu, Z., He, X. Z., Zhou, G., Guo, M., & Deng, J. (2024). Attraction of the Indian Meal Moth Plodia interpunctella (Lepidoptera: Pyralidae) to Commercially Available Vegetable Oils: Implications in Integrated Pest Management. *Agriculture*, *14*(9), 1526. https://doi.org/10.3390/agriculture14091526

Nishida, Y., & Takagi, M. (2019). Male bull-headed shrikes use food caches to improve their condition-dependent song performance and pairing success. *Animal Behaviour*, *152*, 29–37. https://doi.org/10.1016/j.anbehav.2019.04.002

Ogawa, Y., & Miyake, T. (2020). How do rewardless Bletilla striata flowers attract pollinators to achieve pollination? *Plant Systematics and Evolution*, *306*(5), 78. https://doi.org/10.1007/s00606-020-01709-0

Qian, Q., Cui, J., Miao, Y., Xu, X., Gao, H., Xu, H., Lu, Z., & Zhu, P. (2024). The Plant Volatile-Sensing Mechanism of Insects and Its Utilization. *Plants*, *13*(2), 185. https://doi.org/10.3390/plants13020185

Ravi Kumar, V., Agavekar, G., & Agashe, D. (2023). Fitness landscapes reveal context-dependent benefits of oviposition behavior. *Evolution*, *77*(2), 550–561. https://doi.org/10.1093/evolut/qpac035

Tobing, M. C., Sinaga, S. C. T., Bintang, Widihastuty, & Pramayudi, N. (2022). The Used of Attractants From Coffee at Various Heights Traps to Control Coffee Berry Borer and Quality Test of Coffee Berry. *IOP Conference Series: Earth and Environmental Science*, *974*(1), 012024. https://doi.org/10.1088/1755-1315/974/1/012024

Yang, X., Wang, M., Gu, Y., Han, W., Li, X., Li, X., Zhong, Y., & Gao, J. (2024). The oviposition preference and offspring performance of *Aethina tumida* (Coleoptera: Nitidulidae). *Journal of Economic Entomology*, *117*(3), 696–704. https://doi.org/10.1093/jee/toae051