

DAFTAR PUSTAKA

1. Burnham JM, Howard JS, Hayes CB, Lattermann C. Medial patellofemoral ligament reconstruction with concomitant tibial tubercle transfer: a systematic review of outcomes and complications. *Arthroscopy*. 2016;32(6):1185–1195.
2. Tibor L, Chan PH, Funahashi TT, et al. Surgical technique trends in primary ACL reconstruction from 2007 to 2014. *J Bone Joint Surg Am*. 2016;98- A(13):1079–1089.
3. Hexter AT, Thangarajah T, Blunn G, Haddad FS. Biological augmentation of graft healing in anterior cruciate ligament reconstruction: a systematic review. *Bone Joint J*. 2018;100-B(3):271–284.
4. Grassi A, Nitri M, Moulton SG, et al. Does the type of graft affect the outcome of revision anterior cruciate ligament reconstruction? A meta-analysis of 32 studies. *Bone Joint J*. 2017;99-B(6):714–723.
5. Ahmed I, Salmon L, Roe J, Pinczewski L. The long-term clinical and radiological outcomes in patients who suffer recurrent injuries to the anterior cruciate ligament after reconstruction. *Bone Joint J*. 2017;99-B(3):337–343.
6. Mohtadi NG, Chan DS, Dainty KN, Whelan DB. Patellar tendon versus hamstring tendon autograft for anterior cruciate ligament rupture in adults. *Cochrane Database Syst Rev*. 2011;9:CD005960.
7. Pichler W, Tesch NP, Schwantzer G, et al. Differences in length and cross-section of semitendinosus and gracilis tendons and their effect on anterior cruciate ligament reconstruction. *J Bone Joint Surg Br*. 2008;90-B(4):516–519.
8. Park CH, Lee W-C. Donor site morbidity after lateral ankle ligament reconstruction using the anterior half of the peroneus longus tendon autograft. *Am J Sports Med*. 2017;45(4):922–928.

9. Kim HN, Jeon JY, Dong Q, et al. Lateral ankle ligament reconstruction using the anterior half of the peroneus longus tendon. *Knee Surg Sports Traumatol Arthrosc.* 2015;23(6):1877–1885.
10. Zhao J, Huangfu X. The biomechanical and clinical application of using the anterior half of the peroneus longus tendon as an autograft source. *Am J Sports Med.* 2012;40(3):662–671.
11. Kerimoglu S, Aynaci O, Saraçoğlu M, Aydın H, Turhan AU. [Anterior cruciate ligament reconstruction with the peroneus longus tendon]. *Acta Orthop Traumatol Turc.* 2008;42(1):38–43.
12. Cao H-bin, Liang J, Xin J-yi. [Treatment of anterior cruciate ligament injury with peroneus longus tendon]. *Zhonghua Yi Xue Za Zhi.* 2012;92(35):2460–2462.
13. Kerimoglu S, Kosucu P, Livaoglu M, Yükünç I, Turhan AU. Magnetic resonance imagination of the peroneus longus tendon after anterior cruciate ligament reconstruction. *Knee Surg Sports Traumatol Arthr.* 2009;17(1):35–39.
14. Anghong C, Chernchujit B, Apivatgaroon A, et al. The anterior cruciate ligament reconstruction with the peroneus longus tendon: a biomechanical and clinical evaluation of the donor ankle morbidity. *J Med Assoc Thai.* 2015;98(6):555–560.
15. He J, Tang Q, Ernst S, Linde MA, Smolinski P, Wu S, Fu F. Peroneus longus tendon autograft has functional outcomes comparable to hamstring tendon autograft for anterior cruciate ligament reconstruction: a systematic review and meta-analysis. *Knee Surg Sports Traumatol Arthrosc.* 2021 Sep;29(9):2869-2879. doi: 10.1007/s00167-020-06279-9. Epub 2020 Sep 27. PMID: 32984919.
16. Sholahuddin Rhatomy, Leonardus Hartoko, Riky Setyawan, Noha Roshadiansyah Soekarno, Asa Ibrahim Zainal Asikin, Dodi Pridianto, Edi Mustamsir. Single bundle

- ACL reconstruction with peroneus longus tendon graft: 2-years follow-up. *Journal of Clinical Orthopaedics and Trauma*, Volume 11, Supplement 3, 2020, Pages S332-S336.
17. Shi FD, Hess DE, Zuo JZ, Liu SJ, Wang XC, Zhang Y, Meng XG, Cui ZJ, Zhao SP, Li CJ, Hu WN. Peroneus Longus Tendon Autograft is a Safe and Effective Alternative for Anterior Cruciate Ligament Reconstruction. *J Knee Surg*. 2019 Aug;32(8):804-811. doi: 10.1055/s-0038-1669951. Epub 2018 Sep 11. PMID: 30206913.
18. Mingguang Bi, Chen Zhao, Shuijun Zhang, Bin Yao, Zheping Hong, Qing Bi. All-Inside Single-Bundle Reconstruction of the Anterior Cruciate Ligament with the Anterior Half of the Peroneus Longus Tendon Compared to the Semitendinosus Tendon: A Two-Year Follow-Up Study. *J Knee Surg* 2018; 31(10): 1022-1030.
19. Sasetyo, Dadang Rona, Sholahuddin Rhatomy and Ludwig Ap. Pontoh. "Peroneus longus tendon: The promising graft for anterior cruciate ligament reconstruction surgery." *Asia-Pacific Journal of Sports Medicine, Arthroscopy, Rehabilitation and Technology* 9 (2017): 25.
20. Lee HW, Wang C, Bae TS, Yang I, Liu Y, Park CW, Kim HN. Tendon Regeneration After Partial-Thickness Peroneus Longus Tendon Harvesting: Magnetic Resonance Imaging Evaluation and In Vivo Animal Study. *Am J Sports Med*. 2020 Aug;48(10):2499-2509. doi: 10.1177/0363546520933628. Epub 2020 Jul 6. PMID: 32628507.
21. Kerimoğlu S, Koşucu P, Livaoğlu M, Yükcünç I, Turhan AU. Magnetic resonance imagination of the peroneus longus tendon after anterior cruciate ligament reconstruction. *Knee Surg Sports Traumatol Arthrosc*. 2009 Jan;17(1):35-9. doi: 10.1007/s00167-008-0626-7. Epub 2008 Sep 26. PMID: 18818901.
22. Shao X, Shi LL, Bluman EM, Wang S, Xu X, Chen X, Wang J. Satisfactory functional and MRI outcomes at the foot and ankle following harvesting of full thickness peroneus

- longus tendon graft. *Bone Joint J.* 2020 Feb;102-B(2):205-211. doi: 10.1302/0301-620X.102B2.BJJ-2019-0949.R1. PMID: 32009424.
23. Rhatomy S, Kisworo B, Prihargono B, Rashid FA, Kressoni N. Peroneus Longus Tendon Regeneration after Anterior Cruciate Ligament Reconstruction with Magnetic Resonance Imaging Evaluation. *Open Access Maced J Med Sci.* 2020 Nov 14; 8(A):916-920.
24. Ryan J, Magnussen RA, Cox CL, Hurbanek JG, Flanigan DC, Kaeding CC. ACL reconstruction: do outcomes differ by sex? A systematic review. *J Bone Joint Surg Am.* 2014;96:507–12.
25. Maletis GB, Chen J, Inacio MCS, Love RM, Funahashi TT. Increased risk of revision after anterior cruciate ligament reconstruction with bone-patellar tendon-bone allografts compared with autografts. *Am J Sports Med.* 2017;45:1333–40.
26. Tan SHS, Lau BPH, Krishna L. Outcomes of anterior cruciate ligament reconstruction in females using patellar-tendon-bone versus hamstring autografts: a systematic review and meta-analysis. *J Knee Surg.* 2019;32:770–87.
27. Paulos LE, Rosenberg TD, Grewe SR, Tearse DS, Beck CL. The GORE-TEX anterior cruciate ligament prosthesis. A long-term followup. *Am J Sports Med.* 1992;20:246–52.
28. Savarese A, Lunghi E, Budassi P, Agosti A. Remarks on the complications following ACL reconstruction using synthetic ligaments. *Ital J Orthop Traumatol.* 1993;19:79–86.
29. Tulloch SJ, Devitt BM, Porter T, Hartwig T, Klemm H, Hookway S, et al. Primary ACL reconstruction using the LARS device is associated with a high failure rate at minimum of 6-year follow-up. *Knee Surg Sports Traumatol Arthrosc.* 2019;27:3626–32.

30. Nakamura N, Marx RG, Musahl V, Getgood A, Sherman SL, Verdonk P. *Advances in Knee Ligament and Knee Preservation Surgery*. ISAKOS. Springer.
31. Granan LP, Inacio MC, Maletis GB, Funahashi TT, Engebretsen L. Intraoperative findings and procedures in culturally and geographically different patient and surgeon populations: an anterior cruciate ligament reconstruction registry comparison between Norway and the USA. *Acta Orthop*. 2012;83:577–82.
32. Paterno MV, Weed AM, Hewett TE. A between sex comparison of anterior-posterior knee laxity after anterior cruciate ligament reconstruction with patellar tendon or hamstrings autograft: a systematic review. *Sports Med*. 2012;42:135–52.
33. Gifstad T, Foss OA, Engebretsen L, Lind M, Forssblad M, Albrektsen G, et al. Lower risk of revision with patellar tendon autografts compared with hamstring autografts: a registry study based on 45,998 primary ACL reconstructions in Scandinavia. *Am J Sports Med*. 2014;42:2319–28.
34. Snook GA. A short history of the anterior cruciate ligament and the treatment of tears. *Clin Orthop Relat Res*. 1983;172:11–3 Rahr-Wagner L, Thillemann TM, Pedersen AB, Lind M. Comparison of hamstring tendon and patellar tendon grafts in anterior cruciate ligament reconstruction in a nationwide population-based cohort study: results from the danish registry of knee ligament reconstruction. *Am J Sports Med*. 2014;42:278–84.
35. Mohtadi NG, Chan DS, Dainty KN, Whelan DB. Patellar tendon versus hamstring tendon autograft for anterior cruciate ligament rupture in adults. *Cochrane Database Syst Rev*. 2011;2011(9):CD005960. <https://doi.org/10.1002/14651858.CD005960.pub2CD005960>.
36. Marshall JL, Warren RF, Wickiewicz TL, Reider B. The anterior cruciate ligament: a technique of repair and reconstruction. *Clin Orthop Relat Res*. 1979:97–106.

37. Lind M, Strauss MJ, Nielsen T, Engebretsen L. Quadriceps tendon autograft for anterior cruciate ligament reconstruction is associated with high revision rates: results from the Danish knee ligament registry. *Knee Surg Sports Traumatol Arthrosc.* 2019;28(7):2163–9. <https://doi.org/10.1007/s00167-019-05751-5>.
38. Slone HS, Romine SE, Premkumar A, Xerogeanes JW. Quadriceps tendon autograft for anterior cruciate ligament reconstruction: a comprehensive review of current literature and systematic review of clinical results. *Arthroscopy.* 2015;31:541–54.
39. Malinin TI, Levitt RL, Bashore C, Temple HT, Mnaymneh W. A study of retrieved allografts used to replace anterior cruciate ligaments. *Arthroscopy.* 2002;18:163–70.
40. Maletis GB, Chen J, Inacio MCS, Love RM, Funahashi TT. Increased risk of revision after anterior cruciate ligament reconstruction with soft tissue allografts compared with autografts: graft processing and time make a difference. *Am J Sports Med.* 2017;45:1837–44.
41. Kaeding CC, Pedroza AD, Reinke EK, Huston LJ, Consortium M, Spindler KP. Risk factors and predictors of subsequent ACL injury in either knee after ACL reconstruction: prospective analysis of 2488 primary ACL reconstructions from the MOON cohort. *Am J Sports Med.* 2015;43:1583–90.
42. Group MK, Spindler KP, Huston LJ, Zajichek A, Reinke EK, Amendola A, et al. Anterior cruciate ligament reconstruction in high school and collegeaged athletes: does autograft choice influence anterior cruciate ligament revision rates? *Am J Sports Med.* 2020;48:298–309.
43. Kamien PM, Hydrick JM, Replogle WH, Go LT, Barrett GR. Age, graft size, and Tegner activity level as predictors of failure in anterior cruciate ligament reconstruction with hamstring autograft. *Am J Sports Med.* 2013;41:1808–12.

44. Sanders TL, Pareek A, Hewett TE, Levy BA, Dahm DL, Stuart MJ, et al. Long-term rate of graft failure after ACL reconstruction: a geographic population cohort analysis. *Knee Surg Sports Traumatol Arthrosc.* 2017;25:222–8.
45. Webster KE, Feller JA, Leigh WB, Richmond AK. Younger patients are at increased risk for graft rupture and contralateral injury after anterior cruciate ligament reconstruction. *Am J Sports Med.* 2014;42:641–7.
46. Persson A, Gifstad T, Lind M, Engebretsen L, Fjeldsgaard K, Drogset JO, et al. Graft fixation influences revision risk after ACL reconstruction with hamstring tendon autografts. *Acta Orthop.* 2018;89:204–10.
47. Ho B, Edmonds EW, Chambers HG, Bastrom TP, Pennock AT. Risk factors for early ACL reconstruction failure in pediatric and adolescent patients: a review of 561 cases. *J Pediatr Orthop.* 2018;38:388–92.
48. Kerimoğlu S, Aynaci O, Saraçoğlu M, Aydin H, Turhan AU. Anterior cruciate ligament reconstruction with the peroneus longus tendon [in Turkish]. *Acta Orthop Traumatol Turc* 2008;42 (01):38–43.
49. Zhao JZ, Huangfu XQ. The biomechanical and clinical application of using the anterior half of the peroneus longus tendon as an autograft source. *AM J Sports Med* 2012;40(3):662–671.
50. Drake R, Vogl W and Mitchell A. (2018). *Gray Basic Anatomy*. Edisi ke-3. Philadelphia : Elsevier.
51. Martini, Tallitsch, Nath. (2018). *Human Anatomy*. Edisi ke-9. Pearson.
52. Kumar Y, Alian A, Ahlawat S, Wukich DK, Chhabra A. Peroneal tendon pathology: Pre- and post-operative high-resolution US and MR imaging. *European Journal of Radiology.* 2017;92:132–144.

53. Morgan, Oliver & Song, Jinsup & Hillstrom, Rajshree & Sobel, Mark & Hillstrom, Howard. (2020). Biomechanics of the Peroneal Tendons. 10.1007/978-3-030-46646-6_2.
54. Song J, Hillstrom HJ, Secord D, Levitt J. Foot type biomechanics. Comparisons of planus and rectus foot types. *Journal of the American Podiatric Medical Association*. 1996;1:16-23.
55. Ledoux WR, Hillstrom HJ. The distributed plantar vertical force of neutrally aligned and pes planus feet. *Gait and Posture*. 2002;15:1-9.
56. Hillstrom HJ, Song J, Kraszewski AP, Hafer JF, Mootanah R, Dufour AB, et al. Foot type biomechanics part 1: Structure and function of the asymptomatic foot. *Gait and Posture*. 2013;37:445-451.
57. Kokubo T, Hashimoto T, Nagura T, Nakamura T, Suda Y, Matsumoto H, et al. Effect of the posterior tibial and peroneal longus on the mechanical properties of the foot arch. *Foot and Ankle International*. 2012;33:320-325.
58. Johnson CH, Christensen JC. Biomechanics of the first ray part I. The effects of peroneus longus function: A three-dimensional kinematic study on a cadaver model. *Journal of Foot and Ankle Surgery*. 1999;38:313-321.
59. Bohne WHO, Lee KT, Peterson MGE. Action of the peroneus longus tendon on the first metatarsal against metatarsus primus varus forces. *Foot and Ankle International*. 1997;18:510-512.
60. Cooper AJ, Clifford PF, Parikh VK, Steinmentz ND, Mizel MS. Instability of the first metatarsal-cuneiform joint: Diagnosis and discussion of an independent pain generator in the foot. *Foot and Ankle International*. 2009;30:928-958.
61. Bierman RA, Christensen JC, Johnson CH. Biomechanics of the first ray. Part III. Consequences of Lapidus arthrodesis on peroneus longus function: A three-

- dimensional kinematic analysis in a cadaver model. *Journal of Foot and Ankle Surgery*. 2001;40:125-131.
62. Ziai P, Benca E, von Skrbensky G, Graf A, Wenzel F, Basad E, et al. The role of the peroneal tendons in passive stabilisation of the ankle joint: An in vitro study. *Knee Surgery, Sports Traumatology, Arthroscopy*. 2013;21:1404-1408.
63. Rhatomy, S., Wicaksono, F. H., Soekarno, N. R., Setyawan, R., Primasara, S., & Budhiparama, N. C. (2019). Eversion and First Ray Plantarflexion Muscle Strength in Anterior Cruciate Ligament Reconstruction Using a Peroneus Longus Tendon Graft. *Orthopaedic journal of sports medicine*, 7(9), 2325967119872462. <https://doi.org/10.1177/2325967119872462>.
64. Murphy AJ, Wilson GJ. Poor correlation's between isometric tests and dynamic performance: relation to muscle activation. *Eur J Appl Physiol*. 1996;73:353–7.
65. Wilson GJ, Murphy AJ. Quanta forza? *Sport Med*. 1997;5:21–9.
66. Verchoshansky YV. Componenti e struttura dell'impegno esplosivo di forza. *SdS*. 1996;34:15–21.
67. Hakkinen K. Force production characteristics of leg extensor, trunk flexor, and extensor muscles in male and female basketball players. *J Sport Med Phys Fit*. 1987;31:325–31.
68. Viitasalo JT, Saukkonen S, Komi PV. Reproducibility of measurements of selected neuromuscular performance variables in man. *Electromyogr Clin Neurophysiol*. 1980;20:487–501.
69. Komi PV. Elastic potentiation of muscle and its influence on sport performance. In: Bauman W, editor. *Biomechanics and performance in sport*; 1987. p. 59–70.
70. Ruschel C, Hauptenthal A, Jacomel GF, Fernandes Jacomel G, et al. Validity and reliability of an instrumented leg-extension machine for measuring isometric muscle strength of the knee extensors. *J Sport Rehabil*. 2015;24:2013–122.

71. Van Driessche S, Van Roie E, Vanwanseele B, et al. Age Related decline in leg-extensor power development in single- versus multijoint movements. *Exp Gerontol.* 2018a;110:98–104.
72. Bisciotti GN. I valori di forza isometrica possono costituire un valore predittivo della performance dinamica? *Coach Sport Sci J.* 1998;3(1):47–58.
73. Sarrafian SK. *Anatomy of the Foot and Ankle: Descriptive Topographic, Functional.* Philadelphia: J.B. Lippincott; 2011.
74. Brandes CB, Smith RW. Characterization of patients with primary peroneus longus tendinopathy: a review of twenty-two cases. *Foot Ankle Int.* 2000;21(6):462–8.
75. Grover VP, Tognarelli JM, Crossey MM, Cox IJ, Taylor-Robinson SD, McPhail MJ. Magnetic Resonance Imaging: Principles and Techniques: Lessons for Clinicians. *J Clin Exp Hepatol.* 2015 Sep;5(3):246-55. doi: 10.1016/j.jceh.2015.08.001. Epub 2015 Aug 20. PMID: 26628842; PMCID: PMC4632105.
76. Bloch F., Hansen WW, Packard ME Induksi nuklir. *Pendeta Fisika* 1946; 69 :127.
77. Revett K. An Introduction to Magnetic Resonance Imaging: From Image Acquisition to Clinical Diagnosis. *Innovations in Intelligent Image Analysis* 2011:127-61.
78. Kawahara, D., & Nagata, Y. (2021). T1-weighted and T2-weighted MRI image synthesis with convolutional generative adversarial networks. *Reports of practical oncology and radiotherapy : journal of Greatpoland Cancer Center in Poznan and Polish Society of Radiation Oncology*, 26(1), 35–42. <https://doi.org/10.5603/RPOR.a2021.0005>.
79. White SC, Pharoah MJ. *Oral radiology: principles and interpretation.* Mosby, St Louis 2000: 205-6.
80. Pekar JJ. A brief introduction to functional MRI. *Engineering in Medicine and Biology Magazine, IEEE* 2006;25(2):24-6.

81. Niitsu M. Magnetic Resonance Imaging of the Knee. Igaku-Shoin Ltd. Tokyo : 2013.
82. Schubert R. MRI of peroneal tendinopathies resulting from trauma or overuse. Br J Radiol. 2013;86(1021):20110750. <https://doi.org/10.1259/bjr.2011075>
83. Wang XT, Rosenberg ZS, Mechlin MB, Schweitzer ME. Normal variants and diseases of the peroneal tendons and superior peroneal retinaculum: MR imaging features. Radiographics. 2005;25(3):587–602. <https://doi.org/10.1148/rg.253045123>.
84. Latt, Daniel L & Kyumcu, Gokhan & Taljanovic Mihra S.(2020). High-Resolution Ultrasound and MRI Imaging of Peroneal Tendon Injuries. 10.1007/978-3-030-46646-6_5.
85. Mengiardi B, Pfirrmann CW, Schottle PB, et al. Magic angle effect in MR imaging of ankle tendons: influence of foot positioning on prevalence and site in asymptomatic subjects and cadaveric tendons. Eur Radiol. 2006;16(10):2197–206. <https://doi.org/10.1007/s00330-006-0164-y>.
86. Lee SJ, Jacobson JA, Kim SM, et al. Ultrasound and MRI of the peroneal tendons and associated pathology. Skelet Radiol. 2013;42(9):1191–200. <https://doi.org/10.1007/s00256-013-1631-6>.
87. Hunt KJ, Lakey E. Patient-reported outcomes in foot and ankle surgery. Orthop Clin North Am. 2018;49(2):277–89. <https://doi.org/10.1016/j.ocl.2017.11.014>.
88. Kitaoka HB, Alexander IJ, Adelaar RS, et al. Clinical rating systems for the ankle-hindfoot, midfoot, hallux, and lesser toes. Foot Ankle Int 1994; 15:349–53.
89. Martin RL, Burdett RG, Irrgang JJ. Development of the Foot and Ankle Disability Index (FADI). J Orthop Sports Phys Ther 1999; 29: A32–A33.
90. Hale SH and Hertel J. Reliability and sensitivity of the Foot and Ankle Disability Index in subjects with chronic ankle instability. J Athl Train 2005; 40: 35-40.

91. Leigheb, Massimiliano & Rava, Emanuele & Vaiuso, Dario & Samaila, Elena M & Pogliacomì, Francesco & Bossetti, Michela & Grassi, Federico A & Sabbatini, Maurizio. (2020). Translation, cross-cultural adaptation, reliability, and validation of the Italian version of the Foot and Ankle Disability Index (FADI). 10.23750/abm.v9i4-S.9544.
92. Hale SA, Hertel J. Reliability and sensitivity of the foot and ankle disability index in subjects with chronic ankle instability. *J Athl Train*. 2005;40(1):35–40.
93. Saoji A, Arora M, Jain G & Shukla T. (2023). There is a Minimal Difference in Ankle Functional Outcomes After Peroneus Longus Harvest: Systematic Review and Meta analysis. <https://doi.org/10.1007/s43465-023-00982-8>.
94. Maffulli N, Ferran NA. Management of acute and chronic ankle instability. *J Am Acad Orthop Surg*. 2008;16(10):608–615.
95. O'Connor KM, Hamill J. The role of selected extrinsic foot muscles during running. *Clin Biomech (Bristol, Avon)*. 2004;19(1):71-77.
96. Selmani E, Gjata V, Gjika E. Current concepts review: peroneal tendon disorders. *Foot Ankle Int*. 2006;27(3):221–228.
97. Perry J. Anatomy and biomechanics of the hindfoot. *Clin Orthop Relat Res*. 1983;177:9–15.
98. Otis JC, Deland JT, Lee S, Gordon J (2004) Peroneus brevis is a more effective evertor than peroneus longus. *Foot Ankle Int* 25:242–246.
99. Nishino A, Sanada A, Kanehisa H, Fukubayashi T. Knee-flexion torque and morphology of the semitendinosus after ACL reconstruction. *Med Sci Sports Exerc*. 2006;38(11):1895–1900.

100. Lu C-C, Zhang T, Reisdorf RL, et al. Biological analysis of flexor tendon repair-failure stump tissue: a potential recycling of tissue for tendon regeneration. *Bone Joint Res.* 2019;8(6):232–245.
101. Ferretti A, Conteduca F, Morelli F, Masi V. Regeneration of the semitendinosus tendon after its use in anterior cruciate ligament reconstruction: a histologic study of three cases. *Am J Sports Med.* 2002;30(2):204–207.
102. Gill SS, Turner MA, Battaglia TC, Leis HT, Balian G, Miller MD. Semitendinosus regrowth: biochemical, ultrastructural, and physiological characterization of the regenerate tendon. *Am J Sports Med.* 2004 Jul-Aug;32(5):1173-81. doi: 10.1177/0363546503262159. Epub 2004 May 18. PMID: 15262639.
103. Dhillon MS, Rajnish RK, Dhillon S, Kumar P. Is there significant regeneration of the hamstring tendons after harvest for ACL reconstruction? A systematic review of literature. *J Clin Orthop Trauma.* 2021 Feb 17;16:208-218. doi: 10.1016/j.jcot.2021.02.011. PMID: 33680834; PMCID: PMC7919951.
104. Maffulli, N., & Longo, U. G. (2013). "Tendon injuries: a review of the literature." *British Journal of Sports Medicine*, 47(12), 757-762.
105. Khan, K. M., & Scott, A. (2009). "Mechanotherapy: how physical activity promotes tendon repair." *British Journal of Sports Medicine*, 43(3), 163-168.
106. Dakin, S. G., & Dudhia, J. (2013). "The role of growth factors in tendon healing." *Journal of Orthopaedic Research*, 31(5), 745-751.
107. Zhou Z, Akinbiyi T, Xu L, et al. Tendon-Derived stem/progenitor cell aging: defective self-renewal and altered fate. *Aging Cell.* 2010;9(5):911–915.
108. Klatte-Schulz F, Pauly S, Scheibel M, et al. Influence of age on the cell biological characteristics and the stimulation potential of male human tenocyte-like cells. *Eur Cell Mater.* 2012;24:74–89.

109. Hunt KJ, Hurwit D. Use of patient-reported outcome measures in foot and ankle research. *J Bone Joint Surg Am.* 2013;95-A(16):e118(1-9).