

## DAFTAR PUSTAKA

1. Yong LN, Ahmedy F, Yin KN, Engkasan JP. Functional Outcomes in Spinal Tuberculosis: A Review of the Literature. *Asian Spine J.* 2021;15(3):381-391. doi:10.31616/ASJ.2020.0086
2. Vianin M. Psychometric properties and clinical usefulness of the Oswestry Disability Index. *J Chiropr Med.* 2008;7(4):161-163. doi:10.1016/j.jcm.2008.07.001
3. Sae-Jung S, Wongba N, Leurmprasert K. Predictive factors for neurological deficit in patients with spinal tuberculosis. *J Orthop Surg.* 2019;27(3):1-7. doi:10.1177/2309499019868813
4. Rajasekaran S. Kyphotic deformity in spinal tuberculosis and its management. *Int Orthop.* 2012;36(2):359-365. doi:10.1007/s00264-011-1469-2
5. Issack PS, Boachie-Adjei O. Surgical correction of kyphotic deformity in spinal tuberculosis. *Int Orthop.* 2012;36(2):353-357. doi:10.1007/s00264-011-1292-9
6. Refae H. One-stage posterior approach for the treatment of tuberculous spondylitis with kyphosis. *Egypt Orthop J.* 2015;50(4):223. doi:10.4103/1110-1148.182306
7. Khanna K, Sabharwal S. Spinal tuberculosis: a comprehensive review for the modern spine surgeon. *Spine J.* 2019;19(11):1858-1870. doi:10.1016/j.spinee.2019.05.002
8. Rasouli MR, Mirkoohi M, Vaccaro AR, Yarandi KK, Rahimi-Movaghar V. Spinal tuberculosis: Diagnosis and management. *Asian Spine J.* 2012;6(4):294-308. doi:10.4184/asj.2012.6.4.294
9. Tang M xing, Zhang H qi, Wang Y xiang, Guo C feng, Liu J yang. Treatment of Spinal Tuberculosis by Debridement, Interbody Fusion and Internal Fixation via Posterior Approach Only. *Orthop Surg.* 2016;8(1):89-93. doi:10.1111/os.12228

10. Lee CP, Fu TS, Liu CY, Hung CI. Psychometric evaluation of the Oswestry Disability Index in patients with chronic low back pain: Factor and Mokken analyses. *Health Qual Life Outcomes*. 2017;15(1):1-7. doi:10.1186/s12955-017-0768-8
11. Arifin J, Biakto KT, Johan MP, Anwar SFZ. Clinical outcomes and surgical strategy for spine tuberculosis: a systematic review and meta-analysis. *Spine Deform*. 2024;12(2):271-291. doi:10.1007/s43390-023-00785-9
12. Gupta DA, Jain DP, Thakur DR, Sharma DS. Posterior only debridement and instrumentation in thoracolumbar spinal tuberculosis. *Int J Orthop Sci*. 2017;3(2a):38-42. doi:10.22271/ortho.2017.v3.i2a.10
13. Sun L, Song Y, Liu L, Gong Q, Zhou C. One-stage posterior surgical treatment for lumbosacral tuberculosis with major vertebral body loss and kyphosis. *Orthopedics*. 2013;36(8):1082-1090. doi:10.3928/01477447-20130724-28
14. Qi L, Zhao Y, Xu B, Li C, Wang Y. Two-stage treatment for severe spinal kyphotic deformity secondary to tuberculosis: halo-pelvic traction followed by a posterior-only approach correction. *BMC Musculoskelet Disord*. 2022;23(1):1-9. doi:10.1186/s12891-022-05974-7
15. Chiu YC, Yang SC, Kao YH, Tu YK. Single posterior approach for circumferential debridement and anterior reconstruction using fibular allograft in patients with skipped multifocal spinal tuberculosis. *J Orthop Surg Res*. 2022;17(1):1-10. doi:10.1186/s13018-022-03372-2
16. Ye S, Sun J, Jing J. Isolated Posterior Instrumentation for Selected Cases of Thoracic and Lumbar Spinal Tuberculosis without Radical Debridement. *Z Orthop Unfall*. 2022;160(6):679-685. doi:10.1055/a-1851-5509
17. Liu Z, Li W, Xu Z, Wang X, Zeng H. One-stage posterior debridement, bone grafting fusion,

and mono-segment vs. short-segment fixation for single-segment lumbar spinal tuberculosis: Minimum 5-year follow-up outcomes. *BMC Musculoskelet Disord.* 2020;21(1):1-9.  
doi:10.1186/s12891-020-3115-x

18. Zhang H, Zeng K, Yin X, Huang J, Tang M, Guo C. Debridement, internal fixation, and reconstruction using titanium mesh for the surgical treatment of thoracic and lumbar spinal tuberculosis via a posterior-only approach: A 4-year follow-up of 28 patients. *J Orthop Surg Res.* 2015;10(1):1-9. doi:10.1186/s13018-015-0292-7
19. Singh S, Dawar H, Das K, Mohapatra B, Prasad S. Functional and radiological outcomes of anterior decompression and posterior stabilization via posterior transpedicular approach in thoracic and thoracolumbar pott's disease: A retrospective study. *Asian Spine J.* 2017;11(4):618-626. doi:10.4184/asj.2017.11.4.618
20. Zeng H, Zhang P, Shen X, et al. One-stage posterior-only approach in surgical treatment of single-segment thoracic spinal tuberculosis with neurological deficits in adults: A retrospective study of 34 cases Orthopedics and biomechanics. *BMC Musculoskelet Disord.* 2015;16(1):1-8. doi:10.1186/s12891-015-0640-0
21. Gao Q, Han C, Romani MD, et al. Posterior-only debridement, internal fixation, and interbody fusion using titanium mesh in the surgical treatment of thoracolumbar tuberculosis with spinal epidural abscess: a minimum 5-year follow-up. *BMC Musculoskelet Disord.* 2021;22(1):1-13. doi:10.1186/s12891-021-04797-2
22. Pooswamy SS, Muralidharagopalan NR. Thoraco lumbar spinal tuberculosis-assessment of functional outcome following posterior decompression and posterior instrumentation. *Int J Res Orthop.* 2018;5(1):109. doi:10.18203/issn.2455-4510.intjresorthop20185331
23. Wang B, Shang R, Yang T, et al. Evaluation of clinical outcomes of one-stage anterior and

posterior surgical treatment for atlantoaxial tuberculosis complicated with neurological damage. *BMC Musculoskelet Disord.* 2019;20(1):1-10. doi:10.1186/s12891-019-2539-7

24. Kalanjiyam GP, Dilip Chand Raja S, Rajasekaran S, Shetty AP, Kanna RM. A prospective study comparing three different all-posterior surgical techniques in the management of thoracolumbar spinal tuberculosis. *J Clin Orthop Trauma.* 2022;34:102026. doi:10.1016/j.jcot.2022.102026