

## DAFTAR PUSTAKA

- Ajay, K. M., Dinesh, M. N., Byatarayappa, G., Radhika, M. G., Kathyayini, N., & Vijeth, H. (2021). Electrochemical investigations on low cost KOH activated carbon derived from orange-peel and polyaniline for hybrid supercapacitors. *Inorganic Chemistry Communications*, *127*, 108523. <https://doi.org/10.1016/j.inoche.2021.108523>
- Asjur, A. V., Saputro, S., Yunaldi, Y., & Latu, S. (2024). Formulasi Sediaan Patch Ekstrak Daun Gamal (*Gliricidia sepium*) terhadap Penyembuhan Luka Insisi pada Tikus Putih (*Rattus novergicus*). *Journal of Islamic Pharmacy*, *9*(2), 66–71. <https://doi.org/10.18860/jip.v9i2.29418>
- Chen, J., Lin, Y., Liu, J., Wu, D., Bai, X., Chen, D., & Li, H. (2021). Outstanding supercapacitor performance of nitrogen-doped activated carbon derived from shaddock peel. *Journal of Energy Storage*, *39*, 102640. <https://doi.org/10.1016/j.est.2021.102640>
- Farma, R., Julita, R. I., Apriyani, I., Awitdrus, A., & Taer, E. (2023a). ZnCl<sub>2</sub>-assisted synthesis of coffee bean bagasse-based activated carbon as a stable material for high-performance supercapacitors. *Materials Today: Proceedings*, *87*, 25–31. <https://doi.org/10.1016/j.matpr.2023.01.370>
- Farma, R., Julita, R. I., Apriyani, I., Awitdrus, A., & Taer, E. (2023b). ZnCl<sub>2</sub>-assisted synthesis of coffee bean bagasse-based activated carbon as a stable material for high-performance supercapacitors. *Materials Today: Proceedings*, *87*, 25–31. <https://doi.org/10.1016/j.matpr.2023.01.370>
- Febriyanto, P., Jerry, J., Satria, A. W., & Devianto, H. (2019). PEMBUATAN DAN KARAKTERISASI KARBON AKTIF BERBAHAN BAKU LIMBAH KULIT DURIAN SEBAGAI ELEKTRODA SUPERKAPASITOR. *JURNAL INTEGRASI PROSES*, *8*(1), 19. <https://doi.org/10.36055/jip.v8i1.5439>
- Fitriani, F., Rauf, J., Novieta, I. D., & R, Muh. S. (2018). KANDUNGAN SELULOSA, HEMISELULOSA DAN LIGNIN PAKAN KOMPLIT BERBASIS TONGKOL JAGUNG YANG DISUBSTITUSI *Azolla pinnata* PADA LEVEL YANG BERBEDA. *JURNAL GALUNG TROPIKA*, *7*(3), 220. <https://doi.org/10.31850/jgt.v7i3.365>
- Kongthong, T., Poochai, C., Sriprachubwong, C., Tuantranont, A., Nanan, S., Meethong, N., Pakawatpanurut, P., Amornsakchai, T., & Sodtipinta, J. (2022). Microwave-assisted synthesis of nitrogen-doped pineapple leaf fiber-derived activated carbon with manganese dioxide nanofibers for

- high-performance coin- and pouch-cell supercapacitors. *Journal of Science: Advanced Materials and Devices*, 7(2), 100434. <https://doi.org/10.1016/j.jsamd.2022.100434>
- Legarra, M., Morgan, T., Turn, S., Wang, L., Skreiberg, Ø., & Antal, M. J. (2018). Carbonization of Biomass in Constant-Volume Reactors. *Energy & Fuels*, 32(1), 475–489. <https://doi.org/10.1021/acs.energyfuels.7b02982>
- Natalia, K., & Taer, E. (2019). PENGARUH SUHU AKTIVASI TERHADAP SIFAT FISIS DAN ELEKTROKIMIA ELEKTRODA SUPERKAPASITOR DARI LIMBAH DAUN AKASIA (*Acacia mangium* Wild). *Komunikasi Fisika Indonesia*, 16(2), 81. <https://doi.org/10.31258/jkfi.16.2.81-86>
- Novitra, R., Aziz, H., & Taer, E. (2022a). Supercapactors based on active carbon from spent arabica coffee ground using NaOH activators. *Journal of Aceh Physics Society*, 11(1), 33–40. <https://doi.org/10.24815/jacps.v11i1.22227>
- Novitra, R., Aziz, H., & Taer, E. (2022b). Supercapactors based on active carbon from spent arabica coffee ground using NaOH activators. *Journal of Aceh Physics Society*, 11(1), 33–40. <https://doi.org/10.24815/jacps.v11i1.22227>
- Ozpinar, P., Dogan, C., Demiral, H., Morali, U., Erol, S., Samdan, C., Yildiz, D., & Demiral, I. (2022). Activated carbons prepared from hazelnut shell waste by phosphoric acid activation for supercapacitor electrode applications and comprehensive electrochemical analysis. *Renewable Energy*, 189, 535–548. <https://doi.org/10.1016/j.renene.2022.02.126>
- Perdani, F. P., Riyanto, C. A., & Martono, Y. (2021). Karakterisasi Karbon Aktif Kulit Singkong (*Manihot esculenta* Crantz) Berdasarkan Variasi Konsentrasi H<sub>3</sub>PO<sub>4</sub> dan Lama Waktu Aktivasi. *IJCA (Indonesian Journal of Chemical Analysis)*, 4(2), 72–81. <https://doi.org/10.20885/ijca.vol4.iss2.art4>
- Phukhrongthung, A., Sasrimuang, S., Puchongkawarin, C., Kamonsuttipajit, N., lamprasertkun, P., Sawangphruk, M., & Luanwuthi, S. (2024). 3d Interconnected Graphene-Like Nanosheets Derived from *Sesbania* for High-Voltage Aqueous Supercapacitors. <https://doi.org/10.2139/ssrn.4879885>
- Putri, H. N., Budi Nursanto, E., Floresyona, D., Ayoub, M., & Yusouf, M. H. M. (2023). Extraction of Flavonoid Content from Banana Peel (*Musa Paradisiaca* L.) by Ultrasound – Assisted Extraction Method and Its SPF Value. *Journal of Emerging Supply Chain, Clean Energy, and Process Engineering*, 2(2), 179–186. <https://doi.org/10.57102/jescee.v2i2.73>
- Qureshi, M. S., Oasmaa, A., Pihkola, H., Deviatkin, I., Tenhunen, A., Mannila, J., Minkkinen, H., Pohjakallio, M., & Laine-Ylijoki, J. (2020). Pyrolysis of plastic waste: Opportunities and challenges. *Journal of Analytical and Applied Pyrolysis*, 152, 104804. <https://doi.org/10.1016/j.jaap.2020.104804>
- Sania, G., Taer, E., & Aziz, H. (2022). Utilization of activated carbon from used robusta coffee ground activated using potassium hydroxide (KOH) as a

- material for supercapacitor electrodes. *Journal of Aceh Physics Society*, 11(1), 24–32. <https://doi.org/10.24815/jacps.v11i1.22190>
- Suzeta, A., Prasetyo, W., Nugroho, A., Rachman, R., & Nursanto, E. (2023). Microwave-Assisted Extraction of Phenolic Compound from Soursop Peel (*Annona muricata* L.) and Its Antioxidant Potential and SPF Measurement. *Proceedings of the International Conference on Sustainable Engineering, Infrastructure and Development, ICO-SEID 2022, 23-24 November 2022, Jakarta, Indonesia*. <https://doi.org/10.4108/eai.23-11-2022.2341569>
- Taer, E. (2019). An Introductory Study on Activated Carbon Monolith Electrodes Fabrication from Teak Leaf Waste. *Journal of Technomaterials Physics*, 1(1), 30–37. <https://doi.org/10.32734/jotp.v1i1.822>
- Taer, E., Apriwandi, A., Andani, D. R., & Taslim, R. (2021). Solid coin-like design activated carbon nanospheres derived from shallot peel precursor for boosting supercapacitor performance. *Journal of Materials Research and Technology*, 15, 1732–1741. <https://doi.org/10.1016/j.jmrt.2021.09.025>
- Taer, E., Nursyafni, Apriwandi, & Taslim, R. (2021). High Potential of Averrhoa bilimbi Leaf Waste as Porous Activated Carbon Source for Sustainable Electrode Material Supercapacitor. *Journal of Physics: Conference Series*, 2049(1), 012051. <https://doi.org/10.1088/1742-6596/2049/1/012051>
- Taer, E., Sukmawati, Apriwandi, A., & Taslim, R. (2023). 3D meso-macroporous carbon derived spruce leaf biomass for excellent electrochemical symmetrical supercapacitor. *Materials Today: Proceedings*, 87, 32–40. <https://doi.org/10.1016/j.matpr.2023.01.371>
- Tan, J.-X., Chen, Z.-Y., Chen, C. H., Hsieh, M.-F., Lin, A. Y.-C., Chen, S. S., & Wu, K. C.-W. (2023). Efficient adsorption and photocatalytic degradation of water emerging contaminants through nanoarchitectonics of pore sizes and optical properties of zirconium-based MOFs. *Journal of Hazardous Materials*, 451, 131113. <https://doi.org/10.1016/j.jhazmat.2023.131113>
- Teng, Z., Han, K., Wang, M., Qi, J., Liu, J., & Li, Y. (2025). Dual-frequency ultrasonic-assisted enzymolysis for synthesis of microstructure regulated biomass-derived porous carbon for high-performance supercapacitors. *Ultrasonics Sonochemistry*, 112, 107213. <https://doi.org/10.1016/j.ultsonch.2024.107213>