

DAFTAR PUSTAKA

- Abeyrathne, E. D. N. S., Lee, H. Y., & Ahn, D. U. (2013). Egg white proteins and their potential use in food processing or as nutraceutical and pharmaceuticals—A review. *Poultry Science*, **92**(12), 3292–3299.
<https://doi.org/10.3382/PS.2013-03391>
- Ahmad, B., Khan, I., Bashir, S., & Azam, S. (2012). Chemical composition and antifungal, phytotoxic, brine shrimp cytotoxicity, insecticidal and antibacterial activities of the essential oils of *Acacia modesta*. *Journal of Medicinal Plants Research*, **6**(31), 4653–4659. <https://doi.org/10.5897/JMPR12.016>
- Aili Zakaria, N., Ibrahim, D., Fariza Shaida, S., & Afifah Supardy, N. (2011). Phytochemical Composition and Antibacterial Potential of Hexane Extract from Malaysian Red Algae, *Acanthophora spicifera* (Vahl) Borgesen. *World Applied Sciences Journal*, **15**(4), 496–501.
- Akbar, S. A., Hasan, M., Akbar, S. A., & Hasan, M. (2024). Evaluation of Bioactive Composition and Phytochemical Profile of Macroalgae *Gracilaria edulis* and *Acanthophora spicifera* from the Banda Aceh Coast, Indonesia. *Science & Technology Asia*, **29**(1), 194–207.
<https://doi.org/10.14456/scitechasia.2024.14>
- Akram, A., Su, C.-H., & Fu, C.-C. (2024). Targeting small druggable compounds against 3RZE histamine H1 receptor as potential of anti-allergic drug applying molecular modeling approach. *Future Journal of Pharmaceutical Sciences*, **10**(1), 1–13.
<https://doi.org/10.1186/s43094-024-00646-w>
- Aldi, Y., Arafat, M. Y., & Rizal, Z. (2013). Uji Efek Anti Anafilaksis Kutan Aktif dari Ekstrak Etanol Daun Ketepeng Cina (*Cassia alata* L.) pada Mencit Putih Jantan. *Jurnal Farmasi Higea*, **5**(2), 186–197.
- Aldi, Y., Ellyza, N., Yanwirasti, Dian, H., & Amri Bakhtiar. (2012). Endophytic fungi derived from Mangrove Plants as Source of anticancer and antimicrobial agent. *Bahan Alam Indonesia*, **8**(2), 1–13.
- Aldi, Y., Ellyza, N., Yanwirasti, Dian, H., & Amri Bakhtiar. (2012). Lycoprotein inhibition for optimal drug delivery. *Drug Target*, **7**–34. <https://doi.org/10.4137/DTI.S12519>



Arámburo-Galvez, J. G., Sotelo-Cruz, N., Flores-Mendoza, L. K., Gracia-Valenzuela, M. H., Chiquete-Elizalde, F. I. R., Espinoza-Alderete, J. G., Trejo-Martínez, H., Canizalez-Román, V. A., Ontiveros, N., & Cabrera-Chávez, F. (2018). Assessment of the sensitizing potential of proteins in BALB/c mice: Comparison of three protocols of intraperitoneal sensitization. *Nutrients*, **10**(7), 1–11.

<https://doi.org/10.3390/nu10070903>

Asif T. Chinwalla, L. L. cook, K. D. D. G. A. F. L. A. F. R. S. F. T. A. G. L. W. H. E. R. M. J. D. (2002). Initial sequencing and comparative analysis of the mouse genome Mouse Genome Sequencing Consortium*. *Nature*, **420**(1), 520–562.

<https://doi.org/10.1038/nature01262>

Aswar, U., Shintre, S., Chepurwar, S., & Aswar, M. (2015). Antiallergic effect of piperine on ovalbumin-induced allergic rhinitis in mice. *Pharmaceutical Biology*, **53**(9), 1358–1366. <https://doi.org/10.3109/13880209.2014.982299>

Babu, B., Palanisamy, S., Vinosha, M., Anjali, R., Kumar, P., Pandi, B., Tabarsa, M., You, S. G., & Prabhu, N. M. (2020). Bioengineered gold nanoparticles from marine seaweed *Acanthophora spicifera* for pharmaceutical uses: antioxidant, antibacterial, and anticancer activities. *Bioprocess and Biosystems Engineering*, **43**(12), 2231–2242. <https://doi.org/10.1007/s00449-020-02408-3>

Banerjee, P., Eckert, A. O., Schrey, A. K., & Preissner, R. (2018). ProTox-II: A webserver for the prediction of toxicity of chemicals. *Nucleic Acids Research*, **46**(WS), 257–263. <https://doi.org/10.1093/nar/gky318>

Bello, I., Bakkouri, A., Tabana, Y., Al-Hindi, B., Al-Mansoub, M., Mahmud, R., & Asmawi, Mohd. (2016). Acute and Sub-Acute Toxicity Evaluation of the Methanolic Extract of *Alstonia scholaris* Stem Bark. *Medical Sciences*, **4**(1), 1–14.

<https://doi.org/10.3390/medsci4010004>

Brewer, J. M. (2006). (How) do aluminium adjuvants work? *Immunology Letters*, **102**(1), 10–15. <https://doi.org/10.1016/J.IMLET.2005.08.002>

Chen, C., Lianhua, L., Nana, S., Yongning, L., & Xudong, J. (2017). Development of a BALB/c mouse model for food allergy: Comparison of allergy-related responses to peanut agglutinin, β -lactoglobulin and potato acid phosphatase. *Toxicology Research*, **6**(2), 251–261. <https://doi.org/10.1039/c6tx00371k>

C



& Jia, X. (2013). A BALB/c mouse model for assessing the toxicity of proteins: Comparison of allergen dose, sensitization protocol and sex. *Food and Chemical Toxicology*, **62**(1), 41–47.

[16/J.FCT.2013.08.004](https://doi.org/10.1016/J.FCT.2013.08.004)

- Chen, N., Zhang, S., Javeed, A., Jian, C., Liu, Y., Sun, J., Wu, S., Fu, P., & Han, B. (2023). Structures and Anti-Allergic Activities of Natural Products from Marine Organisms. *Marine Drugs*, **21**(3), 1–21. <https://doi.org/10.3390/md21030152>
- Chen, T. Van, Tu, V. L., Trong Nghia, N., Truong, M.-N., Thi, T., Quynh, T., Tham, V. M., Thi, N., & Hien, T. (2005). Volatile components of ethyl acetate extracts from the leaves and rhizomes of *Curcuma sahuynhensis* and their cytotoxic activity: In vitro and in silico studies. *Egypt. J. Chem*, **67**(9), 253–267. <https://doi.org/10.21608/EJCHEM.2024.253142>
- Chen, X., Li, H., Zhang, B., & Deng, Z. (2022). The synergistic and antagonistic antioxidant interactions of dietary phytochemical combinations. *Critical Reviews in Food Science and Nutrition*, **62**(20), 5658–5677. <https://doi.org/10.1080/10408398.2021.1888693>
- Chew, Y. L., Lim, Y. Y., Omar, M., & Khoo, K. S. (2008). Antioxidant activity of three edible seaweeds from two areas in South East Asia. *LWT*, **41**(6), 1067–1072. <https://doi.org/10.1016/j.lwt.2007.06.013>
- Daina, A., Michielin, O., & Zoete, V. (2017). SwissADME: A free web tool to evaluate pharmacokinetics, drug-likeness and medicinal chemistry friendliness of small molecules. *Scientific Reports*, **7**(42717), 1–12. <https://doi.org/10.1038/srep42717>
- Desbois, A. P., & Smith, V. J. (2010). Antibacterial free fatty acids: Activities, mechanisms of action and biotechnological potential. *Applied Microbiology and Biotechnology*, **85**(6), 1629–1642. <https://doi.org/10.1007/s00253-009-2355-3>
- Duangmee, K., Boonmuang, P., Santimaleeworagun, W., & Prasitdumrong, H. (2022). Urticaria, angioedema, and type I hypersensitivity reactions associated with fibrinolytic agents. *Asian Pacific Journal of Allergy and Immunology*, **40**(4), 379–385. <https://doi.org/10.12932/ap-050619-0574>
- El-Beltagi, H. S., Mohamed, A. A., Mohamed, H. I., Ramadan, K. M. A., Barqawi, A. A., & Mansour, A. T. (2022). Phytochemical and Potential Properties of Seaweeds and Their Recent Applications: A Review. *Marine Drugs*, **20**(342), 1–49. <https://doi.org/10.3390/md20060342>
- Guengerich, F. P. (2008). Cytochrome P450 and chemical toxicology. *Chemical Research*, **11**, 70–83. <https://doi.org/10.1021/tx700079z>
- H  *Phytochemical Methods A Guide To Modern Techniques Of Plant Science & Business Media.*
- H  ng, J., Jiao, W. H., Cheng, B. H., Yang, F., Zhou, Y. J., Gu, B. Lin, H. W. (2017). Unusual anti-allergic diterpenoids from the spongia lachne. *Scientific Reports*, **7**(43138), 1–7.

<https://doi.org/10.1038/srep43138>

Huang, X. L., Wang, D. W., Liu, Y. Q., & Cheng, Y. X. (2022). Diterpenoids from *Blumea balsamifera* and Their Anti-Inflammatory Activities. *Molecules*, **27**(9), 1–13. <https://doi.org/10.3390/molecules27092890>

Irwan Nurdiansyah, S., Sofiana, M. S., & Safitri, I. (2022). Aktivitas Antioksidan Ekstrak *Turbinaria* sp. dengan Menggunakan Tiga Pelarut yang Berbeda. *Oseanologia*, **1**(3), 84–89.

Jafarina, M., Sadat Hosseini, M., Kasiri, N., Fazel, N., Fathi, F., Ganjalikhani Hakemi, M., & Eskandari, N. (2020). Quercetin with the potential effect on allergic diseases. *Allergy, Asthma and Clinical Immunology*, **16**(36), 1–11. <https://doi.org/10.1186/s13223-020-00434-0>

Jayashika, B. J. (2025). Solvent-Dependent Phytochemical Diversity in *Justicia Tranquebariensis*: A Comparative Analysis of Methanol and Ethyl Acetate Extractions. *International Journal for Multidisciplinary Research (IJFMR)*, **7**(3), 1–7.

Jiao, W. H., Cheng, B. H., Shi, G. H., Chen, G. D., Gu, B. Bin, Zhou, Y. J., Hong, L. L., Yang, F., Liu, Z. Q., Qiu, S. Q., Liu, Z. G., Yang, P. C., & Lin, H. W. (2017). Dysivillosins A-D, Unusual Anti-allergic Meroterpenoids from the Marine Sponge *Dysidea villosa*. *Scientific Reports*, **7**(8947), 1–10. <https://doi.org/10.1038/s41598-017-04021-z>

Kim, Y., Lee, S., Jin, M., Choi, Y. A., Choi, J. K., Kwon, T. K., Khang, D., & Kim, S. H. (2024). Aspalathin, a Primary Rooibos Flavonoid, Alleviates Mast Cell-Mediated Allergic Inflammation by the Inhibition of FcεRI Signaling Pathway. *Inflammation*, **48**(1), 199–211. <https://doi.org/10.1007/s10753-024-02034-1>

Ko, S. C., Lee, D. S., Park, W. S., Yoo, J. S., Yim, M. J., Qian, Z. J., Lee, C. M., Oh, J., Jung, W. K., & Choi, I. W. (2016). Anti-allergic effects of a nonameric peptide isolated from the intestine gastrointestinal digests of abalone (*Haliotis discus hannai*) in activated HMC-1 human mast cells. *International Journal of Molecular Medicine*, **37**(1), 243–250. <https://doi.org/10.3892/ijmm.2015.2420>

Li, J., Zou, C., & Liu, Y. (2022). Amelioration of Ovalbumin-Induced Food Allergy in Mice by Targeted Rectal and Colonic Delivery of Cyanidin-3-O-Glucoside. *Foods*, <https://doi.org/10.3390/foods11111542>

Li



T., Kim, M. M., & Kim, S. K. (2008). Anti-allergic effects of stamine release via binding inhibition between IgE and FcεRI. *Journal of Food Chemistry*, **56**(24), 12073–12080. <https://doi.org/10.1021/jf802732n>

- Linton, S., Hossenbaccus, L., & Ellis, A. K. (2023). Evidence-based use of antihistamines for treatment of allergic conditions. *Annals of Allergy, Asthma and Immunology*, **131**(4), 412–420. <https://doi.org/10.1016/j.anai.2023.07.019>
- Lipinski, C. A. (2004). Lead- and drug-like compounds: The rule-of-five revolution. *Drug Discovery Today: Technologies*, **1**(4), 337–341. <https://doi.org/10.1016/j.ddtec.2004.11.007>
- Lipinski, C. A., Dominy, B. W., & Feeney, P. J. (1997). drug delivery reviews Experimental and computational approaches to estimate solubility and permeability in drug discovery and development settings. In *Advanced Drug Delivery Reviews*, **1**(23) 335-338.
- Lopes, A. J. O., Vasconcelos, C. C., Pereira, F. A. N., Silva, R. H. M., Queiroz, P. F. D. S. Q., Fernandes, C. V., Garcia, J. B. S., Ramos, R. M., Da Rocha, C. Q., Lima, S. T. D. J. R. M., Cartágenes, M. D. S. D. S., & De Sousa Ribeiro, M. N. (2019). Anti-Inflammatory and antinociceptive activity of pollen extract collected by stingless bee *Melipona fasciculata*. *International Journal of Molecular Sciences*, **20**(18). <https://doi.org/10.3390/ijms20184512>
- Matsui, T., Ito, C., Itoigawa, M., & Shibata, T. (2022). Three phlorotannins from *Sargassum carpophyllum* are effective against the secretion of allergic mediators from antigen-stimulated rat basophilic leukemia cells. *Food Chemistry*, **377**(1), 131992-131200. <https://doi.org/10.1016/J.FOODCHEM.2021.131992>
- Mine, Y., Majumder, K., Jin, Y., & Zeng, Y. (2020). Chinese sweet tea (*Rubus suavissimus*) polyphenols attenuate the allergic responses in a Balb/c mouse model of egg allergy. *Journal of Functional Foods*, **67**(103827), 1–9. <https://doi.org/10.1016/j.jff.2020.103827>
- Morris, G. M., Ruth, H., Lindstrom, W., Sanner, M. F., Belew, R. K., Goodsell, D. S., & Olson, A. J. (2009). Software news and updates AutoDock4 and AutoDockTools4: Automated docking with selective receptor flexibility. *Journal of Computational Chemistry*, **30**(16), 2785–2791. <https://doi.org/10.1002/jcc.21256>
- Narayanamurthy, U., Barathane, D., Karthik, S., & Anandh, S. J. V. (2022). Preliminary Phytochemical and GC-MS Analysis of Marine Seaweed-*Acoathophora deilei* (Red *nd Pharmacology Journal*, **15**(3), 1695–1707. <https://doi.org/10.1005/bpj/2508>
- N , J., Pawlowitsch, R., Linz, B., Bennani-Baiti, B., Lauer, R., oe, C. R. (2012). Blood-brain barrier in vitro models as tools in



drug discovery: Assessment of the transport ranking of antihistaminic drugs. *Pharmazie*, **67**(5), 432–439. <https://doi.org/10.1691/ph.2012.1742>

Parasuraman, S., Raveendran, R., & Kesavan, R. (2010). Blood sample collection in small laboratory animals. *Journal of Pharmacology and Pharmacotherapeutics*, **1**(2), 87–93.

<https://doi.org/10.4103/0976-500X.72350>

Pawankar, R., Canonica, G. W., Holgate, S. T., Lockey, R. F., & Blaiss, M. S. (2013). *WAO White Book on Allergy: Update 2013 Executive Summary*.

Pettersen, E. F., Goddard, T. D., Huang, C. C., Couch, G. S., Greenblatt, D. M., Meng, E. C., & Ferrin, T. E. (2004). UCSF Chimera - A visualization system for exploratory research and analysis. *Journal of Computational Chemistry*, **25**(13), 1605–1612. <https://doi.org/10.1002/jcc.20084>

Pichavant, M., Goya, S., Hamelmann, E., Gelfand, E. W., & Umetsu, D. T. (2007). Animal models of airway sensitization. *Current Protocols in Immunology*, **79**(15), 1–19. <https://doi.org/10.1002/0471142735.im1518s79>

Ramu Ganesan, A., Subramani, K., Shanmugam, M., Seedeve, P., Park, S., Alfarhan, A. H., Rajagopal, R., & Balasubramanian, B. (2020). A comparison of nutritional value of underexploited edible seaweeds with recommended dietary allowances. *Journal of King Saud University - Science*, **32**(1), 1206–1211. <https://doi.org/10.1016/j.jksus.2019.11.009>

Riza, Y. M., Parves, Md. R., Tithi, F. A., & Alam, S. (2019). Quantum chemical calculation and binding modes of H1R; a combined study of molecular docking and DFT for suggesting therapeutically potent H1R antagonist. *In Silico Pharmacology*, **7**(1), 1–9. <https://doi.org/10.1007/s40203-019-0050-3>

Sakamoto, Y., Ohtsuka, T., Yoshida, H., Ohtsuka, K., Onobori, M., Matsumoto, T., Iikura, Y., & Morohoshi, T. (1998). Time course of changes in the intestinal permeability of food-sensitized rats after oral allergen challenge. *Pediatric Allergy and Immunology*, **9**(1), 20–24.

Sasidharan, S., Chen, Y., Saravanan, D., Sundram, K. M., & Latha, L. Y. (2011). Extraction, Isolation and Characterization of Bioactive Compounds From Plants' *Journal of Complement Altern Med*, **8**(1), 1–10.

S. M., & Pramesti, R. (2017). Aktivitas Antioksidan Senyawa Non-ari Ekstrak Makroalga *Acanthophora muscoides* dari Pantai *Jurnal Enggano*, **2**(1), 68–77.



- Shankhadarwar, S. D. (2015). Phytochemical analysis of red alga *Acanthophora Spicifera* (Vahl) collected from Mumbai, India. *Journal of Chemical and Pharmaceutical Research*, **7**(12), 441–444. www.jocpr.com
- Shu, Z., Liu, Q., Xing, C., Zhang, Y., Zhou, Y., Zhang, J., Liu, H., Cao, M., Yang, X., & Liu, G. (2020). Viridicatol Isolated from Deep-Sea *Penicillium Griseofulvum* Alleviates Anaphylaxis and Repairs the Intestinal Barrier in Mice by Suppressing Mast Cell Activation. *Marine Drugs*, **18**(10), 1–17.
<https://doi.org/10.3390/MD18100517>
- Simons, F., Estelle, R., & Simons, K. J. (2011). Histamine and H1-antihistamines: Celebrating a century of progress. *Journal of Allergy and Clinical Immunology*, **128**(6), 1139–1150. <https://doi.org/10.1016/j.jaci.2011.09.005>
- Soekamto, N. H., Bahrnun, Okino, T., Rasyid, H., Pudjiastuti, P., Hadisaputri, Y. E., & Zainul, R. (2024). Chemotherapeutic prospects of organic extracts of *Bornetella nitida* from Selayar Island. *Kuwait Journal of Science*, **51**(3), 100223.
<https://doi.org/10.1016/J.KJS.2024.100223>
- Unsal, V., Oner, E., Yildiz, R., & Mert, B. D. (2025). Comparison of new secondgeneration H1 receptor blockers with some molecules; a study involving DFT, molecular docking, ADMET, biological target and activity. *BMC Chemistry*, **19**(1), 1–32.
<https://doi.org/10.1186/s13065-024-01371-4>
- Wang, Y., Zhou, Y., Zhu, Y., Yu, W., Wang, J., Fu, J., Yuan, Y., Yu, Z., Chen, S., Wang, Y., Chen, J., & Kong, W. (2019). The Comparison of Intraperitoneal Injection and Nasal-only Delivery Allergic Rhinitis Model Challenged With Different Allergen Concentration. *American Journal of Rhinology and Allergy*, **33**(2), 145–152.
<https://doi.org/10.1177/1945892418817221>
- Xiang, Y. K., Fok, J. S., Podder, I., Yücel, M. B., Özkoca, D., Thomsen, S. F., & Kocatürk, E. (2024). An update on the use of antihistamines in managing chronic urticaria. *Expert Opinion on Pharmacotherapy*, **25**(5), 551–569.
<https://doi.org/10.1080/14656566.2024.2345731>
- Xie, C. L., Liu, Q., Xia, J. M., Gao, Y., Yang, Q., Shao, Z. Z., Liu, G., & Yang, X. W. (2017). Anti-allergic compounds from the deep-sea-derived actinomycete *Nesterenkonia* sp. *Marine Drugs*, **15**(3), 1–8.
<https://doi.org/10.3390/md15030071>
- Zhang, S., Su, S., Ji, J.-Y., Dub, Owen, J., Lu, N. L., Yang, S. B., Lu, (2001). Flavonoids from the Red Alga *Acanthophora spicifera*. *Chemistry*, **19**(1), 1097–1098.



- Zhang, Y. L., Shin, H. J., Lee, J. H., & Lee, J. (2019). Antiallergic effect of hizikia fusiformis in an ovalbumin-induced allergic rhinitis mouse model. *Clinical and Experimental Otorhinolaryngology*, **12**(2), 196–205.
<https://doi.org/10.21053/ceo.2019.00094>
- Zubia, M., Fabre, M. S., Kerjean, V., Lann, K. Le, Stiger-Pouvreau, V., Fauchon, M., & Deslandes, E. (2009). Antioxidant and antitumoural activities of some Phaeophyta from Brittany coasts. *Food Chemistry*, **116**(3), 693–701.
<https://doi.org/10.1016/J.FOODCHEM.2009.03.025>
- Zweiman, B. (1993). The late-phase reaction: role of IgE, its receptor and cytokines. *Current Opinion in Immunology*, **5**(6), 950–955.
[https://doi.org/10.1016/0952-7915\(93\)90111-5](https://doi.org/10.1016/0952-7915(93)90111-5)

